

Fiyat Listesi 2023



Fiyat Listesi 2023

Yenilikleri gerçekleřtirmek

Daha iyi makineler, yeni pazarlar, yalın üretim ve gelişmiş servis desteęi: Omron Endüstriyel Otomasyon, yıllardır yenilikleri gerçekleřtiriyor.

Bunu sizinle beraber daha yakın çalışarak yapıyoruz, makine ve fabrika otomasyonundaki en son bilgileri sunarak, fikirlerinizin hayata geçmesine destek oluyoruz.

Daha fazla ürün bilgisine “industrial.omron.com.tr” internet sitemizden veya telefonla bizi arayarak ulaşabilirsiniz.

Sipariş:

Tel: +90 (216) 556 51 30

E-Posta: satis@eu.omron.com

Online Destek:

industrial.omron.com.tr

myomron.com

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Auto ID Ürün V600											
C11W-V600C11	ID Sensor Unit, single-head, compatible with V600 RFID series	1,751.00	EC001422	108924	4536854870866			AA	AAB	JPN	8473.3080.00
C11W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2,477.00	EC001422	148904	4536854870873			AA	AAB	JPN	8473.3080.00
C51W-V600C12	ID Sensor Unit, double-head, compatible with V600 RFID series	2,538.00	EC001422	108923	4536854870859			AA	AAB	JPN	8473.3080.00
V600-D23P55	V600 RFID	34.99	EC002996	108943	4536854707070	50		AA	AAB	JPN	8473.3080.00
V600-D8KF04	V600 ID Tag, rectangular	245.00	EC002996	684616	4547648173049	4		AA	AAB	JPN	8473.3080.00
V600-HA51 2M	Pre-Amplifier antenna 530KHz, Cable 2m	633.50	EC002998	151533	4536854629938			AA	AAB	JPN	8473.3080.00
V600-A86	V680-D1KPe6T ID Tag attachment	11.34	EC002997	109000	4536854706745	10		AA	AAB	JPN	8473.3080.00
V780-HMD68-EIP-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), EtherNet/IP, IP54, 24 VDC	3,175.00	EC002998	687037	4549734218641			AA	AAB	JPN	9031.8080.00
V780-HMD68-ETN-EU	V780 RFID reader/writer Unit, 250 x 250 x 70 mm (W x H x D), Ethernet, IP54, 24 VDC	3,126.00	EC002998	680457	4549734137638			AA	AAB	JPN	9031.8080.00
Auto ID Ürün V680											
V680-CA5D01-V2	V680 ID controller, single-head, RS-232C/422/485 communications	1,758.00	EC002997	237733	4547648409377			AA	AAD	JPN	9031.8080.00
V680-CH1D	V680 Handheld Reader Writer 2.5m	1,698.00	EC002997	245174	4547648488570			AA	AAD	JPN	9031.8080.00
V680S-HMD63-EIP	V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, EtherNet/IP, IP67, 24VDC	976.50	EC002998	419015	4548583561960	#		AA	AAD	JPN	9031.8080.00
V680S-HMD63-ETN	V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, Modbus TCP, IP67, 24VDC	1,086.00	EC002998	419014	4548583561953			AA	AAD	JPN	9031.8080.00
V680S-HMD63-PNT	V680S RFID okuyucu/yazıcı ünitesi, 50x50x30mm, Profinet, IP67, 24VDC	976.50	EC002998	419011	4548583561977			AA	AAD	JPN	9031.8080.00
V680S-HMD64-EIP	V680S RFID okuyucu/yazıcı ünitesi, 75x75x40mm, EtherNet/IP, IP67, 24VDC	1,273.00	EC002998	419016	4548583561984	#		AA	AAD	JPN	9031.8080.00
V680S-HMD64-ETN	V680S ID okuyucu/yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC	1,437.00	EC002998	376241	4548583407695			AA	AAD	JPN	9031.8080.00
V680S-HMD64-PNT	V680S RFID okuyucu/yazıcı ünitesi, 75x75x40mm, Profinet, IP67, 24VDC	1,273.00	EC002998	419012	4548583561991			AA	AAD	JPN	9031.8080.00
V680S-HMD66-EIP	V680S RFID okuyucu/yazıcı ünitesi, 120x120x40mm, EtherNet/IP, IP67, 24VDC	1,565.00	EC002998	419017	4548583562004	#		AA	AAD	JPN	9031.8080.00
V680S-HMD66-ETN	V680S ID okuyucu/yazıcı ünitesi, Modbus TCP, IP67, uzun mesafe, 24VDC	1,779.00	EC002998	376240	4548583407688			AA	AAD	JPN	9031.8080.00
V680S-HMD66-PNT	V680S RFID okuyucu/yazıcı ünitesi, 120x120x40mm, Profinet, IP67, 24VDC	1,565.00	EC002998	419013	4548583562011			AA	AAD	JPN	9031.8080.00
V680-D1KP52MT	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, round, 8mm diameter x 5mm	37.23	EC002996	237730	4547648393645	10		AA	AAD	JPN	8526.9200.90
V680-D1KP53M	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, round, 10mm diameter x 4.5mm	36.72	EC002996	323787	4547648616966	50		AA	AAD	JPN	8526.9200.90
V680-D1KP54T	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, round, 20mm diameter x 2.7mm	34.63	EC002996	346282	4547648826693	50		AA	AAD	JPN	8526.9200.90
V680-D1KPe6MT	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on metallic surfaces	38.86	EC002996	237732	4547648393652	20		AA	AAD	JPN	8526.9200.90
V680-D1KPe6T	V680 ID Tag, I-CODE SLL EEPROM, 1KB user memory, square, 34 x 34 x 3.5mm, for flush mounting on non-metallic surfaces	31.94	EC002996	237731	4547648393669			AA	AAD	JPN	8526.9200.90
V680S-D2KF67	V680S RF Tag, 2 kbytes, 40x40x5, metal olmayan yüzeyler için montaj	46.06	EC002996	386321	4548583453951	#	20	AA	AAD	JPN	8473.3080.00
V680S-D2KF67M	V680S RF Tag, 2 kbytes, 40x40x5, metal yüzeyler için montaj	84.35	EC002996	386322	4548583453968	20		AA	AAD	JPN	8473.3080.00
V680S-D8KF67	V680S RF Tag, 8 kbytes, 40x40x5 for flush mounting on nonmetallic sureface	180.40	EC002996	386315	4548583453975	20		AA	AAD	JPN	8473.3080.00
V680S-D8KF68	V680S RF Tag, 8 kbytes, 86x54x10 for flush mounting on nonmetallic sureface	174.30	EC002996	386319	4548583454019	10		AA	AAD	JPN	8473.3080.00
V680-H01-V02	Square antenna with integrated amplifier, 250x200x35mm, cable 0.5 meters	3,338.00	EC002998	260925	4547648637008			AA	AAD	JPN	9031.8080.00
V680-HA63A 5M	V680 Amplifier unit, for 1KB ID Tags, 5m cable	617.00	EC002998	231865	4547648318495			AA	AAD	JPN	8473.3080.00
V680-HA63B 5M	V680 Amplifier unit, for 2KB ID Tags, 5m cable	565.50	EC002998	231855	4547648318518			AA	AAD	JPN	8473.3080.00
V680-HAM42-DR1	V680 DeviceNet Slave controller	1,008.00	EC002998	246937	4547648546140			AA	AAD	JPN	9031.8080.00
V680-HS51 2M	V680 Read/Write Antenna, cylindrical type, M12 x 35 mm, standard cable, non-waterproof connector, 2m	283.70	EC002998	245172	4547648514545			AA	AAD	JPN	9031.8080.00
V680-HS52-W 2M	V680 Read/Write Antenna, Cylinder type, standard cable with IP67 connector, 2m	257.00	EC002998	231857	4547648318402			AA	AAD	JPN	8473.3080.00
V680-HS63-W 2M	V680 Read/Write Antenna, Square type, 40x53x23mm, standard cable with IP67 connector, 2m	227.90	EC002998	231861	4547648318457			AA	AAD	JPN	8473.3080.00
V680S-A41 5M	V680S ID okuyucu/yazıcı Ethernet ve güç kablosu, M12 - RJ45, 5m uzunluk	327.90	EC002997	376246	4548583408036			AA	AAD	JPN	9031.8080.00
Kontrol Sistemi CP11/H											
CP11-X40DR-A	CPU, 100-240 VAC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x röle 2A, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,136.00	EC000236	209400	4547648203579	#		BA	BAB	CHN	8471.4100.00
CP11-X40DT1-D	CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistor PNP, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,136.00	EC000236	209402	4547648203593	#		BA	BAB	CHN	8471.4100.00
CP11-X40DT-D	CPU, 24 VDC, giriş: 24x 24 VDC + 1x analog, çıkış: 16x transistor NPN, 20K step program kapasitesi, 32K word data hafızası, USB port	1,136.00	EC000236	209401	4547648203586	#		BA	BAB	CHN	8471.4100.00
CP11-XA40DR-A	CPU, 100-240 VAC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x röle 2A + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port	1,746.00	EC000236	209397	4547648203548	#		BA	BAB	CHN	8471.4100.00
CP11-XA40DT1-D	CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistor PNP + 2x analog, 20K step program kapasitesi, 32K word data hafızası, USB port	1,746.00	EC000236	209399	4547648203562	#		BA	BAB	CHN	8471.4100.00
CP11-XA40DT-D	CPU, 24 VDC, giriş: 24x 24 VDC + 4x analog, çıkış: 16x transistor NPN + 2x analog, 20K step program kapasitesi, 32K word veri hafızası, USB port	1,746.00	EC000236	209398	4547648203555	#		BA	BAB	CHN	8471.4100.00
CP11-EL20DR-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkış 2A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	445.80	EC000236	667993	4548583751880			BA	BAB	NLD	8471.4100.00
CP11-EL20DT1-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	445.80	EC000236	667994	4548583751897			BA	BAB	NLD	8471.4100.00
CP11-EL20DT-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x NPN çıkış 0.3A, 2 analog giriş, 5K Step program kapasitesi, 10K Word veri hafızası, 1x Ethernet port	445.80	EC000236	667986	4548583751903			BA	BAB	NLD	8471.4100.00
CP11-EM30DR-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkış 2A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	577.50	EC000236	667992	4548583751910	#		BA	BAB	NLD	8471.4100.00
CP11-EM30DT1-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	577.50	EC000236	667990	4548583751927	#		BA	BAB	NLD	8471.4100.00
CP11-EM30DT-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	577.50	EC000236	667988	4548583751934			BA	BAB	NLD	8471.4100.00
CP11-EM40DR-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkış 2A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	719.50	EC000236	667987	4548583751941	#		BA	BAB	NLD	8471.4100.00
CP11-EM40DT1-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	719.50	EC000236	667991	4548583751958	#		BA	BAB	NLD	8471.4100.00
CP11-EM40DT-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkış 0.3A, 2 analog giriş, 10K Step program kapasitesi, 32K Word veri hafızası, 1x Ethernet port	719.50	EC000236	667989	4548583751965			BA	BAB	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1L-L14DR-A	PLC, 100-240 VAC besleme, 8x 24 VDC giriş, 6x röle çıkışı 2 A, 1K adimlik program + 10K kelime veri hafızası	384.70	EC000236	668664	4548583764675			BA	BAB	NLD	8471.4100.00
CP1L-L10DR-A	CPU, 100-240 VAC, 6x 24 VDC giriş, 4x röle çıkışı 2 A, 5K step program kapasitesi, 10K word hafızası	354.20	EC000236	668681	4548583764736			BA	BAB	NLD	8471.4100.00
CP1L-L10DR-D	CPU, 24 VDC, 6x 24 VDC giriş, 4x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	342.70	EC000236	668679	4548583764743			BA	BAB	NLD	8471.4100.00
CP1L-L10DT1-D	CPU, 24 VDC, 6x 24 VDC giriş, 4x PNP çıkışı 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	336.40	EC000236	668671	4548583764750			BA	BAB	NLD	8471.4100.00
CP1L-L14DR-A	CPU, 100-240 VAC, 8x 24 VDC giriş, 6x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	449.90	EC000236	668670	4548583764781			BA	BAB	NLD	8471.4100.00
CP1L-L14DR-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	396.00	EC000236	668663	4548583764798			BA	BAB	NLD	8471.4100.00
CP1L-L14DT1-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x PNP çıkışı 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	399.90	EC000236	668660	4548583764804			BA	BAB	NLD	8471.4100.00
CP1L-L14DT-D	CPU, 24 VDC, 8x 24 VDC giriş, 6x NPN çıkışı 0.3 A, 5K Step program kapasitesi, 10K Word veri hafızası	398.90	EC000236	668666	4548583764828			BA	BAB	NLD	8471.4100.00
CP1L-L20DR-A	CPU, 100-240 VAC, 12x 24 VDC giriş, 8x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668673	4548583764835			BA	BAB	NLD	8471.4100.00
CP1L-L20DR-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x röle çıkışı 2 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668692	4548583764842	#		BA	BAB	NLD	8471.4100.00
CP1L-L20DT1-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x PNP çıkışı 0.3 A, 5K step program kapasitesi, 10K word veri hafızası	520.00	EC000236	668690	4548583764859			BA	BAB	NLD	8471.4100.00
CP1L-L20DT-D	CPU, 24 VDC, 12x 24 VDC giriş, 8x NPN çıkışı 0.3 A, 5K Step program kapasitesi, 10K Word veri hafızası	520.00	EC000236	668694	4548583764873			BA	BAB	NLD	8471.4100.00
CP1L-M30DR-A	CPU, 100-240 VAC, 18x 24 VDC giriş, 12x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	652.50	EC000236	668695	4548583764880	#		BA	BAB	NLD	8471.4100.00
CP1L-M30DR-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x röle çıkışı 2 A, 10 K step program, 32K word veri hafızası	652.50	EC000236	668668	4548583764897			BA	BAB	NLD	8471.4100.00
CP1L-M30DT1-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x PNP çıkışı 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	652.50	EC000236	668688	4548583764903			BA	BAB	NLD	8471.4100.00
CP1L-M30DT-D	CPU, 24 VDC, 18x 24 VDC giriş, 12x NPN çıkışı 0.3 A, 10K Step program kapasitesi, 32K Word veri hafızası	652.50	EC000236	668662	4548583764927			BA	BAB	NLD	8471.4100.00
CP1L-M40DR-A	CPU, 100-240 VAC, 24x 24 VDC giriş, 16x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668686	4548583764934			BA	BAB	NLD	8471.4100.00
CP1L-M40DR-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668689	4548583764941			BA	BAB	NLD	8471.4100.00
CP1L-M40DT1-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x PNP çıkışı 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	755.50	EC000236	668678	4548583764958	#		BA	BAB	NLD	8471.4100.00
CP1L-M40DT-D	CPU, 24 VDC, 24x 24 VDC giriş, 16x NPN çıkışı 0.3 A, 10K Step program kapasitesi, 32K Word veri hafızası	755.50	EC000236	668674	4548583764972	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DR-A	CPU, 100-240 VAC, 36x 24 VDC giriş, 24x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668661	4548583764989			BA	BAB	NLD	8471.4100.00
CP1L-M60DR-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x röle çıkışı 2 A, 10 K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668676	4548583764996	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT1-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x PNP çıkışı 0.3 A, 10 K step program kapasitesi, 32K word veri hafızası	965.50	EC000236	668665	4548583765009	#		BA	BAB	NLD	8471.4100.00
CP1L-M60DT-D	CPU, 24 VDC, 36x 24 VDC giriş, 24x NPN çıkışı 0.3 A, 10K Step program kapasitesi, 32K Word veri hafızası	965.50	EC000236	668672	4548583765023			BA	BAB	NLD	8471.4100.00
Kontrol Sistemi CP1E-F											
CP1E-F10DR-A	CPU, 100-240 VAC, 6 x 24 VDC giriş, 4 x röle çıkışı 2 A, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333280	4547648800792			BA	BAC	CHN	8471.6070.00
CP1E-F10DR-D	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x röle çıkışı 2 A, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333283	4547648800822			BA	BAC	CHN	8471.6070.00
CP1E-F10DT1-D	CPU, 24 VDC, 6 x 24 VDC giriş, 4 x PNP transistor çıkışı, 2K step program kapasitesi, 2K word veri hafızası	246.60	EC000236	333285	4547648800846			BA	BAC	CHN	8471.6070.00
Kontrol Sistemi CP1E-N											
CP1E-NA20DT1-D	CPU, 24 VDC, 12 x 24 VDC giriş, 8 x PNP transistor çıkışı, 8K step program kapasitesi, 8K word data hafızası, RS-232C port, giriş: 2x analog, çıkış: 1x analog, çözünürlük 1/6.000	870.00	EC000236	328740	4547648800785	#		BA	BAD	CHN	8471.6070.00
Kontrol Sistemi CS1											
CS1H-CPU64H	CPU, 30K steps program, 64K words data memory, 7 expansion racks max.	3,766.00	EC000236	153563	4536854781667			BA	BAF	JPN	8471.4100.00
CS1H-CPU65H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	4,609.00	EC000236	135644	4536854781698			BA	BAF	JPN	8471.4100.00
CS1G-CPU42H	CPU, 10K steps program, 64K words data memory, 2 expansion racks max.	1,724.00	EC000236	135641	4536854781612			BA	BAF	JPN	8471.4100.00
CS1G-CPU43H	CPU, 20K steps program, 64K words data memory, 2 expansion racks max.	1,907.00	EC000236	147099	4536854781629			BA	BAF	JPN	8471.4100.00
CS1G-CPU44H	CPU, 30K steps program, 64K words data memory, 3 expansion racks max.	2,438.00	EC000236	135642	4536854781636			BA	BAF	JPN	8471.4100.00
CS1G-CPU45H	CPU, 60K steps program, 128K words data memory, 7 expansion racks max.	3,406.00	EC000236	153562	4536854781643			BA	BAF	JPN	8471.4100.00
CS1W-BC033	CPU backplane with C200H I/O BUS, 3 I/O slots	334.00	EC000810	135557	4536854845659			BA	BAF	CHN	8538.9099.99
CS1W-BC053	CPU backplane with C200H I/O BUS, 5 I/O slots	373.30	EC000810	135558	4536854845666			BA	BAF	CHN	8538.9099.99
CS1W-BC083	CPU backplane with C200H I/O BUS, 8 I/O slots	480.20	EC000810	135559	4536854845673			BA	BAF	CHN	8538.9099.99
CS1W-BC103	CPU backplane with C200H I/O BUS, 10 I/O slots	662.50	EC000810	156857	4536854845680			BA	BAF	CHN	8538.9099.99
CS1W-BI053	Expansion backplane with C200H I/O BUS, 5 I/O slots	448.80	EC000810	135561	4536854845703			BA	BAF	CHN	8538.9099.99
CS1W-BI083	Expansion backplane with C200H I/O BUS, 8 I/O slots	640.50	EC000810	135562	4536854845710			BA	BAF	CHN	8538.9099.99
CS1W-BI103	Expansion backplane with C200H I/O BUS, 10 I/O slots	794.00	EC000810	135563	4536854845727			BA	BAF	CHN	8538.9099.99
CS1D-PA207B	Power supply unit for duplex system, 100-120/200-240 VAC high power, RUN output, CS1 duplex backplanes only	1,055.00	EC000599	135743	4536854880483			BA	BAF	JPN	8523.8090.00
CS1W-CLK23	Controller Link unit, 2-wire twisted pair, screw connectors	1,070.00	EC001423	296520	4547648706674			BA	BAF	CHN	8537.1098.99
CS1W-DRM21-V1	DeviceNet master / slave unit	1,150.00	EC001423	296523	4547648708548			BA	BAF	CHN	8537.1098.99
CS1W-FIP21	EtherNet/IP unit, 100Base-TX, 1 x RJ45 socket, supports CIP, FINS/UDP and FINS/TCP	1,979.00	EC001423	296519	4547648706650	#		BA	BAF	CHN	8471.6070.00
CS1W-ETN21	Ethernet unit, 100Base-TX and 10 Base-T, 1 x RJ45 socket, TCP/IP & UDP/IP socket services, FTP, SMTP, FINS	2,164.00	EC001423	296515	4547648706568	#		BA	BAF	CHN	8471.6070.00
CS1W-PNT21	PROFINET IO Controller (master) unit, 1 x RJ45 socket	1,344.00	EC001423	342429	4547648831093			BA	BAF	NLD	8529.1095.00
CS1W-PRM21	PROFIBUS DP master unit	1,605.00	EC001423	168023	4547648010962			BA	BAF	NLD	8529.1095.00
CS1W-SCB21-V1	Serial communications board, 2 x RS-232C ports, supports protocol macro backup from memory card	626.50	EC001423	296510	4547648706490			BA	BAF	CHN	8538.9099.99
CS1W-SCB41-V1	Serial communications board, 1 x RS-232C port, 1 x RS422/485 port, supports protocol macro backup from memory card	708.00	EC001423	296511	4547648706506			BA	BAF	CHN	8538.9099.99
CS1W-SCU21-V1	Serial communications unit, 2 x RS-232C ports, Protocol Macro, Host Link, 1-N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,195.00	EC001423	296512	4547648706513			BA	BAF	CHN	8537.1098.99
CS1W-SCU31-V1	Serial communication unit, 2x RS-422/485 ports, Protocol Macro, Host Link, 1-N NT Link, No protocol, Serial Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	1,249.00	EC001423	296518	4547648706643			BA	BAF	CHN	8537.1098.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CS1W-ID211	Dijital giriş ünitesi, 16 x 24 VDC giriş, NPN/PNP	321.40	EC001419	182912	4547648096539			BA	BAF	CHN	8471.6070.00
CS1W-ID231	Dijital giriş ünitesi, 32 x 24 VDC giriş, NPN/PNP	597.50	EC001419	182913	4547648096546			BA	BAF	CHN	8471.6070.00
CS1W-ID261	Dijital giriş ünitesi, 64 x 24 VDC giriş, NPN/PNP	948.50	EC001419	182914	4547648096553			BA	BAF	CHN	8471.6070.00
CS1W-OC211	Dijital çıkış ünitesi, 16 x röle çıkış, 2 A, 24 VDC/250 VAC, 2 commons	450.60	EC001419	182918	4547648096591			BA	BAF	CHN	8471.6070.00
CS1W-OD211	Dijital çıkış ünitesi, 16 x transistor çıkış, NPN, 0.5 A, 12-24 VDC	377.90	EC001419	182919	4547648096607			BA	BAF	CHN	8471.6070.00
CS1W-OD212	Dijital çıkış ünitesi, 16 x transistor çıkış, PNP with short circuit protection, 0.5 A, 24 VDC	607.50	EC001419	182910	4547648096614			BA	BAF	CHN	8471.6070.00
CS1W-OD232	Dijital çıkış ünitesi, 32 x transistor çıkış, PNP with short circuit protection, 0.5 A, 24 VDC	888.00	EC001419	182911	4547648096638			BA	BAF	CHN	8471.6070.00
CS1W-OD261	Dijital çıkış ünitesi, 64 x transistor çıkış, NPN, 0.3 A, 12-24 VDC	1,275.00	EC001419	182921	4547648096645			BA	BAF	CHN	8471.6070.00
CS1W-OD262	Dijital çıkış ünitesi, 64 x transistor çıkış, PNP with short circuit protection, 0.3 A, 24 VDC	1,485.00	EC001419	135626	4536854615290			BA	BAF	JPN	8471.6070.00
CS1W-AD041-V1	Analog giriş ünitesi, 4 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük	1,261.00	EC001420	143686	4536854819704			BA	BAF	JPN	8471.6070.00
CS1W-AD081-V1	Analog giriş ünitesi, 8 x 1 to 5V, 0 to 5V, 0 to 10V, -10 to +10V, 4 to 20mA giriş, 1:4000/8000 çözünürlük	2,033.00	EC001420	135647	4536854819711			BA	BAF	JPN	8471.6070.00
CS1W-PT556	İzolasyonlu RTD giriş ünitesi, 8 x giriş (Pt100 (JIS, IEC), JPt100), 0.1°C çözünürlük	2,122.00	EC001420	172048	4547648086271			BA	BAF	JPN	8471.6070.00
CS1W-DA041	Analog çıkış ünitesi, 4 x 4-20mA/1-5V/0-5V/0-10V/-10/+10V çıkış, vidalı terminal, 12 bit çözünürlük	1,340.00	EC001420	135612	4536854493584			BA	BAF	JPN	8471.6070.00
CS1W-DA08-C	Analog çıkış ünitesi, 8 x 4-20mA çıkış, vidalı terminal, 12 bit çözünürlük	2,026.00	EC001420	144480	4536854493577			BA	BAF	JPN	8471.6070.00
CS1W-DA08-V	Analog çıkış ünitesi, 8 x 1-5V/0-5V/0-10V/0-10/+10V çıkış, vidalı terminal, 12 bit çözünürlük	2,033.00	EC001420	142228	4536854493560			BA	BAF	JPN	8471.6070.00
CS1W-CT021	Yüksek hızlı sayıcı ünitesi, 2 Kanals, 500 kHz, open collector (5/12/24 VDC) & line driver giriş, 4 integral çıkış	1,185.00	EC001422	135576	4536854681639			BA	BAF	NLD	9029.1000.90
CS1W-CT041	Yüksek hızlı sayıcı ünitesi, 4 Kanals, 500 kHz, open collector (5/12/24 VDC) & line driver giriş, 4 integral çıkış	1,589.00	EC001422	153791	4536854681646			BA	BAF	NLD	9029.1000.90
CS1W-CTS21	Yüksek hızlı sayıcı ünitesi, SSL absolute encoder 2 Kanals, 9 to 31 bit, Gray/Binary/Taunenbaum/Raw coding, 4x Dijital giriş, 4x Dijital çıkış NPN ve PNP	1,430.00	EC001422	135577	4536854842627			BA	BAF	NLD	9029.1000.90
Kontrol Sistemi XW2											
XW2Z-2005-CV	Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port	116.70	EC001681	147534	4536854488191			BA	BAJ	JPN	8536.9010.00
XW2Z-2005-V	Kablo, RS-232C, 2m, programlama için PLC veya HMI 9-pin port, PC 9-pin port	111.20	EC001681	149609	4536854230660			BA	BAJ	JPN	8536.9010.00
XW2Z-200T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m	108.50	EC001681	105353	4536854230226			BA	BAJ	JPN	8536.9010.00
XW2Z-500T	Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m	107.80	EC001681	155978	4536854230233			BA	BAJ	JPN	8536.9010.00
XW2D-20G6	General-purpose I/O terminal block, MIL20 socket, M3 captive screws, 20 points	45.61	EC002780	703441	4549734723121			BA	BAJ	JPN	8536.9010.00
XW2D-34G6	General-purpose I/O terminal block, MIL34 socket, M3 captive screws, 34 points	59.70	EC002780	703440	4549734723152			BA	BAJ	JPN	8536.9010.00
XW2D-40G6	Terminal Blok, 40 point (M3 vidalı)	69.85	EC002780	703439	4549734723183	#		BA	BAJ	JPN	8536.9010.00
XW2D-50G6	General-purpose I/O terminal block, MIL50 socket, M3 captive screws, 50 points	63.70	EC002780	703436	4549734723213			BA	BAJ	JPN	8536.9010.00
XW2F-20G7-IN16	Terminal block, MIL20 socket, 20 point input, screwless connections	90.65	EC002780	172652	4547648093880			BA	BAJ	JPN	8536.9010.00
XW2F-20G7-OUT16	Terminal block, MIL20 socket, 20 point output, screwless connections	90.65	EC002780	172653	4547648093897			BA	BAJ	JPN	8536.9010.00
XW2R-F40G-T	DIN-rail mounting terminal block, MIL40 socket, screw clamp, 40 points, general-purpose	69.95	EC002780	372890	4548583367388			BA	BAJ	JPN	8536.9010.00
XW2R-I40G-T	DIN-rail mounting terminal block, MIL40 socket, M3 screws, 40 points, general-purpose	70.15	EC002780	372885	4548583367326			BA	BAJ	JPN	8536.9010.00
XW2R-P34GD-C2-COM	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32 I/O points (3-wire connection), for Omron input units with MIL40 connectors	75.10	EC002780	410805	4548583546547			BA	BAJ	JPN	8536.9010.00
XW2R-P34G-C2	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32x IN + power, for Omron PLC units with MIL40 connectors	47.18	EC002780	373000	4548583367555			BA	BAJ	JPN	8536.9010.00
XW2R-P34G-C4	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 32x OUT + power, for Omron PLC units with MIL40 connectors	47.18	EC002780	373002	4548583367579			BA	BAJ	JPN	8536.9010.00
XW2R-P34GD-T	DIN-rail mounting terminal block, MIL34 socket, screw clamp, 34 points, general-purpose push-in spring	48.48	EC002780	670881	4548583547131			BA	BAJ	JPN	8536.9010.00
XW2R-P40G-T	DIN-rail mounting terminal block, MIL40 socket, push-in clamp, 40 points, general-purpose	54.85	EC002780	372996	4548583367432			BA	BAJ	JPN	8536.9010.00
XW2B-20G4	General-purpose I/O terminal block, MIL20 socket, screw clamp, 20 points	71.40	EC002780	154108	4536854229503			BA	BAJ	JPN	8536.9010.00
XW2B-20G5	General-purpose I/O terminal block, MIL20 socket, M3.5 screws, 20 points	63.70	EC002780	152948	4536854229541			BA	BAJ	JPN	8536.9010.00
XW2B-34G4	General-purpose I/O terminal block, MIL34 socket, screw clamp, 34 points	98.30	EC002780	107557	4536854229510			BA	BAJ	JPN	8536.9010.00
XW2B-40G4	Terminal Blok, 40 nokta (vidalı)	116.00	EC002780	156303	4536854229527	#		BA	BAJ	JPN	8536.9010.00
XW2B-40G5	Terminal Blok, 40 point (M3.5 vidalı)	108.00	EC002780	150730	4536854229565			BA	BAJ	JPN	8536.9010.00
XW2B-50G4	General-purpose I/O terminal block, MIL50 socket, screw clamp, 50 points	104.00	EC002780	105351	4536854229534			BA	BAJ	JPN	8536.9010.00
XW2B-50G5	Genel amaçlı servo terminal bloğu, M3.5 for fork/round terminal	125.30	EC002780	143060	4536854229572			BA	BAJ	JPN	8536.9010.00
XW2G-40G7	Giriş Terminal Blok, CJ1W-CTL41-E (XW2Z-xxxK kablo ile birlikte kullanın)	127.90	EC002780	180645	4547648098952	#		BA	BAJ	NLD	8536.9010.00
XW2K-20G-O16A-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Input, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	75.60	EC002780	707448	4549734758116			BA	BAJ	CHN	8536.9010.00
XW2K-20G-O16B-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 20 points MIL connector, Output, Signal: 0.5 A, Power: 4 A, NPN, 30 VDC, DIN rail horizontal and vertical mounting	75.60	EC002780	707445	4549734758161			BA	BAJ	CHN	8536.9010.00
XW2K-20G-T	General purpose interface wiring system with push-in plus technology, 20 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	43.20	EC002780	707455	4549734758024			BA	BAJ	CHN	8536.9010.00
XW2K-34G-T	General purpose interface wiring system with push-in plus technology, 34 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail horizontal and vertical mounting	56.70	EC002780	707454	4549734758031			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32A	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail horizontal and vertical mounting	64.80	EC002780	707451	4549734758062			BA	BAJ	CHN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW2K-40G-O32A-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting	91.80	EC002780	707447	4549734758123			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32B	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail, horizontal and vertical mounting	64.80	EC002780	707450	4549734758079			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32B-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting	91.80	EC002780	707444	4549734758178			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input/Output, 0.5 A, NPN/PNP, 30 VDC, DIN rail, horizontal and vertical mounting	64.80	EC002780	707449	4549734758086			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C-IN	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Input, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting	91.80	EC002780	707446	4549734758130			BA	BAJ	CHN	8536.9010.00
XW2K-40G-O32C-OUT	PLC interface wiring system with push-in plus technology and power supply terminal, 40 points MIL connector, Output, Signal: 0.5 A, Power: 7 A, NPN, 30 VDC, DIN rail, horizontal and vertical mounting	91.80	EC002780	707443	4549734758185			BA	BAJ	CHN	8536.9010.00
XW2K-40G-T	General purpose interface wiring system with push-in plus technology, 40 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail, horizontal and vertical mounting	67.50	EC002780	707453	4549734758048			BA	BAJ	CHN	8536.9010.00
XW2K-50G-T	General purpose interface wiring system with push-in plus technology, 50 points MIL connector, Input/Output, 1 A, NPN/PNP, 125 VAC, 30 VDC, DIN rail, horizontal and vertical mounting	78.30	EC002780	707452	4549734758055			BA	BAJ	CHN	8536.9010.00
XW2K-COM20	Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail, horizontal and vertical mounting	75.60	EC002780	707440	4549734758239			BA	BAJ	CHN	8536.9010.00
XW2K-COM20N	Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail, horizontal and vertical mounting	75.60	EC002780	707441	4549734758222			BA	BAJ	CHN	8536.9010.00
XW2K-COM20P	Interface wiring system with push-in plus technology and common terminals, 10 A, 250 VAC/DC, DIN rail, horizontal and vertical mounting	75.60	EC002780	707442	4549734758215			BA	BAJ	CHN	8536.9010.00
XW2Z-0030FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 30 cm	26.37	EC000237	377664	4548583449138			BA	BAJ	CHN	8544.4290.90
XW2Z-0050FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 0.5 m	27.36	EC000237	377665	4548583449145			BA	BAJ	CHN	8544.4290.90
XW2Z-0100BF-L	I/O connection cable, unshielded, FCN40 to MIL40, 1 m	55.75	EC000237	377616	4548583448650			BA	BAJ	CHN	8544.4290.90
XW2Z-0100DI-L	I/O connection cable, unshielded, MIL20 to open ends, 1 m	30.99	EC000237	377642	4548583448919			BA	BAJ	CHN	8544.4290.90
XW2Z-0100FF-L	I/O bağlantı kabloyu, MIL40 to MIL40, L = 100 cm	39.80	EC000237	377666	4548583449152			BA	BAJ	CHN	8544.4290.90
XW2Z-0100FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1 m	37.73	EC000237	377671	4548583449206			BA	BAJ	CHN	8544.4290.90
XW2Z-0150FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 1.5 m	68.80	EC000237	377667	4548583449169			BA	BAJ	CHN	8544.4290.90
XW2Z-0150FN-L	I/O connection cable, unshielded, MIL40 to open ends, 1.5 m	59.20	EC000237	377672	4548583449213			BA	BAJ	CHN	8544.4290.90
XW2Z-0200BN-L	I/O connection cable, unshielded, FCN40 to open ends, 2 m	81.60	EC000237	377622	4548583448711			BA	BAJ	CHN	8544.4290.90
XW2Z-0200FF-L	I/O connection cable, unshielded, MIL34 to MIL34, 2 m	39.91	EC000237	377653	4548583449022			BA	BAJ	CHN	8544.4290.90
XW2Z-0200FN-L	I/O connection cable, unshielded, MIL40 to open ends, 2 m	46.87	EC000237	377673	4548583449220			BA	BAJ	CHN	8544.4290.90
XW2Z-0300BN-L	I/O connection cable, unshielded, FCN40 to open ends, 3 m	110.60	EC000237	377623	4548583448728			BA	BAJ	CHN	8544.4290.90
XW2Z-0300FF-L	I/O connection cable, unshielded, MIL40 to MIL40, 3 m	68.10	EC000237	377669	4548583449183			BA	BAJ	CHN	8544.4290.90
XW2Z-0300FN-L	I/O connection cable, unshielded, MIL40 to open ends, 3 m	42.04	EC000237	377675	4548583449244			BA	BAJ	CHN	8544.4290.90
XW2Z-0500DI-L	I/O connection cable, unshielded, MIL20 to open ends, 5 m	70.20	EC000237	377646	4548583448957			BA	BAJ	CHN	8544.4290.90
XW2Z-050B	I/O connection cable, FCN40 to MIL40, 0.5 m	70.20	EC000237	107459	4536854230479			BA	BAJ	JPN	8536.9010.00
XW2Z-100A	I/O connection cable, FCN24 to MIL20, 1 m	73.00	EC000237	107454	4536854230370			BA	BAJ	JPN	8536.9010.00
XW2Z-100B	kablo - 40 pin Fujitsu konektör (XW2*-40G*), 1m	99.55	EC000237	107457	4536854230448	#		BA	BAJ	JPN	8536.9010.00
XW2Z-100D	I/O connection cable, FCN40 to 2 x MIL20, 1 m	94.35	EC000237	152949	4536854229909			BA	BAJ	JPN	8536.9010.00
XW2Z-100K	kablo, 40 pin MIL konektör (XW2*-40G*), 1m	63.70	EC000237	107448	4536854792908	#		BA	BAJ	JPN	8536.9010.00
XW2Z-100N	I/O connection cable, MIL40 to 2 x MIL20, 1 m, cross-wired	65.65	EC000237	167714	4536854771613			BA	BAJ	JPN	8536.9010.00
XW2Z-150B	I/O connection cable, FCN40 to MIL40, 1.50 m	76.85	EC000237	107460	4536854230523			BA	BAJ	JPN	8536.9010.00
XW2Z-150K	I/O connection cable, MIL40 to MIL40, 1.5 m	76.85	EC000237	107449	4536854792915			BA	BAJ	JPN	8536.9010.00
XW2Z-200A	I/O connection cable, FCN24 to MIL20, 2 m	52.05	EC000237	143062	4536854230387			BA	BAJ	JPN	8536.9010.00
XW2Z-200B	I/O connection cable, FCN40 to MIL40, 2 m	111.90	EC000237	151789	4536854230455	#		BA	BAJ	JPN	8536.9010.00
XW2Z-200D	I/O connection cable, FCN40 to 2 x MIL20, 2 m	101.80	EC000237	107487	4536854229923			BA	BAJ	JPN	8536.9010.00
XW2Z-200K	I/O connection cable, MIL40 to MIL40, 2 m	83.90	EC000237	107451	4536854792939			BA	BAJ	JPN	8536.9010.00
XW2Z-300B	I/O connection cable, FCN40 to MIL40, 3 m	119.70	EC000237	107458	4536854230462			BA	BAJ	JPN	8536.9010.00
XW2Z-300K	I/O connection cable, MIL40 to MIL40, 3 m	113.10	EC000237	107450	4536854792922			BA	BAJ	JPN	8536.9010.00
XW2Z-500K	I/O connection cable, MIL40 to MIL40, 5 m	126.00	EC000237	103604	4536854792946			BA	BAJ	JPN	8536.9010.00
XW2Z-C50K	I/O connection cable, MIL40 to MIL40, 0.5 m	80.65	EC000237	153570	4536854633157			BA	BAJ	JPN	8536.9010.00
Kontrol Sistemi CJ1 / CJ2											
CJ2H-CPU64	CPU, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l	2,975.00	EC000236	268696	4547648638630			BA	BAK	JPN	8471.4100.00
CJ2H-CPU64-EIP	CPU, Dahilli EtherNet/IP portu, 50K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l	3,976.00	EC000236	249799	4547648519113			BA	BAK	JPN	8471.6070.00
CJ2H-CPU65	CPU, 100K step program hafızası, 32K word veri hafızası, 32K words x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l	3,605.00	EC000236	268697	4547648638647			BA	BAK	JPN	8471.4100.00
CJ2H-CPU65-EIP	CPU, Dahilli EtherNet/IP portu, 100K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l	4,287.00	EC000236	249800	4547648519120			BA	BAK	JPN	8471.6070.00
CJ2H-CPU66-EIP	CPU, Dahilli EtherNet/IP portu, 150K step program hafızası, 32K word veri hafızası, 32K word x 10 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l	5,775.00	EC000236	249801	4547648519144			BA	BAK	JPN	8537.1098.99
CJ2H-CPU67-EIP	CPU, Dahilli EtherNet/IP portu, 250K step program hafızası, 32K word veri hafızası, 32K word x 15 bank EM, 2,560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l	7,430.00	EC000236	249802	4547648519151			BA	BAK	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
C12H-CPU68-FIP	CPU, Dahili EtherNet/IP portu, 400K step program hafızası, 32K word veri hafızası, 32K word x 25 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	9,445.00	EC000236	249803	4547648519168			BA	BAK	JPN	8471.6070.00
C12M-CPU11	CPU, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	516.00	EC000236	392391	4548583498389	#		BA	BAK	NLD	8471.4100.00
C12M-CPU12	CPU, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	743.00	EC000236	392392	4548583498396	#		BA	BAK	NLD	8471.4100.00
C12M-CPU13	CPU, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	1,040.00	EC000236	392393	4548583498402			BA	BAK	NLD	8471.4100.00
C12M-CPU14	CPU, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	1,297.00	EC000236	392394	4548583498419			BA	BAK	NLD	8471.4100.00
C12M-CPU15	CPU, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C seri port, USB programlama portu, Maks. 3 genişletme Back'l.	1,585.00	EC000236	392395	4548583498426			BA	BAK	NLD	8471.4100.00
C12M-CPU31	CPU, Dahili EtherNet/IP portu, 5K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,304.00	EC000236	392396	4548583498433	#		BA	BAK	NLD	8471.4100.00
C12M-CPU32	CPU, Dahili EtherNet/IP portu, 10K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,403.00	EC000236	392397	4548583498440	#		BA	BAK	NLD	8471.4100.00
C12M-CPU33	CPU, Dahili EtherNet/IP portu, 20K step program hafızası, 32K word veri hafızası, 32K word x 1 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	1,726.00	EC000236	392398	4548583498457	#		BA	BAK	NLD	8471.4100.00
C12M-CPU34	CPU, Dahili EtherNet/IP portu, 30K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	2,034.00	EC000236	392399	4548583498464	#		BA	BAK	NLD	8471.4100.00
C12M-CPU35	CPU, Dahili EtherNet/IP portu, 60K step program hafızası, 32K word veri hafızası, 32K word x 4 bank EM, 2.560 I/O maks., RS-232C/485 için opsiyon kartı, USB program	2,311.00	EC000236	392400	4548583498471	#		BA	BAK	NLD	8471.4100.00
C11W-PA202	Güç kaynağı ünitesi, 100-240 VAC, çıkış kapasitesi: 14 W	244.30	EC000599	136004	4536854806018	#		BA	BAK	JPN	8504.4030.00
C11W-PA205C	Güç Kaynağı Ünitesi, 100-240 VAC, çıkış gücü: 25 W, bakım monitörü	450.30	EC000599	183314	4547648156936			BA	BAK	JPN	8504.4030.00
C11W-PA205B	Güç Kaynağı Ünitesi, 100-240 VAC, çıkış gücü: 25 W, BUN çikşisi	346.30	EC000599	386939	4548583452244	#		BA	BAK	CHN	8504.4030.00
C11W-PD022	Güç kaynağı ünitesi, 24 VDC, çıkış kapasitesi: 19.6 W	154.10	EC000599	315604	4547648706117	#		BA	BAK	CHN	8504.4030.00
C11W-PD025	Güç kaynağı, 24 VDC, çıkış gücü: 25 W	341.80	EC000599	136016	4536854827761	#		BA	BAK	JPN	8504.4030.00
C11W-TC001	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl giriş, transistör (NPN) çıkış, 4 çevrim	1,053.00	EC001421	135989	4536854740749			BA	BAK	JPN	8471.6070.00
C11W-TC002	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 4 çevrim	1,074.00	EC001421	142660	4536854740534	#		BA	BAK	JPN	8471.6070.00
C11W-TC004	Sıcaklık kontrol ünitesi, R/S/K/J/T/L/B Termokupl girişleri, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	932.00	EC001421	155601	4536854903519	#		BA	BAK	JPN	8471.6070.00
C11W-TC101	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (NPN) çıkış, 4 çevrim	1,040.00	EC001421	151404	4536854740565			BA	BAK	JPN	8471.6070.00
C11W-TC102	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 4 çevrim	1,040.00	EC001421	143742	4536854740572	#		BA	BAK	JPN	8471.6070.00
C11W-TC104	Sıcaklık kontrol ünitesi, Pt100 RTD giriş, transistör (PNP) çıkış, 2 çevrim, ısıtıcı yanma algılama fonksiyonu	932.00	EC001421	135992	4536854740596			BA	BAK	JPN	8471.6070.00
C11W-CLK23	ControllerLink arayüzü	1,019.00	EC001423	258834	4547648597661			BA	BAK	CHN	8471.6070.00
C11W-CORT21	Kullanıcı tanımlı CAN ünitesi (11 ve 29-bit tanımlayıcı)	1,090.00	EC001423	172669	4547648093477	#		BA	BAK	NLD	8529.1095.00
C11W-CRM21	CompoNet C11 master ünitesi	743.00	EC001423	315606	4547648708661			BA	BAK	CHN	8471.6070.00
C11W-DRM21	DeviceNet master/slave ünitesi	953.00	EC001423	258836	4547648597197	#		BA	BAK	CHN	8471.6070.00
C11W-ECT21	CJ-series EtherCAT Slave ünitesi	972.00	EC001423	659361	4548583576568			BA	BAK	NLD	8471.8000.00
C11W-FIP21	C11 EtherNet/IP ünitesi, 100Base-TX, CIP, FINS/UDP ve FINS/TCP destekler	1,789.00	EC001423	258403	4547648597692	#		BA	BAK	CHN	8471.6070.00
C11W-FIN21	Ethernet ünitesi, RJ45 (100Base-TX ve 10 Base-T) konektör ile (TCP/IP & UDP/IP) soket servisleri, FTP, SMTP, FINS	1,723.00	EC001423	258832	4547648597586	#		BA	BAK	CHN	8471.6070.00
C11W-PNT21	Profibus master ünitesi	1,255.00	EC001423	291927	4547648476584			BA	BAK	NLD	8529.1095.00
C11W-PRM21	Profibus-DP Master ünitesi	1,397.00	EC001423	169022	4547648010955	#		BA	BAK	NLD	8529.1095.00
C11W-PRT21	Profibus-DP slave ünitesi, 100 word'e kadar giriş çıkış, 180 word maksimum	941.00	EC001423	136031	4536854859908			BA	BAK	NLD	8529.1095.00
C11W-SCU21-V1	Seri haberleşme ünitesi, 2x RS-232C portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus-RTU Slave	660.00	EC001423	258830	4547648597272	#		BA	BAK	CHN	8471.6070.00
C11W-SCU22	Yüksek hız seri haberleşme ünitesi, 2x RS-232C portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar	660.00	EC001423	323397	4547648779173			BA	BAK	JPN	8471.8000.00
C11W-SCU31-V1	Seri haberleşme ünitesi, 2x RS422/485 portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus-RTU Slave	904.00	EC001423	258835	4547648597685	#		BA	BAK	CHN	8471.6070.00
C11W-SCU32	Yüksek hız seri haberleşme ünitesi, 2x RS-422/485 portu, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar	904.00	EC001423	323398	4547648779180			BA	BAK	JPN	8471.8000.00
C11W-SCU41-V1	Seri haberleşme ünitesi, 1x RS-232C port + 1x RS422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, Modbus-RTU, Modbus-ASCII, Host Link), Modbus RTU Slave	829.50	EC001423	258831	4547648597517	#		BA	BAK	CHN	8471.6070.00
C11W-SCU42	Yüksek hız seri haberleşme ünitesi, 1x RS-232C port + 1x RS-422/485 port, Protocol Macro, Host Link, 1:N NT Link, No protocol, seri Gateway (CompoWay/F, MODBUS-RTU, MODBUS-ASCII, Host Link), MODBUS RTU Slave, 230 kbps'ye kadar	829.50	EC001423	323399	4547648779197			BA	BAK	JPN	8471.8000.00
C11W-IC101	Genişleme I/O kontrol ünitesi, CPU'nun sağ tarafına bağlanır	268.60	EC002584	315594	4547648705998		2	BA	BAK	CHN	8471.6070.00
C11W-II101	Genişleme I/O arayüz ünitesi, Genişleme I/O'nun soluna bağlanır, 3 genişletme Back'l maks.	311.20	EC002584	315595	4547648706001		2	BA	BAK	CHN	8471.6070.00
C11W-IA111	Dijital input unit, 16 x 100-120 VAC inputs, screw terminal	370.20	EC001419	315597	4547648706025			BA	BAK	CHN	8471.6070.00
C11W-IA201	Dijital giriş ünitesi, 8x 200-240 VAC, vida terminal	286.80	EC001419	315598	4547648706049			BA	BAK	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
C1JW-ID201	Dijital giriş ünitesi, 8x 24 VDC, bağımsız girişler, vida terminal	189.20	EC001419	382928	4548583424968			BA	BAK	NLD	8471.6070.00
C1JW-ID211	Dijital giriş ünitesi, 16x 24 VDC, vida terminal	235.20	EC001419	382929	4548583424975	#		BA	BAK	NLD	8471.6070.00
C1JW-ID211(SL)	Dijital giriş ünitesi, 16x 24 VDC, vidasız kelepçe terminal	235.20	EC001419	171731	4547648023092			BA	BAK	NLD	8471.6070.00
C1JW-ID212	Dijital yüksek-hız giriş ünitesi, 16x 24 VDC, vida terminal	297.50	EC001419	382930	4548583424982			BA	BAK	NLD	8471.6070.00
C1JW-ID231	Dijital giriş ünitesi, 32x 24 VDC, FCN konnektör (dahil değil)	400.10	EC001419	177393	4547648050302	#		BA	BAK	CHN	8471.6070.00
C1JW-ID232	Dijital giriş ünitesi, 32x 24 VDC, MIL konnektör (dahil değil)	390.40	EC001419	177394	4547648050319			BA	BAK	CHN	8471.6070.00
C1JW-ID233	Digital high-speed input unit, 32 x 24 VDC inputs, MIL 40 connector (not included)	507.00	EC001419	270545	4547648610537			BA	BAK	CHN	8471.6070.00
C1JW-ID261	Dijital giriş ünitesi, 64x 24 VDC, 2 x FCN konnektör (dahil değil)	658.00	EC001419	177395	4547648050326	#		BA	BAK	CHN	8471.6070.00
C1JW-ID262	Dijital giriş ünitesi, 64x 24 VDC, MIL konnektör (dahil değil)	683.00	EC001419	177396	4547648050333	#		BA	BAK	CHN	8471.6070.00
C1JW-IDP01	Dijital hızlı cevap giriş ünitesi, 16x 24 VDC, single shot pulse capture 30 µs minimum, vida terminal	433.70	EC001419	315602	4547648706094			BA	BAK	CHN	8471.6070.00
C1JW-INT01	Dijital interrupt giriş ünitesi, 16x 24 VDC, CPU başına maks. 2 tane, vida terminal	597.00	EC001419	315596	4547648706018			BA	BAK	CHN	8471.6070.00
C1JW-OA201	Digital output unit, 8 x triac outputs, 250 VAC, 0.6 A, screw terminal	310.30	EC001419	315599	4547648706056			BA	BAK	CHN	8471.6070.00
C1JW-OC201	Dijital çıkış ünitesi, 8x röle, 250 VAC/24 VDC, 2 A max, bağımsız ortak uçlar, vida terminal	277.70	EC001419	382931	4548583424999			BA	BAK	NLD	8471.6070.00
C1JW-OC201(SL)	Dijital çıkış ünitesi, 8x röle, 250 VAC/24 VDC, 2 A max, bağımsız ortak uçlar, vidasız kelepçe terminal	277.70	EC001419	171732	4547648023108			BA	BAK	NLD	8471.6070.00
C1JW-OC211	Dijital çıkış ünitesi, 16x röle, 250 VAC/24 VDC, 2 A max, vida terminal	350.00	EC001419	382932	4548583425002	#		BA	BAK	NLD	8471.6070.00
C1JW-OC211(SL)	Dijital çıkış ünitesi, 16x röle, 250 VAC/24 VDC, 2 A max, vidasız kelepçe terminal	350.00	EC001419	171733	4547648023122	#		BA	BAK	NLD	8471.6070.00
C1JW-OD201	Dijital çıkış ünitesi, 8x transistör, NPN, 2.0 A, 12 to 24 VDC, vida terminal	340.10	EC001419	315600	4547648706070			BA	BAK	CHN	8471.6070.00
C1JW-OD202	Dijital çıkış ünitesi, 8x transistör, PNP, 2.0 A, 24 VDC, vida terminal	321.10	EC001419	315601	4547648706087			BA	BAK	CHN	8471.6070.00
C1JW-OD203	Dijital çıkış ünitesi, 8x transistör, NPN, 0.5 A, 24 VDC, vida terminal	238.70	EC001419	143440	4536854961182			BA	BAK	CHN	8471.6070.00
C1JW-OD204	Dijital çıkış ünitesi, 8x transistör, PNP, 0.5 A, 24 VDC, kısa devre ve alarm korumalı, vida terminal	255.30	EC001419	315603	4547648706100			BA	BAK	CHN	8471.6070.00
C1JW-OD211	Dijital çıkış ünitesi, 16x transistör, NPN, 0.5 A, 12 to 24 VDC, vida terminal	277.70	EC001419	382933	4548583425019	#		BA	BAK	NLD	8471.6070.00
C1JW-OD211(SL)	Dijital çıkış ünitesi, 16x transistör, NPN, 0.5 A, 12 to 24 VDC, vidasız kelepçe terminal	277.70	EC001419	121734	4547648023139	#		BA	BAK	NLD	8471.6070.00
C1JW-OD212	Dijital çıkış ünitesi, 16x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, vida terminal	320.50	EC001419	382934	4548583425026	#		BA	BAK	NLD	8471.6070.00
C1JW-OD212(SL)	Dijital çıkış ünitesi, 16x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, vidasız kelepçe terminal	320.50	EC001419	171735	4547648023146			BA	BAK	NLD	8471.6070.00
C1JW-OD213	Digital high-speed output unit, 16 x transistor outputs, NPN, 0.5 A, 24VDC, screw terminal	364.30	EC001419	270548	4547648610568			BA	BAK	CHN	8471.6070.00
C1JW-OD231	Dijital çıkış ünitesi, 32x transistör, NPN, 0.5 A, 12 to 24 VDC, FCN konnektör (dahil değil)	477.60	EC001419	177398	4547648050357	#		BA	BAK	CHN	8471.6070.00
C1JW-OD232	Dijital çıkış ünitesi, 32x transistör, PNP, 0.5 A, 24 VDC, kısa devre yük koruması, MIL konnektör (dahil değil)	560.00	EC001419	177399	4547648050364	#		BA	BAK	CHN	8471.6070.00
C1JW-OD233	Digital output unit, 32 x transistor outputs, NPN, 0.5 A, 24 VDC, MIL 40 connector (not included)	482.50	EC001419	177400	4547648050371			BA	BAK	CHN	8471.6070.00
C1JW-OD234	Digital high-speed output unit, 32 x transistor outputs, NPN, 0.5 A, 24VDC, MIL 40 connector (not included)	531.50	EC001419	270546	4547648610544			BA	BAK	CHN	8471.6070.00
C1JW-OD261	Dijital çıkış ünitesi, 64x transistör, NPN, 0.5 A, 12 to 24 VDC, FCN konnektör (dahil değil)	761.50	EC001419	177401	4547648050388	#		BA	BAK	CHN	8471.6070.00
C1JW-OD262	Dijital çıkış ünitesi, 64x transistör, PNP, 0.3 A, 24 VDC, MIL konnektör (dahil değil)	646.50	EC001419	136029	4536854961205	#		BA	BAK	CHN	8471.9000.00
C1JW-MD231	Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 A max, 2 x FCN24 connectors (not included)	412.90	EC001419	104549	4536854880971			BA	BAK	CHN	8541.2900.00
C1JW-MD232	Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, PNP, 0.5 A, 24 VDC, 2 A max, 2 x MIL20 connectors (not included)	522.50	EC001419	156708	4536854961212			BA	BAK	CHN	8541.2900.00
C1JW-MD233	Digital I/O unit, 16 x 24 VDC inputs, 16 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 2 A max, 2 x MIL20 connectors (not included)	416.60	EC001419	136023	4536854880988			BA	BAK	CHN	8541.2900.00
C1JW-MD261	Digital I/O unit, 32 x 24 VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 3.2 A max, 2 x FCN40 connectors (not included)	761.50	EC001419	136024	4536854880995			BA	BAK	CHN	8541.2900.00
C1JW-MD263	Digital I/O unit, 32 x 24 VDC inputs, 32 x transistor outputs, NPN, 0.5 A, 12 to 24 VDC, 3.2 A max, 2 x MIL 40 connectors (not included)	650.50	EC001419	156856	4536854881008			BA	BAK	CHN	8541.2900.00
Kontrol Sistemi C1J / CJ2											
C1JW-AD041-V1	Analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, vida terminal	966.50	EC001420	136033	4536854912948	#		BA	BAK	NLD	8471.6070.00
C1JW-AD041-V1(SL)	Analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, screwless clamp terminal	966.50	EC001420	171999	4547648023252			BA	BAK	NLD	8471.6070.00
C1JW-AD042	Analog yüksek-hız giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 1-5 V, 0-10 V, -5-5 V, -10-10 V, ve 4-20 mA, vida terminal	1,585.00	EC001420	318062	4547648722797			BA	BAK	JPN	8471.6070.00
C1JW-AD04U	Fvrensel analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, Termokupl (K, J, T, L, R, S, B), Pt100, Pt1000, JPr100, vida terminal	997.00	EC001420	235350	4547648318266	#		BA	BAK	NLD	8471.6070.00
C1JW-AD04U(SL)	Fvrensel analog giriş ünitesi, 4x 1-5 V, 0-5 V, 0-10 V, 0-20 mA, 4-20 mA, Termokupl (K, J, T, L, R, S, B), Pt100, Pt1000, JPr100, vidasız kelepçe terminal	997.00	EC001420	235351	4547648318273			BA	BAK	NLD	8471.6070.00
C1JW-AD081-V1	Analog giriş ünitesi, 8x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, vida terminal	1,261.00	EC001420	136032	4536854912931	#		BA	BAK	NLD	8471.6070.00
C1JW-AD081-V1(SL)	Analog giriş ünitesi, 8x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 4-20 mA, 1:4000/8000 çözünürlük, screwless clamp terminal	1,261.00	EC001420	172000	4547648023269			BA	BAK	NLD	8471.6070.00
C1JW-PDC15	Isolated analog input unit, 2 x inputs 4 to 20 mA, 0 to 20 mA, 1 to 5 V, 0 to 5 V, -5 to 5 V, 0 to 10 V, -10 to 10 V, 0 to 1.25 V, -1.25 to 1.25 V, resolution 1:64000, 10 ms conversion time, screw terminal	1,183.00	EC001420	183665	4547648164108			BA	BAK	JPN	8471.6070.00
C1JW-PH41U	Fvrensel analog giriş ünitesi, yüksek çözünürlük, 4x ±100mV up to ±10V, potansiyometre, 0/4 to 20mA, Termokupl (K, J, T, L, U, R, S, B), Pt100 (3-kablo), vida terminal	1,845.00	EC001420	247114	4547648513999			BA	BAK	JPN	8471.4100.00
C1JW-PT551	Izole sıcaklık kontrol ünitesi, 4 x giriş (K, J, L, R, S, T, B), 0.1°C çözünürlük, vida terminal	874.50	EC001420	168518	4547648023214			BA	BAK	JPN	8471.6070.00
C1JW-PT552	Izole RTD giriş ünitesi, 4 x giriş (Pt100 (JIS, IEC), JPr100), 0.1°C çözünürlük, vida terminal	871.00	EC001420	168519	4547648023221			BA	BAK	JPN	8471.6070.00
C1JW-TS561	Sıcaklık kontrol ünitesi, 6x J/K Termokupl giriş, 0.1°C çözünürlük, vida terminal	740.50	EC001420	168013	4547648023467	#		BA	BAK	NLD	8473.3080.00
C1JW-TS561(SL)	Sıcaklık kontrol ünitesi, 6x J/K Termokupl giriş, 0.1°C çözünürlük, vidasız kelepçe terminal	740.50	EC001420	180447	4547648023320			BA	BAK	NLD	8473.3080.00
C1JW-TS562	Sıcaklık kontrol ünitesi, 6x Pt100/Pt1000 RTD giriş, 0.1°C çözünürlük, vida terminal	724.50	EC001420	168014	4547648023474	#		BA	BAK	NLD	8473.3080.00
C1JW-TS562(SL)	Sıcaklık kontrol ünitesi, 6x Pt100/Pt1000 RTD giriş, 0.1°C çözünürlük, vidasız kelepçe terminal	724.50	EC001420	172733	4547648023337			BA	BAK	NLD	8473.3080.00
Kontrol Sistemi C1J / CJ2											
C1JW-DA021	Analog çıkış ünitesi, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 140mA, vida terminal	772.50	EC001420	151233	4536854912962			BA	BAK	NLD	8471.6070.00
C1JW-DA021(SL)	Analog çıkış ünitesi, 2x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 140mA, vidasız kelepçe terminal	772.50	EC001420	172001	4547648023276			BA	BAK	NLD	8471.6070.00
C1JW-DA041	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 200mA, vida terminal	858.50	EC001420	104446	4536854912955	#		BA	BAK	NLD	8471.6070.00
C1JW-DA041(SL)	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 5V, 0 to 10V, -10 to 10V, 4 to 20mA, harici besleme 24 VDC 200mA, vidasız kelepçe terminal	858.50	EC001420	172002	4547648023283			BA	BAK	NLD	8471.6070.00
C1JW-DA042V	Analog çıkış ünitesi, 4x 1 to 5V, 0 to 10V, -10 to 10V, 10.000/20.000/40.000 çözünürlük, 20µs/25µs/30µs dönüşürme periyodu, vida terminal	1,503.00	EC001420	318068	4547648722810			BA	BAK	JPN	8471.6070.00
C1JW-DA08C	Analog çıkış ünitesi, 8 x 4-20mA çıkış, vida terminals, 12 bit çözünürlük, vida terminal	1,186.00	EC001420	171892	4547648023436	#		BA	BAK	NLD	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
C11W-DA08C(SL)	Analog çıkış ünitesi, 8 x 4-20mA çıkış, vidasız kelepçe terminal, 12 bit çözünürlük, vida terminal	1,186.00	EC001420	172003	4547648023290			BA	BAK	NLD	8471.6070.00
C11W-DA08V	Analog çıkış ünitesi, 8x 1-5V/0-5V/0-10V/+10V çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalalayabilir, vida terminal	1,166.00	EC001420	171896	4547648023443	#		BA	BAK	NLD	8471.6070.00
C11W-DA08V(SL)	Analog çıkış ünitesi, 8x 1-5V/0-5V/0-10V/+10V çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalalayabilir, vidasız kelepçe terminal	1,166.00	EC001420	172004	4547648023306			BA	BAK	NLD	8471.6070.00
Kontrol Sistemi CJ1 / CJ2											
C11W-MAD42	Analog I/O ünitesi, 4x +10V 0-5V 0-10V 1-5V 4-20mA giriş, 2x +10V 0-5V 0-10V 1-5V 4-20mA çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalalayabilir, vida terminal	817.00	EC001420	171895	4547648023450	#		BA	BAK	NLD	8471.6070.00
C11W-MAD42(SL)	Analog I/O ünitesi, 4x +10V 0-5V 0-10V 1-5V 4-20mA giriş, 2x +10V 0-5V 0-10V 1-5V 4-20mA çıkış, çözünürlük 1:4000 +32000 veya 1:8000 olarak skalalayabilir, vidasız kelepçe terminal	817.00	EC001420	172005	4547648023313	#		BA	BAK	NLD	8471.6070.00
Kontrol Sistemi C11 / C12											
C11W-CT021	Yüksek hızlı sayıcı ünitesi, 2 eksen, 500 kHz, RS422 line driver ve ya open collector giriş	898.50	EC001422	315605	4547648708890			BA	BAK	CHN	8471.6070.00
C11W-CTL41-E	Yüksek hızlı sayıcı ünitesi, 4x puls giriş portu, 24 VDC open collector ve line driver encoder tipi destekler, 24 VDC open collector 100 kHz giriş maks. XW2G-40G7-F terminal bloğu ve XW2Z-XXK kablolu kullanılmalı	724.50	EC001422	180688	4547648098753	#		BA	BAK	NLD	9029.1000.90
C11W-CTS21-E	Yüksek hızlı sayıcı ünitesi, SSI mutlak enkoder, 2 kanal, 9-31 bit, Gray/Binary/Taunnenbaum/Baw kodlama, vida terminal	846.00	EC001422	180381	4547648089739			BA	BAK	NLD	9029.1000.90
C11W-DCM11-E	DC Motor Control Unit, 24 V, 4 A (10 A peak), PWM control, plug-in terminals	1,035.00	EC001422	227033	4547648273626			BA	BAK	NLD	8529.1095.00
C12M-MD211	Puls I/O Module for CJ2M, NPN with 10 giriş (four interrupt/quickresponse ve two high-speed counter giriş) ve 6 çıkış (two puls ve two PWM çıkış)	301.20	EC001422	341746	4547648833080	#		BA	BAK	CHN	8471.6070.00
C12M-MD212	Puls I/O Module for CJ2M, PNP with 10 giriş (four interrupt/quickresponse ve two high-speed counter giriş) ve 6 çıkış (two puls ve two PWM çıkış)	301.20	EC001422	341747	4547648833097	#		BA	BAK	CHN	8471.6070.00
Kontrol Sistemi C11 / C12											
C11W-V680C11	V680 RFID Sensor unit, one channel, for CJ-series PLCs	1,822.00	EC001422	244991	4547648510714			BA	BAK	JPN	9031.8080.00
C11W-V680C12	V680 RFID Sensor unit, two channel, for CJ-series PLCs	2,598.00	EC001422	244992	4547648510721			BA	BAK	JPN	9031.8080.00
Kontrol Sistemi CP1											
CP1W-16ER	CP1 Serisi ek ünite, 16x röle çıkış 2 A	278.30	EC001419	670917	4548583810747	#		BA	BAL	NLD	8471.6070.00
CP1W-16ET	CP1 Serisi Ek ünite, 16x NPN çıkış 0.3 A	246.00	EC001419	670913	4548583810754			BA	BAL	NLD	8471.6070.00
CP1W-16FT1	CP1 Serisi Ek ünite, 16x PNP çıkış 0.3 A	246.00	EC001419	670918	4548583810761	#		BA	BAL	NLD	8471.6070.00
CP1W-20EDR1	CP1 Serisi Ek ünite, 12x 24 VDC giriş ve 8x röle çıkış 2 A	267.40	EC001419	670923	4548583810778	#		BA	BAL	NLD	8471.6070.00
CP1W-20EDT	CP1 Serisi Ek ünite, 12x 24 VDC giriş, 8x NPN çıkış 0.3 A	277.20	EC001419	670912	4548583810785			BA	BAL	NLD	8471.6070.00
CP1W-20EDT1	CP1 Serisi Ek ünite, 12x 24 VDC giriş, 8x PNP çıkış 0.3 A	277.20	EC001419	670919	4548583810792	#		BA	BAL	NLD	8471.6070.00
CP1W-32ER	CP1 Serisi Ek ünite, 32x röle çıkış 2 A	472.90	EC001419	670914	4548583810808	#		BA	BAL	NLD	8471.6070.00
CP1W-32ET	CP1 Serisi Ek ünite, 32x NPN çıkış 0.3 A	472.90	EC001419	670920	4548583810815			BA	BAL	NLD	8471.6070.00
CP1W-32FT1	CP1 Serisi Ek ünite, 32x PNP çıkış 0.3 A	472.90	EC001419	670910	4548583810822			BA	BAL	NLD	8471.6070.00
CP1W-40EDR	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x röle çıkış 2 A	489.80	EC001419	670909	4548583810839	#		BA	BAL	NLD	8471.6070.00
CP1W-40EDT	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x NPN çıkış 0.3 A	493.30	EC001419	670915	4548583810846			BA	BAL	NLD	8471.6070.00
CP1W-40EDT1	CP1 Serisi Ek ünite, 24x 24 VDC giriş, 16x PNP çıkış 0.3 A	481.90	EC001419	670921	4548583810853	#		BA	BAL	NLD	8471.6070.00
CP1W-8ED	CP1 Serisi Ek ünite, 8x 24 VDC giriş	189.70	EC001419	670916	4548583810860	#		BA	BAL	NLD	8471.6070.00
CP1W-8ER	CP1 Serisi Ek ünite, 8x röle çıkış 2 A	192.50	EC001419	670922	4548583810877	#		BA	BAL	NLD	8471.6070.00
CP1W-8ET	CP1 Serisi Ek ünite, 8x NPN çıkış 0.3 A	208.10	EC001419	670911	4548583810884			BA	BAL	NLD	8471.6070.00
CP1W-8FT1	CP1 Serisi Ek ünite, 8x PNP çıkış 0.3 A	213.60	EC001419	670924	4548583810891	#		BA	BAL	NLD	8471.6070.00
CP1W-AD041	CP1 Serisi analog giriş ek ünite, giriş: 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, çözünürlük 1/6,000	485.40	EC001420	671145	4548583810907			BA	BAL	NLD	8471.6070.00
CP1W-AD042	CP1 Serisi Ek ünite, 4x analog giriş (0 to 5 V, 1 to 5 V, 0 to 10 V, ±10 V, 0 to 20 mA, 4 to 20 mA)	266.30	EC001420	671144	4548583810983	#		BA	BAL	NLD	8471.6070.00
CP1W-ADR21	CP1L analog opsiyonel kart (sadece CP1L-EL/EM port 1 veya 2) giriş: 2x 0-10 V çözünürlük 1/4,000 or 0-20 mA çözünürlük 1/2,000	128.80	EC001420	364430	4548583106703	#		BA	BAL	CHN	8471.4100.00
CP1W-RAT01	CP1 PLC için pil	24.02	EC002584	678518	4549734925969	#		BA	BAL	JPN	8506.5010.90
CP1W-CIF01	CP1 RS-232C (15 m maks.) seri haberleşme opsiyon kartı	65.55	EC001423	672569	4548583810914	#		BA	BAL	NLD	8471.6070.00
CP1W-CIF11	CP1 RS422/485 (50 m maks.) seri haberleşme opsiyon kartı	65.55	EC001423	672570	4548583810921	#		BA	BAL	NLD	8471.6070.00
CP1W-CIF12-V1	CP1 RS422/485 (isolated 500 m max.) serial communication option board	148.10	EC001423	688375	4549734446303	#		BA	BAL	NLD	8471.8000.00
CP1W-CIF41	CP1 Ethernet haberleşme opsiyon kartı	390.60	EC001423	673349	4548583810945	#		BA	BAL	NLD	8471.6070.00
CP1W-DA021	CP1 Serisi analog çıkış ek ünite, Ek analog çıkış ünitesi çıkış: 2x 0 to 5V, 1 to 5V, 0 to 10V, -10 to 10V, 0 to 20mA, 4 to 20mA, çözünürlük 1/6,000	472.90	EC001420	671147	4548583810952			BA	BAL	NLD	8471.6070.00
CP1W-DA041	CP1 Serisi analog çıkış ünite, çıkış: 4x 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, çözünürlük 1/6,000	538.50	EC001420	671148	4548583810969	#		BA	BAL	NLD	8471.6070.00
CP1W-DA042	CP1 Serisi ek ünite, 4x analog çıkış (1 to 5 V, 0 to 10 V, ±10 V, 0 to 20 mA, 4 to 20 mA)	286.90	EC001420	671146	4548583810990	#		BA	BAL	NLD	8471.6070.00
CP1W-DAR21V	CP1L analog opsiyonel kart (only CP1L-EL/EM port 1 or 2) çıkış: 2x 0-10 V çözünürlük 1/4,000	128.80	EC001420	364431	4548583106710	#		BA	BAL	CHN	8471.4100.00
CP1W-DAM01	LCD opsiyon kartı, CP1L ve CP1H için	148.00	EC002584	247844	4547648527286			BA	BAL	CHN	8471.6070.00
CP1W-EIP61	CP1 Ethernet/IP haberleşme opsiyon kartı, sadece datalink fonksiyonu içindir	503.50	EC001423	365009	4547648934893			BA	BAL	USA	8471.6070.00
CP1W-MAB221	CP1L analog opsiyonel kart (sadece CP1L-EL/EM port 1 or 2) giriş: 2x 0-10 V çözünürlük 1/4,000 or 0-20 mA çözünürlük 1/2,000 ve çıkış: 2x 0-10 V çözünürlük 1/4,000	223.70	EC001420	364429	4548583106697	#		BA	BAL	CHN	8471.4100.00
CP1W-MAD11	CP1 Serisi ek analog G/C ünite, giriş: 2x 0-20mA, 4-20mA, 0-5V, 1-5V, 0-10V, -10 to 10V girişler ve çıkış: 1x 0-20mA, 4-20mA, 1-5V, 0-10V, -10 to 10V çıkışlar, çözünürlük 1/6,000	542.00	EC001420	671149	4548583810976	#		BA	BAL	NLD	8471.6070.00
CP1W-MAD42	CP1 Serisi ek ünite, 4x analog giriş ve 2x analog çıkış	344.80	EC001420	671151	4548583811003	#		BA	BAL	NLD	8471.6070.00
CP1W-MAD44	CP1 Serisi ek ünite, 4x analog giriş ve 4x analog çıkış	489.80	EC001420	671150	4548583811010	#		BA	BAL	NLD	8471.6070.00
CP1W-MODTCP61	CP1 Modbus TCP haberleşme opsiyon kartı, Master or Slave	485.50	EC001423	365010	4547648934909			BA	BAL	USA	8471.6070.00
CP1W-TS001	CP1 Serisi sıcaklık sensörü ek ünite, 2x J/K Termokupl giriş	449.10	EC001420	673348	4548583811034	#		BA	BAL	NLD	8471.6070.00
CP1W-TS002	CP1 Serisi sıcaklık sensörü ek ünite, 4x J/K Termokupl giriş	566.50	EC001420	673347	4548583811041	#		BA	BAL	NLD	8471.6070.00
CP1W-TS003	CP1 Serisi sıcaklık sensörü ek ünite, 4x J/K Termokupl giriş ve da 2x J/K giriş ve 2 analog giriş	297.50	EC001420	674253	4548583811027	#		BA	BAL	NLD	8471.6070.00
CP1W-TS004	CP1 Serisi sıcaklık sensörü ek ünite, 12x J/K Termokupl giriş	489.50	EC001420	401523	4548583557932			BA	BAL	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP1W-TS101	CP1 Serisi sıcaklık sensörü ek ünite, 2x Pt100 girişi	449.10	EC001420	672572	4548583811058	#		BA	BAL	NLD	8537.1098.99
CP1W-TS102	CP1 Serisi sıcaklık sensörü ek ünite, 4x Pt100 girişi	566.50	EC001420	672573	4548583811065	#		BA	BAL	NLD	8537.1098.99
CP2W-BAT02	CP2-series Battery - Optional	5.51	EC002584	689916	4549734542555	#		BA	BAL	CHN	8506.5010.90
CP2W-CIFD1	CP2-series Serial Option board 2 x RS-232 ports	109.80	EC001423	689944	4549734542524	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD2	CP2-series Serial Option board 1 x RS-232, 1 x RS-485 ports	109.80	EC001423	689945	4549734542531	#		BA	BAL	CHN	8471.8000.00
CP2W-CIFD3	CP2-series Serial Option board 2 x RS-485 ports	109.80	EC001423	689946	4549734542548	#		BA	BAL	CHN	8471.8000.00
Kontrol Sistemi Yazılımı											
NA-RTSM1	Soft-NA installation DVD only for Windows 10 Pro 64 bit (requires NART-LD** license)	47.88	EC001435	694868	4549734592529			BA	BAM	NLD	8523.4910.00
SYSMAC-DF001L	Sysmac Studio Drive Edition	150.90	EC000809	673372	4548583988262			BA	BAM	NLD	8523.8090.00
SYSMAC-LE201L	Yalnızca Sysmac Studio Lite lisansı, tek kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	1,106.00	EC000809	672883	4548583984103	#		BA	BAM	NLD	8523.8090.00
SYSMAC-LI-SE203L	Yalnızca Sysmac Studio Lite lisansı, 3 kullanıcı (SYSMAC-SE200D indirmeyi veya kurulum DVD'sini gerektirir, ayrıca satılır)	2,214.00	EC000809	672793	4548583983205			BA	BAM	NLD	8523.8090.00
SYSMAC-LU501L	Sysmac Studio Lite to Sysmac Studio Standard upgrade, 1 user licence only	1,371.00	EC000809	673371	4548583988255			BA	BAM	NLD	8523.8090.00
SYSMAC-RTNC0000D	CNC operatörü DVD'si	48.48	EC000809	679805	4549734166874			BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0001L	CNC operatörü Ek lisans	1,554.00	EC000809	679804	4549734166881			BA	BAM	JPN	8523.8090.00
SYSMAC-RTNC0101D	CNC operatörü SDK DVD	2,729.00	EC000809	679803	4549734166898			BA	BAM	JPN	8523.8090.00
SYSMAC-SA401L-64	Sysmac Studio 3D Simulation Option (64 bit) 1 User License	599.00	EC000809	695814	4549734601375			BA	BAM	JPN	8523.8090.00
SYSMAC-SA403L-64	Sysmac Studio 3D Simulation Option (64 bit) 3 Users License	2,275.00	EC000809	695813	4549734601382			BA	BAM	JPN	8523.8090.00
SYSMAC-SA410L-64	Sysmac Studio 3D Simulation Option (64 bit) 10 Users License	4,549.00	EC000809	695812	4549734601399			BA	BAM	JPN	8523.8090.00
SYSMAC-SA430L-64	Sysmac Studio 3D Simulation Option (64 bit) 30 Users License	9,555.00	EC000809	695811	4549734601405			BA	BAM	JPN	8523.8090.00
SYSMAC-SA450L-64	Sysmac Studio 3D Simulation Option (64 bit) 50 Users License	13,210.00	EC000809	695810	4549734601412			BA	BAM	JPN	8523.8090.00
SYSMAC-SA4XXL-64	Sysmac Studio 3D Simulation Option (64 bit) Site User License	20,480.00	EC000809	695809	4549734601429			BA	BAM	JPN	8523.8090.00
SYSMAC-SE201L	Sysmac Studio lisansı, tek kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	1,879.00	EC000809	355295	4547648909792	#		BA	BAM	NLD	8523.8090.00
SYSMAC-SE203L	Sysmac Studio lisansı, 3 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	3,749.00	EC000809	355296	4547648909808			BA	BAM	NLD	8523.8090.00
SYSMAC-SE210L	Sysmac Studio lisansı, 10 kullanıcı (SYSMAC-SE200D kurulum DVD'si gereklidir, harici olarak tedarik edilebilir)	7,505.00	EC000809	355297	4547648909815			BA	BAM	NLD	8523.8090.00
SYSMAC-SE2XXL-ED	Sysmac Studio Educational Edition site license	334.00	EC000809	659565	4548583953949			BA	BAM	NLD	8523.8090.00
SYSMAC-TA401L	Sysmac Studio Team Option 1 User License	602.00	EC000809	680950	4549734942607			BA	BAM	NLD	8523.8090.00
SYSMAC-TA403L	Sysmac Studio Team Option 3 Users License	1,227.00	EC000809	680952	4549734942621			BA	BAM	NLD	8523.8090.00
SYSMAC-TA410L	Sysmac Studio Team Option 10 Users License	2,385.00	EC000809	680951	4549734942614			BA	BAM	NLD	8523.8090.00
Kontrol Sistemi Yazılımı											
CXONE-AL01-EV4	Tek kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4 veya CXOne-DVD-EV4 gereklidir)	1,231.00	EC000809	324682	4547648876711	#		BA	BAM	NLD	8523.8090.00
CXONE-AL01-EV4-UP	Tek kullanıcı lisansı güncelleme, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4 veya CXOne-DVD-EV4 gereklidir)	381.30	EC000809	324688	4547648876773			BA	BAM	NLD	8523.8090.00
CXONE-AL03-EV4	3-kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4 veya CXOne-DVD-EV4 gereklidir)	2,486.00	EC000809	324683	4547648876728			BA	BAM	NLD	8523.8090.00
CXONE-AL10-EV4	10-kullanıcı lisansı, CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), (Kurulum için CDs veya DVD, CXOne-CD-EV4 veya CXOne-DVD-EV4 gereklidir)	4,837.00	EC000809	324684	4547648876735			BA	BAM	NLD	8523.8090.00
CXONE-DVD-EV4	CX-One V4 x yazılımı, Windows 2000/XP/Vista/Windows 7/8 (32 ve 64 bit), 1x DVD, (CXOne-ALxx-EV4-xx gereklidir)	18.83	EC000809	324695	4547648876841			BA	BAM	NLD	8523.8090.00
CXONE-LT01-EV4	CX-One Lite v4 x yazılımı, Windows 2000/XP/Vista, tek kullanıcı lisansı, (Kurulum için CDs, CXOne-LTCD-EV4 gereklidir), yazılım sadece CPx serisi kompakt PLC desteklemektedir	305.80	EC000809	313838	4547648871129	#		BA	BAM	NLD	8523.8090.00
CXONE-LTCD-EV4	CX-One Lite v4 x yazılımı, Windows 2000/XP/Vista, 2x CDs, (CXOne-LT01-EV4), yazılım sadece CPx serisi kompakt PLC desteklemektedir	25.06	EC000809	313839	4547648871136			BA	BAM	NLD	8523.8090.00
Kontrol Sistemi Yazılımı											
CX-SUPERVISOR-RUN-ME-V4	CX-Supervisor Machine Edition Runtime paketi (USB dongle ile birlikte)	724.50	EC001416	695998	4549734667920	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-RUN-PLUS-V4	CX-Supervisor PLUS Runtime paketi (USB dongle ile birlikte)	1,138.00	EC001416	695997	4549734667937	#		BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-TRIAL-V4	CX-Supervisor V4 trial version, with 2 hours communication (and other limitations)	61.15	EC001416	696220	4549734667944			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-UPGR-V4	CX-Supervisor V3 to V4.0 developer upgrade	765.50	EC001416	696221	4549734667913			BA	BAM	NLD	8523.8090.00
CX-SUPERVISOR-V4	CX-Supervisor Developer package. Requires CX-SUPERVISOR-RUN-ME-V4 or CX-SUPERVISOR-RUN-PLUS-V4 runtime package with USB dongle	724.50	EC001416	695839	4549734667906	#		BA	BAM	NLD	8523.8090.00
Kontrol Sistemi Yazılımı											
CX-COMPONENT-EV1-01L	1 kullanıcı lisansı, PC ve PLC arası, Visual Studio, .NET2003/2005/2008/2010/2013, Developm. languages: VB, .NET, Visual C#	482.50	EC001435	342189	4547648887182			BA	BAM	NLD	8523.8090.00
Kontrol Sistemi CP2											
CP2E-E14DR-A	CP2E series compact PLC - Essential Type: 8 DI, 6DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	327.10	EC000236	689939	4549734542470	#		BA	BAN	CHN	8471.4100.00
CP2E-E20DR-A	CP2E series compact PLC - Essential Type: 12 DI, 8DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	350.80	EC000236	689940	4549734542487	#		BA	BAN	CHN	8471.4100.00
CP2E-E30DR-A	CP2E series compact PLC - Essential Type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	476.40	EC000236	689941	4549734542494	#		BA	BAN	CHN	8471.4100.00
CP2E-E40DR-A	CP2E series compact PLC - Essential Type: 24 DI, 16 DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	550.50	EC000236	689942	4549734542500			BA	BAN	CHN	8471.4100.00
CP2E-E60DR-A	CP2E series compact PLC - Essential Type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 4 kStep Program memory	664.50	EC000236	689943	4549734542517		3	BA	BAN	CHN	8471.4100.00
CP2E-N14DR-A	CP2E series compact PLC - Network type: 8 DI, 6DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	476.40	EC000236	689981	4549734542135			BA	BAN	CHN	8471.4100.00
CP2E-N14DR-D	CP2E series compact PLC - Network type: 8 DI, 6DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	476.40	EC000236	689976	4549734542180			BA	BAN	CHN	8471.4100.00
CP2E-N14DT1-D	CP2E series compact PLC - Network type: 8 DI, 6DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	476.40	EC000236	689925	4549734542333	#		BA	BAN	CHN	8471.4100.00
CP2E-N20DR-A	CP2E series compact PLC - Network type: 12 DI, 8DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	550.50	EC000236	689980	4549734542142			BA	BAN	CHN	8471.4100.00
CP2E-N20DR-D	CP2E series compact PLC - Network type: 12 DI, 8DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	550.50	EC000236	689975	4549734542197	#		BA	BAN	CHN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CP2E-N20DT1-D	CP2E series compact PLC - Network type: 12 DI, 8DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	550.50	EC000236	689926	4549734542340	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-A	CP2E series compact PLC - Network type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	664.50	EC000236	689929	4549734542159	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DR-D	CP2E series compact PLC - Network type: 18 DI, 12DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689924	4549734542203	#		BA	BAN	CHN	8471.4100.00
CP2E-N30DT1-D	CP2E series compact PLC - Network type: 18 DI, 12DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689927	4549734542357	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-A	CP2E series compact PLC - Network type: 18 DI, 12DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	664.50	EC000236	689922	4549734542302	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	827.50	EC000236	689978	4549734542166	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DR-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689973	4549734542210	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689928	4549734542364	#		BA	BAN	CHN	8471.4100.00
CP2E-N40DT1-D	CP2E series compact PLC - Network type: 24 DI, 16 DO; NPN output; Power supply 24 VDC; 10 kStep Program memory	827.50	EC000236	689923	4549734542319	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-A	CP2E series compact PLC - Network type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 10 kStep Program memory	1,052.00	EC000236	689977	4549734542173	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DR-D	CP2E series compact PLC - Network type: 36 DI, 24DO; Relay output; Power supply 24 VDC; 10 kStep Program memory	1,052.00	EC000236	689972	4549734542227	#		BA	BAN	CHN	8471.4100.00
CP2E-N60DT1-D	CP2E series compact PLC - Network type: 36 DI, 24DO; PNP output; Power supply 24 VDC; 10 kStep Program memory	1,052.00	EC000236	689929	4549734542371	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DR-A	CP2E series compact PLC - Standard Type: 18 DI, 12DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	550.50	EC000236	689930	4549734542388	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT1-D	CP2E series compact PLC - Standard Type: 18 DI, 12DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	550.50	EC000236	689936	4549734542449	#		BA	BAN	CHN	8471.4100.00
CP2E-S30DT-D	CP2E series compact PLC - Standard Type: 18 DI, 12DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	550.50	EC000236	689933	4549734542418	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DR-A	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	664.50	EC000236	689931	4549734542395	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT1-D	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	664.50	EC000236	689937	4549734542456	#		BA	BAN	CHN	8471.4100.00
CP2E-S40DT-D	CP2E series compact PLC - Standard Type: 24 DI, 16 DO; NPN output; Power supply 24 VDC; 8 kStep Program memory	664.50	EC000236	689934	4549734542425	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DR-A	CP2E series compact PLC - Standard Type: 36 DI, 24DO; Relay output; Power supply 220 VAC; 8 kStep Program memory	827.50	EC000236	689932	4549734542401	#		BA	BAN	CHN	8471.4100.00
CP2E-S60DT1-D	CP2E series compact PLC - Standard Type: 36 DI, 24DO; PNP output; Power supply 24 VDC; 8 kStep Program memory	827.50	EC000236	689938	4549734542463	#		BA	BAN	CHN	8471.4100.00
Diğer Kontrol Sistemleri											
WS1-05D	5-port enhanced Ethernet switch	362.40	EC000734	702123	4549734712224	#		BA	BAX	JPN	8517.6200.00
Diğer Kontrol Sistemleri											
HMC-FE283	Flash hafıza kartı, 256MB	697.00	EC000192	699230	4549734599733	#		BA	BAX	TWN	8471.6070.00
HMC-FE583	Flash hafıza kartı, 512MB	1,005.00	EC000192	706998	4549734599740	#		BA	BAX	TWN	8471.6070.00
Diğer Kontrol Sistemleri											
G70A-ZOC16-3 DC24	Output Terminal Block for Relay or SSR, 16-point, for NPN output units	184.50	EC002780	377345	4548583411821	#		BA	BAX	CHN	8536.4900.99
G70A-ZOC16-4 DC24	Output Terminal Block for Relay or SSR, 16-point, for PNP output units	184.50	EC002780	377346	4548583411838	#		BA	BAX	CHN	8536.4900.99
Özel Kontrol Sistemleri											
C11W-F130	Load cell giriş ünitesi, 1 Kanal, high-performance, 10VDC or 2.5 VDC, max 4x 350 Ohm load cells, vida terminal	4,999.00	EC001422	372912	4547648949613	#		BA	BAY	JPN	8471.6070.00
Kontrol Sistemleri için Aksesuarlar											
CP1W-CN221	USB Programlama kablosu, A-tip erkek - B-tip erkek, 1.8 m	11.99	EC001681	676856	4549734914413	#		BA	BAZ	CHN	8544.4290.90
CP1W-CN811	CP1 CPU'dan CP1 Ek ünitelerine uzatma kablosu, 80 cm	98.40	EC002584	209406	4547648203630	#		BA	BAZ	CHN	8544.4290.90
CP1W-EXT01	CP1H CPU'dan C11W ek ünite adaptörü, C1 sonlandırıcı kapağı dahil	118.30	EC002584	209407	4547648203647	#		BA	BAZ	CHN	8473.3080.00
CP1W-ME05M	CP1 hafıza kartı (kullanıcı programı yüklemek/çekmek için	78.10	EC000192	209405	4547648203623	#		BA	BAZ	CHN	8542.3255.00
CP1W-SWB06	Input simulation switch board	64.40	EC000238	239599	4536853913489	#		BA	BAZ	NLD	8473.3080.00
Kontrol Sistemleri için Aksesuarlar											
CPM2C-BAT01	Battery for CPM2C PLCs	67.20	EC002584	157651	4536854490033	#		BA	BAZ	JPN	8506.5090.90
CPM2C-CN111	Adapter cable, 0.1m, converts peripheral port into RS-232C port and a peripheral port	157.50	EC001681	224547	4547648227148	#		BA	BAZ	CHN	8544.4290.90
Kontrol Sistemleri için Aksesuarlar											
CPM2A-BAT01	Battery for CPM2A/COM1H/C11G/C11H PLCs	83.35	EC002584	659247	4548583951709	#		BA	BAZ	JPN	8506.5090.90
Kontrol Sistemleri için Aksesuarlar											
C11W-BAT01	C11M PLC için batarya	61.85	EC002584	659004	4548583950603	#		BA	BAZ	JPN	8506.5090.90
C11W-TER01	C11 CPU için sonlandırma kapağı, sadece yerdek parça olarak gerekli.	123.10	EC002584	136072	4536854716195	#		BA	BAZ	JPN	8471.9000.00
Kontrol Sistemleri için Aksesuarlar											
CS1W-CN133	CS1/C1/N1 ek şase bağlantı kablosu, 10m	582.00	EC002584	224537	4547648226868	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN133-B2	CS1/C1/N1 ek şase bağlantı kablosu, 12m	730.50	EC002584	224538	4547648226875	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN223	CS1/C1/N1 ek şase bağlantı kablosu, 2m	274.10	EC002584	224550	4547648226837	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN313	CS1/C1/N1 ek şase bağlantı kablosu, 30cm	121.70	EC002584	224548	4547648226813	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN323	CS1/C1/N1 ek şase bağlantı kablosu, 3m	313.80	EC002584	224551	4547648226844	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN523	CS1/C1/N1 ek şase bağlantı kablosu, 5m	365.50	EC002584	224552	4547648226851	#		BA	BAZ	CHN	8544.4290.90
CS1W-CN713	CS1/C1/N1 ek şase bağlantı kablosu, 70cm	181.80	EC002584	224549	4547648226820	#		BA	BAZ	CHN	8544.4290.90
Kontrol Sistemleri için Aksesuarlar											
CS1W-BAT01	Battery for CS1 PLCs	56.80	EC002584	668348	4548583960404	#		BA	BAZ	JPN	8506.5090.90
CS1W-SP001	Space unit for vacant I/O slots on CS1 backplane	12.37	EC002584	168049	4547648023191	#		BA	BAZ	JPN	8523.8090.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
Kontrol Sistemleri için Aksesuarlar												
C11W-C1F11	RS-485 adaptörü, 2 veya 4 kablo, seri PLC link için doğrudan 9-pin RS-232C portuna bağlanır, RS-485 tarafı vida terminal	194.60	EC001467	147038	4536854855863				BA	BAZ	JPN	8471.6070.00
C11W-C1F31	kablo, PC USB RS-232C çevirici kablo, an Omron Programlama kablosu gerekli	282.30	EC001467	103601	4536854935596	#			BA	BAZ	JPN	8471.6070.00
Kontrol Sistemleri için Aksesuarlar												
C11W-CN114	kablo, 5cm, bağlantı için, COM1-PRO01, CS1/COM1H/CPM2C	100.00	EC001681	224561	4547648227056				BA	BAZ	CHN	8544.4290.90
C11W-CN118	Peripheral-RS232 çevirici	100.00	EC001681	224559	4547648227025				BA	BAZ	CHN	8544.4290.90
C11W-CN226	Kablo, 2m, bağlantı için, CS1/COM1H/CPM2C, peripheral port to PC 9-pin RS-232C port	143.30	EC001681	224552	4547648226998	#			BA	BAZ	CHN	8544.4290.90
C11W-CN626	Kablo, 6m, bağlantı için, CS1/COM1H/CPM2C, peripheral port to PC 9-pin RS-232C port	206.70	EC001681	224558	4547648227001				BA	BAZ	CHN	8544.4290.90
X55W-T421-BM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 0.5 m	49.52	EC002599	375715	4548583003774		10		BA	BAZ	JPN	8544.4290.90
X55W-T421-BMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 0.5 m	152.10	EC002599	375708	4547648843898		10		BA	BAZ	JPN	8544.4290.90
X55W-T421-CM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 1 m	56.00	EC002599	375716	4548583003781		10		BA	BAZ	JPN	8544.4290.90
X55W-T421-CM2-SS	EtherCAT kablo, zirhli, M12 düz, erkek/M12 düz, erkek, 1 m	81.35	EC002599	671205	4548583869233		6		BA	BAZ	JPN	8544.4290.90
X55W-T421-CMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 1 m	63.35	EC002599	375724	4548583003873		10		BA	BAZ	JPN	8544.4290.90
X55W-T421-CMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 1 m	146.10	EC002599	375709	4547648843904		10		BA	BAZ	JPN	8544.4290.90
X55W-T421-DMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 2 m	71.85	EC002599	375712	4547648832212				BA	BAZ	JPN	8544.4290.90
X55W-T421-DMC-SS	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 2 m	129.50	EC002599	671204	4548583869301		11		BA	BAZ	JPN	8544.4290.90
X55W-T421-DMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 2 m	148.70	EC002599	375710	4547648843911	#	5		BA	BAZ	JPN	8544.4290.90
X55W-T421-EM2-SS	EtherCAT kablo, zirhli, M12 düz, erkek/M12 düz, erkek, 3 m	112.70	EC002599	671208	4548583869257				BA	BAZ	JPN	8544.4290.90
X55W-T421-EMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 3 m	80.65	EC002599	375725	4548583003880		5		BA	BAZ	JPN	8544.4290.90
X55W-T421-EMC-SS	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 3 m	145.00	EC002599	671211	4548583869318		5		BA	BAZ	JPN	8544.4290.90
X55W-T421-GM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 5 m	98.75	EC002599	375719	4548583003828		5		BA	BAZ	JPN	8544.4290.90
X55W-T421-GMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 5 m	96.30	EC002599	375713	4547648832229		2		BA	BAZ	JPN	8544.4290.90
X55W-T421-GMC-SS	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 5 m	173.30	EC002599	671207	4548583869325				BA	BAZ	JPN	8544.4290.90
X55W-T421-GMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 5 m	197.60	EC002599	375712	4547648843935				BA	BAZ	JPN	8544.4290.90
X55W-T421-JM2-K	Ethernet Cat.5 cable, PVC, M12 straight plug/M12 straight plug, 10 m	145.70	EC002599	375720	4548583003835				BA	BAZ	JPN	8544.4290.90
X55W-T421-JMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 10 m	139.50	EC002599	375726	4548583003897	#			BA	BAZ	JPN	8544.4290.90
X55W-T421-JMC-SS	EtherCAT kablo, zirhli, M12 düz, erkek/RJ45, 10 m	242.20	EC002599	671212	4548583869332				BA	BAZ	JPN	8544.4290.90
X55W-T421-JMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 10 m	263.70	EC002599	375713	4547648843942				BA	BAZ	JPN	8544.4290.90
X55W-T421-KMC-K	Ethernet Cat.5 cable, PVC, M12 straight plug/RJ45, 15 m	170.30	EC002599	375714	4547648832236				BA	BAZ	JPN	8544.4290.90
X55W-T421-KMD-K	Ethernet Cat.5 cable, PVC, RJ45/RJ45, 15 m	271.80	EC002599	375714	4547648843959				BA	BAZ	JPN	8544.4290.90
X55W-T422-GMC-K	Ethernet Cat.5 cable, PVC, M12 right-angle plug/RJ45, 5 m	96.30	EC002599	375732	4548583361607		5		BA	BAZ	JPN	8544.4290.90
X56G-T421-L	RJ45 connector assembly (For AWG22 to AWG24)	46.76	EC001121	375715	4548583002180		16		BA	BAZ	CHE	8544.4290.90
X56W-5PUR85S1000CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 10 m	75.05	EC002599	374597	4548583378797				BA	BAZ	CHN	8544.4210.00
X56W-5PUR85S100CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 1 m	18.15	EC002599	374591	4548583378735	#			BA	BAZ	CHN	8544.4210.00
X56W-5PUR85S1500CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 15 m	107.20	EC002599	374598	4548583378803				BA	BAZ	CHN	8544.4210.00
X56W-5PUR85S2000CM-G	Ethernet Cat.5 patch cable, PUR çift zirhli (Green), 20 m	139.50	EC002599	374599	4548583378810				BA	BAZ	CHN	8544.4210.00
X56W-5PUR85S200CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 2 m	24.56	EC002599	374593	4548583378759				BA	BAZ	CHN	8544.4210.00
X56W-5PUR85S300CM-G	Ethernet Cat.5 patch cable, PUR çift zirhli (Green), 3 m	30.78	EC002599	374594	4548583378766				BA	BAZ	CHN	8544.4210.00
X56W-5PUR85S500CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 5 m	43.16	EC002599	374595	4548583378773				BA	BAZ	CHN	8544.4210.00
X56W-5PUR85S50CM-G	Ethernet Cat.5 patch kablo, PUR çift zirhli (Green), 0.5 m	14.97	EC002599	374590	4548583378728	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S1000CM-B	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 10 m	44.90	EC002599	374609	4548583378674				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S1000CM-G	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Green), 10 m	44.90	EC002599	374621	4548583378551	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S1000CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 10 m	44.90	EC002599	374587	4548583378438	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S100CM-B	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 1 m	10.88	EC002599	374603	4548583378612	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S100CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 1 m	10.88	EC002599	374615	4548583378490	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S100CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 1 m	10.88	EC002599	374581	4548583378360	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S1500CM-B	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 15 m	63.90	EC002599	374610	4548583378681				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S1500CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 15 m	63.90	EC002599	374622	4548583378568				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S1500CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 15 m	63.90	EC002599	374588	4548583378445	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S150CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 1.5 m	12.74	EC002599	374582	4548583378384	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S2000CM-B	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 20 m	82.55	EC002599	374611	4548583378698				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S2000CM-G	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Green), 20 m	82.55	EC002599	374623	4548583378575				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S2000CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 20 m	82.55	EC002599	374589	4548583378452	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S200CM-B	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 2 m	14.65	EC002599	374605	4548583378636	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S200CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 2 m	14.65	EC002599	374617	4548583378513				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S200CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 2 m	14.65	EC002599	374583	4548583378391	#	5		BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S20CM-B	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 0.2 m	8.14	EC002599	374600	4548583378582				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S20CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 0.2 m	8.14	EC002599	374612	4548583378469				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S20CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 0.2 m	8.14	EC002599	374578	4548583378322	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S300CM-B	Ethernet Cat.6 patch cable, LSZH çift zirhli (Blue), 3 m	18.41	EC002599	374606	4548583378643				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S300CM-G	Ethernet Cat.6 patch cable, LSZH çift zirhli (Green), 3 m	18.41	EC002599	374618	4548583378520				BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S300CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Yellow), 3 m	18.41	EC002599	374584	4548583378407	#			BA	BAZ	CHN	8544.4210.00
X56W-6LSZH85S30CM-B	Ethernet Cat.6 patch kablo, LSZH çift zirhli (Blue), 0.3 m	8.43	EC002599	374601	4548583378599				BA	BAZ	CHN	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X56W-6L SZH85530CM-G	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Green), 0.3 m	8.43	EC002599	374613	4548583378476	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH85530CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 0.3 m	8.60	EC002599	374579	4548583378339	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH855500CM-B	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Blue), 5 m	25.95	EC002599	374607	4548583378650	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH855500CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 5 m	25.95	EC002599	374619	4548583378537	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH855500CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 5 m	25.95	EC002599	374585	4548583378414	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH85550CM-B	Ethernet Cat.6 patch cable, LSZH double shielding (Blue), 0.5 m	8.99	EC002599	374602	4548583378605	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH85550CM-G	Ethernet Cat.6 patch cable, LSZH çift zırhlı (Green), 0.5 m	8.99	EC002599	374614	4548583378483	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH85550CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 0.5 m	8.99	EC002599	374580	4548583378346	#		BA	BAZ	CHN	8544.4210.00
X56W-6L SZH855750CM-Y	Ethernet Cat.6 patch kablo, LSZH çift zırhlı (Yellow), 7.5 m	35.48	EC002599	374586	4548583378421	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR8551000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 10 m	105.80	EC002599	702423	4549734686044	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855100CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1 m	32.02	EC002599	702417	4549734685986	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR8551500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 15 m	153.50	EC002599	702424	4549734686051	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855150CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 1.5 m	38.06	EC002599	702418	4549734685993	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR8552000CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 20 m	199.40	EC002599	702425	4549734686068	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855200CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 2 m	38.66	EC002599	702419	4549734686006	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR85520CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.2 m	16.32	EC002599	702414	4549734685955	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855300CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 3 m	41.08	EC002599	702420	4549734686013	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR85530CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.3 m	24.16	EC002599	702415	4549734685962	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855500CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 5 m	59.85	EC002599	702421	4549734686020	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR85550CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 0.5 m	26.58	EC002599	702416	4549734685979	#		BA	BAZ	CHN	8544.4210.00
X56W-6PUR855750CM-YF	Ethernet patch cable, S/FTP, Cat.6A, PUR (Yellow Flexible), 7.5 m	80.95	EC002599	702422	4549734686037	#		BA	BAZ	CHN	8544.4210.00
Kontrol Sistemleri için Aksesuarlar											
C200H-BAT09	Battery for CMINH/C200H PLCs	68.50	EC002584	659246	4548583951693			BA	BAZ	JPN	8506.5090.90
C500-BAT08	Battery for CQM1(NOT CQM1H), CK/C500/C1000H/C2000H/CV PLCs & NT/NS HMI's	76.05	EC002584	668347	4548583960398			BA	BAZ	JPN	8506.5090.90
HMC-AP001	Hafıza kartı adaptor (hafıza kartı to PC PCMCIA port)	130.70	EC000192	103192	4536854446030			BA	BAZ	JPN	8537.1098.99
HMC-FE183	Flash hafıza kartı, 128MB	218.30	EC000192	696105	4549734599726		20	BA	BAZ	TWN	8542.3190.00
Kontrol Sistemleri için Aksesuarlar											
C1-OD507-18P-5	Yıld terminal yedeği, 5'li paket	144.10	EC002584	210956	4547648850391			BA	BAZ	NLD	8538.9099.99
C1-WM01-18P-5	Yıldız, kısıklı terminal yedeği, 5'li paket	149.40	EC002584	172166	4536853882853			BA	BAZ	NLD	8538.9099.99
Kontrol Sistemleri için Aksesuarlar											
C500-CE241	FCN connector, 24 pin, solder type	31.59	EC002584	157398	4536854287541			BA	BAZ	JPN	8473.3080.00
C500-CE404	FCN connector, 40 pin, solder type, with right-angle connector cover	51.70	EC002584	159089	4536854288241			BA	BAZ	JPN	8473.3080.00
Kontrol Sistemleri için Aksesuarlar											
G7TC-OC16 DC24	Output Terminal Block for NPN output unit, 16 points, Relay coil voltage = 24 V DC	393.60	EC002780	377357	4548583411807			BA	BAZ	CHN	8536.4900.99
Kontrol Sistemleri için Aksesuarlar											
XW27-R100C	I/O connection cable, with shield connection, FCN24 to MIL 20 for G70A-ZOC16-3 / G70A-ZIM16-5, 1 m	72.15	EC000237	670331	4548583800311			BA	BAZ	JPN	8544.4290.90
XW27-R200C	I/O connection cable, with shield connection, FCN24 to MIL 20 for G70A-ZOC16-3 / G70A-ZIM16-5, 2 m	91.70	EC000237	670317	4548583800335			BA	BAZ	JPN	8544.4290.90
XW27-R200C-175-150	I/O connection cable, with shield connection, FCN56 to 3 x MIL 20 for G70A-ZOC16-3, 2 m / 1.75 m / 1.5 m	199.30	EC000237	670318	4548583800472			BA	BAZ	JPN	8544.4290.90
XW27-RA200C	I/O bağlantı kablosu, MIL 20 - açık uçlu, 2 m, G70V ile uyumlu	110.60	EC000237	670323	4548583800298			BA	BAZ	JPN	8544.4290.90
XW27-R100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20, 1 m / 0.75 m	91.70	EC000237	670333	4548583800366			BA	BAZ	JPN	8544.4290.90
XW27-R120C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20, 2 m / 1.75 m	109.10	EC000237	670310	4548583800380			BA	BAZ	JPN	8544.4290.90
XW27-R150C	I/O connection cable, MIL 20 to MIL 20, 0.5 m	89.70	EC000237	670305	4548583800502			BA	BAZ	JPN	8544.4290.90
XW27-RO100-75-D1	I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70V-ZOC16-3, 1 m	104.20	EC000237	688652	4549734137478			BA	BAZ	JPN	8544.4290.90
XW27-RO100C-75	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 1 m / 0.75 m	90.40	EC000237	670320	4548583800410		3	BA	BAZ	JPN	8544.4290.90
XW27-RO150C-125	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 1.5 m / 1.25 m	101.50	EC000237	670325	4548583800427		3	BA	BAZ	JPN	8544.4290.90
XW27-RO200-175-D1	I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m	182.60	EC000237	680946	4549734137416			BA	BAZ	JPN	8536.4900.99
XW27-RO200C-150	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 2 m / 1.5 m	105.40	EC000237	670324	4548583801738			BA	BAZ	JPN	8536.4900.99
XW27-RO200C-175	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 2 m / 1.75 m	109.10	EC000237	670315	4548583800434			BA	BAZ	JPN	8544.4290.90
XW27-RO300-275-D1	I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m	159.60	EC000237	695724	4549734137386			BA	BAZ	JPN	8544.4290.90
XW27-RO300C-275	I/O connection cable, with shield connection, FCN40 to 2 x MIL 20 for G70A-ZOC16-3, 3 m / 2.75 m	128.80	EC000237	670329	4548583800441			BA	BAZ	JPN	8544.4290.90
XW27-RO50C	I/O connection cable, MIL 20 to MIL 20 for XW27-20G* or G70A-ZOC16-3, 0.5 m	89.70	EC000237	670335	4548583800526			BA	BAZ	JPN	8544.4290.90
XW27-RY75-50-D1	I/O connection cable, with shield connection, MIL 40 to 2 x MIL 20 for G70A-ZOC16-3, 0.75 m	179.10	EC000237	670326	4548583800564			BA	BAZ	JPN	8536.4900.99
XW27-RY100C	I/O bağlantı kablosu, MIL 20 - açık uçlu (çatal ferrülli), 1 m, G70V ile uyumlu	84.15	EC000237	670328	4548583800243			BA	BAZ	JPN	8544.4290.90
XW27-RY200C	I/O bağlantı kablosu, MIL 20 - açık uçlu (çatal ferrülli), 2 m, G70V ile uyumlu	101.80	EC000237	670307	4548583800267			BA	BAZ	JPN	8544.4290.90
XW27-RY300C	I/O bağlantı kablosu, MIL 20 - açık uçlu (çatal ferrülli), 3 m, G70V ile uyumlu	104.30	EC000237	670309	4548583800274			BA	BAZ	JPN	8544.4290.90
İnsan Makine Arabirimi Yazılımı											
CX-LITE-EV2	CX-Server Lite yazılım paketi (tek lisans) desteklediği haberleşmeler, Ethernet, controller Link, işletim sistemleri, Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 ve 2008 (32 bit), CD-Rom	413.80	EC001416	249713	4547648857680			BB	BBG	NLD	8523.8090.00
CX-OPC-EV2	CX-Server OPC yazılımı (Tek Lisans), Windows2000/XP/Vista/Windows 7 (32bit)/Windows Server 2003 ve 2008 (32 bit), tek-kullanıcı lisansı, CD-Rom	827.00	EC001416	249714	4547648857703			BB	BBG	NLD	8523.8090.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NS-NSRCL1	NS-Runtime, NS uygulamaları PC'de çalıştırma, 1 x USB Dongle	1,663.00	EC001435	235310	4547648352567	#		BB	BBG	JPN	8523.8090.00
İnsan Makine Arabirimi NB											
NB10W-TW01B	HMI dokunmatik ekran, 10.1 inç WVGA (800 x 480 piksel) TFT renk, Ethernet + USB Host	1,927.00	EC001412	392035	4548583501881	#		BB	BBP	NLD	8531.2040.90
NB3Q-TW00B	HMI dokunmatik ekran, 3.5 inç QVGA (320 x 240 piksel) TFT renk	511.00	EC001412	392036	4548583501805	#		BB	BBP	NLD	8531.2040.90
NB3Q-TW01B	HMI dokunmatik ekran, 3.5 inç QVGA (320 x 240 piksel) TFT renk, Ethernet + USB Host	656.00	EC001412	392037	4548583501812	#		BB	BBP	NLD	8531.2040.90
NB5Q-TW00B	HMI dokunmatik ekran, 5.6 inç QVGA (320 x 234 piksel) TFT renk	627.00	EC001412	392038	4548583501836	#		BB	BBP	NLD	8531.2040.90
NB5Q-TW01B	HMI dokunmatik ekran, 5.6 inç QVGA (320 x 234 piksel) TFT renk, Ethernet + USB Host	770.50	EC001412	392039	4548583501850	#		BB	BBP	NLD	8531.2040.90
NB7W-TW00B	HMI dokunmatik ekran, 7 inç WVGA (800 x 480 piksel) TFT renk	791.50	EC001412	392040	4548583501867	#		BB	BBP	NLD	8531.2040.90
NB7W-TW01B	HMI dokunmatik ekran, 7 inç WVGA (800 x 480 piksel) TFT renk, Ethernet + USB Host	982.00	EC001412	392041	4548583501874	#		BB	BBP	NLD	8531.2040.90
İnsan Makine Arabirimi NB											
NB10W-KBA04	Accessory HMI, protective sheets for NB10W (5 sheets)	73.10	EC002584	371955	4548583313880			BB	BBP	CHN	3919.9080.99
NB3Q-KBA04	Accessory HMI, protective sheets for NB3Q (5 sheets)	26.13	EC002584	371958	4548583313873			BB	BBP	CHN	3919.9080.99
NB5Q-KBA04	HMI için Aksesuar NB5Q için ekran koruyucu (5 parça)	28.85	EC002584	364950	4548583108073			BB	BBP	CHN	3919.9080.99
NB7W-KBA04	HMI için Aksesuar NB7W için ekran koruyucu (5 parça)	47.87	EC002584	364953	4548583108097			BB	BBP	CHN	3919.9080.99
NB-ATT01	Attachment brackets for NB terminals (10 pcs.)	28.85	EC002584	364946	4548583132771			BB	BBP	CHN	8531.9000.00
İnsan Makine Arabirimi NA											
NA5-12W101B-V1	Dokunmatik Ekran, 12.1 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi: Siyah	4,619.00	EC001412	693975	4549734556552	#		BB	BBR	NLD	8531.2040.90
NA5-12W101S-V1	Dokunmatik Ekran, 12.1 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi: Gümüş	4,619.00	EC001412	693976	4549734556545	#		BB	BBR	NLD	8531.2040.90
NA5-15W101B-V1	Dokunmatik Ekran, 15.4 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi: Siyah	5,025.00	EC001412	693973	4549734556576	#		BB	BBR	NLD	8531.2040.90
NA5-15W101S-V1	Dokunmatik Ekran, 15.4 inç geniş ekran, TFT LCD, 24bit renk, 1280x800 çözünürlük, çerçeve rengi: Gümüş	5,025.00	EC001412	693974	4549734556569	#		BB	BBR	NLD	8531.2040.90
NA5-7W001B-V1	Dokunmatik Ekran, 7 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi: Siyah	2,249.00	EC001412	693972	4549734556514	#		BB	BBR	NLD	8531.2040.90
NA5-7W001S-V1	Dokunmatik Ekran, 7 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi: Gümüş	2,249.00	EC001412	693980	4549734556507	#		BB	BBR	NLD	8531.2040.90
NA5-9W001B-V1	Dokunmatik Ekran, 9 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi: Siyah	3,397.00	EC001412	693977	4549734556538	#		BB	BBR	NLD	8531.2040.90
NA5-9W001S-V1	Dokunmatik Ekran, 9 inç geniş ekran, TFT LCD, 24bit renk, 800x480 çözünürlük, çerçeve rengi: Gümüş	3,397.00	EC001412	693978	4549734556521	#		BB	BBR	NLD	8531.2040.90
İnsan Makine Arabirimi NA											
NA-12WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 12" (contains 5 sheets)	209.50	EC002584	393040	4548583531994			BB	BBR	NLD	3919.9080.99
NA-15WKBA04	Accessory touch screen (HMI), protective cover sheets for NA5 15" (contains 5 sheets)	355.40	EC002584	393041	4548583532007			BB	BBR	NLD	3919.9080.99
NA-7WATW01	High Pressure waterproof attachment for NA5 7"	226.40	EC002584	667319	4548583748118			BB	BBR	NLD	8531.9000.00
NA-7WKB04	Accessory touch screen (HMI), protective cover sheets for NA5 7" (contains 5 sheets)	151.90	EC002584	393038	4548583531970			BB	BBR	NLD	3919.9080.99
NA-9WKB04	Accessory touch screen (HMI), protective cover sheets for NA5 9" (contains 5 sheets)	193.40	EC002584	393039	4548583531987			BB	BBR	NLD	3919.9080.99
İnsan Makine Arabirimi Diğer HMI'lar											
NV3W-MG20L	Touch screen HMI, 3.8 inç STN Mono LED, Green/Orange/Red, RS232C, 5VDC	648.00	EC001412	659076	4548583588028			BB	BBX	JPN	8531.2040.90
NV3W-MB20L	Touch screen HMI, 3.8 inç STN Mono LED, White/Pink/Red, RS232C, 5VDC	648.00	EC001412	659074	4548583588059			BB	BBX	JPN	8531.2040.90
İnsan Makine Arabirimleri için Aksesuarlar											
NSH5-232UL-10M	NSH5 kablo, 10m (RS-232C haberleşme, 24 VDC, fonksiyon tuşu + E-stop + enabling switch kablo)	872.50	EC001681	226939	4547648269582			BB	BBZ	JPN	8531.9000.00
XW2-5002-NL	RS-232C haberleşme kabloyu PC ile PLC/HMI arası, 2 m	48.48	EC001681	659674	4548583954366			BB	BBZ	ITA	8544.4210.00
Uzak I/O SRT (CompoBus/S)											
SBS1-T	CompoBus/S network terminator Blok, vidalı terminal	16.66	EC002584	338264	4547648812856			BF	BFC	CHN	8471.6070.00
Uzak I/O DRT (DeviceNet)											
DRT2-ID08-1	DeviceNet Dijital giriş ünitesi, 8x 24 VDC giriş, PNP	347.50	EC001599	231467	4547648218825			BF	BFD	CHN	8471.6070.00
DRT2-ID08CL-1	DeviceNet dijital giriş ünitesi, IP67, 8 x inputs, 24 VDC, PNP, M12 I/O connections	620.00	EC001599	338251	4547648813174			BF	BFD	CHN	8471.6070.00
DRT2-ID16	DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, PNP	558.00	EC001599	226501	4547648209045			BF	BFD	CHN	8471.6070.00
DRT2-ID16-1	DeviceNet Dijital giriş ünitesi, 16x 24 VDC giriş, PNP	558.00	EC001599	226516	4547648209052			BF	BFD	CHN	8471.6070.00
DRT2-ID16TA-1	DeviceNet Dijital giriş ünitesi with 3-tier terminal Blok, 16x 24 VDC PNP giriş	586.00	EC001599	164737	4536854960772			BF	BFD	CHN	8471.6070.00
Uzak I/O DRT (DeviceNet)											
DRT2-OD16	DeviceNet dijital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, screw terminal block	543.50	EC001599	226515	4547648209113			BF	BFD	CHN	8471.6070.00
DRT2-OD16-1	DeviceNet Dijital çıkış ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC	543.50	EC001599	226527	4547648209120			BF	BFD	CHN	8471.6070.00
DRT2-OD16M-X	DeviceNet dijital output unit, 16 x transistor outputs 0.5 A, 24 VDC, NPN, with MIL connector + 10 cm cable	501.50	EC001599	248825	4547648242615			BF	BFD	CHN	8471.6070.00
DRT2-OD16M-X-1	DeviceNet dijital output unit, 16 x transistor outputs 0.5 A, 24 VDC, PNP, with MIL connector + 10 cm cable	467.10	EC001599	248826	4547648242622			BF	BFD	CHN	8471.6070.00
DRT2-RO516	DeviceNet Dijital çıkış ünitesi, 16x röle çıkış, 3 A	830.50	EC001599	229626	4547648209137			BF	BFD	CHN	8538.9099.99
Uzak I/O DRT (DeviceNet)											
DRT2-MD16TA-1	DeviceNet Dijital I/O ünitesi with 3-tier terminal Blok, 8x 24 VDC PNP giriş & 8x 24 VDC PNP 0.5 A çıkış	586.00	EC001599	164741	4536854960819			BF	BFD	CHN	8471.6070.00
Uzak I/O DRT (DeviceNet)											
DRT2-AD09H	DeviceNet analog giriş ünitesi 4x 0/4-20 mA/0/1-5 V/0-10 V giriş, isolated, 1:30,000 çözünürlük	867.50	EC001596	175516	4547648096737			BF	BFD	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
DRT2-TS04P	DeviceNet resistance thermometer giriş ünitesi 4x PT, JPT, PT2, JPT2 giriş	817.00	EC001596	175514	4547648073530			BF	BFD	JPN	8471.6070.00
DRT2-TS04T	DeviceNet Termokupl giriş ünitesi, 4x R,SK,ITB,L,E,U,N,W,PLII giriş	844.00	EC001596	175515	4547648096720			BF	BFD	JPN	8471.6070.00
Uzak I/O DRT (DeviceNet)											
DRT1-COM	DeviceNet communications unit, connects 8x GT1 MULTIPLE I/O units max.	723.00	EC001603	133630	4536854355400			BF	BFD	JPN	8471.6070.00
Uzak I/O GT1											
GT1-AD04	Multiple I/O analog input terminal, 4 x inputs 0/4 to 20 mA, 0/1 to 5 V, -10 to 10 V	1,055.00	EC001596	121025	4536854467394			BF	BFG	JPN	8538.9099.99
GT1-DA04	Multiple I/O analog output terminal, 4 x outputs 4 to 20 mA, 0/1 to 5 V, -10 to 10 V	1,295.00	EC001596	150827	4536854467400			BF	BFG	JPN	8538.9099.99
GT1-HD16-1	Multiple I/O remote terminal, 16x 24 VDC inputs, PNP	516.00	EC001599	121110	4536854373435			BF	BFG	JPN	8538.9099.99
GT1-OD16-1	Multiple I/O remote terminal, 16x transistor outputs, PNP, 0.5 A, 24 VDC	567.50	EC001599	121111	4536854373442			BF	BFG	JPN	8538.9099.99
GT1-OD32ML-1	Multiple I/O remote terminal, 32x transistor outputs, PNP, 0.5 A, 24 VDC (requires C500-CE401 connector)	657.00	EC001599	142071	4536854373480			BF	BFG	JPN	8538.9099.99
Uzak I/O GRT (SmartSlice)											
GRT1-ID4	SmartSlice 4 nokta Dijital giriş NPN	95.60	EC001599	212285	4547648219334			BF	BFH	JPN	8471.6070.00
GRT1-ID4-1	SmartSlice 4 nokta Dijital giriş PNP	95.60	EC001599	212286	4547648219341	#		BF	BFH	JPN	8471.6070.00
GRT1-ID8	SmartSlice 8 nokta Dijital giriş NPN	139.50	EC001599	235172	4547648325646			BF	BFH	NLD	8471.6070.00
GRT1-ID8-1	SmartSlice 8 nokta Dijital giriş PNP	139.50	EC001599	235173	4547648325653	#		BF	BFH	NLD	8471.6070.00
Uzak I/O GRT (SmartSlice)											
GRT1-OD4	SmartSlice 4 nokta Dijital çıkış NPN, 0.5 A	100.30	EC001599	212287	4547648219358			BF	BFH	JPN	8471.6070.00
GRT1-OD4-1	SmartSlice 4 nokta Dijital çıkış PNP, 0.5 A	100.30	EC001599	212288	4547648219365	#		BF	BFH	JPN	8471.6070.00
GRT1-OD4G-1	SmartSlice 4 nokta Dijital çıkış PNP - aşınakım ve kısa devre koruma, 0.5 A	124.10	EC001599	230602	4547648306829			BF	BFH	NLD	8471.6070.00
GRT1-OD4G-3	SmartSlice 4 nokta Dijital çıkış PNP - aşınakım ve kısa devre koruma, 2 A	124.10	EC001599	246036	4547648487306			BF	BFH	NLD	8471.6070.00
GRT1-OD8	SmartSlice 8 nokta Dijital çıkış NPN, 0.5 A	147.00	EC001599	235174	4547648325660			BF	BFH	NLD	8471.6070.00
GRT1-OD8-1	SmartSlice 8 nokta Dijital çıkış PNP, 0.5 A	147.00	EC001599	235175	4547648325677	#		BF	BFH	NLD	8471.6070.00
GRT1-OD8G-1	SmartSlice 8 nokta Dijital çıkış PNP - aşınakım ve kısa devre koruma, 0.5 A	165.40	EC001599	235176	4547648325684			BF	BFH	NLD	8471.6070.00
GRT1-ROS2	SmartSlice 2 nokta röle çıkış, 250 VAC/24 VDC, 2 A	117.40	EC001599	212289	4547648219372			BF	BFH	JPN	8471.6070.00
Uzak I/O GRT (SmartSlice)											
GRT1-AD2	SmartSlice 2 nokta analog giriş, 1-5 VDC, 0-5 VDC, 0-10 VDC, -10-10 VDC, 0-20 mA, 4-20 mA, 1:6000 çözünürlük	409.20	EC001596	224393	4547648221498			BF	BFH	JPN	8471.5000.00
GRT1-IS2P	SmartSlice 2 nokta sıcaklık girişi, Pt100	460.00	EC001596	238319	4547648446211			BF	BFH	JPN	8471.5000.00
GRT1-IS2T	SmartSlice 2 nokta sıcaklık girişi, Termokupl	460.00	EC001596	246039	4547648511315			BF	BFH	NLD	9032.1080.90
Uzak I/O GRT (SmartSlice)											
GRT1-DA2C	SmartSlice 2 nokta analog çıkış, 0-20 mA, 4-20 mA, 1:6000 çözünürlük	408.30	EC001596	224394	4547648221504			BF	BFH	JPN	8471.5000.00
GRT1-DA2V	SmartSlice 2 nokta analog çıkış, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 1:6000 çözünürlük	408.30	EC001596	224395	4547648221511			BF	BFH	JPN	8471.5000.00
Uzak I/O GRT (SmartSlice)											
GRT1-CP1-1	SmartSlice 1 Kanal positioning ünitesi, 100 kHz, 24 VDC PNP giriş (A/B/Z) / RS422 line driver, 1 x 24 VDC PNP control giriş, 2 x PNP 0.5 A control çıkış	384.30	EC001601	228280	4547648298209			BF	BFH	NLD	9029.1000.90
GRT1-CT1	SmartSlice high speed counter unit, 1 x encoder input (A/B/Z), 60 kHz, 24 VDC NPN inputs, 1 x NPN 0.5 A range control output	278.70	EC001601	228278	4547648298186			BF	BFH	NLD	9029.1000.90
GRT1-CT1-1	SmartSlice 1 Kanal Yüksek hızlı sayıcı ünitesi, 60 kHz, 24 VDC PNP giriş (A/B/Z), 1 x PNP 0.5 A control çıkış	278.70	EC001601	228279	4547648298193			BF	BFH	NLD	9029.1000.90
Uzak I/O GRT (SmartSlice)											
GRT1-CRT	SmartSlice communication adaptor for CompoNet	435.20	EC001603	248724	4547648561389			BF	BFH	JPN	8471.6070.00
GRT1-DRT	SmartSlice communication adaptor for DeviceNet, connects up to 64 slice I/O units (End plate have to be ordered separately)	497.00	EC001603	211521	4547648219327	#		BF	BFH	JPN	8471.6070.00
GRT1-ECT	SmartSlice communication adaptor for EtherCAT, connects up to 64 slice I/O units (End plate have to be ordered separately)	614.50	EC001603	350103	4548583003019			BF	BFH	NLD	8529.1095.00
GRT1-END	SmartSlice end plate	44.54	EC002584	212290	4547648219389	#		BF	BFH	JPN	8471.5000.00
GRT1-END-M	SmartSlice end plate with Profinet memory	179.70	EC002584	258405	4547648476607			BF	BFH	NLD	8473.3080.00
GRT1-PO2	SmartSlice I/O power feed module, 24 VDC input	57.30	EC001600	212291	4547648219396			BF	BFH	JPN	8471.5000.00
GRT1-PO8-1	SmartSlice I/O power connection module, 4 x V and 8 x G terminals	57.30	EC001600	235178	4547648325707			BF	BFH	NLD	8504.4030.00
GRT1-PNT	SmartSlice communication adaptor for PROFIBUS, connects up to 64 slice I/O units (End plate have to be ordered separately)	894.50	EC001603	258404	4547648476591			BF	BFH	NLD	8529.1095.00
GRT1-PRT	SmartSlice communication adaptor for PROFIBUS-DP V1, connects up to 64 slice I/O units (End plate have to be ordered separately)	591.50	EC001603	230167	4547648192071			BF	BFH	NLD	8529.1095.00
GRT1-TBL	SmartSlice left-side turn-back unit	117.40	EC002584	212293	4547648219419			BF	BFH	JPN	8471.5000.00
GRT1-TBR	SmartSlice right-side turn-back unit	57.30	EC002584	212292	4547648219402			BF	BFH	JPN	8471.5000.00
Uzak I/O GRT (SmartSlice)											
GCN2-100	SmartSlice turn-back cable (1 m)	64.90	EC002584	212294	4547648219426			BF	BFH	JPN	8544.4210.00
Uzak I/O CRT (CompoNet)											
CRT1-ID08-1	CompoNet IP20 word slave ünitesi, 8x 24 VDC giriş, PNP, vidalı terminal	380.80	EC001599	248768	4547648571326			BF	BFI	JPN	8471.6070.00
CRT1-ID16	CompoNet input unit, 16 x 24 VDC inputs, NPN, screw terminals	446.60	EC001599	226103	4547648237857			BF	BFI	CHN	8471.6070.00
CRT1-ID16-1	CompoNet IP20 word slave ünitesi, 16x 24 VDC giriş, PNP, vidalı terminal	446.60	EC001599	226104	4547648237864			BF	BFI	CHN	8471.6070.00
CRT1-ID16TA-1	CompoNet input unit, 16 x 24 VDC inputs, PNP, 3-tier screw terminals	562.50	EC001599	237467	4547648414814			BF	BFI	JPN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CRT1-OD08-1	CompoNet output unit, 8 x transistor outputs, PNP, 0.5 A, 24 VDC, screw terminals	449.00	EC001599	248770	4547648571340			BF	BFI	JPN	8471.6070.00
CRT1-OD16	CompoNet output unit, 16 x transistor outputs, NPN, 0.5 A, 24 VDC, screw terminals	446.60	EC001599	226105	4547648237871			BF	BFI	CHN	8471.6070.00
CRT1-OD16-1	CompoNet IP20 word slave ünitesi, 16x transistor çıkış, PNP, 0.5 A, 24 VDC, vidalı terminal	446.60	EC001599	226106	4547648237888			BF	BFI	CHN	8471.6070.00
CRT1-ROS16	CompoNet output unit, 16 x relay outputs 2 A, screw terminals	774.00	EC001599	237472	4547648414869			BF	BFI	JPN	8471.6070.00
Uzak I/O CRT (CompoNet)											
CRT1-MD16-1	CompoNet I/O unit, 8 x 24 VDC inputs PNP & 8 x transistor outputs PNP 0.5 A, screw terminals	501.50	EC001599	248772	4547648571364			BF	BFI	JPN	8471.6070.00
Uzak I/O CRT (CompoNet)											
CRT1-AD04	CompoNet IP20 slave ünitesi, 4 nokta analog giriş, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 0-20 mA, 4-20 mA, 1-6000 çözünürlük, vidalı terminal	817.00	EC001596	226107	4547648237895			BF	BFI	CHN	8471.6070.00
Uzak I/O CRT (CompoNet)											
CRT1-DA02	CompoNet IP20 word slave ünitesi, 2 nokta analog çıkış, 1-5 V, 0-5 V, 0-10 V, -10-10 V, 1-6000 çözünürlük, vidalı terminal	821.50	EC001596	226108	4547648237901			BF	BFI	CHN	8471.6070.00
Uzak I/O CRT (CompoNet)											
CB51-RPT01	CompoNet IP20 Repeater unit	285.20	EC001604	226092	4547648237918			BF	BFI	CHN	8471.6070.00
Diğer Uzak I/O'lar											
GX-ID1621	EtherCAT digital I/O unit, 16 x inputs, PNP, 1-wire, expandable	543.50	EC001599	343313	4547648821681			BF	BFX	CHN	8471.6070.00
Diğer Uzak I/O'lar											
GX-OD1621	EtherCAT digital I/O unit, 16 x outputs, PNP, 1-wire, expandable	543.50	EC001599	343317	4547648821728			BF	BFX	CHN	8471.6070.00
Diğer Uzak I/O'lar											
GX-MD1621	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 1-wire, expandable	543.50	EC001599	343315	4547648821704			BF	BFX	CHN	8471.6070.00
GX-MD1622	EtherCAT digital I/O unit, 8 x inputs + 8 x outputs, PNP, 3-wire	698.00	EC001599	343322	4547648821773			BF	BFX	CHN	8471.6070.00
Diğer Uzak I/O'lar											
GX-AD0471	EtherCAT analog I/O unit, 4 x analog inputs, 0 to 5 V, 1 to 5 V, 0 to 10 V, -10 to 10 V, 4 to 20 mA, resolution 1:8000 (full scale)	865.00	EC001596	343327	4547648821827			BF	BFX	CHN	8471.6070.00
Diğer Uzak I/O'lar											
GX-EC0211	EtherCAT I/O unit, 2 x encoder inputs, open collector	1,022.00	EC001601	343325	4547648821803			BF	BFX	CHN	8471.6070.00
GX-FC0241	EtherCAT I/O unit, 2 x encoder inputs, line driver	1,125.00	EC001601	343326	4547648821810			BF	BFX	CHN	8471.6070.00
Diğer Uzak I/O'lar											
XWT-ID16-1	DRT2/CRT1 ek ünitesi, 16x 24 VDC giriş, PNP (Max 1 adet DRT2-*D08(-1)*D16(-1)/ROS16 veya CRT1-*D16(-1)/ROS16 ile kullanılır)	440.00	EC001599	226542	4547648209342			BF	BFX	CHN	8471.6070.00
XWT-OD16	DRT2/CRT1 Serisi Ek ünite, 16x 24 VDC çıkış, 0.5 A, NPN (use 1 max with DRT2-*D08(-1)*D16(-1)/ROS16 or CRT1-*D16(-1)/ROS16)	398.60	EC001599	226545	4547648209380			BF	BFX	CHN	8471.6070.00
XWT-OD16-1	DRT2/CRT1 ek ünitesi, 16x 24 VDC çıkış, 0.5 A, PNP (Max 1 adet DRT2-*D08(-1)*D16(-1)/ROS16 veya CRT1-*D16(-1)/ROS16 ile birlikte kullanılır)	440.00	EC001599	226546	4547648209397			BF	BFX	CHN	8471.6070.00
Uzak I/O'lar için Aksesuarlar											
GX-IC03	3 portlu EtherCAT switch	281.10	EC000734	355830	4548583075375	#		BF	BFZ	CHN	8471.8000.00
GX-IC06	6 portlu EtherCAT switch	516.00	EC000734	355831	4548583075382	#		BF	BFZ	CHN	8471.8000.00
Uzak I/O'lar için Aksesuarlar											
DCN1-1C	DeviceNet T-branch tap, 1 branch line, vidalı, 3 konnektör, Yandan kablo girişi	124.00	EC002584	133602	4536853181130			BF	BFZ	JPN	8536.9010.00
DCN1-1P	DeviceNet güç tap, 2 konnektör için sonlandırma direnci ve sigorta	266.50	EC002584	133604	4536854553288			BF	BFZ	JPN	8536.9010.00
DCN1-3C	DeviceNet T-branch tap, 3 branch line, vidalı, 5 konnektör, Yandan kablo girişi	188.50	EC002584	133603	4536853181147			BF	BFZ	JPN	8536.9010.00
DCN1-3NC	DeviceNet T-branch tap, 3 branch line, 5 paralel kelepçe konnektör, üstten kablo girişi	130.70	EC002584	226006	4536854895906			BF	BFZ	JPN	8536.9010.00
DCN2-1	DeviceNet IP67 T-branch konnektör (2x dişi, 1x erkek M12)	59.20	EC002584	133605	4536854446139		10	BF	BFZ	JPN	8536.9010.00
DCN4-TB4	CompoNet vida terminal konnektör, M3	21.37	EC002584	226114	4547648206808		10	BF	BFZ	JPN	8503.0099.99
DBS1-T	CompoNet/DeviceNet terminal Blok	12.63	EC002584	133617	4536853181604			BF	BFZ	JPN	8473.3080.00
XW4R-05C4-TF-D	DeviceNet multi-branching connector, parallel with screws, connector insertion and wiring in same direction	41.04	EC002584	167725	4536854700033		25	BF	BFZ	DEU	8536.9010.00
XW4G-05C4-TF-D	DeviceNet konnektör, paralel vidasız, konnektör yerleşimi ve kablolama aynı yönde	32.31	EC002584	231438	4536854936760		25	BF	BFZ	DEU	8536.9010.00
Uzak I/O'lar için Aksesuarlar											
SCA1-4F10	CompoBus/S flat cable, 4-core 0.75 mmsq, 100m	444.40	EC003249	111794	4536853769260			BF	BFZ	JPN	8536.9010.00
Paneliçi TC E11											
E11N-TC2A-ONHB	Celciux® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 2 bölge, Termokup/Pt100/analogue giriş, 2 x 12 VDC gerilim çıkışı, 2 x 30 VDC, 0.1 A NPN çıkışı, ısıtma, soğutma, ısıtma/soğutma, heater burnout alarm, M3 vida terminali	593.00	EC001446	225935	4547648235310	#		BG	BGA	JPN	9032.1080.90
E11N-TC4A-OO	Celciux® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokup/Pt100/analogue giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, M3 vida terminali	693.00	EC001446	225934	4547648235297	#		BG	BGA	JPN	9032.1080.90
E11N-TC4B-OO	Celciux® Pano içi sıcaklık kontrolörü ünitesi, DIN ray montajlı, 4 bölge, Termokup/Pt100/analogue giriş, 4 x 12 VDC gerilim çıkışı, ısıtma, soğutma, ısıtma/soğutma, vidasız terminal	693.00	EC001446	225930	4547648235303			BG	BGA	JPN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Paneliçi TC E11											
E11N-HFUA-NFLK	Celcius® In-panel temperature controller high function unit, RS-232C/RS-485 port for program-less communications with CJ1/CS1 PLCs (1:1 and 1:N), Mitsubishi A and FX series PLCs (1:1 and 1:N), Mitsubishi O series PLCs (1:1), M3 screw terminals	621.50	EC001423	225936	4547648235334			BG	BGA	JPN	9032.1080.90
E11N-HFUB-DRT	Celcius® In-panel Temperature controller High Function unit, DeviceNet interface, screwless clamp terminals	1,086.00	EC001423	243922	4547648510806			BG	BGA	JPN	9032.1080.90
E11N-HFUE-ETN	Ethernet - Seri Gateway, PROFINET ya da Modbus/TCP master - herhangi bir Modbus-RTU slave (CelciusXF11), E5_N ve MX2 gibi	719.50	EC001423	355917	4548583072527			BG	BGA	NLD	9032.1080.90
Paneliçi TC E11											
E11C-EDUA-NFLK	Celcius® Pano içi sıcaklık kontrolörü sonlandırma ünitesi, 24 VDC beslemeli, 1 x RS-485 (115.2kbps'ye kadar, CompoWay/F ya da MODBUS RTU), 1 x programlama kablosu girişi, M3 vida terminali	151.80	EC000599	225933	4547648235457	#		BG	BGA	JPN	9032.1080.90
E11C-EDUC-NFLK	Celcius® In-panel temperature controller end unit, connects up to 16 x basic & high function units, 24 VDC supply, 1 x RS-485 port (115kbps, CompoWay/F, MODBUS RTU), 1 x programming port, removable screw connector blocks	136.30	EC000599	243921	4547648510844			BG	BGA	JPN	9032.1080.90
Endüstriyel Röle LY											
LY1 24VDC	Relay, plug-in, 5-pin, SPDT, 15A, 24 VDC	5.96	EC001437	116888	4536853605544	50		CC	CCA	IDN	8536.4900.99
LY1F 220/240VAC	Relay, flange mount, plug-in, SPDT, 15 A, 220/240 VAC	6.48	EC001437	116798	4536853605650	50		CC	CCA	IDN	8536.4900.99
Endüstriyel Röle LY											
LY2 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10A, 100/110 VAC	6.81	EC001437	144278	4536853611439	#	50	CC	CCA	IDN	8536.4900.99
LY2 100/110VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 100/110 VDC	7.37	EC001437	153006	4536853611545	50		CC	CCA	IDN	8536.4900.99
LY2 110/120VAC	Relay, plug-in, 8-pin, DPDT, 10A, 110/120 VAC	6.81	EC001437	116738	4536853611446	#	50	CC	CCA	IDN	8536.4900.99
LY2 12VAC	Relay, plug-in, 8-pin, DPDT, 10A, 12 VAC	6.81	EC001437	153005	4536853611378	50		CC	CCA	IDN	8536.4900.99
LY2 12VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 12 VDC	6.81	EC001437	116741	4536853611491	50		CC	CCA	IDN	8536.4900.99
LY2 220/240VAC	Röle, soketli, 8 pinli, DPDT, 10 A, 220/240 VAC	7.37	EC001437	154980	4536853611477	#	50	CC	CCA	IDN	8536.4900.99
LY2 24VAC	Röle, soketli, 8 pinli, DPDT, 10 A, 24 VAC	6.81	EC001437	150789	4536853611385	50		CC	CCA	IDN	8536.4900.99
LY2 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 24 VDC	6.81	EC001437	116742	4536853611507	#	50	CC	CCA	IDN	8536.4900.99
LY2 48VDC	Röle, soketli, 8 pinli, DPDT, 10 A, 48 VDC	6.81	EC001437	103958	4536853611521	50		CC	CCA	IDN	8536.4900.99
LY2-0 220/240VAC	Relay, PCB pins, 8-pin, DPDT, 10A, 220/240 VAC	7.37	EC001437	154171	4536853615253	50		CC	CCA	IDN	8536.4900.99
LY2-0 24VDC	Relay, PCB pins, 8-pin, DPDT, 10A, 24 VDC	7.23	EC001437	116633	4536853615284	50		CC	CCA	IDN	8536.4900.99
LY2-D 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, coil suppression, 24 VDC	14.97	EC001437	116787	4536853608477	10		CC	CCA	JPN	8536.4900.99
LY2E 220/240VAC	Relay, Flange mount, plug-in, 8-pin, DPDT, 10A, 220/240 VAC	8.01	EC001437	116656	4536853611668	50		CC	CCA	IDN	8536.4900.99
LY2E 24VAC	Relay, flange mount, plug-in, DPDT, 10 A, 24 VAC	7.40	EC001437	148600	4536853611590	50		CC	CCA	IDN	8536.4900.99
LY24N 110/120VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, test button	8.44	EC001437	116681	4536853612672	50		CC	CCA	IDN	8536.4900.99
LY24N 220/240VAC	Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 220/240 VAC	8.91	EC001437	116682	4536853612702	50		CC	CCA	IDN	8536.4900.99
LY24N 24VAC	Relay, plug-in, 8-pin, DPDT, 10 A, LED indicator, test button	8.44	EC001437	103143	4536853612719	50		CC	CCA	IDN	8536.4900.99
LY24N 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, LED ve test butonu, 24 VDC	8.44	EC001437	157562	4536853612757	50		CC	CCA	IDN	8536.4900.99
LY2N 100/110VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 100/110 VAC	8.19	EC001437	150790	4536853612399	#	50	CC	CCA	IDN	8536.4900.99
LY2N 220/240VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 220/240 VAC	12.69	EC001437	116664	4536853612429	50		CC	CCA	IDN	8536.4900.99
LY2N 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VAC	23.41	EC001437	151831	4536853612382	50		CC	CCA	IDN	8536.4900.99
LY2N 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, 24 VDC	11.25	EC001437	149665	4536853612450	#	50	CC	CCA	IDN	8536.4900.99
LY2N-D2 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, LED indicator, coil suppressor	18.30	EC001437	156651	4536853608811	#	10	CC	CCA	JPN	8536.4900.99
Endüstriyel Röle LY											
LY3N-D2 24VDC	Relay, plug-in, 5-pin, SPDT, 15A, LED indicator, coil suppression, 24 VDC	16.43	EC001437	116875	4536853604868	10		CC	CCA	JPN	8536.4900.99
LY3-0 12VDC	https://industrial.omron.com/tr/tr/products/v/	13.15	EC001437	116459	4536853619176			CC	CCA	IDN	8536.4900.99
LY3-0 24VDC	Relay, PCB pin, 11-pin, 3PDT, 10A, 24 VDC	13.15	EC001437	116460	4536853619183	20		CC	CCA	IDN	8536.4900.99
LY4 24VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VDC	13.14	EC001437	116449	4536853621131	#	20	CC	CCA	IDN	8536.4900.99
LY4-D 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, coil suppression, 24 VDC	23.88	EC001437	116412	4536853620141	10		CC	CCA	JPN	8536.4900.99
LY44N 230VAC	Röle, soketli, 14 pinli, 4PDT, 10 A, LED ve test butonu, 230 VAC	15.50	EC001437	103147	4536853621971	20		CC	CCA	IDN	8536.4900.99
LY4N-D2 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, coil suppressor, 24 VDC	26.71	EC001437	153315	4536853620509	10		CC	CCA	JPN	8536.4900.99
Endüstriyel Röle LY											
LY4 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 10A100/110 VAC	13.14	EC001437	103960	4536853621063	#	20	CC	CCA	IDN	8536.4900.99
LY4 125VDC	Relay, plug-in, 14-pin, 4PDT, 10 A, 125 VDC	13.14	EC001437	148236	4536853622497	20		CC	CCA	IDN	8536.4900.99
LY4 12VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 12 VDC	13.14	EC001437	116448	4536853621124	20		CC	CCA	IDN	8536.4900.99
LY4 230VAC	Röle, soketli, 14 pinli, 4PDT, 10 A, 230 VAC	13.62	EC001437	116267	4536853621605	#	20	CC	CCA	IDN	8536.4900.99
LY4 24VAC	Röle, soketli, 14 pinli, 4PDT, 10 A, 24 VAC	13.14	EC001437	116441	4536853621025	20		CC	CCA	IDN	8536.4900.99
LY4 48VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, 48 VDC	13.14	EC001437	143117	4536853621162	20		CC	CCA	IDN	8536.4900.99
LY44N 24VDC	Röle, soketli, 14 pinli, 4PDT, 10 A, LED ve test butonu, 24 VDC	14.54	EC001437	116399	4536853622039	#	20	CC	CCA	IDN	8536.4900.99
LY4N 100/110VAC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 100/110 VAC	14.54	EC001437	145374	4536853621698	20		CC	CCA	IDN	8536.4900.99
LY4N 200/220VAC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 200/220 VAC	15.50	EC001437	116375	4536853621728	20		CC	CCA	IDN	8536.4900.99
LY4N 24VDC	Relay, plug-in, 14-pin, 4PDT, 10A, LED indicator, 24 VDC	14.54	EC001437	116382	4536853621797	#	20	CC	CCA	IDN	8536.4900.99
Endüstriyel Röle MK-I/-S											
MKS2P 110VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	14.79	EC001437	376281	4547648413046	20		CC	CCB	CHN	8536.4900.99
MKS2P 230VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	11.72	EC001437	376285	4547648413084	20		CC	CCB	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MKS2P 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	12.92	EC001437	376278	4547648413015		20	CC	CCB	CHN	8536.4900.99
MKS2P 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator	10.89	EC001437	376289	4547648413121	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 110VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VAC	11.06	EC001437	376681	4547648413893	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 110VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VDC	11.66	EC001437	376692	4547648414005		20	CC	CCB	CHN	8536.4900.99
MKS2PI 12VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	10.89	EC001437	376677	4547648413855		20	CC	CCB	CHN	8536.4900.99
MKS2PI 12VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 12 VDC	12.75	EC001437	376688	4547648413961		20	CC	CCB	CHN	8536.4900.99
MKS2PI 230VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 230 VAC	11.67	EC001437	376685	4547648413930		20	CC	CCB	CHN	8536.4900.99
MKS2PI 240VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	11.67	EC001437	376686	4547648413947		20	CC	CCB	CHN	8536.4900.99
MKS2PI 24VAC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VAC	10.83	EC001437	376678	4547648413862		20	CC	CCB	CHN	8536.4900.99
MKS2PI 24VDC	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VDC	10.89	EC001437	376689	4547648413978	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 48VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	12.27	EC001437	377084	4547648767422	#	20	CC	CCB	CHN	8536.4900.99
MKS2PI 48VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, test button	11.06	EC001437	376690	4547648413985		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 110VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	12.50	EC001437	376766	4547648440868		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 12VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	14.78	EC001437	376773	4547648440936		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 230VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	13.26	EC001437	376770	4547648440905		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 24VAC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicator, test button	14.78	EC001437	376763	4547648440837		20	CC	CCB	CHN	8536.4900.99
MKS2PIN 24VDC	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators latchable, test button, 24 VDC	12.32	EC001437	376774	4547648440943		20	CC	CCB	CHN	8536.4900.99
Endüstriyel Röle MK-I/-S											
MKS3P 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	12.41	EC001437	376323	4547648413466	#	20	CC	CCB	CHN	8536.4900.99
MKS3P-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	12.55	EC001437	376349	4547648413725		20	CC	CCB	CHN	8536.4900.99
MKS3P-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	13.53	EC001437	376353	4547648413763		20	CC	CCB	CHN	8536.4900.99
MKS3P-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	12.41	EC001437	376346	4547648413695		20	CC	CCB	CHN	8536.4900.99
MKS3P-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator	11.87	EC001437	376352	4547648413800		20	CC	CCB	CHN	8536.4900.99
MKS3PI 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.25	EC001437	376719	4547648414272		20	CC	CCB	CHN	8536.4900.99
MKS3PI 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.41	EC001437	376723	4547648414319	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VAC	12.03	EC001437	376749	4547648414579	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 110VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 110 VDC	13.26	EC001437	376760	4547648414685	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 12VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.41	EC001437	376745	4547648414531		20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 12VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 12 VDC	12.22	EC001437	376756	4547648414647	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 220VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	13.26	EC001437	376752	4547648414609		20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 230VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 230 VAC	12.63	EC001437	376753	4547648414616	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 240VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.41	EC001437	376754	4547648414623		20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VAC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VAC	12.15	EC001437	376746	4547648414548	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 24VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 24 VDC	12.11	EC001437	376757	4547648414654	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 48VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	17.18	EC001437	377095	4547648767538		20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 48VDC	Röle, soketli, 11 pinli, 3PDT, 10 A, mekanik indikatör, kilitlenebilir test butonu, 48 VDC	13.31	EC001437	376758	4547648414661	#	20	CC	CCB	CHN	8536.4900.99
MKS3PI-5 60VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button	12.26	EC001437	377096	4547648767545		20	CC	CCB	CHN	8536.4900.99
MKS3PI-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech indicator, test button, coil suppression	13.27	EC001437	376902	4547648442220		20	CC	CCB	CHN	8536.4900.99
MKS3PIN 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	15.00	EC001437	376804	4547648441247		20	CC	CCB	CHN	8536.4900.99
MKS3PIN 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	13.87	EC001437	376808	4547648441285		20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 110VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	14.01	EC001437	376834	4547648441544		20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 12VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	16.63	EC001437	376841	4547648441612		20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 230VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	14.37	EC001437	376838	4547648441582	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 24VAC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	13.87	EC001437	376831	4547648441513		20	CC	CCB	CHN	8536.4900.99
MKS3PIN-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button	13.79	EC001437	376842	4547648441629	#	20	CC	CCB	CHN	8536.4900.99
MKS3PIN-D-5 24VDC	Relay, plug-in, 11-pin, 3PDT, 10A, mech & LED indicator, test button, coil suppression	14.50	EC001437	377017	4547648443371	#	20	CC	CCB	CHN	8536.4900.99
Endüstriyel Röle G7 Güç Rölesi											
G7J-2A2B-B 24VDC	Power Relay, DPST-NO/DPST-NC, screw terminal, 24VDC	23.15	EC001437	377177	4547648393713		20	CC	CCC	CHN	8536.4900.99
G7J-2A2B-T 12VDC	Power Relay, DPST-NO/DPST-NC, quick connect terminal, 12VDC	20.01	EC001437	148665	4536853475956		20	CC	CCC	JPN	8536.4900.99
Endüstriyel Röle G7 Güç Rölesi											
G7J-3A1B-B 24VDC	Power relay, W-bracket mounting, 3PST-NO/3PST-NC, 25 A, 24VDC	24.64	EC001437	121804	4536853475390		20	CC	CCC	JPN	8536.4900.99
G7J-3A1B-P 24VDC	Power relay, PCB mounting, 3PST-NO/3PST-NC, 25 A, 24VDC	25.62	EC001437	149237	4536853475239		20	CC	CCC	JPN	8536.4900.99
Endüstriyel Röle G7 Güç Rölesi											
G7J-4A-B 24VDC	Power relay, 4PST-NO, screw terminal, 24VDC	29.54	EC001437	377176	4547648393706		20	CC	CCC	CHN	8536.4900.99
G7J-4A-P 24VDC	Power relay, PCB mounting, 4PST-NO, 25 A, 24VDC	29.90	EC001437	121790	4536853475215		20	CC	CCC	JPN	8536.4900.99
G7J-4A-T 200/240VAC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 200/240 VAC	29.42	EC001437	151903	4536853476090		20	CC	CCC	JPN	8536.4900.99
G7J-4A-T 24VDC	Power relay, W-bracket mounting, quick connect terminals, 4PST-NO, 25 A, 24VDC	28.84	EC001437	121829	4536853476144		20	CC	CCC	JPN	8536.4900.99
Endüstriyel Röle G7 Güç Rölesi											
G7Z-2A2B-07Z-R 24VDC	Power relay, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NC aux.	63.35	EC001437	684150	4548583781191			CC	CCC	JPN	8536.4900.99
G7Z-2A2B-11Z-R 24VDC	Güç rölesi, 40 A DPST-NO, 25 A DPST-NC + 1 A SPST-NO/SPST-NC alarm çıkışı	63.35	EC001437	684139	4548583781221			CC	CCC	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G7Z-2A2B-20Z-R 24VDC	Power relays, 40 A DPST-NO, 25 A DPST-NC + 1 A DPST-NO aux.	63.35	EC001437	684142	4548583781245	10	CC	CCC	JPN		8536.4900.99
Endüstriyel Röle G7 Güç Rölesi											
G7Z-3A1B-02Z-R 24VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NC aux.	66.35	EC001437	684141	4548583781269	10	CC	CCC	JPN		8536.4900.99
G7Z-3A1B-20Z-R 12VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.	66.35	EC001437	684140	4548583781306		CC	CCC	JPN		8536.4900.99
G7Z-3A1B-20Z-R 24VDC	Power relays, 40 A 3PST-NO, 25 A SPST-NC + 1 A DPST-NO aux.	63.95	EC001437	684146	4548583781313		CC	CCC	JPN		8536.4900.99
Endüstriyel Röle G7 Güç Rölesi											
G7Z-4A-24VDC	Power relay, 40 A, 4PST-NO	82.50	EC001437	351605	4547648298964	10	CC	CCC	JPN		8536.4900.99
G7Z-4A-02Z-R 24VDC	Power relays, 40 A 4PST-NO + 1 A DPST-NC aux.	64.55	EC001437	684143	4548583781337	10	CC	CCC	JPN		8536.4900.99
G7Z-4A-11Z-R 24VDC	Güç rölesi, 40 A 4PST-NO + 1 A SPST-NO/SPST-NC alarm çıkışı	64.55	EC001437	684147	4548583732117	10	CC	CCC	JPN		8536.4900.99
G7Z-4A-20Z-R 24VDC	Power relays, 40 A 4PST-NO + 1 A DPST-NO aux.	64.55	EC001437	684144	4548583781368	10	CC	CCC	JPN		8536.4900.99
Endüstriyel Röle G7 Güç Rölesi											
P7E-05	Socket, DIN rail/surface mounting, 5-pin, screw terminals	13.47	EC001456	372103	4536854793455	10	CC	CCC	CHN		8536.4900.99
Endüstriyel Röle G2R-S											
G2R-1-S 12VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 12 VDC	4.88	EC001437	125430	4536854937149	10	CC	CCD	MYS		8536.4900.99
G2R-1-S 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. indicator, label facility, 230 VAC	9.78	EC001437	163223	4536854936463	100	CC	CCD	MYS		8536.4900.99
G2R-1-S 240VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, 240 VAC	8.79	EC001437	125433	4536854936470	100	CC	CCD	MYS		8536.4900.99
G2R-1-S 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. indicator, label facility, 24 VAC	5.83	EC001437	157868	4536854936432	100	CC	CCD	MYS		8536.4900.99
G2R-1-S 24VDC (S)	Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör, 24 VDC	4.76	EC001437	146726	4536854937156	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-S 24VDC (S)	Relay, plug-in, SPDT, 10 A, mech. indicator, diode, 24 VDC	6.36	EC001437	125347	4536854937187	100	CC	CCD	MYS		8536.4900.99
G2R-1-SN 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, label facility	10.23	EC001437	125342	4536854936517	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 120VAC (S)	Relay, plug-in, SPDT, 10 A, mech. & LED indicator, 120 VAC	9.21	EC001437	125343	4536854936524	100	CC	CCD	MYS		8536.4900.99
G2R-1-SN 12VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, label facility, 12 VAC	8.89	EC001437	204264	4547648001137	10	CC	CCD	MYS		8536.4900.99
G2R-1-SN 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, label facility	7.38	EC001437	125339	4536854937163	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 230VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, label facility	14.19	EC001437	125344	4536854936531	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 240VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör & LED, 240 VAC	13.29	EC001437	142329	4536854936555	100	CC	CCD	MYS		8536.4900.99
G2R-1-SN 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, label facility	9.35	EC001437	155293	4536854936500	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 24VDC (S)	Röle, soketli, 5-pin, SPDT, 10 A, mekanik indikatör & LED, 24 VDC	7.38	EC001437	125340	4536854937170	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SN 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, label facility, 48 VDC	5.97	EC001437	125341	4536854936494	100	CC	CCD	MYS		8536.4900.99
G2R-1-SND 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, coil suppressor, label facility, 12 VDC	9.35	EC001437	125350	4536854937194	10	CC	CCD	MYS		8536.4900.99
G2R-1-SND 24VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED & diyet, 24 VDC	9.35	EC001437	125351	4536854937200	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SND 48VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, coil suppressor, label facility	9.30	EC001437	125352	4536854936616	100	CC	CCD	MYS		8536.4900.99
G2R-1-SND-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, coil suppressor, label facility, Au-plating	13.75	EC001437	177299	4547648000505	100	CC	CCD	MYS		8536.4900.99
G2R-1-SNDI 12VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebilir test switchi, diyet, 12 VDC	10.64	EC001437	157870	4536854936722	100	CC	CCD	MYS		8536.4900.99
G2R-1-SNDI 24VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebilir test switchi, diyet, 24 VDC	9.78	EC001437	125358	4536854936739	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNDI-AP3 24VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A gold plate contacts, mech. & LED indicators, coil suppressor, lockable test button, label facility	9.78	EC001437	171112	4547648047404	100	CC	CCD	MYS		8536.4900.99
G2R-1-SNI 110VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, lockable test button, label facility, 110 AC	10.23	EC001437	142328	4536854936678	10	CC	CCD	MYS		8536.4900.99
G2R-1-SNI 12VDC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, lockable test button, label facility	7.49	EC001437	152249	4536854936630	10	CC	CCD	MYS		8536.4900.99
G2R-1-SNI 230VAC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebilir test switchi, 230 VAC	12.87	EC001437	152248	4536854936692	#	10	CC	CCD	MYS	8536.4900.99
G2R-1-SNI 24VAC (S)	Relay, plug-in, 5-pin, SPDT, 10 A, mech. & LED indicators, lockable test button, label facility	9.35	EC001437	156685	4536854936661	10	CC	CCD	MYS		8536.4900.99
G2R-1-SNI 24VDC (S)	Röle, soketli, 5 pin, SPDT, 10 A, mekanik indikatör, LED, kilitlenebilir test switchi, 24 VDC	7.49	EC001437	154479	4536854936647	#	10	CC	CCD	MYS	8536.4900.99
Endüstriyel Röle G2R-S											
G2R-2-S 110VAC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 110 VAC	8.43	EC001437	125365	4536854936791	100	CC	CCD	MYS		8536.4900.99
G2R-2-S 12VDC (S)	Röle, soketli, 8 pin, DPDT, 10 A, mekanik indikatör, 12 VDC	6.15	EC001437	125361	4536854937217	100	CC	CCD	MYS		8536.4900.99
G2R-2-S 230VAC (S)	Relay, plug-in, DPST, 10 A, mechanical indicator, 230 VAC	9.78	EC001437	162371	4536854936814	#	100	CC	CCD	MYS	8536.4900.99
G2R-2-S 240VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, 240 VAC	12.42	EC001437	125367	4536854936821	100	CC	CCD	MYS		8536.4900.99
G2R-2-S 24VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, 24 VAC	6.51	EC001437	125364	4536854936784	10	CC	CCD	MYS		8536.4900.99
G2R-2-S 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, 24 VDC	6.05	EC001437	125362	4536854937224	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-S 48VDC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, 48 VDC	7.18	EC001437	125363	4536854936777	100	CC	CCD	MYS		8536.4900.99
G2R-2-SD 12VDC (S)	Relay, plug-in, DPDT, 5 A, mechanical indicator, diode, 12 VDC	8.08	EC001437	125375	4536854936937	100	CC	CCD	MYS		8536.4900.99
G2R-2-SD 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech. indicators, coil suppressor, label facility	8.08	EC001437	144581	4536854936951	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech. & LED indicators, label facility, 110 VAC	11.10	EC001437	125372	4536854936883	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 110VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech. & LED indicators, label facility, 110 VDC	14.65	EC001437	191253	4547648001380	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech. & LED indicator, 120 VAC	14.19	EC001437	157869	4536854936890	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech. & LED indicators, label facility, 12 VAC	11.10	EC001437	193950	4547648001229	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech. & LED indicators, label facility, 12 VDC	7.96	EC001437	125369	4536854936845	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech. & LED indicators, label facility, 230 VAC	15.09	EC001437	125373	4536854936906	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 240VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör & LED, 240 VAC	14.19	EC001437	154480	4536854936913	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech. & LED indicators, label facility, 24 VAC	12.87	EC001437	125371	4536854936876	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör & LED, 24 VDC	7.96	EC001437	143419	4536854936852	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SN 48VAC	Relay, plug-in, 8-pin, DPDT, 5 A, mech. & LED indicators, label facility, 48 VAC	11.68	EC001437	679878	4547648001441	100	CC	CCD	MYS		8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G2R-2-SN 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, label facility, 48 VDC	7.96	EC001437	125370	4536854936869	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN-AP3 230VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	22.60	EC001437	127302	4547648000710	100	CC	CCD	MYS		8536.4900.99
G2R-2-SN-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, gold-plated contacts, LED indicator	13.75	EC001437	127303	4547648000727	100	CC	CCD	MYS		8536.4900.99
G2R-2-SND 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 12 VDC	10.64	EC001437	125377	4536854936982	100	CC	CCD	MYS		8536.4900.99
G2R-2-SND 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED & diyot, 24 VDC	11.10	EC001437	105724	4536854936999	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SND 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, label facility, 48 VDC	10.23	EC001437	145666	4536854937002	100	CC	CCD	MYS		8536.4900.99
G2R-2-SND-AP3 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A gold-plated contacts, mech & LED indicators, coil suppressor, label facility	11.10	EC001437	127300	4547648000635	10	CC	CCD	MYS		8536.4900.99
G2R-2-SNDI 12VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED & kilitlenebilir test switchi, diyot, 12 VDC	11.10	EC001437	125290	4536854937118	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNDI 24VDC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED, kilitlenebilir test switchi & diyot, 24 VDC	10.64	EC001437	125291	4536854937125	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNDI 48VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, coil suppressor, lockable test button, label facility	11.25	EC001437	125292	4536854937132	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNDI-AP3 24VDC (S)	Relay, plug-in, 8-pin, SPDT, 5 A, mech & LED indicators, coil suppressor, label test button, Au-plating	14.65	EC001437	127113	4547648074711	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 110VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	11.55	EC001437	154482	4536854937064	10	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 120VAC (S)	Relay, plug-in, DPDT, 5 A, mech & LED indicator, test button, 120 VAC	11.66	EC001437	148906	4536854937071	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	11.49	EC001437	171109	4547648000390	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility, 12 VDC	8.43	EC001437	125379	4536854937026	10	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 230VAC (S)	Röle, soketli, 8 pin, DPDT, 5 A, mekanik indikatör, LED, kilitlenebilir test switchi, 230 VAC	17.33	EC001437	125383	4536854937088	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 240VAC (S)	Relay, plug-in, DPDT, 5 A, mech & LED indicator, test button, 240 VAC	14.53	EC001437	125384	4536854937095	100	CC	CCD	MYS		8536.4900.99
G2R-2-SNI 24VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	8.43	EC001437	125382	4536854937057	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	8.43	EC001437	125380	4536854937033	#	10	CC	CCD	MYS	8536.4900.99
G2R-2-SNI 48VAC (S)	Relay, plug-in, 8-pin, DPDT, 5 A, mech & LED indicators, lockable test button, label facility	11.10	EC001437	183088	4547648000406	10	CC	CCD	MYS		8536.4900.99
G2R-2-SNI-AP3 230VAC (S)	Relay, plug-in, DPDT (gold plated), 5 A, mech. & LED indicator, test button, 230 VAC	23.06	EC001437	127111	4547648074698	100	CC	CCD	MYS		8536.4900.99
Endüstriyel Röle G2R-S											
G2R-1-SNI-AP3 230VAC (S)	Relay, plug-in, SPDT (gold plated), 10 A, mech. & LED indicator, test button, 230 VAC	19.49	EC001437	127110	4547648074681	100	CC	CCD	MYS		8536.4900.99
Endüstriyel Röle MY-S											
MY2 100/110VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 100/110 VDC	5.51	EC001437	114085	4536854362880	10	CC	CCE	JPN		8536.4900.99
MY2 110/120VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 110/120 VAC	6.65	EC001437	151180	4536854362828	10	CC	CCE	JPN		8536.4900.99
MY2 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 12 VAC	6.52	EC001437	114080	4536854362798	10	CC	CCE	JPN		8536.4900.99
MY2 12VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 12 VDC	6.31	EC001437	114082	4536854362859	10	CC	CCE	JPN		8536.4900.99
MY2 220/240VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 220/240 VAC	6.82	EC001437	114081	4536854362835	#	10	CC	CCE	JPN	8536.4900.99
MY2 24VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 24 VAC	6.57	EC001437	103514	4536854362804	10	CC	CCE	JPN		8536.4900.99
MY2 24VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 24 VDC	6.31	EC001437	114083	4536854362866	#	10	CC	CCE	JPN	8536.4900.99
MY2 48/50VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech indicator, label facility, 48/50 VAC	6.61	EC001437	153319	4536854362811	10	CC	CCE	JPN		8536.4900.99
MY2 48VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, 48 VDC	6.47	EC001437	114084	4536854362873	10	CC	CCE	JPN		8536.4900.99
MY2IN 100/110VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 100/110 VDC	8.60	EC001437	155266	4536854363177	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 110/120VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 110/120 VAC	7.65	EC001437	114101	4536854363115	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, lockable push to test button, label facility, 12 VAC	7.47	EC001437	156657	4536854363085	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 12VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 12 VDC	7.47	EC001437	114103	4536854363146	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 220/240VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 220/240 VAC	8.60	EC001437	156658	4536854363122	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 24VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 24 VAC	7.47	EC001437	114099	4536854363092	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 24VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 24 VDC	7.47	EC001437	153320	4536854363153	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 48/50VAC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility	7.47	EC001437	114100	4536854363108	#	10	CC	CCE	JPN	8536.4900.99
MY2IN 48VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör, LED & kilitlenebilir test switchi, 48 VDC	7.68	EC001437	114104	4536854363160	#	10	CC	CCE	JPN	8536.4900.99
MY2IN1 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	7.47	EC001437	114020	4536854363320	10	CC	CCE	JPN		8536.4900.99
MY2IN1-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil spsuressor, lockable push to test button, label facility, 24 VDC	12.14	EC001437	154452	4536854363429	10	CC	CCE	JPN		8536.4900.99
MY2IN-CR 220/240VAC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, RC circuit, 220/240 VAC	9.97	EC001437	114013	4536854363245	10	CC	CCE	JPN		8536.4900.99
MY2IN-D2 12VDC (S)	Relay, plug-in, DPDT, 10 A, mech. & LED indicator, test button, diode, 12 VDC (A2 '+')	14.53	EC001437	114010	4536854363191	10	CC	CCE	JPN		8536.4900.99
MY2IN-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil spsuressor, lockable push to test button, label facility, 24 VDC	12.14	EC001437	143510	4536854363207	10	CC	CCE	JPN		8536.4900.99
MY2N 100/110VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 100/110 VDC	8.14	EC001437	114093	4536854362996	10	CC	CCE	JPN		8536.4900.99
MY2N 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 110/120 VAC	7.24	EC001437	114089	4536854362934	10	CC	CCE	JPN		8536.4900.99
MY2N 12VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, label facility, 12 VAC	7.00	EC001437	114087	4536854362903	10	CC	CCE	JPN		8536.4900.99
MY2N 12VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 12 VDC	7.00	EC001437	156656	4536854362965	10	CC	CCE	JPN		8536.4900.99
MY2N 220/240VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 220/240 VAC	8.14	EC001437	114090	4536854362941	10	CC	CCE	JPN		8536.4900.99
MY2N 24VAC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 24 VAC	7.00	EC001437	104348	4536854362910	10	CC	CCE	JPN		8536.4900.99
MY2N 24VDC (S)	Röle, soketli, 8 pinli, DPDT, 10 A, mekanik indikatör & LED, 24 VDC	7.00	EC001437	103515	4536854362972	#	10	CC	CCE	JPN	8536.4900.99
MY2N-CR 110/120VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facility, 110/120 VAC	13.59	EC001437	142429	4536854363054	10	CC	CCE	JPN		8536.4900.99
MY2N-CR 220/240VAC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facility	14.09	EC001437	114098	4536854363061	10	CC	CCE	JPN		8536.4900.99
MY2N-D2 12VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facility, 12 VDC	11.19	EC001437	152215	4536854363016	10	CC	CCE	JPN		8536.4900.99
MY2N-D2 24VDC (S)	Relay, plug-in, 8-pin, DPDT, 10A, mech & LED indicators, coil suppressor, label facility, 24 VDC	10.70	EC001437	114095	4536854363023	#	10	CC	CCE	JPN	8536.4900.99
Endüstriyel Röle MY-S											
MY4 100/110VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 100/110 VDC	8.33	EC001437	114033	4536854363559	10	CC	CCE	JPN		8536.4900.99
MY4 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 110/120 VAC	7.96	EC001437	145767	4536854363498	10	CC	CCE	JPN		8536.4900.99
MY4 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 12 VAC	7.82	EC001437	114028	4536854363467	10	CC	CCE	JPN		8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
MY4 12VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 12 VDC	7.61	EC001437	114031	4536854363528		10	CC	CCE	JPN	8536.4900.99
MY4 220/240VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 220/240 VAC	8.09	EC001437	147900	4536854363504	#	10	CC	CCE	JPN	8536.4900.99
MY4 24VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 24 VAC	7.77	EC001437	103517	4536854363474	#	10	CC	CCE	JPN	8536.4900.99
MY4 24VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 24 VDC	7.59	EC001437	157842	4536854363535	#	10	CC	CCE	JPN	8536.4900.99
MY4 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech indicator, label facility, 48/50 VAC	7.92	EC001437	114029	4536854363481	#	10	CC	CCE	JPN	8536.4900.99
MY4 48VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, 48 VDC	7.79	EC001437	114032	4536854363542	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 100/110VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED & kilitlenebilir test switchi, 100/110 VDC	9.85	EC001437	114054	4536854363849	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, test button, label facility	8.89	EC001437	114050	4536854363788	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 125VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, test button, 125 VDC (A2 '+')	10.89	EC001437	231415	4536854486012	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, lockable push to test button, label facility, 12 VAC	8.89	EC001437	114047	4536854363757	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 12VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED & kilitlenebilir test switchi, 12 VDC	8.89	EC001437	114053	4536854363818	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 220/240VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED & kilitlenebilir test switchi, 220/240 VAC	9.85	EC001437	114051	4536854363795	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 24VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED & kilitlenebilir test switchi, 24 VAC	8.89	EC001437	114048	4536854363764	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 24VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED & kilitlenebilir test switchi, 24 VDC	8.89	EC001437	152216	4536854363825	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility	8.89	EC001437	114049	4536854363771	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 48VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör, LED & kilitlenebilir test switchi, 48 VDC	8.89	EC001437	103518	4536854363832	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 100/110VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, lockable push to test button, label facility, 100/110 VDC	9.85	EC001437	113970	4536854364013	#	10	CC	CCE	JPN	8536.4900.99
MY4IN 124VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, lockable push to test button, label facility, reversed polarity	8.89	EC001437	143511	4536854363993	#	10	CC	CCE	JPN	8536.4900.99
MY4IN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	13.35	EC001437	113975	4536854364099	#	10	CC	CCE	JPN	8536.4900.99
MY4IN-CR 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 110/120 VAC	10.95	EC001437	142432	4536854363900	#	10	CC	CCE	JPN	8536.4900.99
MY4IN-CR 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 220/240 VAC/VDC	19.74	EC001437	113963	4536854363917	#	10	CC	CCE	JPN	8536.4900.99
MY4IN-D2 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 12 VDC	13.35	EC001437	114056	4536854363863	#	10	CC	CCE	JPN	8536.4900.99
MY4IN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC	13.35	EC001437	146835	4536854363870	#	10	CC	CCE	JPN	8536.4900.99
MY4N 100/110VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör & LED, 100/110 VDC	9.40	EC001437	150066	4536854363665	#	10	CC	CCE	JPN	8536.4900.99
MY4N 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 110/120 VAC	8.62	EC001437	155268	4536854363603	#	10	CC	CCE	JPN	8536.4900.99
MY4N 125VDC (S)	Relay, plug-in, 4PDT, 5 A, mech. & LED indicator, 125 VDC (A2 '+')	13.32	EC001437	167880	4536854485855	#	10	CC	CCE	JPN	8536.4900.99
MY4N 12VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5 A, mech & LED indicators, label facility, 12 VAC	8.43	EC001437	114035	4536854363573	#	10	CC	CCE	JPN	8536.4900.99
MY4N 12VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör & LED, 12 VDC	8.43	EC001437	114039	4536854363634	#	10	CC	CCE	JPN	8536.4900.99
MY4N 220/240VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör & LED, 220/240 VAC	9.40	EC001437	147901	4536854363610	#	10	CC	CCE	JPN	8536.4900.99
MY4N 24VAC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör & LED, 24 VAC	8.43	EC001437	114036	4536854363580	#	10	CC	CCE	JPN	8536.4900.99
MY4N 24VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör & LED, 24 VDC	8.43	EC001437	114040	4536854363641	#	10	CC	CCE	JPN	8536.4900.99
MY4N 48/50VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, label facility, 48/50 VAC	8.89	EC001437	114037	4536854363597	#	10	CC	CCE	JPN	8536.4900.99
MY4N 48VDC (S)	Röle, soketli, 14 pinli, 4PDT, 5 A, mekanik indikatör & LED, 48 VDC	8.62	EC001437	114041	4536854363658	#	10	CC	CCE	JPN	8536.4900.99
MY4N1 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, reverse coil polarity, 5A, mech & LED indicators, label facility, 24 VDC	11.40	EC001437	113966	4536854363948	#	10	CC	CCE	JPN	8536.4900.99
MY4N-CR 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facility, 110/120 VAC	14.80	EC001437	114044	4536854363726	#	10	CC	CCE	JPN	8536.4900.99
MY4N-CR 220/240VAC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facility, 220/240 VAC	15.79	EC001437	114045	4536854363733	#	10	CC	CCE	JPN	8536.4900.99
MY4N-D2 12VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facility, 12 VDC	12.37	EC001437	154453	4536854363689	#	10	CC	CCE	JPN	8536.4900.99
MY4N-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, 5A, mech & LED indicators, coil suppressor, label facility, 24 VDC	11.87	EC001437	144683	4536854363696	#	10	CC	CCE	JPN	8536.4900.99
MY4Z 220/240VAC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 220/240 VAC	14.36	EC001437	103519	4536854364174	#	10	CC	CCE	JPN	8536.4900.99
MY4Z 24VDC (S)	Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5A, mech indicator, label facility, 24 VDC	13.85	EC001437	113980	4536854364204	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 24VDC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 24 VDC (A2 '+')	14.11	EC001437	113998	4536854364471	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 110/120VAC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label facility, 110/120 VAC	17.27	EC001437	113985	4536854364273	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 220/240VAC (S)	Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 220/240 VAC	17.27	EC001437	113986	4536854364280	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, label facility, 24 VDC	16.31	EC001437	113987	4536854364310	#	10	CC	CCE	JPN	8536.4900.99
MY4ZIN-D2 24VDC (S)	Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5A, mech & LED indicators, coil suppressor, label facility, 24 VDC	19.74	EC001437	114005	4536854364570	#	10	CC	CCE	JPN	8536.4900.99
Endüstriyel Röle G2RV											
G2RV-1-S-AP-G 21VDC	Yedek röle, giriş tip. SPDT, 50 mA, G2RV-SR***-AP 24VDC veya 24VAC/DC için	6.47	EC001437	670565	4548583793736	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G 21VDC	Yedek röle, SPDT, 6 A, G2RV-SR*00 24DC veya 24 VAC/DC için	5.90	EC001437	670574	4548583793705	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G DC11	Yedek röle, SPDT, 6 A, G2RV-SR*00 12 VDC için	5.90	EC001437	670573	4548583793699	#	25	CC	CCF	MYS	8536.4900.99
G2RV-1-S-G DC 48	Yedek röle, SPDT, 6 A, G2RV-SR*00 48 VAC/DC, 100VAC, 110 VAC, 200VAC veya 230 VAC için	6.18	EC001437	670572	4548583793712	#	20	CC	CCF	MYS	8536.4900.99
G2RV-1-SL-G 21VDC	Yedek röle, kilitlenebilir test switchli, SPDT, 6 A, G2RV-SR701/501 24VDC veya 24VAC/DC için	6.31	EC001437	670567	4548583793750	#	25	CC	CCF	MYS	8536.4900.99
Endüstriyel Röle G2RV-SR											
G2RV-SR500 110VAC	İnce röle & sıyah soket, 6 A, SPDT, Push-in Plus terminal, 110 VAC	15.78	EC001437	678033	4549734135887	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 12VDC	İnce röle & sıyah soket, 6 A, SPDT, Push-in Plus terminal, 12 VDC	15.16	EC001437	678027	4549734135856	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 230VAC	İnce röle & sıyah soket, 6 A, SPDT, Push-in Plus terminal, 230 VAC	15.78	EC001437	678019	4549734135900	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 24VAC/DC	İnce röle & sıyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC	13.29	EC001437	678028	4549734135917	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 24VDC	İnce röle & sıyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC	15.16	EC001437	678005	4549734135863	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500 48VAC/DC	İnce röle & sıyah soket, 6 A, SPDT, Push-in Plus terminal, 48 VAC/DC	16.53	EC001437	678030	4549734135924	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP 230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 230 VAC	18.89	EC001437	678039	4549734135825	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP 24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VAC/DC	16.55	EC001437	678038	4549734135832	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR500-AP 24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Push-in terminals, 24 VDC	15.06	EC001437	678007	4549734135788	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR501 24VAC/DC	İnce röle & sıyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VAC/DC, Test switch	17.06	EC001437	678017	4549734135948	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SR501 24VDC	İnce röle & sıyah soket, 6 A, SPDT, Push-in Plus terminal, 24 VDC, Test switch	14.21	EC001437	678015	4549734135931	#	10	CC	CCG	MYS	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Endüstriyel Röle G2RV-SB											
G2RV-SB700 110VAC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 110 VAC	15.31	EC001437	678020	4549734136068	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700 12VDC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 12 VDC	14.65	EC001437	678006	4549734136037	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700 230VAC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 230 VAC	15.31	EC001437	678040	4549734136082	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700 24VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC	14.77	EC001437	678013	4549734136099	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700 24VDC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 24 VDC	14.65	EC001437	678023	4549734136044	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700 48VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 48 VAC/DC	14.74	EC001437	678010	4549734136105	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700-AP 12VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 12 VDC	14.84	EC001437	678021	4549734135955	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700-AP 230VAC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 230 VAC	18.66	EC001437	678025	4549734136006	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700-AP 24VAC/DC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VAC/DC	17.38	EC001437	678026	4549734136013	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB700-AP 24VDC	Slimline input relay 6 mm incl. socket, SPDT, 50 mA, Screw terminals, 24 VDC	14.84	EC001437	678034	4549734135962	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB701 24VAC/DC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 24 VAC/DC, test switch	13.74	EC001437	678016	4549734136129	#	10	CC	CCG	MYS	8536.4900.99
G2RV-SB701 24VDC	İnce röle & sıvah soket, 6 A, SPDT, vidalı terminal, 24 VDC, test switch	16.06	EC001437	678031	4549734136112	#	10	CC	CCG	MYS	8536.4900.99
Endüstriyel Röle MY-GS											
MY2-GS 100/110VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 100/110 VDC	5.05	EC001437	686136	4548583818101	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS 12VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 12 VAC	5.98	EC001437	686133	4548583818040	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 220/240 VAC	6.26	EC001437	686128	4548583491250	#	10	CC	CCK	CHN	8536.4900.99
MY2-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical indicator, 24 VDC	5.77	EC001437	686129	4548583491267	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, lockable push test button, 24 VDC	8.06	EC001437	686150	4549734261470	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 100/110VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	7.17	EC001437	686144	4549734261371	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	7.00	EC001437	686149	4549734261432	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 12VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 12 VAC	7.00	EC001437	686147	4549734261395	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	6.85	EC001437	686139	4549734261456	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 220VDC	Relay, plug-in, 8-pin, DPDT, 5 A, mechanical & LED indicator, 220 VDC	11.51	EC001437	686130	4549734261388	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 24 VAC	6.85	EC001437	686148	4549734261401	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, lockable push test button, 24 VDC	11.51	EC001437	686143	4549734261357	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-CR-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, built-in CR, 100/110 VAC	6.66	EC001437	686140	4548583818255	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-CR-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, built-in CR, 220/240 VAC	6.43	EC001437	686141	4548583818279	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS 12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, 12 VDC	7.47	EC001437	686145	4548583818194	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-D2-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, coil suppressor, 24 VDC	6.43	EC001437	686146	4548583818200	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 110/120VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 100/110 VAC	6.43	EC001437	686137	4548583818132	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 12VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 12 VDC	12.47	EC001437	686138	4548583818156	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 220/240VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 220/240 VAC	12.91	EC001437	686131	4548583491304	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 220VDC	Relay, plug-in, 8-pin, DPDT, 5 A, Mechanical & LED indicators, lockable push test button, 220 VDC	15.11	EC001437	686132	4548583818187	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 24VAC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 24 VAC	10.26	EC001437	686130	4548583491274	#	10	CC	CCK	CHN	8536.4900.99
MY2IN-GS 24VDC	Relay, plug-in, 8-pin, DPDT, 7 A, mechanical & LED indicators, 24 VDC	9.81	EC001437	686132	4548583491311	#	10	CC	CCK	CHN	8536.4900.99
Endüstriyel Röle MY-GS											
MY4-GS 12VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VAC	7.05	EC001437	686157	4548583818521	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 220/240 VAC	7.31	EC001437	686152	4548583491359	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VAC	6.98	EC001437	686151	4548583491328	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VDC	6.84	EC001437	686153	4548583491366	#	10	CC	CCK	CHN	8536.4900.99
MY4-GS 48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VDC	7.00	EC001437	686161	4548583818576	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-CR-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 220/240 VAC	8.88	EC001437	686126	4549734261760	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-D2-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 24 VDC	8.02	EC001437	686174	4549734261692	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-D2-GS 48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, lockable push test button, 48 VDC	8.02	EC001437	686175	4549734261708	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 100/110VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 100/110 VDC	8.88	EC001437	686170	4549734261593	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 110/120 VAC	8.02	EC001437	686172	4549734261654	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VDC	8.02	EC001437	686167	4549734261562	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 220/240 VAC	8.02	EC001437	686173	4549734261678	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VAC	17.76	EC001437	686171	4549734261623	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VDC	12.01	EC001437	686168	4549734261579	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 48VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 48 VDC	8.98	EC001437	686169	4549734261586	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-CR-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 220/240 VAC	7.78	EC001437	686166	4548583818750	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-D2-GS 12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 12 VDC	7.58	EC001437	686165	4548583818675	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-D2-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, coil suppressor, 24 VDC	8.46	EC001437	686177	4548583818682	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 110/120VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 110/120 VAC	7.58	EC001437	686163	4548583818613	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 12VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 12 VDC	7.58	EC001437	686164	4548583818637	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 220/240VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 220/240 VAC	8.02	EC001437	686155	4548583491403	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 220VDC	Relay, plug-in, 14-pin, 4PDT, 3 A, mechanical & LED indicators, 220 VDC	15.11	EC001437	689128	4548583818668	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 24VAC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 24 VAC	14.22	EC001437	686154	4548583491373	#	10	CC	CCK	CHN	8536.4900.99
MY4IN-GS 24VDC	Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, 24 VDC	11.14	EC001437	686156	4548583491410	#	10	CC	CCK	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Endüstriyel Röleler için Aksesuarlar											
Y92B-A100	Heat sink, economic model, for G3NA-205R/210R/D210B/220B/410B/420B	28.38	EC002056	154222	4536853411190			CC	CCZ	JPN	8536.4900.99
Y92B-N100	Heat sink for G3NA-220/420B SSB	42.51	EC002056	107399	4536854247149	5		CC	CCZ	JPN	8536.4900.99
Y92B-N150	Heat sink for G3NA-240/440B SSB	58.35	EC002056	107400	4536854247156			CC	CCZ	JPN	8536.4900.99
Y92B-N50	Heat sink for G3NA-205/210B SSB	25.09	EC002056	105361	4536854247132	#	10	CC	CCZ	JPN	8536.4900.99
Endüstriyel Röleler için Aksesuarlar											
G78-16-P2RF-E	Relay common busbar for 16x P2RF socket base	6.18	EC002586	143184	4536853484668		50	CC	CCZ	JPN	8536.4900.99
Endüstriyel Röleler için Aksesuarlar											
G73Z-02Z-R	Auxiliary contact block, DPST-NC, for use with G7Z relay	24.75	EC002057	684173	4548583781573			CC	CCZ	JPN	8536.4900.99
Endüstriyel Röleler için Aksesuarlar											
G70V-SID16P	16'lü G/C röle terminali, giriş tip. NPN (- common), Push-in Plus terminal, G2RV röleler üzerinde	203.80	EC002780	670255	4548583798168			CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1	16'lü G/C röle terminali, giriş tip. PNP (+ common), Push-in Plus terminal, G2RV röleler üzerinde	203.80	EC002780	670254	4548583798151			CC	CCZ	JPN	8536.4900.99
G70V-SID16P-1-C16	16'lü G/C röle terminali, giriş tip. PNP (+ common), 16 nokta dahilli bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde	209.40	EC002780	675388	4549734144438			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P	16'lü G/C röle terminali, çıkış tip. NPN (- common), Push-in Plus terminal, G2RV röleler üzerinde	185.40	EC002780	670257	4548583798182			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1	16'lü G/C röle terminali, çıkış tip. PNP (+ common), Push-in Plus terminal, G2RV röleler üzerinde	185.40	EC002780	670256	4548583798175			CC	CCZ	JPN	8536.4900.99
G70V-SOC16P-1-C4	16'lü G/C röle terminali, çıkış tip. PNP (+ common), 4'er nokta dahilli bağlantılı, Push-in Plus terminal, G2RV röleler üzerinde	173.40	EC002780	675390	4549734144452			CC	CCZ	JPN	8536.4900.99
Endüstriyel Röleler için Aksesuarlar											
P2RV-4-100C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 1m	104.90	EC000237	379395	4548583493346	#		CC	CCZ	JPN	8544.4290.90
P2RV-4-100IFC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 1m	106.30	EC000237	379403	4548583493421			CC	CCZ	JPN	8544.4290.90
P2RV-4-100IMC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 1m	88.05	EC000237	379399	4548583493384			CC	CCZ	JPN	8544.4290.90
P2RV-4-200C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 2m	144.70	EC000237	379396	4548583493353			CC	CCZ	JPN	8544.4290.90
P2RV-4-200IFC	G2RV interface cable for use between CJ1W-ID231/ID233/ID261 and 4 P2RV-8-I-F modules, 2m	144.70	EC000237	379404	4548583493438			CC	CCZ	JPN	8544.4290.90
P2RV-4-200IMC	G2RV interface cable for use between CJ1W-ID233/ID262 and 4 P2RV-8-I-F modules, 2m	120.60	EC000237	379400	4548583493391			CC	CCZ	JPN	8544.4290.90
P2RV-4-300C	G2RV interface cable for use between CJ1W-OD232/OD262 and 4 P2RV-8-O-F modules, 3m	108.90	EC000237	379397	4548583493360			CC	CCZ	JPN	8544.4290.90
P2RV-A100C	P2RV-O-Eye bağlamak için tek taraflı 10 kutuplu IDC konnektörlü 1 m kablo	31.32	EC000237	379407	4548583493469			CC	CCZ	JPN	8538.9099.99
P2RV-A100C-OMR NX	G2RV interface cable for use between NX-OD4256 and P2RV-8-O-F module, 1m	46.80	EC000237	379416	4548583493551	#		CC	CCZ	JPN	8544.4290.90
P2RV-A200C	G2RV interface cable with flying leads for use with P2RV-8-O-F or P2RV-8-I-F module, 2m	31.32	EC000237	379408	4548583493476			CC	CCZ	JPN	8538.9099.99
Düşük Gerilim Anahtarlama Elemanı JZMN Motor Koruma											
JZMN-3P-1	Motor koruma salteri, switch tip, 3 kutup, 0.63-1 A	34.34	EC000074	234279	4547648326957	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-10	Motor koruma salteri, switch tip, 3 kutup, 6-10 A	41.51	EC000074	234285	4547648327015	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-13	Motor koruma salteri, switch tip, 3 kutup, 9-13 A	41.51	EC000074	234286	4547648327022	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-17	Motor koruma salteri, switch tip, 3 kutup, 11-17 A	41.51	EC000074	234287	4547648327039	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-1F6	Motor koruma salteri, switch tip, 3 kutup, 1-1.6 A	38.30	EC000074	234280	4547648326964	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-22	Motor koruma salteri, switch tip, 3 kutup, 14-22 A	41.51	EC000074	234288	4547648327046	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-26	Motor koruma salteri, switch tip, 3 kutup, 18-26 A	41.51	EC000074	234289	4547648327053	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-2E5	Motor koruma salteri, switch tip, 3 kutup, 1.6-2.5 A	38.30	EC000074	234281	4547648326971	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-32	Motor koruma salteri, switch tip, 3 kutup, 22-32 A	45.51	EC000074	234290	4547648327060	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-4	Motor koruma salteri, switch tip, 3 kutup, 2.5-4 A	38.30	EC000074	234282	4547648326988	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-6	Motor koruma salteri, switch tip, 3 kutup, 4-6 A	38.30	EC000074	234283	4547648326995	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-8	Motor koruma salteri, switch tip, 3 kutup, 5-8 A	38.30	EC000074	234284	4547648327008	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-E25	Motor koruma salteri, switch tip, 3 kutup, 0.16-0.25 A	34.34	EC000074	234276	4547648326926	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-F4	Motor koruma salteri, switch tip, 3 kutup, 0.25-0.4 A	34.34	EC000074	234277	4547648326933	#		CD	CDA	KOR	8536.4900.99
JZMN-3P-F63	Motor koruma salteri, switch tip, 3 kutup, 0.4 A-0.63 A	34.34	EC000074	234278	4547648326940	#		CD	CDA	KOR	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı JZMN Motor Koruma											
JZMN-3R-1	Motor koruma salteri, döner switch tip, 3 kutup, 0.63-1 A	43.19	EC000074	234295	4547648327114	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-10	Motor koruma salteri, döner switch tip, 3 kutup, 6-10 A	50.65	EC000074	234301	4547648327176	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-13	Motor koruma salteri, döner switch tip, 3 kutup, 9-13 A	79.65	EC000074	234302	4547648327183	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-17	Motor koruma salteri, döner switch tip, 3 kutup, 11-17 A	51.45	EC000074	234303	4547648327190	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-1F6	Motor koruma salteri, döner switch tip, 3 kutup, 1-1.6 A	55.45	EC000074	234296	4547648327121	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-22	Motor koruma salteri, döner switch tip, 3 kutup, 14-22 A	52.85	EC000074	234304	4547648327206	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-26	Motor koruma salteri, döner switch tip, 3 kutup, 18-26 A	119.40	EC000074	234305	4547648327213	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-2E5	Motor koruma salteri, döner switch tip, 3 kutup, 1.6-2.5 A	43.66	EC000074	234297	4547648327138	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-32	Motor koruma salteri, döner switch tip, 3 kutup, 22-32 A	65.80	EC000074	234306	4547648327220	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-4	Motor koruma salteri, döner switch tip, 3 kutup, 2.5-4 A	49.50	EC000074	234298	4547648327145	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-6	Motor koruma salteri, döner switch tip, 3 kutup, 4-6 A	46.02	EC000074	234299	4547648327152	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-8	Motor koruma salteri, döner switch tip, 3 kutup, 5-8 A	46.02	EC000074	234300	4547648327169	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-E25	Motor koruma salteri, döner switch tip, 3 kutup, 0.16-0.25 A	58.05	EC000074	234292	4547648327084	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-F4	Motor koruma salteri, döner switch tip, 3 kutup, 0.25-0.4 A	58.05	EC000074	234293	4547648327091	#		CD	CDA	KOR	8536.4900.99
JZMN-3R-F63	Motor koruma salteri, döner switch tip, 3 kutup, 0.4-0.63 A	40.61	EC000074	234294	4547648327107	#		CD	CDA	KOR	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Düşük Gerilim Anahtarlama Elemanı J7MN Motor Koruma											
J7MN-6R-32	Motor koruma salteri, döner switch tip, 3 kutup, 22-32 A	130.50	EC000074	234308	4547648327244	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-40	Motor koruma salteri, döner switch tip, 3 kutup, 28-40 A	206.90	EC000074	234309	4547648327251	#		CD	CDA	KOR	8536.4900.99
J7MN-6R-50	Motor koruma salteri, döner switch tip, 3 kutup, 34-50 A	218.10	EC000074	234310	4547648327268			CD	CDA	KOR	8536.4900.99
J7MN-6R-63	Motor koruma salteri, döner switch tip, 3 kutup, 45-63 A	232.80	EC000074	234311	4547648327275			CD	CDA	KOR	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7MN Motor Koruma											
J7MN-9R-63	Motor koruma salteri, döner switch tip, 3 kutup, 45-63 A	171.80	EC000074	234312	4547648327282			CD	CDA	KOR	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KNA-AR-22 110	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 2 NA + 2NK, 110 VAC	18.96	EC000196	119093	4536854851193	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 230	Contactör,relay, 4-pole, 2M2B, 10 A thermal current/3 A AC-15, 230 VAC	25.95	EC000196	119094	4536854851216	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-22 24D	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 2 NA + 2NK, 24 VDC	23.76	EC000196	119016	4536854851469	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24D	Contactör,relay, 4-pole, 3M1B, 10A thermal current/3A AC-15, 24 VDC	20.28	EC000196	119023	4536854851544	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-31 24V5	Contactör,relay, 4-pole, 3M1B, 10 A thermal current/3 A AC-15 with diode suppressor, 24 VDC	26.98	EC000196	119025	4536854851582	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 230	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 230 VAC	18.55	EC000196	158036	4536854851414	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24D	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC	26.16	EC000196	119029	4536854851629	10		CD	CDB	AUT	8536.4900.99
J7KNA-AR-40 24V5	Mini kontaktör, yardımcı kontaktör, 10 A (AC1), 3 A (AC-15, 240 VAC), 4 NA, 24 VDC, diyot koruma	26.98	EC000196	119031	4536854851667	10		CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KNA-09-01 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	16.71	EC000066	145970	4536854850486	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VAC	16.67	EC000066	119139	4536854850431	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	23.86	EC000066	119056	4536854850615	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-01 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyot korumalı	26.52	EC000066	149193	4536854850653	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-01B 24V5	Reversing interlocked pair, 9 A/4 kW + 1B auxiliary on both sides, 230 VAC	58.40	EC000010	245056	4547648525664			CD	CDB	AUT	8536.4900.99
J7KNA-09-10 110	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	16.79	EC000066	158034	4536854850363	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	16.71	EC000066	119134	4536854850387	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	16.71	EC000066	119132	4536854850332	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	23.86	EC000066	119051	4536854850530	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-09-10 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 4 kW, 9 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyot korumalı	26.52	EC000066	119054	4536854850578	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-10 400	Mini contactör, 3-pole, 4 kW, 9 A AC3 (400 VAC) + 1 NO, 400 VAC	17.01	EC000066	119136	4536854850400	10		CD	CDB	AUT	8536.4900.99
J7KNA-09-4 230	Contactör, 4-pole, 9A/4kW AC3 (20A AC1), 230 VAC	21.35	EC000066	158035	4536854850745	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	20.62	EC000066	119076	4536854850950	#	10	CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24	Contactör, 3-pole, 12 A/5.5 kW AC3 (20 A AC1) + 1B auxiliary, 24 VAC	21.15	EC000066	153496	4536854850905	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	29.40	EC000066	151253	4536854851087	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-01 24V5	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC, diyot korumalı	32.04	EC000066	119087	4536854851124	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 230	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	20.71	EC000066	119068	4536854850851	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	20.62	EC000066	119065	4536854850806	10		CD	CDB	AUT	8536.4900.99
J7KNA-12-10 24D	Mini kontaktör, mini motor kontaktör, 3 kutup, 5.5 kW, 12 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, diyot korumalı	29.40	EC000066	119080	4536854851001	#	10	CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KN-10D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	19.61	EC000066	367266	4548583135482			CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24	Contactör, 3-pole, 10 A/4 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	19.66	EC000066	367267	4548583135499			CD	CDB	AUT	8536.4900.99
J7KN-10D-01 24D	Contactör, 3-pole, 4 kW, 10 A AC3 (380-415 VAC) + 1 NC aux., 24 VDC	30.99	EC000066	367268	4548583135505			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	21.15	EC000066	367298	4548583135802			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24	Contactör, 3-pole, 14 A/5.5 kW AC3 (25 A AC1) + 1B auxiliary, 24 VAC	21.39	EC000066	367299	4548583135819			CD	CDB	AUT	8536.4900.99
J7KN-14D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	33.01	EC000066	367300	4548583135826			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	31.51	EC000066	367330	4548583136120			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24	Contactör, 3-pole, 18 A/7.5 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	31.65	EC000066	367331	4548583136137			CD	CDB	AUT	8536.4900.99
J7KN-18D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 7.5 kW, 18 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	40.65	EC000066	367332	4548583136144	#		CD	CDB	AUT	8536.4900.99
J7KN-22D-01 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 230 VAC	42.82	EC000066	367362	4548583136441			CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24	Contactör, 3-pole, 22 A/11 kW AC3 (32 A AC1) + 1B auxiliary, 24 VAC	42.96	EC000066	367363	4548583136458			CD	CDB	AUT	8536.4900.99
J7KN-22D-01 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NK yardımcı kontak, 24 VDC	48.55	EC000066	367364	4548583136465			CD	CDB	AUT	8536.4900.99
J7KNG-10-01 24D	Contactör, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1B auxiliary	37.50	EC000066	183546	4547648171069	#		CD	CDB	AUT	8536.4900.99
J7KNG-14-01 24D	Contactör, DC-operated (3VA), 3-pole, 14 A/5.5 kW AC3 + 1B auxiliary	39.68	EC000066	183554	4547648171144			CD	CDB	AUT	8536.4900.99
J7KNG-18-01 24D	Contactör, DC-operated (3VA), 3-pole, 18 A/7.5 kW AC3 + 1B auxiliary	40.61	EC000066	183562	4547648171229	#		CD	CDB	AUT	8536.4900.99
J7KNG-22-01 24D	Contactör, DC-operated (3VA), 3-pole, 22 A/11 kW AC3 + 1B auxiliary	51.50	EC000066	183570	4547648171304			CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KN-10D-10 110	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	19.59	EC000066	367274	4548583135567			CD	CDB	AUT	8536.4900.99
J7KN-10D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	19.51	EC000066	367278	4548583135604	#		CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	19.59	EC000066	367279	4548583135611			CD	CDB	AUT	8536.4900.99
J7KN-10D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 4 kW, 10 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	30.85	EC000066	367280	4548583135628			CD	CDB	AUT	8536.4900.99
J7KN-14D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 5.5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	21.26	EC000066	367310	4548583135925	#		CD	CDB	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KN-14D-10 24	Güç kontaktörü, motor kontaktör, 3 kutup, 5,5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	21.29	EC000066	367311	4548583135932			CD	CDB	AUT	8536.4900.99
J7KN-14D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 5,5 kW, 14 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	33.01	EC000066	367312	4548583135949			CD	CDB	AUT	8536.4900.99
J7KN-18D-10 110	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 110 VAC	31.51	EC000066	367338	4548583136205			CD	CDB	AUT	8536.4900.99
J7KN-18D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	31.51	EC000066	367342	4548583136243	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 24	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VAC	31.51	EC000066	367343	4548583136250			CD	CDB	AUT	8536.4900.99
J7KN-18D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	40.65	EC000066	367344	4548583136267	#		CD	CDB	AUT	8536.4900.99
J7KN-18D-10 400	Güç kontaktörü, motor kontaktör, 3 kutup, 7,5 kW, 18 A (AC3, 400 VAC), 1 NA yardımcı kontak, 400 VAC	32.15	EC000066	367345	4548583136274			CD	CDB	AUT	8536.4900.99
J7KN-22D-10 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 230 VAC	42.82	EC000066	367374	4548583136564			CD	CDB	AUT	8536.4900.99
J7KN-22D-10 24	Contactor, 3-pole, 22 A/11 kW, AC3 (32 A AC1) + 1M auxiliary, 24 VAC	42.96	EC000066	367375	4548583136571			CD	CDB	AUT	8536.4900.99
J7KN-22D-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC	48.55	EC000066	367376	4548583136588	#		CD	CDB	AUT	8536.4900.99
J7KNG-10-10 24D	Contactor, DC-operated (3VA), 3-pole, 10 A/4 kW AC3 + 1M auxiliary	37.50	EC000066	183550	4547648171106			CD	CDB	AUT	8536.4900.99
J7KNG-14-10 24D	Contactor, DC-operated (3VA), 3-pole, 14 A/5,5 kW AC3 + 1M auxiliary	39.68	EC000066	183558	4547648171182			CD	CDB	AUT	8536.4900.99
J7KNG-18-10 24D	Contactor, DC-operated (3VA), 3-pole, 18 A/7,5 kW AC3 + 1M auxiliary	47.45	EC000066	183566	4547648171267			CD	CDB	AUT	8536.4900.99
J7KNG-22-10 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 22 A (AC3, 400 VAC), 1 NA yardımcı kontak, 24 VDC, enerji tasarruflu (3 W)	60.85	EC000066	183574	4547648171342	#		CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KNG-22-4 24D	DC solenoid motor contactor, 4-pole, 22A, 24 VDC	57.85	EC000066	197345	4547648205979			CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KN-24 230	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 230 VAC	44.32	EC000066	148113	4536854852794	#		CD	CDB	AUT	8536.4900.99
J7KN-24 24	Güç kontaktörü, motor kontaktör, 3 kutup, 11 kW, 24 A (AC3, 400 VAC), 24 VDC	44.32	EC000066	152417	4536854852749			CD	CDB	AUT	8536.4900.99
J7KN-24 24D	Contactor, 3-pole, 24A/11kW AC-3 (50A AC1), 24 VDC	43.24	EC000066	151258	4536854852824			CD	CDB	AUT	8536.4900.99
J7KN-32 110	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 110 VAC	60.55	EC000066	104537	4536854852893			CD	CDB	AUT	8536.4900.99
J7KN-32 230	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 230 VAC	60.55	EC000066	158039	4536854852916	#		CD	CDB	AUT	8536.4900.99
J7KN-32 24	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VAC	60.55	EC000066	118897	4536854852862			CD	CDB	AUT	8536.4900.99
J7KN-32 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 15 kW, 32 A (AC3, 400 VAC), 24 VDC	65.90	EC000066	118903	4536854852947			CD	CDB	AUT	8536.4900.99
J7KN-40 230	Güç kontaktörü, motor kontaktör, 3 kutup, 18,5 kW, 40 A (AC3, 400 VAC), 230 VAC	73.30	EC000066	118814	4536854853036	#		CD	CDB	AUT	8536.4900.99
J7KN-40 24	Contactor, 3-pole, 40 A/18,5 kW AC-3 (80 A AC1), 24 VAC	73.85	EC000066	118810	4536854852985			CD	CDB	AUT	8536.4900.99
J7KN-40 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 18,5 kW, 40 A (AC3, 400 VAC), 24 VDC	77.30	EC000066	118816	4536854853067			CD	CDB	AUT	8536.4900.99
J7KNG-24 24D	Contactor, DC-operated (3VA), 3-pole, 24 A/11 kW AC3	64.05	EC000066	197786	4547648206044			CD	CDB	AUT	8536.4900.99
J7KNG-32 24D	Contactor, DC-operated (3VA), 3-pole, 32 A/15 kW AC3	91.30	EC000066	197792	4547648206105			CD	CDB	AUT	8536.4900.99
J7KNG-40 24D	Contactor, DC-operated (3VA), 3-pole, 40 A/18,5 kW AC3	106.50	EC000066	197798	4547648206167			CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KN-50 230	Güç kontaktörü, motor kontaktör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 230 VAC	92.80	EC000066	118823	4536854853159	#		CD	CDB	AUT	8536.4900.99
J7KN-50 24	Contactor, 3-pole, 50 A/22 kW AC-3 (110 A AC1), 24 VAC	92.80	EC000066	118819	4536854853104	#		CD	CDB	AUT	8536.4900.99
J7KN-50 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 22 kW, 50 A (AC3, 400 VAC), 24 VDC	96.00	EC000066	118825	4536854853180			CD	CDB	AUT	8536.4900.99
J7KN-62 230	Güç kontaktörü, motor kontaktör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 230 VAC	132.80	EC000066	150146	4536854853272	#		CD	CDB	AUT	8536.4900.99
J7KN-62 24D	Güç kontaktörü, motor kontaktör, 3 kutup, 30 kW, 62 A (AC3, 400 VAC), 24 VDC	131.10	EC000066	118834	4536854853302			CD	CDB	AUT	8536.4900.99
J7KN-74 230	Güç kontaktörü, motor kontaktör, 3 kutup, 37 kW, 74 A (AC3, 400 VAC), 230 VAC	152.90	EC000066	118841	4536854853395			CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KN-115 230	Güç kontaktörü, motor kontaktör, 3 kutup, 55 kW, 115 A (AC3, 400 VAC), 230 VAC	238.20	EC000066	245090	4547648526005			CD	CDB	AUT	8536.4900.99
J7KN-90 230	Güç kontaktörü, motor kontaktör, 3 kutup, 45 kW, 90 A (AC3, 400 VAC), 230 VAC	179.00	EC000066	245085	4547648525954			CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KN-151 230	Güç kontaktörü, motor kontaktör, 3 kutup, 75 kW, 150 A (AC3, 400 VAC), 230 VAC	337.20	EC000066	183524	4547648170840			CD	CDB	ITA	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KC-12-01 24VDC	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5,5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67,5 x 45 x 46 mm	39.18	EC000066	690066	4549734535656	10		CD	CDB	JPN	8536.4900.99
J7KC-12-10 24VDC	Motor Contactor, 3 Poles, Push-In Plus Terminals, up to 5,5 kW, 24 VDC, Contacts: NO 3 NC 0, HxWxD 67,5 x 45 x 46 mm	39.18	EC000066	690037	4549734535649	10		CD	CDB	JPN	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KA-22 110VAC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 110 VAC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm	32.60	EC000196	690063	4549734536394			CD	CDB	JPN	8536.4900.99
J7KA-22 230VAC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm	32.60	EC000196	690061	4549734536516			CD	CDB	JPN	8536.4900.99
J7KA-22 24VDC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm	43.66	EC000196	690058	4549734536721	10		CD	CDB	JPN	8536.4900.99
J7KA-22 48VDC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 48 VDC, Contacts: NO 2 NC 2, HxWxD 67,5 x 45 x 46 mm	43.66	EC000196	690057	4549734536752	10		CD	CDB	JPN	8536.4900.99
J7KA-31 24VDC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 3 NC 1, HxWxD 67,5 x 45 x 46 mm	43.66	EC000196	690059	4549734536714	10		CD	CDB	JPN	8536.4900.99
J7KA-40 230VAC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 230 VAC, Contacts: NO 4 NC 0, HxWxD 67,5 x 45 x 46 mm	32.60	EC000196	690062	4549734536493			CD	CDB	JPN	8536.4900.99
J7KA-40 24VDC	Contactor Relay, 4 Poles, Push-In Plus Terminals, 24 VDC, Contacts: NO 4 NC 0, HxWxD 67,5 x 45 x 46 mm	43.66	EC000196	690060	4549734536707	10		CD	CDB	JPN	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KNU-05-4 110	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 110 VAC	20.94	EC000066	668444	4548583772373			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 180	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 180 VAC	20.94	EC000066	668445	4548583772380			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 230	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35,5x35,5x33mm, 230 VAC	20.94	EC000066	668443	4548583772397	10		CD	CDB	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7KNU-05-4 24	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 24 VAC	20,94	EC000066	668442	4548583772403		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-4 48	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 48 VAC	20,94	EC000066	668446	4548583772410			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VAC	20,94	EC000196	668199	4548583765252			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 110D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 110 VDC	25,97	EC000196	675305	4549734134095			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 180	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 180 VAC	20,94	EC000196	668221	4548583765269			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 230	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 230 VAC	20,94	EC000196	668193	4548583765276		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VAC	20,94	EC000196	668202	4548583765283			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 24D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 24 VDC	25,97	EC000196	675309	4549734134064		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VAC	20,94	EC000196	668220	4548583765290			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 48D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 48 VDC	25,97	EC000196	675308	4549734134071			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 60D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 60 VDC	25,97	EC000196	675299	4549734134088			CD	CDB	AUT	8536.4900.99
J7KNU-AR-22 90	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 2 NA + 2 NK, 35.5x35.5x33mm, 90 VAC	20,94	EC000196	668214	4548583765306			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VAC	20,94	EC000196	668198	4548583765191			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 110D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 110 VDC	25,97	EC000196	675311	4549734134132			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 180	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 180 VAC	20,94	EC000196	668210	4548583765207			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 230	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 230 VAC	20,94	EC000196	668205	4548583765214		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VAC	20,94	EC000196	668194	4548583765221		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 24D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 24 VDC	25,97	EC000196	675310	4549734134101		10	CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VAC	20,94	EC000196	668197	4548583765238			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 48D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 48 VDC	25,97	EC000196	675304	4549734134118			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 60D	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 60 VDC	25,97	EC000196	675295	4549734134125			CD	CDB	AUT	8536.4900.99
J7KNU-AR-40 90	Mikro kontaktör, yardımcı kontaktör, 5 A (AC1), 4 NA, 35.5x35.5x33mm, 90 VAC	20,94	EC000196	668201	4548583765245			CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7KNU-05-01 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VAC	18,86	EC000066	668211	4548583765078			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 110 VDC	23,46	EC000066	675301	4549734134170			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 180D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 180 VDC	18,86	EC000066	668195	4548583765085			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 230 VAC	18,86	EC000066	668213	4548583765092		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VAC	18,86	EC000066	668219	4548583765108		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 24 VDC	23,46	EC000066	675298	4549734134149		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VAC	18,86	EC000066	668222	4548583765115		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 48 VDC	23,46	EC000066	675312	4549734134156			CD	CDB	AUT	8536.4900.99
J7KNU-05-01 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 60 VDC	23,46	EC000066	675302	4549734134163		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-01 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak, 35.5x35.5x33mm, 90 VAC	18,86	EC000066	668206	4548583765122			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 110	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VAC	50,20	EC000010	668207	4548583765313			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 110D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 110 VDC	62,85	EC000010	675300	4549734134255		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 180	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 180 VAC	50,20	EC000010	668217	4548583765320			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 230	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 230 VAC	50,20	EC000010	668212	4548583765337		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 24	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VAC	50,20	EC000010	668196	4548583765344		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 24D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 24 VDC	62,85	EC000010	675297	4549734134224		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 48	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VAC	50,20	EC000010	668200	4548583765351		5	CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 48D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 48 VDC	62,85	EC000010	675303	4549734134231			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 60D	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 60 VDC	62,85	EC000010	675307	4549734134248			CD	CDB	AUT	8536.4900.99
J7KNU-05-01R 90	Mikro kontaktör, mekanik kilitlemeli enversör kontaktör, 2,2 kW, 5 A (AC3, 400 VAC), 1 NK yardımcı kontak (her iki taraf için), 71.5x35.5x33mm, 90 VAC	50,20	EC000010	668218	4548583765368			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 110	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VAC	18,86	EC000066	668208	4548583765139			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 110D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 110 VDC	23,46	EC000066	675334	4549734134217			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 180	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 180 VAC	18,86	EC000066	668216	4548583765146			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 230	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 230 VAC	18,86	EC000066	668215	4548583765153		# 10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VAC	18,86	EC000066	668203	4548583765160		# 10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 24D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 24 VDC	23,46	EC000066	675294	4549734134187		#	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VAC	18,86	EC000066	668204	4548583765177		10	CD	CDB	AUT	8536.4900.99
J7KNU-05-10 48D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 48 VDC	23,46	EC000066	675296	4549734134194			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 60D	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 60 VDC	23,46	EC000066	675293	4549734134200			CD	CDB	AUT	8536.4900.99
J7KNU-05-10 90	Mikro kontaktör, mikro motor kontaktör, 3 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 1 NA yardımcı kontak, 35.5x35.5x33mm, 90 VAC	18,86	EC000066	668209	4548583765184			CD	CDB	AUT	8536.4900.99
J7KNU-05-4 90	Mikro kontaktör, mikro motor kontaktör, 4 kutup, 2,2 kW, 5 A (AC3, 400 VAC), 35.5x35.5x33mm, 90 VAC	20,94	EC000066	668441	4548583772427			CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7KN Kontaktör											
J7SKN-P-1039	Bağlantı adaptörü, J7KNU için 35 mm DIN raya uyumlu	1,85	EC002498	675306	4549734137188		# 10	CD	CDB	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7TK Termik Aşırıyük											
J7TKN-A-11	Termik röle, 3 kutup, 8-11 A, manuel reset, J7KNA ile uyumlu	30,91	EC000106	197815	4547648205658			CD	CDC	AUT	8536.4900.99
J7TKN-A-1F2	Termik röle, 3 kutup, 0.8-1.2 A, manuel reset, J7KNA ile uyumlu	27,29	EC000106	197809	4547648205597			CD	CDC	AUT	8536.4900.99
J7TKN-A-1E8	Termik röle, 3 kutup, 1.2-1.8 A, manuel reset, J7KNA ile uyumlu	25,82	EC000106	197810	4547648205603			CD	CDC	AUT	8536.4900.99
J7TKN-A-2E7	Termik röle, 3 kutup, 1.8-2.7 A, manuel reset, J7KNA ile uyumlu	25,84	EC000106	197811	4547648205610			CD	CDC	AUT	8536.4900.99
J7TKN-A-4	Termik röle, 3 kutup, 2.7-4 A, manuel reset, J7KNA ile uyumlu	25,84	EC000106	197812	4547648205627			CD	CDC	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
J7TKN-A-6	Overload relay, 3-pole, 4-6 A, direct mounting on J7KNA or J7KN10-22, manual reset	25,74	EC000106	197813	4547648205634			CD	CDC	AUT	8536.4900.99
J7TKN-A-9	Overload relay, 3-pole, 6-9 A, direct mounting on J7KNA or J7KN10-22, manual reset	25,74	EC000106	197814	4547648205641			CD	CDC	AUT	8536.4900.99
J7TKN-A-F6	Termik röle, 3 kutup, 0.4-0.6 A, manuel reset, J7KNA ile uyumlu	27,02	EC000106	197807	4547648205573			CD	CDC	AUT	8536.4900.99
J7TKN-A-F9	Termik röle, 3 kutup, 0.6-0.9 A, manuel reset, J7KNA ile uyumlu	27,02	EC000106	197808	4547648205580			CD	CDC	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7TK Termik Aşırıyük											
J7TKN-B-11	Termik röle, 3 kutup, 8-11 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	33,53	EC000106	148116	4536854854606			CD	CDC	AUT	8536.4900.99
J7TKN-B-14	Termik röle, 3 kutup, 10-14 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	33,53	EC000106	118708	4536854854613			CD	CDC	AUT	8536.4900.99
J7TKN-B-18	Termik röle, 3 kutup, 13-18 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	33,53	EC000106	118709	4536854854620			CD	CDC	AUT	8536.4900.99
J7TKN-B-1F2	Termik röle, 3 kutup, 0.8-1.2 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	28,44	EC000106	154263	4536854854545			CD	CDC	AUT	8536.4900.99
J7TKN-B-24	Termik röle, 3 kutup, 1.7-2.4 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	33,53	EC000106	118710	4536854854637			CD	CDC	AUT	8536.4900.99
J7TKN-B-2F7	Termik röle, 3 kutup, 1.8-2.7 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	28,44	EC000106	148115	4536854854569			CD	CDC	AUT	8536.4900.99
J7TKN-B-32	Overload relay, 3-pole, 23-32 A, direct mounting on J7KN10-40, hand and auto reset	52,25	EC000106	118711	4536854854644			CD	CDC	AUT	8536.4900.99
J7TKN-B-4	Termik röle, 3 kutup, 2.7-4 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	28,44	EC000106	118707	4536854854576			CD	CDC	AUT	8536.4900.99
J7TKN-B-6	Termik röle, 3 kutup, 4-6 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	28,44	EC000106	149068	4536854854583			CD	CDC	AUT	8536.4900.99
J7TKN-B-9	Termik röle, 3 kutup, 6-9 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	28,44	EC000106	142631	4536854854590			CD	CDC	AUT	8536.4900.99
J7TKN-B-F6	Termik röle, 3 kutup, 0.4-0.6 A, manuel ve otomatik reset, J7KNI(G)-10(D)/-40 ile uyumlu, bağımsız montaj seçeneği (J74TK-SM terminal bloğu ile)	28,44	EC000106	154762	4536854854521			CD	CDC	AUT	8536.4900.99
Düşük Gerilim Anahtarlama Elemanı J7TK Termik Aşırıyük											
J7TKN-D-42	Termik röle, 3 kutup, 28-42 A, manuel ve otomatik reset, J7KN-50/-74 ile uyumlu	53,70	EC000106	118712	4536854854651			CD	CDC	AUT	8536.4900.99
J7TKN-D-52	Termik röle, 3 kutup, 40-52 A, manuel ve otomatik reset, J7KN-50/-74 ile uyumlu	72,70	EC000106	118713	4536854854668			CD	CDC	AUT	8536.4900.99
Diğer Düşük Gerilim Anahtarlama Elemanları											
J73KN-A-11	Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA-AR ile uyumlu	5,03	EC002498	119338	4536854854736		10	CD	CDX	AUT	8536.4900.99
J73KN-A-22	Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA-AR ile uyumlu	8,64	EC002498	119340	4536854854750		10	CD	CDX	AUT	8536.4900.99
J73KN-A-40	Yardımcı kontak, 4 NA, önden montaj, J7KNA-AR ile uyumlu	8,64	EC002498	119341	4536854854767		10	CD	CDX	AUT	8536.4900.99
J73KN-AM-02	Yardımcı kontak, 2 NK, önden montaj, J7KNA ile uyumlu	5,02	EC002498	119343	4536854854781		10	CD	CDX	AUT	8536.4900.99
J73KN-AM-11	Yardımcı kontak, 1 NA + 1 NK, önden montaj, J7KNA ile uyumlu	4,85	EC002498	119342	4536854854774		10	CD	CDX	AUT	8536.4900.99
J73KN-AM-22	Yardımcı kontak, 2 NA + 2 NK, önden montaj, J7KNA ile uyumlu	8,64	EC002498	119344	4536854854798		# 10	CD	CDX	AUT	8536.4900.99
J73KN-B-01	Yardımcı kontak, 1 NK, 10 A (AC1, 690 VAC), önden montaj, J7KNI(G)-10/-115 ile uyumlu	2,58	EC002498	119345	4536854854804		# 10	CD	CDX	AUT	8536.4900.99
J73KN-B-01A	Yardımcı kontak, 1 NK, 25 A (AC1, 690 VAC), önden montaj, J7KNI(G)-10/-115 ile uyumlu	6,07	EC002498	183576	4547648171366		10	CD	CDX	AUT	8536.4900.99
J73KN-B-01U	Auxiliary contact, 1-pole, 1B, front mounting, 10A for J7KN10-74 (EM & LM version)	6,86	EC002498	191890	4547648192057		10	CD	CDX	AUT	8536.4900.99
J73KN-B-10	Yardımcı kontak, 1 NA, 10 A (AC1, 690 VAC), önden montaj, J7KNI(G)-10/-115 ile uyumlu	2,58	EC002498	119346	4536854854811		# 10	CD	CDX	AUT	8536.4900.99
J73KN-B-10A	Yardımcı kontak, 1 NA, 25 A (AC1, 690 VAC), önden montaj, J7KNI(G)-10/-115 ile uyumlu	6,07	EC002498	183577	4547648171373		10	CD	CDX	AUT	8536.4900.99
J73KN-C-115	Yardımcı kontak, 1 NA + 1 NK, yandan montaj, J7KNI(G)-24/-115 ile uyumlu	7,41	EC002498	119347	4536854854828		#	CD	CDX	AUT	8536.4900.99
Diğer Düşük Gerilim Anahtarlama Elemanları											
J74KN-B-M1	Mekanik kilit, 2 adet J7KNI(G)-10(D)/-40 için	3,46	EC002498	119358	4536854854903			CD	CDX	AUT	8536.4900.99
J74KN-C2-RC230	RC koruma ünitesi, 110-230 VAC/DC, J7KNI(G)-10(D)/-74 ile uyumlu	15,29	EC002498	367394	4548583137905		10	CD	CDX	CHN	8536.4900.99
J74KN-C2-RC24	RC koruma ünitesi, 12-48 VAC/DC, J7KNI(G)-10(D)/-74 ile uyumlu	14,26	EC002498	367395	4548583137912		10	CD	CDX	CHN	8536.4900.99
J74KN-C-M1	Mekanik kilit, 2 adet J7KNI(G)-24/-74 için	7,36	EC002498	119359	4536854854910			CD	CDX	AUT	8536.4900.99
J74KN-D-RC 24	RC koruma ünitesi, 12-48 VAC/DC, J7KNA(A-AR) ile uyumlu	14,26	EC002498	169758	4547648044073		10	CD	CDX	CZE	8536.4900.99
J74TK-SM	Separate mounting sets for J7TKN-B	4,53	EC002498	119375	4536854855207			CD	CDX	AUT	8536.4900.99
J74-WKR-B2	Busbars for reversing contactors (2 parts), J7KN-10 - J7KN-22	10,83	EC002498	367391	4548583137929			CD	CDX	CHN	8536.4900.99
Diğer Düşük Gerilim Anahtarlama Elemanları											
J77MN-11E	Yardımcı kontak, 1 NA + 1 NK, önden montaj, J77MN*/R*/P ile uyumlu	7,80	EC002498	234316	4547648327329		# 10	CD	CDX	KOR	8536.4900.99
J77MN-11S	Yardımcı kontak, 1 NA + 1 NK, yandan montaj, sol, J77MN*/R*/P ile uyumlu	12,32	EC002498	234320	4547648327367		# 2	CD	CDX	KOR	8536.4900.99
J77MN-20E	Auxiliary contacts, standard, 2M, for top mounting for all J77MN*/R*/P	9,33	EC002498	234318	4547648327343		10	CD	CDX	KOR	8536.4900.99
J77MN-BTC-63-E	Line side terminal 3-pole, IEC/EN 60949	7,79	EC002498	355552	4548583066458		10	CD	CDX	ESP	8536.4900.99
J77MN-BTC-63-SE	Besleme barası girişli, 3 kutup, üstten montaj, IEC/EN 60950	7,64	EC002498	355558	4548583066519		4	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-2	3 faz besleme barası, pin tip, 45 mm aralıklı, 2 adet J77MN-3P/-3R için	6,29	EC002498	355560	4548583066533		5	CD	CDX	ESP	8536.4900.99
J77MN-CPM-3-45-2S	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 2 adet J77MN-3P/-3R için	6,29	EC002498	355554	4548583066472		10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-3	3 faz besleme barası, pin tip, 45 mm aralıklı, 3 adet J77MN-3P/-3R için	8,05	EC002498	355561	4548583066540		5	CD	CDX	ESP	8536.4900.99
J77MN-CPM-3-45-3S	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 3 adet J77MN-3P/-3R için	8,05	EC002498	355555	4548583066489		10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-4	3 faz besleme barası, pin tip, 45 mm aralıklı, 4 adet J77MN-3P/-3R için	10,02	EC002498	355562	4548583066557		5	CD	CDX	ESP	8536.4900.99
J77MN-CPM-3-45-4S	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 4 adet J77MN-3P/-3R için	10,02	EC002498	355556	4548583066496		10	CD	CDX	KOR	8536.4900.99
J77MN-CPM-3-45-5	3 faz besleme barası, pin tip, 45 mm aralıklı, 5 adet J77MN-3P/-3R için	10,69	EC002498	355563	4548583066564		5	CD	CDX	ESP	8536.4900.99
J77MN-CPM-3-45-5S	3 faz besleme barası, tırnak tip, 45 mm aralıklı, 5 adet J77MN-3P/-3R için	10,69	EC002498	355557	4548583066502		10	CD	CDX	KOR	8536.4900.99
J77MN-DC-3R-115-RY	Door-coupling, red/yellow, with supporting bracket	58,60	EC002498	265659	4547648694209		#	CD	CDX	KOR	8536.4900.99
J77MN-DC-3R-315-B	Uzatma saftı, kilit mekanizması, sivah	73,30	EC002498	265650	4547648637527		#	CD	CDX	KOR	8536.4900.99
J77MN-VKA-3	Bağlantı adaptörü, max. 32 A, mekanik ve elektriksel bağlantı, J77MN-3P/-R ile J7KNA arasında, DIN ray montaj adaptörüne gerek yoktur	4,89	EC002498	234344	4547648327619			CD	CDX	AUT	8536.4900.99
J77MN-VKG-3	Bağlantı adaptörü, max. 32 A, mekanik ve elektriksel bağlantı, J77MN-3P/-R ile J7KNG arasında, DIN ray montaj adaptörüne gerek yoktur	5,83	EC002498	234346	4547648327633			CD	CDX	AUT	8536.4900.99
J77MN-VKN-3	Bağlantı adaptörü, max. 32 A, mekanik ve elektriksel bağlantı, J77MN-3P/-R ile J7KN arasında, DIN ray montaj adaptörüne gerek yoktur	4,91	EC002498	234345	4547648327626			CD	CDX	AUT	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Soket PF											
PF083A-E	Soket, DIN ray montajlı, 8 pinli, vida terminali	3.51	EC001456	333396	4547648825917	#	50	CF	CFA	CHN	8536.4900.99
PF083A(N)	Socket, DIN rail/surface mounting, 8-pin, screw terminals	6.47	EC001456	148890	4536853723064			CF	CFA	JPN	8536.4900.99
PF113A-E	Soket, DIN rail/surface mounting, 11-pin, screw terminals (standard)	3.56	EC001456	333397	4547648825931	#	50	CF	CFA	CHN	8536.4900.99
Soket PE											
PE083A-D	Soket, DIN ray montajlı, 8 pinli, vida terminali	6.66	EC001456	694129	4549734994392	#	10	CF	CFA	HUN	8536.6990.99
PE113A-D	Soket, DIN ray montajlı, 11 pinli, vida terminali	6.11	EC001456	694130	4549734994408	#	10	CF	CFA	HUN	8536.6990.99
PE113A-N	Socket, DIN rail/surface mounting, 11-pin, screw terminals (IEC/DFE)	8.53	EC001456	694131	4549734994415	#	10	CF	CFA	HUN	8536.6990.99
Soket PTF											
PTF11A	Soket, DIN ray montajlı, 11 pinli, vida terminali	9.49	EC001456	113375	4536853724580		10	CF	CFB	JPN	8536.4900.99
PTFZ-08-E	Soket, DIN ray montajlı, 8 pinli, vida terminali	4.65	EC001456	202173	4549734715621	#	10	CF	CFB	CHN	8536.4900.99
PTFZ-14-E	Soket, DIN ray montajlı, 14 pinli, vida terminali	8.25	EC001456	202174	4549734715638	#	10	CF	CFB	CHN	8536.4900.99
Soket PTF											
PTF-08-PU	Socket, DIN rail/surface mounting, 8-pin, push-in plus terminals	9.87	EC001456	690036	4549734556002		10	CF	CFB	MYS	8536.4900.99
PTF-08-PU-L	Soket, DIN ray montajlı, 8 pinli, vida terminali	9.13	EC001456	690035	4549734556019		10	CF	CFB	MYS	8536.4900.99
PTF-14-PU-L	Socket, DIN rail/surface mounting, 14-pin, push-in plus terminals	12.33	EC001456	690034	4549734556026	#	10	CF	CFB	MYS	8536.4900.99
Soket PY											
PY08-02	Socket, back-connecting, 8-pin, PCB terminals	1.73	EC001456	104360	4536853725693		10	CF	CFC	JPN	8536.4900.99
PY14-02	Soket, 14 pinli, PCB terminal	2.23	EC001456	149949	4536853725617		10	CF	CFC	JPN	8536.4900.99
Soket PY											
PY08	Soket, 8 pinli, lehim terminal	1.73	EC001456	154461	4536853725259		10	CF	CFC	JPN	8536.4900.99
Soket PY											
PY14	Soket, 14 pinli, lehim terminal	2.23	EC001456	113299	4536853725334		10	CF	CFC	JPN	8536.4900.99
Soket PYE											
PYE08A-N	Soket, DIN ray montajlı, 8 pinli, vida terminali	4.89	EC001456	168910	4547648009232	#	50	CF	CFD	CHN	8536.4900.99
PYE11A	Socket, DIN rail/surface mounting, 11-pin, screw terminals	8.77	EC001456	154463	4536853725594		10	CF	CFD	JPN	8536.6990.99
PYE14A-N	Soket, DIN ray montajlı, 14 pinli, vida terminali	5.44	EC001456	168911	4547648009256	#	50	CF	CFD	CHN	8536.4900.99
PYFZ-08-E	Soket, DIN rail/surface mounting, 8-pin, screw terminals (standard)	5.13	EC001456	684980	4549734447713	#	50	CF	CFD	CHN	8536.6990.99
PYFZ-14-E	Soket, DIN rail/surface mounting, 14-pin, screw terminals (standard)	7.51	EC001456	684981	4549734447720	#	50	CF	CFD	CHN	8536.6990.99
Soket PYE											
PYE-08-PU	MY2 için 8 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket	5.88	EC001456	685034	4549734218375	#	10	CF	CFD	MYS	8536.6990.99
PYE-08-PU-L	MY2 için 8 pinli, Push-in Plus terminali, DIN ray/yüzey montaj soket	5.88	EC001456	685036	4549734218399		10	CF	CFD	MYS	8536.6990.99
PYE-14-PU	MY4 için 14 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket	6.01	EC001456	685035	4549734218382	#	10	CF	CFD	MYS	8536.6990.99
PYE-14-PU-L	MY4 için 14 pinli, Push-in Plus terminali, DIN ray/yüzey montaj soket	6.01	EC001456	685037	4549734218405	#	10	CF	CFD	MYS	8536.6990.99
Soket PYE											
PYE14-ESN-B	Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 2/2 seviye, vida terminali (NO/NC kontak terminaleri, ortak uç ve bobin terminalerinden ayrılmıştır)	5.06	EC001456	694136	4549734994460	#	10	CF	CFD	HUN	8536.6990.99
PYE14-FSS-B	Soket, DIN ray montajlı, 14 pinli (8 pinli MY2 rölelere de uygundur), 1/3 seviye, vida terminali (NO/NC kontak terminaleri, ortak uç ve bobin terminalerinden ayrılmıştır)	5.75	EC001456	694137	4549734994477	#	10	CF	CFD	HUN	8536.6990.99
Soket PYE											
PYE08S	Soket, DIN ray montajlı, 8 pinli, vidasız terminal	4.97	EC001456	113312	4536854750762		10	CF	CFD	CHN	8536.6990.99
Soket PYE											
PYE14S	Soket, DIN ray montajlı, 14 pinli, vidasız terminal	5.96	EC001456	113313	4536854750786		10	CF	CFD	CHN	8536.6990.99
Soket P2RE											
P2RF-05-ESS	Soket, DIN ray montajlı, 5 pinli, vida terminali	5.57	EC001456	695856	4549734616140	#	10	CF	CFG	HUN	8536.6990.99
P2RF-08-ESS	Soket, DIN ray montajlı, 8 pinli, vida terminali	5.21	EC001456	695858	4549734616157	#	10	CF	CFG	HUN	8536.6990.99
P2RFZ-05-E	Soket, DIN rail/surface mounting, 5-pin, screw terminals	4.93	EC001456	690420	4549734578530	#	50	CF	CFG	CHN	8536.6990.99
P2RFZ-08-E	Soket, DIN rail/surface mounting, 8-pin, screw terminals	7.86	EC001456	690419	4549734578547	#	50	CF	CFG	CHN	8536.6990.99
Soket P2RE											
P2RF-05-PU	G2R-1-S için 5 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket	5.63	EC001456	685032	4549734218450	#	20	CF	CFG	MYS	8536.4900.99
P2RF-08-PU	G2R-2-S için 8 pinli, Push-in Plus terminali, röle tutuculu, DIN ray/yüzey montaj soket	6.11	EC001456	685033	4549734218467	#	20	CF	CFG	MYS	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Soket P2RF											
P2RF-05-S	Soket, DIN ray montajlı, 5 pinli, vidasız terminal	5.44	EC001456	113546	4536854883453		10	CF	CFG	CHN	8536.4900.99
P2RF-08-S	Soket, DIN ray montajlı, 8 pinli, vidasız terminal	8.63	EC001456	113547	4536854883460		10	CF	CFG	CHN	8536.4900.99
Diğer Soketler											
P2R-057P	Socket, back-connecting, 5-pin, PCB terminals	2.89	EC001456	113542	4536854742507		10	CF	CFX	CHN	8536.4900.99
P2R-05P	Socket, 5 pinli, PCB terminal	2.04	EC001456	151502	4536854742576	#	10	CF	CFX	CHN	8536.4900.99
P2R-087P	Socket, back-connecting, 8-pin, PCB terminals	3.59	EC001456	113541	4536854742408		10	CF	CFX	CHN	8536.4900.99
P2R-08P	Socket, 8 pinli, PCB terminal	2.53	EC001456	113545	4536854742569	#	10	CF	CFX	CHN	8536.4900.99
Diğer Soketler											
P2R-05A	Socket, back-connecting, 5-pin, solder terminals	2.72	EC001456	113537	4536853726430		10	CF	CFX	CHN	8536.4900.99
Diğer Soketler											
PT08-0	Socket, back-connecting, 8-pin, PCB terminals	1.91	EC001456	113369	4536853724399		10	CF	CFX	JPN	8536.4900.99
PT14-0	Socket, back-connecting, 14-pin, PCB terminals	3.78	EC001456	113372	4536853724443		10	CF	CFX	JPN	8536.4900.99
Diğer Soketler											
11PFA	Socket, DIN rail/surface mounting, 11-pin, screw terminals	9.50	EC001456	149957	4536853722760		20	CF	CFX	JPN	8536.4900.99
14PFA	Socket, DIN rail/surface mounting, 14-pin, screw terminals	12.28	EC001456	113518	4536853722777		20	CF	CFX	JPN	8536.4900.99
8PFA	Socket, DIN rail/surface mounting, 8-pin, screw terminals	5.60	EC001456	113516	4536853722746		20	CF	CFX	JPN	8536.4900.99
8PFA1	Socket, DIN rail/surface mounting, 8-pin, screw terminals	5.90	EC001456	113517	4536853722753		20	CF	CFX	JPN	8536.4900.99
P2CF-08-E	Socket, DIN ray montajlı, 8 pinli, vida terminali	9.35	EC001456	113612	4536854821103		10	CF	CFX	JPN	8536.4900.99
P2CF-11-E	Socket, DIN ray montajlı, 11 pinli, vida terminali	12.01	EC001456	113613	4536854821004	#	10	CF	CFX	JPN	8536.4900.99
P3G-08	Socket, back-connecting, 8-pin, screw terminals	10.05	EC001456	142420	4536854821035		10	CF	CFX	JPN	8536.6990.99
P3GA-11	Socket, back-connecting, 11-pin, screw terminals	12.78	EC001456	120939	4536854821141		10	CF	CFX	JPN	8536.6990.99
Diğer Soketler											
PLE08-0	Socket, back-connecting, 8-pin, PCB terminals	3.77	EC001456	113442	4536853723934		10	CF	CFX	JPN	8536.4900.99
PLE11-0	Socket, 11 pinli, PCB terminal	4.17	EC001456	154472	4536853724016		10	CF	CFX	JPN	8536.4900.99
Diğer Soketler											
PL08	Soket, 8 pinli, lehim terminal	2.64	EC001456	113440	4536853723903		10	CF	CFX	JPN	8536.4900.99
PL11	Socket, back-connecting, 11-pin, solder terminals	2.90	EC001456	105709	4536853723941		10	CF	CFX	JPN	8536.4900.99
Diğer Soketler											
PES-50	Relay socket for PCB relays, DIN rail mounting, 2 stages, 1 or 2 PDT, rise-up screw connection	7.14	EC001456	382986	8020028273592		10	CF	CFX	ITA	8536.6990.99
Özel Soketler											
MS16MOLLE	Thermoplastic release lever for PES 35-50-50/3 socket, relay height 16 mm	0.53	EC002586	382980	8020028144274		10	CF	CFY	ITA	8538.9099.99
MS25 MOLLE	Thermoplastic release lever for relay securing for PES 35-50-50/3 socket, relay height 25 mm	0.50	EC002586	382981	8020028144281	#	10	CF	CFY	ITA	8538.9099.99
PES-35	G2R-1 serisi PCB röleler için soket, DIN ray montajlı, 5 pinli, vidalı terminal	4.16	EC001456	382985	8020028273509	#	10	CF	CFY	ITA	8536.6990.99
PES50/3	G2R-2 serisi PCB röleler için soket, DIN ray montajlı, 8 pinli, vidalı terminal	4.99	EC001456	382987	8020028274919	#	10	CF	CFY	ITA	8536.6990.99
TYPE 22	Module with diode, protection against polarity inversion, 6/230 Vdc	2.06	EC002586	382991	8020028142669		20	CF	CFY	ITA	8538.9099.99
TYPE 42	Module with diode and Led, protection against polarity inversion plus signalling through Led, 6/24 Vdc	3.35	EC002586	382992	8020028142683	#	20	CF	CFY	ITA	8538.9099.99
TYPE 42B	Module with diode and Led, protection against polarity inversion plus signalling through Led, 24/60 Vdc	3.43	EC002586	382993	8020028144021		20	CF	CFY	ITA	8538.9099.99
TYPE 52C	Module with "RC" group, without signalling, arc eliminator circuit, 110/230 Vac	4.23	EC002586	382994	8020028144083		20	CF	CFY	ITA	8538.9099.99
TYPE 62C	Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 6/24 Vac/Vdc	5.36	EC002586	382996	8020028144120		20	CF	CFY	ITA	8538.9099.99
TYPE 92C	Module with signalling Led plus varistor, without protection against polarity inversion, possible feeding DC or AC power supply, 110/230 Vac/Vdc	5.32	EC002586	382997	8020028144175		20	CF	CFY	ITA	8538.9099.99
Soketler için Aksesuarlar											
P2DN-15.7-100S	Box of short bar for P2BFZ-E. In the box there are 10pcs of short bar, 15.7 mm pitch, 10 pole (10 terminal) and 20pcs of caps. Color is blue.	25.15	EC002586	690422	4549734578486	#	10	CF	CFZ	CHN	8536.6990.99
P2DN-6.8-100S	Box of short bar for P2BFZ-E. In the box there are 10pcs of short bar, 6.8 mm pitch, 10 pole (20 terminal) and 20pcs of caps. Color is blue.	25.15	EC002586	690423	4549734578479	#	10	CF	CFZ	CHN	8536.6990.99
P2DN-CP100	Box of 100 caps for P2DN short bar, insulation cap for the short bar cut, blue color	13.13	EC002586	690421	4549734578516	#	10	CF	CFZ	CHN	8536.6990.99
P2RM-SB	Socket bridge (for use with P2BE-S)	31.35	EC002586	113336	4536854894480		10	CF	CFZ	JPN	8536.4900.99
P2RM-SB	Socket bridge (for use with P2BE-S)	32.24	EC002586	103463	4536854894473		10	CF	CFZ	JPN	8536.4900.99
PYDM-08SR	Socket bridge, 2-poles, 19.7 mm length, red, sold in multiples of 50 per package	49.27	EC002586	113332	4536854737145		10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080Y	PYE-PU için bobin köprü aparatı, 8 kutup, kırmızı, A1 terminali için uygun değil	7.17	EC002586	670377	4548583798304	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080S	PYE-PU için bobin köprü aparatı, 8 kutup, mavimsi, A1 terminali için uygun değil	7.17	EC002586	670366	4548583798311		10	CF	CFZ	JPN	8536.6990.99
PYDN-15.5-080Y	PYE-PU için bobin köprü aparatı, 8 kutup, sarı, A1 terminali için uygun değil	7.17	EC002586	670356	4548583798328	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080R	PYE-PU için bobin köprü aparatı, 8 kutup, kırmızı	8.32	EC002586	670348	4548583798274		10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080S	PYE-PU için bobin köprü aparatı, 8 kutup, mavimsi	8.32	EC002586	670363	4548583798281	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-31.0-080Y	PYE-PU için bobin köprü aparatı, 8 kutup, sarı	8.32	EC002586	670375	4548583798298		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020R	G2RV-SR/G3RV-SR için köprü aparatı, 2 kutup, kırmızı	3.57	EC002586	670352	4548583798458		10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020S	G2RV-SB/G3RV-SB için köprü aparatı, 2 kutup, mavimsi	3.57	EC002586	670362	4548583798465	#	10	CF	CFZ	JPN	8536.6990.99
PYDN-6.2-020Y	G2RV-SB/G3RV-SB için köprü aparatı, 2 kutup, sarı	3.57	EC002586	670370	4548583798472		10	CF	CFZ	JPN	8536.6990.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PYDN-62-030R	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, kırmızı	5.29	EC002586	670350	4548583798489	10		CF	CFZ	JPN	8536.6990.99
PYDN-62-030S	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, mavi	5.29	EC002586	670378	4548583798496	10		CF	CFZ	JPN	8536.6990.99
PYDN-62-030Y	G2RV-SR/G3RV-SR için köprü aparatı, 3 kutup, sarı	5.29	EC002586	670351	4548583798502	10		CF	CFZ	JPN	8536.6990.99
PYDN-62-040R	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, kırmızı	7.02	EC002586	670365	4548583798519	10		CF	CFZ	JPN	8536.6990.99
PYDN-62-040S	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, mavi	7.02	EC002586	670368	4548583798526	10		CF	CFZ	JPN	8536.6990.99
PYDN-62-040Y	G2RV-SR/G3RV-SR için köprü aparatı, 4 kutup, sarı	7.02	EC002586	670381	4548583798533	10		CF	CFZ	JPN	8536.6990.99
PYDN-62-100R	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, kırmızı	7.33	EC002586	670360	4548583798540	#		CF	CFZ	JPN	8536.6990.99
PYDN-62-100S	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, mavi	7.33	EC002586	670379	4548583798557	#		CF	CFZ	JPN	8536.6990.99
PYDN-62-100Y	G2RV-SR/G3RV-SR için köprü aparatı, 10 kutup, sarı	7.33	EC002586	670353	4548583798564	#		CF	CFZ	JPN	8536.6990.99
PYDN-62-200R	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, kırmızı	8.40	EC002586	670349	4548583798571	#		CF	CFZ	JPN	8536.6990.99
PYDN-62-200S	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, mavi	8.40	EC002586	670371	4548583798588	#		CF	CFZ	JPN	8536.6990.99
PYDN-62-200Y	G2RV-SR/G3RV-SR için köprü aparatı, 20 kutup, sarı	8.40	EC002586	670372	4548583798595	#		CF	CFZ	JPN	8536.6990.99
PYDN-775-020R	PYF-PU/P2BF-PU için kontak köprü aparatı, 2 kutup, kırmızı	4.65	EC002586	670369	4548583798335	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-020S	PYF-PU/P2BF-PU için kontak köprü aparatı, 2 kutup, mavi	4.65	EC002586	670373	4548583798342	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-020Y	PYF-PU/P2BF-PU için kontak köprü aparatı, 2 kutup, sarı	4.65	EC002586	670380	4548583798359	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-030R	PYF-PU/P2BF-PU için kontak köprü aparatı, 3 kutup, kırmızı	5.79	EC002586	670385	4548583798366	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-030S	PYF-PU/P2BF-PU için kontak köprü aparatı, 3 kutup, mavi	5.79	EC002586	670354	4548583798373	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-030Y	PYF-PU/P2BF-PU için kontak köprü aparatı, 3 kutup, sarı	5.79	EC002586	670376	4548583798380	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-040R	PYF-PU/P2BF-PU için kontak köprü aparatı, 4 kutup, kırmızı	7.17	EC002586	670384	4548583798397	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-040S	PYF-PU/P2BF-PU için kontak köprü aparatı, 4 kutup, mavi	7.17	EC002586	670358	4548583798403	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-040Y	PYF-PU/P2BF-PU için kontak köprü aparatı, 4 kutup, sarı	7.17	EC002586	670357	4548583798410	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-200R	PYF-PU/P2BF-PU için kontak köprü aparatı, 20 kutup, kırmızı	8.55	EC002586	670374	4548583798427	#		CF	CFZ	JPN	8536.6990.99
PYDN-775-200S	PYF-PU/P2BF-PU için kontak köprü aparatı, 20 kutup, mavi	8.55	EC002586	670359	4548583798434	10		CF	CFZ	JPN	8536.6990.99
PYDN-775-200Y	PYF-PU/P2BF-PU için kontak köprü aparatı, 20 kutup, sarı	8.55	EC002586	670382	4548583798441	10		CF	CFZ	JPN	8536.6990.99
Soketler için Aksesuarlar											
MG-CPM-04 41390N	White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	214.30	EC001288	685974	8016692764306			CF	CFZ	ITA	8538.9099.99
MG-CPM-04 41391	White modular sheet with 48 marker of size mm: 6x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 28 sheets, total markers 1344)	185.20	EC001288	685975	8016692613079			CF	CFZ	ITA	8538.9099.99
MG-CPM-04 41392	White modular sheet with 80 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 25 sheets, total markers 2000)	236.20	EC001288	685976	8016692769400			CF	CFZ	ITA	8538.9099.99
MG-CPM-05 41490	White modular sheet with 56 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1960)	250.00	EC001288	685977	8016692482309			CF	CFZ	ITA	3403.1980.00
MG-CPM-07 41691	White modular sheet with 48 marker of size mm: 5x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total labels 1680)	214.30	EC001288	685978	8016692570174			CF	CFZ	ITA	8538.9099.99
MG-CPM-07 41692	White modular sheets with 48 marker of size mm: 3x10, Polycarbonate, Halogen Free, Silicon Free, UL94 V0, -40° to 130°C, Minimum Order Quantity is 1 box (In one box: 35 sheets, total markers 1680)	236.20	EC001288	685979	8016692887760			CF	CFZ	ITA	8538.9099.99
PYC-TR1	Labels for PYF14-ESSN/ESS sockets, (1 pc = 1 bag including 10 labels)	2.11	EC002586	694135	4549734994453			CF	CFZ	HUN	8538.9099.99
Soketler için Aksesuarlar											
P2CM-ESS	P2BF-**-ESS soket için opsiyonel röle tutucu aparat (1 paket = 10 adet)	4.17	EC002586	695857	4549734616133	#		CF	CFZ	HUN	8536.4900.99
P2CM-S	P2BF-S soket için opsiyonel röle tutucu aparat	0.37	EC002586	145976	4536854886522	50		CF	CFZ	CHN	8536.4900.99
PFC-A1	MKS serisi röle tuturma aparatı	1.10	EC002586	113525	4536853723156	200		CF	CFZ	JPN	8536.4900.99
PFC-N8	Retaining clips for 61F-GP-N8 level controller & PF083A-E socket	2.63	EC002586	151994	4536853385149			CF	CFZ	JPN	8538.9099.99
PYC-Q	Metal retaining clip (wire spring clip) for use with PYF14-ESSN/ESS (for use with relays only). Sold in multiples of 10 per package, not available separately	3.69	EC002586	694132	4549734994422			CF	CFZ	HUN	8538.9099.99
PYC-35-R	Hold-down clip, plastic, for PYF14-ESS-B/ES-B, sold in multiples of 10 per package	5.65	EC002586	694133	4549734994439	#		CF	CFZ	HUN	8538.9099.99
PYC-A1	Retaining clips for LY/MY relay & PTF/PYF E/N socket	0.48	EC002586	113324	4536853726171	#	100	CF	CFZ	JPN	8536.4900.99
PYC-E1	Retaining clips for MY2IN(S) relay & PYF E/N socket	0.58	EC002586	156669	4536854382406	100		CF	CFZ	JPN	8536.4900.99
PYCM-08S	Clip and release lever for PYF08S socket	0.37	EC002586	157441	4536854750793	200		CF	CFZ	CHN	8536.4900.99
PYCM-14S	Clip and release lever for PYF14S socket	0.52	EC002586	142635	4536854750816	50		CF	CFZ	CHN	8536.4900.99
PYC-P	Retaining clip for LY/MY relay & PT/PY socket	0.30	EC002586	154464	4536853726058	100		CF	CFZ	JPN	8536.4900.99
PYC-TR	Plastik etiket, P2BF-ESS soket için, 1 pakette 10 adet plastik etiket	3.16	EC002586	694134	4549734994446			CF	CFZ	HUN	8538.9099.99
Soketler için Aksesuarlar											
PFP-M	End plate	2.47	EC002586	147906	4536853722715	100		CF	CFZ	JPN	8536.4900.99
Soketler için Aksesuarlar											
PFP-S	Spacer	1.46	EC002848	148889	4536853722722	10		CF	CFZ	JPN	8536.4900.99
Soketler için Aksesuarlar											
PFP-100N	DIN-rail mounting track, 35x7.3mm, 1m length	19.97	EC001285	113513	4536853722692	25		CF	CFZ	CHN	8536.4900.99
PFP-100N2	DIN-rail mounting track, 35x16mm, 1m length	25.65	EC001285	113515	4536853722739			CF	CFZ	CHN	8536.4900.99
PFP-50N	Din-rail track, 500mm	14.42	EC001285	113514	4536853722708			CF	CFZ	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
Soketler için Aksesuarlar												
R99-04 FOR G5E	Surface mounting W-bracket for G7J relay	1.02	EC002586	112515	4536853729486			100	CF	CFZ	JPN	8536.4900.99
R99-11	Nameplate for MY relay (packet of 100) (not PYF14ESN / FSS)	18.22	EC002586	114077	4536854445897				CF	CFZ	JPN	8536.4900.99
R99-12 FOR G3NA	Mounting bracket for G3NA	18.22	EC002586	166375	4536854912924		10		CF	CFZ	JPN	8536.4900.99
Soketler için Aksesuarlar												
P2RVC-8-I-5	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, giriş tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	51.70	EC002780	670367	4548583798649				CF	CFZ	JPN	8538.9099.99
P2RVC-8-I-5-1	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, giriş tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	51.70	EC002780	670361	4548583798625				CF	CFZ	JPN	8538.9099.99
P2RVC-8-I-7-1	G2RV-SR/G3RV-SR vidalı modeller için 8'li adaptör, giriş tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	50.70	EC002780	670364	4548583798632				CF	CFZ	JPN	8538.9099.99
P2RVC-8-O-5	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, çıkış tip, NPN, 30 VAC/DC, 2 A, Push-in Plus	52.75	EC002780	670386	4548583798670				CF	CFZ	JPN	8538.9099.99
P2RVC-8-O-5-1	G2RV-SR/G3RV-SR Push-in Plus modeller için 8'li adaptör, çıkış tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	52.75	EC002780	670383	4548583798656				CF	CFZ	JPN	8538.9099.99
P2RVC-8-O-7-1	G2RV-SR/G3RV-SR vidalı modeller için 8'li adaptör, çıkış tip, PNP, 30 VAC/DC, 2 A, Push-in Plus	52.20	EC002780	670355	4548583798663		#		CF	CFZ	JPN	8538.9099.99
Endüstriyel Switch Z15												
Z-15ESR	General purpose basic switch, slim sprung plunger, SPDT, 15A high capacity, solder terminals	14.96	EC000030	103031	4536854262500				CG	CGA	JPN	8536.5015.90
Z-15EW29	General purpose basic switch	17.17	EC000030	224888	4547648247108		80		CG	CGA	JPN	8536.5015.90
Z-15G-B	Genel amaçlı basit switch, üstten basmalı, SPDT, 15 A, vida terminalli	9.62	EC000030	382399	4548583364912	#	20		CG	CGA	IDN	8536.5015.90
Z-15GD	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, lehim terminal	10.58	EC000030	382406	4548583364981		20		CG	CGA	IDN	8536.5015.90
Z-15GD55-B	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, sızdırmaz, vida terminalli	14.39	EC000030	382407	4548583364998	#	20		CG	CGA	IDN	8536.5015.90
Z-15GD-R	Genel amaçlı basit switch, kısa ve geniş tip üstten basmalı, SPDT, 15 A, vida terminalli	10.58	EC000030	382398	4548583364905	#	20		CG	CGA	IDN	8536.5015.90
Z-15GK355-B	General purpose basic switch, plunger (high-operating point), SPDT, 15A, screw terminals	17.77	EC000030	105033	4536854263316		20		CG	CGA	JPN	8536.5015.90
Z-15GK55	General purpose basic switch, plunger (mid-operating point), SPDT, 15A	14.88	EC000030	145324	4536854263354		20		CG	CGA	JPN	8536.5015.90
Z-15GK55-B	Genel amaçlı basit switch, üstten basmalı (orta OP), SPDT, 15 A, sızdırmaz, vida terminalli	15.34	EC000030	106760	4536854263361		20		CG	CGA	JPN	8536.5015.90
Z-15GL2-B	General purpose basic switch, roller leaf spring, SPDT, 15A, screw terminals	11.92	EC000030	106644	4536854266126		20		CG	CGA	JPN	8536.5015.90
Z-15GM	General purpose basic switch, reverse hinge lever, SPDT, 15A, solder terminals	10.58	EC000030	106609	4536854268359		20		CG	CGA	JPN	8536.5015.90
Z-15GM22-B	General purpose basic switch, 15A, reverse short hinge roller lever, screw terminal	12.31	EC000030	152969	4536854268496		20		CG	CGA	JPN	8536.5015.90
Z-15GM2-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	10.59	EC000030	106613	4536854268427		20		CG	CGA	JPN	8536.5015.90
Z-15GM-B	General purpose basic switch, reverse hinge roller lever, SPDT, 15A	10.58	EC000030	106610	4536854268366		20		CG	CGA	JPN	8536.5015.90
Z-15GNJ55-B	General purpose basic switch, flexible rod, SPDT, 15A, drip-proof	21.64	EC000030	154125	4536854266003	#	10		CG	CGA	JPN	8536.5015.90
Z-15GQ	Genel amaçlı basit switch, panel montajlı üstten basmalı (orta OP), SPDT, 15 A, lehim terminal	12.31	EC000030	382403	4548583364950		20		CG	CGA	IDN	8536.5015.90
Z-15GQ21	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, lehim terminal	16.82	EC000030	106621	4536854265174		20		CG	CGA	JPN	8536.5015.90
Z-15GQ21-B	Genel amaçlı basit switch, panel montajlı zıt makaralı üstten basmalı, SPDT, 15 A, vida terminalli	16.82	EC000030	156316	4536854265419	#	20		CG	CGA	JPN	8536.5015.90
Z-15GQ22	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, lehim terminal	16.33	EC000030	382404	4548583364967	#	20		CG	CGA	IDN	8536.5015.90
Z-15GQ2255-B	General purpose basic switch, panel mount roller plunger, SPDT, 15A, drip proof, screw terminals	23.51	EC000030	145325	4536854265983		20		CG	CGA	JPN	8536.5015.90
Z-15GQ22A55-B5V	General purpose basic switch, 15A, panel mount roller plunger, drip-proof, screw terminal with terminal cover	31.64	EC000030	106686	4536854264016	#	20		CG	CGA	JPN	8536.5015.90
Z-15GQ22-B	Genel amaçlı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A, vida terminalli	16.82	EC000030	382397	4548583364899	#	20		CG	CGA	IDN	8536.5015.90
Z-15GQ55-B	General purpose basic switch, panel mount plunger, SPDT, 15A, drip-proof	19.20	EC000030	106635	4536854265945		20		CG	CGA	JPN	8536.5015.90
Z-15GQ8-B	General purpose basic switch, high operating force, panel mount plunger, SPDT, 15A	16.33	EC000030	143082	4536854265433		20		CG	CGA	JPN	8536.5015.90
Z-15GQ-B	Genel amaçlı basit switch, panel montajlı üstten basmalı (orta OP), SPDT, 15 A, vida terminalli	13.44	EC000030	382396	4548583364875	#	20		CG	CGA	IDN	8536.5015.90
Z-15GQ-B7-K	General purpose basic switch, panel mount plunger (medium OP), SPDT, 15A, screw terminals	14.67	EC000030	106533	4536854269325		20		CG	CGA	JPN	8536.5015.90
Z-15GS-B	Genel amaçlı basit switch, ince tip üstten basmalı, SPDT, 15, vida terminalli	11.53	EC000030	106694	4536854265559	#	20		CG	CGA	JPN	8536.5015.90
Z-15GW	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, lehim terminal	9.14	EC000030	382401	4548583364936		20		CG	CGA	IDN	8536.5015.90
Z-15GW2	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, lehim terminal	9.62	EC000030	382402	4548583364943		20		CG	CGA	IDN	8536.5015.90
Z-15GW21-B	General purpose basic switch, short hinge lever, SPDT, 15A	8.65	EC000030	103033	4536854266553		20		CG	CGA	JPN	8536.5015.90
Z-15GW22	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, lehim terminal	9.62	EC000030	382400	4548583364929	#	20		CG	CGA	IDN	8536.5015.90
Z-15GW2255	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip-proof	13.44	EC000030	144235	4536854266805		20		CG	CGA	JPN	8536.5015.90
Z-15GW2255-B	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals	12.99	EC000030	382408	4548583365001		20		CG	CGA	IDN	8536.5015.90
Z-15GW2277	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol, SPDT, 15 A, lehim terminal	12.50	EC000030	106575	4536854266904		20		CG	CGA	JPN	8536.5015.90
Z-15GW2277-B	Genel amaçlı basit switch, tek yönlü makaralı kısa levye kol (Düşük OF), SPDT, 15 A, vida terminalli	12.99	EC000030	377800	4548583364820	#	20		CG	CGA	IDN	8536.5015.90
Z-15GW22A55-B5V	General purpose basic switch, short hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	28.77	EC000030	143081	4536854263934	#	20		CG	CGA	JPN	8536.5015.90
Z-15GW22-B	Genel amaçlı basit switch, makaralı kısa levye kol, SPDT, 15 A, vida terminalli	9.62	EC000030	377795	4548583364745	#	20		CG	CGA	IDN	8536.5015.90
Z-15GW225	General purpose basic switch, short hinge steel roller lever, SPDT, 15A	9.63	EC000030	106571	4536854266768		20		CG	CGA	JPN	8536.5015.90
Z-15GW255	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof	11.07	EC000030	106587	4536854267130		20		CG	CGA	JPN	8536.5015.90
Z-15GW255-B	General purpose basic switch, hinge roller lever, SPDT, 15A, drip-proof, screw terminal	14.39	EC000030	151808	4536854267147		20		CG	CGA	JPN	8536.5015.90
Z-15GW25-B	General purpose basic switch, hinge roller lever (large roller), SPDT, 15A, screw terminals	9.40	EC000030	377799	4548583364813		20		CG	CGA	IDN	8536.5015.90
Z-15GW2A55-B5V	General purpose basic switch, hinge roller lever, SPDT, 15A, drip proof, screw terminals with terminal cover	22.08	EC000030	106681	4536854263910		10		CG	CGA	JPN	8536.5015.90
Z-15GW2-B	Genel amaçlı basit switch, makaralı levye kol, SPDT, 15 A, vida terminalli	9.62	EC000030	377796	4548583364752	#	20		CG	CGA	IDN	8536.5015.90
Z-15GW2-B7-K	General purpose basic switch, hinge roller lever, SPDT, 15A, screw terminals	10.58	EC000030	377801	4548583364851		10		CG	CGA	IDN	8536.5015.90
Z-15GW4	General purpose basic switch, low force hinge lever, SPDT, 15A	9.14	EC000030	106594	4536854267482		20		CG	CGA	JPN	8536.5015.90
Z-15GW4A55-B	General purpose basic switch, long hinge lever, SPDT, 15A, drip proof, screw terminals	14.88	EC000030	149618	4536854267581		20		CG	CGA	JPN	8536.5015.90
Z-15GW4-B	General purpose basic switch, low force hinge lever, SPDT, 15A	9.14	EC000030	106595	4536854267499		20		CG	CGA	JPN	8536.5015.90
Z-15GW5	General purpose basic switch, hinge lever (low OF), SPDT, 15A, drip proof, solder terminals	9.62	EC000030	382409	4548583365018		20		CG	CGA	IDN	8536.5015.90
Z-15GW55-B	General purpose basic switch, hinge lever, SPDT, 15A, drip-proof	13.44	EC000030	106603	4536854267826		20		CG	CGA	JPN	8536.5015.90
Z-15GW-B	Genel amaçlı basit switch, levye kol (Düşük OF), SPDT, 15 A, vida terminalli	9.14	EC000030	377797	4548583364769	#	20		CG	CGA	IDN	8536.5015.90
Z-15GW-B7-K	General purpose basic switch, hinge lever (low OF), SPDT, 15A, screw terminals	15.92	EC000030	377802	4548583364868		20		CG	CGA	IDN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Z-15HNJ55-B	General purpose basic switch, flexible rod (steel), SPDT, high sensitive, drip proof, screw terminals	25.11	EC000030	143086	4536854270505	10		CG	CGA	JPN	8536.5015.90
Z-15HW24	General purpose basic switch, hinge lever, SPDT, high sensitive	12.15	EC000030	106474	4536854270871	10		CG	CGA	JPN	8536.5015.90
Z-15HW24-B	General purpose basic switch, hinge lever, SPDT, high sensitive, screw terminal	12.02	EC000030	155993	4536854270888	#		CG	CGA	JPN	8536.5015.90
Z-15HW78	General purpose basic switch, wire hinge lever, SPDT, 15A	13.15	EC000030	106482	4536854271298	10		CG	CGA	JPN	8536.5015.90
Z-15HW78-B	General purpose basic switch, wire hinge lever, SPDT, 15A, screw terminal	12.99	EC000030	106483	4536854271304	10		CG	CGA	JPN	8536.5015.90
Endüstriyel Switch D4MC											
D4MC-1000	Kapalı switch, levye kol, SPDT, 10 A	18.32	EC000030	133872	4536853225490	#	10	CG	CGB	JPN	8536.5015.90
D4MC-1020	Kapalı switch, kısa levye kol, SPDT, 10 A	19.15	EC000030	133873	4536853225605	10		CG	CGB	JPN	8536.5015.90
D4MC-2000	Kapalı switch, makaralı levye kol, SPDT, 10 A	18.86	EC000030	150872	4536853226510	10		CG	CGB	JPN	8536.5015.90
D4MC-2020	Kapalı switch, makaralı orta uzunlukta levye kol, SPDT, 10 A	17.88	EC000030	133874	4536853225650	#	10	CG	CGB	JPN	8536.5015.90
D4MC-3030	Enclosed switch, 1-way, short hinge roller lever, SPDT, 10 A	20.11	EC000030	104167	4536853225933	10		CG	CGB	JPN	8536.5015.90
D4MC-5000	Kapalı switch, panel montajlı üstten basmalı, SPDT, 10 A	23.35	EC000030	156466	4536853225995	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5020	Kapalı switch, panel montajlı makaralı üstten basmalı, SPDT, 10 A	25.82	EC000030	133783	4536853226114	#	10	CG	CGB	JPN	8536.5015.90
D4MC-5040	Kapalı switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 10 A	26.07	EC000030	133785	4536853226244	10		CG	CGB	JPN	8536.5015.90
Endüstriyel Switch WL											
D4V-8108Z	Limit switch D4V, adjustable roller lever: R30 to 75 mm, DPDB, with ground terminal	62.95	EC000030	668126	4547648271691	5		CG	CGC	CHN	8536.5015.90
WL-1A100	WL series limit switch replacement roller lever	9.07	EC002594	108305	4536854171215			CG	CGC	JPN	9032.9000.90
WL-2A100	Replacement actuator for WL series limit switch: adjustable roller lever, standard roller	11.56	EC002594	108307	4536854171246			CG	CGC	JPN	9032.9000.90
WL-3A100	Replacement actuator for WL series limit switch: adjustable rod lever	27.19	EC002594	108308	4536854171253			CG	CGC	JPN	9032.9000.90
WL-9H100	WL series limit switch replacement head with coil spring lever	19.24	EC001483	108323	4536854171765	20		CG	CGC	JPN	9032.9000.90
WL-9H100-N	WL-N series limit switch replacement head with coil spring lever	25.61	EC001483	674185	4548583547872	10		CG	CGC	JPN	9032.9000.90
WL-9H300-N	Head set for WL-N-2	43.69	EC001483	670508	4548583547926	5		CG	CGC	JPN	9032.9000.90
WLCA12-2G-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 with ground terminal	91.90	EC000030	392898	4548583477452	#		CG	CGC	JPN	8536.5015.90
WLCA12-2NG-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 Topraklama terminali	120.10	EC000030	392899	4548583477520	#		CG	CGC	JPN	8536.5015.90
WLCA12-G-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminali	72.55	EC000030	392927	4548583485198	#		CG	CGC	CHN	8536.5015.90
WLCA12-THG-N	Limit switch, ayarlanabilir makaralı kol: R25 - 89 mm, pretravel 15+5°, DPDB, Sıcaklığa dayanıklı: +5°C - +120°C, Pg13.5 Topraklama terminali	138.90	EC000030	392902	4548583477858	#		CG	CGC	JPN	8536.5015.90
WLCA12-Y-N	Limit switch, adjustable roller lever: R25 to 89 mm, pretravel 15+5°, DPDB, M20 with ground terminal	63.05	EC000030	392903	4548583477896			CG	CGC	JPN	8536.5015.90
WLCA2-2G-N	Limit switch, roller lever: R38 mm, pretravel 15+5°, Overtravel 90°, DPDB, Pg13.5 with ground terminal	77.65	EC000030	392945	4548583478077			CG	CGC	JPN	8536.5015.90
WLCA2-2NG-N	Limit switch, makaralı kol: R38 mm, pretravel 15+5°, overtravel 90°, DPDB, Pg13.5 Topraklama terminali	91.90	EC000030	392905	4548583478152	#		CG	CGC	JPN	8536.5015.90
WLCA2-7G-N	Limit switch, makaralı kol R50, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminali	77.00	EC000030	392908	4548583478367			CG	CGC	JPN	8536.5015.90
WLCA2-G	Limit switch, standard roller lever, DPDB, 10A	68.15	EC000030	154621	4536854160745			CG	CGC	JPN	8536.5015.90
WLCA2-G1-N	Limit switch, roller lever: R38 mm, pretravel 15+5°, DPDB, G1/2 with ground terminal	58.90	EC000030	392893	4548583478565			CG	CGC	JPN	8536.5015.90
WLCA2-G-N	Limit switch, makaralı kol: R38 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminali	68.15	EC000030	392932	4548583485334	#		CG	CGC	CHN	8536.5015.90
WLCA2-THG-N	Limit switch, makaralı kol: R38 mm, pretravel 15+5°, DPDB, Sıcaklığa dayanıklı: +5°C - +120°C, Pg13.5 Topraklama terminali	94.90	EC000030	392912	4548583478862			CG	CGC	JPN	8536.5015.90
WLCA2-Y-N	Limit switch, adjustable roller lever: standard, DPDB, M20 with ground terminal	60.95	EC000030	392936	4548583485402			CG	CGC	CHN	8536.5015.90
WLCA32-41G-N	Limit switch, lock fork roller lever, DPDB, 10A	85.85	EC000030	411084	4548583543478			CG	CGC	CHN	8536.5015.90
WLCA32-43G-N	Limit switch, çatal kol, DPDB, 10 A	86.30	EC000030	393479	4548583543515			CG	CGC	CHN	8536.5015.90
WLCA14-G11D-N	Limit switch, roller lever, DPDB, LED, G1/2 with ground terminal	140.00	EC000030	674239	4548583478985	#		CG	CGC	JPN	8536.5015.90
WLCL-G-N	Limit switch, ayarlanabilir cubuk kol: 25 - 140 mm, pretravel 15+5°, DPDB, Pg13.5 Topraklama terminali	71.10	EC000030	392938	4548583485440	#		CG	CGC	CHN	8536.5015.90
WLD18-G-N	Limit switch, üstten basmalı, DPDB, G1/2 Topraklama terminali	60.65	EC000030	393481	4548583543546			CG	CGC	CHN	8536.5015.90
WLD28-G-N	Limit switch, roller top plunger, DPDB, 10A, Pg13.5 with ground terminal	64.25	EC000030	411106	4548583543614	#		CG	CGC	CHN	8536.5015.90
WLD2-G	Limit switch, üstten basmalı, makaralı, DPDB, 10 A	60.65	EC000030	148955	4536854167027	#		CG	CGC	JPN	8536.5015.90
WLD2-G1-N	Limit switch, roller top plunger, DPDB, 10 A, with ground terminal	60.05	EC000030	679497	4548583539358			CG	CGC	JPN	8536.5015.90
WLG2-LDFS-DGJS03	Limit switch, roller lever, overtravel, high-sensitivity, LED indicator, DPDB, 10A, spatter proof, pre-wired connector	116.10	EC000030	167202	4536854940071			CG	CGC	JPN	8536.5015.90
WLN1-2G-N	Limit switch, flexible rod coil spring resin rod, DPDB, 10A	68.15	EC000030	411091	4548583543720	#		CG	CGC	CHN	8536.5007.00
WLN1-G1-N	Limit switch, flexible rod, pretravel 20+10 mm, DPDB, G1/2 with ground terminal	51.55	EC000030	393477	4548583542419			CG	CGC	JPN	8536.5007.00
WLN1-G-N	Limit switch, esnek bobin yaylı, pretravel 20+10 dkm, DPDB, G1/2 Topraklama terminali	50.60	EC000030	393483	4548583543805	#		CG	CGC	CHN	8536.5007.00
WLN1-S2G-N	Limit switch, Flexible rod: Steel wire pretravel 20+10 mm, DPDB, Pg13.5 with ground terminal	59.20	EC000030	406411	4548583543836	#		CG	CGC	CHN	8536.5007.00
WLN1-Y-N	Limit switch, Flexible rod: Coil spring, pretravel 15+5°, DPDB, M20 with ground terminal	56.65	EC000030	411096	4548583543904			CG	CGC	CHN	8536.5007.00
WLS02-G-N	Limit switch, Horizontal-roller plunger, Pg13.5 with ground terminal	84.55	EC000030	411097	4548583543911			CG	CGC	CHN	8536.5015.90
Endüstriyel Switch ZC											
ZC-D255	Enclosed basic switch, plunger, SPDT, 15A	32.50	EC000030	106416	4536854251061	10		CG	CGD	JPN	8536.5015.90
ZC-N2255	Enclosed basic switch, Sealed roller plunger, SPDT, 15A	49.25	EC000030	151806	4536854252907	10		CG	CGD	JPN	8536.5015.90
ZC-O2155	Kapalı basit switch, panel montajlı geçiş makaralı üstten basmalı, SPDT, 15 A	38.66	EC000030	106332	4536854251436	10		CG	CGD	JPN	8536.5015.90
ZC-O2255	Kapalı basit switch, panel montajlı makaralı üstten basmalı, SPDT, 15 A	39.09	EC000030	151804	4536854252365	#		CG	CGD	JPN	8536.5015.90
ZC-O55	Kapalı basit switch, panel montajlı üstten basmalı, SPDT, 15 A	37.64	EC000030	106425	4536854251276	#		CG	CGD	JPN	8536.5015.90
ZC-W155	Enclosed basic switch, hinge lever, SPDT, 15A	29.98	EC000030	106351	4536854253249	10		CG	CGD	JPN	8536.5015.90
ZC-W2155	Enclosed basic switch, hinge roller lever, SPDT, 15A	31.84	EC000030	106353	4536854253416			CG	CGD	JPN	8536.5015.90
ZC-W255	Enclosed basic switch, short hinge roller lever, SPDT, 15A	31.84	EC000030	106352	4536854253409	10		CG	CGD	JPN	8536.5015.90
Endüstriyel Switch ZE/ZV											
ZE-N21-2G	Enclosed switch, sealed cross roller plunger, SPDT, 15A	86.75	EC000030	106372	4536854255120			CG	CGE	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ZE-N22-2G	Enclosed switch, sealed roller plunger, SPDT, 15A	86.30	EC000030	104736	4536854255151			CG	CGE	JPN	8536.5015.90
ZE-N-2G	Kapalı switch, üstten basmalı, SPDT, 15 A	46.59	EC000030	106370	4536854255038			CG	CGE	JPN	8536.5015.90
ZE-NA2-2G	Kapalı switch, makaralı kol, SPDT, 15 A	58.45	EC000030	151525	4536854255229	#		CG	CGE	JPN	8536.5015.90
ZE-O21-2G	Kapalı switch, zıt makaralı üstten basmalı, SPDT, 15 A	50.70	EC000030	149257	4536854254840			CG	CGE	JPN	8536.5015.90
ZE-O22-2G	Kapalı switch, makaralı üstten basmalı, SPDT, 15 A	50.25	EC000030	150415	4536854255496	#		CG	CGE	JPN	8536.5015.90
ZE-O-2G	Kapalı switch, üstten basmalı, SPDT, 15 A	45.78	EC000030	106359	4536854254789			CG	CGE	JPN	8536.5015.90
ZE-OA2-2G	Enclosed switch, roller arm lever, SPDT, 15A	51.15	EC000030	152689	4536854254932			CG	CGE	JPN	8536.5015.90
ZV2-N-2G	Enclosed switch, diagonal side mounting, sealed plunger, SPDT, 15A	55.20	EC000030	154929	4536854260773			CG	CGE	JPN	8536.5015.90
Endüstriyel Switch D4C											
D4C-1201	Kompak kapalı limit switch, üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	56.05	EC000030	134459	4536853210052	#		CG	CGF	JPN	8536.5015.90
D4C-1202	Kompak kapalı limit switch, makaralı üstten basmalı, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF yağa dayanıklı kablolu	55.70	EC000030	134460	4536853210069	#		CG	CGF	JPN	8536.5015.90
D4C-1203	Compact enclosed limit switch, cross roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	59.70	EC000030	134461	4536853210076			CG	CGF	JPN	8536.5015.90
D4C-1220	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	71.90	EC000030	105810	4536853210113			CG	CGF	JPN	8536.5015.90
D4C-1224	Compact enclosed limit switch, roller lever (high sensitivity), 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	74.05	EC000030	147957	4536853210151			CG	CGF	JPN	8536.5015.90
D4C-1231	Compact enclosed limit switch, sealed pin plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	68.85	EC000030	134463	4536853210182			CG	CGF	JPN	8536.5015.90
D4C-1232	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	71.90	EC000030	134464	4536853210199			CG	CGF	JPN	8536.5015.90
D4C-1233	Compact enclosed limit switch, Sealed crossroller plunger, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	70.30	EC000030	134465	4536853210205			CG	CGF	JPN	8536.5015.90
D4C-1243	Compact enclosed limit switch, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	71.30	EC000030	134468	4536853210236			CG	CGF	JPN	8536.5015.90
D4C-1250	Compact enclosed limit switch, plastic rod, 5 A 250 VAC, 4 A 30 VDC, 3m VCTF oil-resistant cable	71.10	EC000030	134469	4536853210243			CG	CGF	JPN	8536.5015.90
D4C-1302	Compact enclosed limit switch, roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	75.45	EC000030	134470	4536853210274			CG	CGF	JPN	8536.5015.90
D4C-1320	Compact enclosed limit switch, roller lever, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	82.60	EC000030	156713	4536853210304			CG	CGF	JPN	8536.5015.90
D4C-1332	Compact enclosed limit switch, sealed roller plunger, 5 A 250 VAC, 4 A 30 VDC, 5m VCTF oil-resistant cable	82.60	EC000030	134473	4536853210342			CG	CGF	JPN	8536.5015.90
D4C-1G01 5M	Compact enclosed limit switch	111.90	EC000030	289178	4547648734493			CG	CGF	JPN	8536.5015.90
D4C-3202	Compact enclosed limit switch, roller plunger, 4 A 30 VDC, 3m VCTF oil-resistant cable	61.90	EC000030	105813	4536853212865			CG	CGF	JPN	8536.5015.90
D4C-4232	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 3m VCTF oil-resistant cable	71.90	EC000030	134317	4536853214043			CG	CGF	JPN	8536.5015.90
D4C-4332	Compact enclosed limit switch, sealed roller plunger, 0.1 A 125 VAC, 0.1 A 30 VDC, 5m VCTF oil-resistant cable	81.25	EC000030	144739	4536853214203	#		CG	CGF	JPN	8536.5015.90
D4CC-3002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	73.75	EC000030	150121	4536853208417			CG	CGF	JPN	8536.5015.90
D4CC-3024	Compact limit switch, connector type, 1 A 30 VDC, high sensitivity roller lever	81.65	EC000030	153483	4536853208448			CG	CGF	JPN	8536.5015.90
D4CC-3032	Compact limit switch, connector type, 1 A 30 VDC, Sealed roller plunger	84.70	EC000030	154611	4536853208479			CG	CGF	JPN	8536.5015.90
D4CC-3050	Compact limit switch, connector type, 1 A 125 VAC, plastic rod	99.65	EC000030	134526	4536853208523	#		CG	CGF	JPN	8536.5015.90
D4CC-4002	Compact limit switch, connector type, 1 A 30 VDC, roller plunger	83.85	EC000030	134529	4536853208561			CG	CGF	JPN	8536.5015.90
D4CC-4024	Compact limit switch, connector type, 1 A 30 VDC	88.15	EC000030	134532	4536853208592			CG	CGF	JPN	8536.5015.90
D4CC-4032	Compact limit switch, connector type, 1 A 30 VDC, LED, Sealed roller plunger	86.20	EC000030	155420	4536853208622			CG	CGF	JPN	8536.5015.90
Endüstriyel Switch HL											
HL-5000G	Limit switch, makaralı kol, Topraklama terminali	47.85	EC000030	378665	4548583439153	#		CG	CGH	CHN	8536.5015.90
HL-5030G	Limit switch, ayarlanabilir makaralı kol, Topraklama terminali	49.25	EC000030	378666	4548583439177	#		CG	CGH	CHN	8536.5015.90
HL-5050G	Limit switch, ayarlanabilir çubuk kol, Topraklama terminali	48.94	EC000030	378667	4548583439191			CG	CGH	CHN	8536.5015.90
HL-5100G	Limit switch, korumalı üstten basmalı, Topraklama terminali	54.25	EC000030	378668	4548583439214			CG	CGH	CHN	8536.5015.90
HL-5200G	Limit switch, korumalı makaralı üstten basmalı, Topraklama terminali	57.10	EC000030	378654	4548583439238	#		CG	CGH	CHN	8536.5015.90
HL-5300G	Limit switch, bobin yaylı, Topraklama terminali	57.05	EC000030	378655	4548583439252			CG	CGH	CHN	8536.5015.90
Endüstriyel Switch SHL											
SHL-D55	Subminiature enclosed switch, plunger actuator	34.80	EC000030	111615	4536853780425		10	CG	CGI	JPN	8536.5015.90
SHL-D55-01	Subminiature enclosed switch, plunger actuator, 0.1A micro load	42.92	EC000030	111705	4536853779016	#	10	CG	CGI	JPN	8536.5015.90
SHL-O2155	Enclosed switch, panel mount across roller plunger, SPDT, 10A	38.89	EC000030	147187	4536853780821	#	10	CG	CGI	JPN	8536.5015.90
SHL-O2155-01	Enclosed switch, panel mount across roller plunger, SPDT, 10A micro voltage	41.02	EC000030	111610	4536853779450			CG	CGI	JPN	8536.5015.90
SHL-O2255	Enclosed switch, panel mount roller plunger, SPDT, 10A	39.90	EC000030	145031	4536853781002	#	10	CG	CGI	JPN	8536.5015.90
SHL-O2255-01	Enclosed switch, panel mount roller plunger, SPDT, 10A micro voltage	40.64	EC000030	111611	4536853779627		10	CG	CGI	JPN	8536.5015.90
SHL-O55	Subminiature enclosed switch, panel mount plunger	35.48	EC000030	106139	4536853780623	5	CG	CGI	JPN	8536.5015.90	
SHL-W155	Enclosed switch, hinge lever, SPDT, 10A	35.99	EC000030	111621	4536853781637		10	CG	CGI	JPN	8536.5015.90
SHL-W2155	Enclosed switch, hinge roller lever, SPDT, 10A	36.02	EC000030	153766	4536853781651	#	10	CG	CGI	JPN	8536.5015.90
SHL-W255	Enclosed switch, short hinge roller lever, SPDT, 10A	34.31	EC000030	104735	4536853781408	#	10	CG	CGI	JPN	8536.5015.90
Endüstriyel Switch A22											
A22NZ-2BM-01AA	Selector A22NZ 022, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position ALL	12.39	EC000222	662748	4548583717596		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-01BA	Selector A22NZ 022, Key type S, 2 position, bezel plastic, MANUAL, RELEASE position LEFT	18.63	EC000222	664829	4548583717602		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-NBA	Selector A22NZ 022, 2 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR BLACK	5.75	EC000222	660926	4548583715486		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-NRA	Selector A22NZ 022, 2 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR RED	5.76	EC000222	660009	4548583715431			CG	CGK	TWN	8536.5015.90
A22NZ-2MM-01BA	Selector A22NZ 022, Key type S, 2 position, bezel brushed M, MANUAL, RELEASE position LEFT	15.98	EC000222	664883	4548583717640		20	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-NBA	Selector A22NZ 022, 2 position, NON-lighted, bezel brushed metal, MANUAL, COLOR BLACK	4.40	EC000222	660010	4548583715721		10	CG	CGK	TWN	8536.5015.90
A22NZ-2RM-NBA	Selector A22NZ 022, 2 position, NON-lighted, bezel metal, MANUAL, COLOR BLACK	4.40	EC000222	662174	4548583715967		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BB-NBA	Selector A22NZ 022, 3 position, NON-lighted, bezel PLASTIC, AUTO, RESET ON L/R, COLOR BLACK	5.98	EC000222	666627	4548583716568		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-NBA	Selector A22NZ 022, 3 position, NON-lighted, bezel PLASTIC, MANUAL, COLOR BLACK	5.98	EC000222	660930	4548583716209		10	CG	CGK	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NZ-3MM-NBA	Selector A22NZ 022, 3 position, NON-Lighted, bezel brushed metal, MANUAL, COLOR BLACK	4.13	EC000222	664721	4548583716681		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NAA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque BLUE	4.14	EC000221	666194	4548583711877		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NGA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque GREEN	4.14	EC000221	666481	4548583711846		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NRA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque RED	4.14	EC000221	664461	4548583711839		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NWA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque WHITE	4.14	EC000221	664548	4548583711860		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-NYA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Opaque YELLOW	4.14	EC000221	665917	4548583711853		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NBA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque BLACK	4.59	EC000221	662397	4548583712065	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NGA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque GREEN	4.14	EC000221	665233	4548583712027		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-NRA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Opaque RED	4.14	EC000221	662103	4548583712010		10	CG	CGK	TWN	8536.5015.90
A22NZ-BMM-LGA	Pushbutton A22NZ 022, bezel plastic, MUSHROOM, MOMENTARY, CAP COLOR Transparent GREEN	3.99	EC000221	661172	4548583712140		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NAA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLUE	4.59	EC000221	662116	4548583711518		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NBA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque BLACK	4.59	EC000221	661703	4548583711525		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NGA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque GREEN	4.59	EC000221	660475	4548583711488		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NRA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque RED	4.78	EC000221	664957	4548583711471	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NWA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque WHITE	4.78	EC000221	662117	4548583711501		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-NYA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Opaque YELLOW	4.60	EC000221	661170	4548583711495		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NAA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLUE	4.72	EC000221	663145	4548583712232		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NBA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque BLACK	4.74	EC000221	661179	4548583712249		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-NWA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Opaque WHITE	4.72	EC000221	660246	4548583712225		20	CG	CGK	TWN	8536.5015.90
Endüstriyel Switch A22											
A22NZ-2BM-TGA	Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN	5.77	EC000222	660011	4548583715509		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TBA	Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED	5.77	EC000222	663831	4548583715493		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TWA	Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR WHITE	5.77	EC000222	662172	4548583715523		10	CG	CGK	TWN	8536.5015.90
A22NZ-2BM-TYA	Selector A22NZ 022, 2 position, Lighted, bezel PLASTIC, MANUAL, COLOR YELLOW	4.13	EC000222	664707	4548583715516		10	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TGA	Selector A22NZ 022, 2 position, Lighted, bezel brushed M, MANUAL, COLOR GREEN	4.40	EC000222	666621	4548583715745		4	CG	CGK	TWN	8536.5015.90
A22NZ-2MM-TYA	Selector A22NZ 022, 2 position, Lighted, bezel brushed M, MANUAL, COLOR YELLOW	5.25	EC000222	660925	4548583715752		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TGA	Selector A22NZ 022, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR GREEN	6.51	EC000222	661886	4548583716223		10	CG	CGK	TWN	8536.5015.90
A22NZ-3BM-TBA	Selector A22NZ 022, 3 position, Lighted, bezel PLASTIC, MANUAL, COLOR RED	6.51	EC000222	664720	4548583716216		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TAA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	4.14	EC000221	662104	4548583711938	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TGA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	4.14	EC000221	662398	4548583711907		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TRA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	4.14	EC000221	664971	4548583711891		10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TWA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED	4.19	EC000221	663373	4548583711921	#	10	CG	CGK	TWN	8536.5015.90
A22NZ-BGM-TYA	Pushbutton A22NZ 022, bezel plastic, FULL GUARD, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	4.19	EC000221	663382	4548583711914		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TAA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	2.90	EC000221	661165	4548583711570		20	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TGA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	2.90	EC000221	662121	4548583711549		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TRA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	2.90	EC000221	660238	4548583711532		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TWA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED	2.90	EC000221	663647	4548583711563		10	CG	CGK	TWN	8536.5015.90
A22NZ-BNM-TYA	Pushbutton A22NZ 022, bezel plastic, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	2.90	EC000221	663117	4548583711556		10	CG	CGK	TWN	8536.5015.90
A22NZ-BPM-TGA	Pushbutton A22NZ 022, bezel plastic, PROJECTED, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	4.14	EC000221	665541	4548583711723		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TAA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent BLUE, LIGHTED	4.74	EC000221	666840	4548583712294		20	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TGA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent GREEN, LIGHTED	4.74	EC000221	665935	4548583712263		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TRA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent RED, LIGHTED	4.74	EC000221	664982	4548583712256		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TWA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent WHITE, LIGHTED	4.74	EC000221	665234	4548583712287		10	CG	CGK	TWN	8536.5015.90
A22NZ-MNM-TYA	Pushbutton A22NZ 022, bezel brushed metal, FLAT, MOMENTARY, CAP COLOR Transparent YELLOW, LIGHTED	4.74	EC000221	660245	4548583712270		10	CG	CGK	TWN	8536.5015.90
Endüstriyel Switch A22											
A22NS-2BM-NBA-G100-NN	Selector A22NS 022, 2 position, NON-Lighted, bezel PLASTIC, MANUAL, COLOR RED, 1NO	13.71	EC001029	661214	4548583658059	#		CG	CGK	TWN	8536.5015.90
Endüstriyel Switch A22											
A22-01	Contact block, SPST-NC, general-purpose load	4.43	EC000041	150948	4536854356452		50	CG	CGK	JPN	8536.5015.90
A22-02	Contact block, DPST-NC, general-purpose load	12.53	EC000041	160871	4536854453397		30	CG	CGK	JPN	8536.5015.90
A22-10	Contact block, SPST-NO, general-purpose load	4.43	EC000041	157745	4536854356469		50	CG	CGK	JPN	8536.5015.90
A22-24AR	LED, 24 VAC/DC, red	11.13	EC002498	145656	4536853019488		20	CG	CGK	JPN	8536.5015.90
A22NZ-L-AC	Pushbutton accessory A22NZ, Blue LED Lamp 24 VAC/DC	4.10	EC002498	662694	4548583718241	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-GB	Pushbutton accessory A22NZ, Green LED Lamp 12 VAC/DC	5.08	EC002498	666218	4548583718166		10	CG	CGK	TWN	8536.5015.90
A22NZ-L-GC	Pushbutton accessory A22NZ, Green LED Lamp 24 VAC/DC	4.10	EC002498	663627	4548583718227		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-GF	Pushbutton accessory A22NZ, Green LED Lamp 200/220/230 VAC	4.63	EC002498	666451	4548583718340		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-OC	Pushbutton accessory A22NZ, Orange LED Lamp 24 VAC/DC	4.10	EC002498	659820	4548583718265		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-RC	Pushbutton accessory A22NZ, Red LED Lamp 24 VAC/DC	4.10	EC002498	663615	4548583718210		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-RE	Pushbutton accessory A22NZ, Red LED Lamp 200/220/230 VAC	4.29	EC002498	666442	4548583718333		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-WA	Pushbutton accessory A22NZ, White LED Lamp 6 VDC	4.29	EC002498	672751	4548583718135		10	CG	CGK	TWN	8536.5015.90
A22NZ-L-WC	Pushbutton accessory A22NZ, White LED Lamp 24 VAC/DC	4.48	EC002498	664307	4548583718258	#	50	CG	CGK	TWN	8536.5015.90
A22NZ-L-WF	Pushbutton accessory A22NZ, White LED Lamp 200/220/230 VAC	4.62	EC002498	660761	4548583718371		50	CG	CGK	TWN	8536.5015.90
A22NZ-L-YC	Pushbutton accessory A22NZ, Yellow LED Lamp 24 VAC/DC	4.10	EC002498	662716	4548583718234		50	CG	CGK	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A22NZ-L-YE	Pushbutton accessory A22NZ, Yellow LED Lamp 200/220/230 VAC	4.29	EC002498	665251	4548583718357		50	CG	CGK	TWN	8536.5015.90
A22NZ-S-G1A	Pushbutton A22NZ, Contact Block SPST-NO (blue)	3.26	EC000041	667274	4548583718012		20	CG	CGK	TWN	8536.5015.90
A22NZ-S-G1B	Pushbutton A22NZ, Contact Block SPST-NC (orange)	3.26	EC000041	661432	4548583718029		20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P1A	A22N Kontak bloklar, SPST-NO, push-in terminali	6.22	EC000041	672599	4548583920903	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P1B	A22N Kontak bloklar, SPST-NC, push-in terminali	6.22	EC000041	672624	4548583920910	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2A	A22N Kontak bloklar, DPST-NO, push-in terminali	12.08	EC000041	672593	4548583920927		20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2B	A22N kontak bloklar, DPST-NC, push-in terminali	11.95	EC000041	672587	4548583920934		20	CG	CGK	TWN	8536.5015.90
A22NZ-S-P2C	A22N Kontak bloklar, SPST-NO + SPST-NC, push-in terminali	16.01	EC000041	672619	4548583920941		20	CG	CGK	TWN	8536.5015.90
A22NZ-T-B	Pushbutton accessory A22NZ, Lighting Unit 12 VAC/DC	3.74	EC000204	662692	4548583718043		20	CG	CGK	TWN	8536.5015.90
A22NZ-T-C	Pushbutton accessory A22NZ, Lighting Unit 24 VAC/DC	3.16	EC000204	665524	4548583718050		20	CG	CGK	TWN	8536.5015.90
A22NZ-T-CP	A22N Aydınlatma Üniteleri, 24 VAC / DC, push-in terminali	6.01	EC000204	672613	4548583920972	#	20	CG	CGK	TWN	8536.5015.90
A22NZ-T-E	Pushbutton accessory A22NZ, Lighting Unit 200/220/230 VAC	3.74	EC000204	662693	4548583718074		20	CG	CGK	TWN	8536.5015.90
A22NZ-T-FP	A22N Aydınlatma Üniteleri, 200/220/230/240 VAC, push-in terminali	10.87	EC000204	672620	4548583920996		20	CG	CGK	TWN	8536.5015.90
A22-TN	Lamp socket, direct lighting	2.60	EC000204	160858	4536854408274		50	CG	CGK	JPN	8536.5015.90
Endüstriyel Switch A16											
A16L-JR	Pushbutton, illuminated, rectangular, IP40, red	3.61	EC001072	106052	4536853010171		10	CG	CGL	JPN	8536.5015.90
A16L-JW	Pushbutton, illuminated, rectangular, IP40, white	3.61	EC001072	160064	4536853010188		10	CG	CGL	JPN	8536.5015.90
A16L-TG	Pushbutton, illuminated, round, IP40, green	3.74	EC001072	160065	4536853010218		10	CG	CGL	JPN	8536.5015.90
A16L-TR	Pushbutton, illuminated, round, IP40, red	3.72	EC001072	160066	4536853010232		10	CG	CGL	JPN	8536.5015.90
A16L-TW	Pushbutton, illuminated, round, IP40, white	3.72	EC001072	160067	4536853010249		10	CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A165L-AR	Pushbutton, illuminated, square, IP65, red	4.77	EC001072	160046	4536853009939		10	CG	CGL	JPN	8536.5015.90
A165L-AY	Pushbutton, illuminated, square, IP65, yellow	4.40	EC001072	160047	4536853009953		10	CG	CGL	JPN	8536.5015.90
A165L-JA	Pushbutton, illuminated, rectangular, IP65, blue	4.86	EC001072	154779	4536853009960		10	CG	CGL	JPN	8536.5015.90
A165L-JB	Pushbutton, illuminated, rectangular, IP65, black	4.77	EC001072	160043	4536853009885		10	CG	CGL	JPN	8536.5015.90
A165L-JG	Pushbutton, illuminated, rectangular, IP65, green	4.86	EC001072	144900	4536853009977		10	CG	CGL	JPN	8536.5015.90
A165L-JY	Pushbutton, illuminated, rectangular, IP65, green for LED only	3.70	EC001072	160048	4536853009984		10	CG	CGL	JPN	8536.5015.90
A165L-JR	Pushbutton, illuminated, rectangular, IP65, red	4.86	EC001072	160049	4536853009991		10	CG	CGL	JPN	8536.5015.90
A165L-JW	Pushbutton, illuminated, rectangular, IP65, white	4.86	EC001072	160050	4536853010003		10	CG	CGL	JPN	8536.5015.90
A165L-JY	Pushbutton, illuminated, rectangular, IP65, yellow	4.86	EC001072	160051	4536853010010		10	CG	CGL	JPN	8536.5015.90
A165L-TG	Pushbutton, illuminated, round, IP65, green	4.80	EC001072	160053	4536853010034		10	CG	CGL	JPN	8536.5015.90
A165L-TGY	Pushbutton, illuminated, round, IP65, green for LED only	4.16	EC001072	160054	4536853010041		10	CG	CGL	JPN	8536.5015.90
A165L-TR	Pushbutton, illuminated, round, IP65, red	4.72	EC001072	160055	4536853010058		10	CG	CGL	JPN	8536.5015.90
A165L-TY	Pushbutton, illuminated, round, IP65, yellow	4.77	EC001072	160057	4536853010072		10	CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A16-CAM	IP40 case for pushbutton unit, square, momentary or indicator	3.90	EC000221	160028	4536853009731		5	CG	CGL	JPN	8536.5015.90
A16-CJA	IP40 case for pushbutton unit, rectangular, latching	4.89	EC000221	160029	4536853009748		50	CG	CGL	JPN	8536.5015.90
A16-CJM	IP40 case for pushbutton unit, rectangular, momentary or indicator	3.90	EC000221	160030	4536853009755		50	CG	CGL	JPN	8536.5015.90
A16-CTA	IP40 case for pushbutton unit, round, latching	4.89	EC000221	160031	4536853009762		50	CG	CGL	JPN	8536.5015.90
A16-CTM	IP40 case for pushbutton unit, round, momentary or indicator	3.90	EC000221	160032	4536853009779		50	CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A165-CAM	IP65 case for pushbutton unit, square, momentary or indicator	4.96	EC000221	144899	4536853009793		50	CG	CGL	JPN	8536.5015.90
A165-CJA	IP65 case for pushbutton unit, rectangular, latching	6.87	EC000221	160033	4536853009809		50	CG	CGL	JPN	8536.5015.90
A165-CJM	IP65 case for pushbutton unit, rectangular, momentary or indicator	5.50	EC000221	160034	4536853009816		50	CG	CGL	JPN	8536.5015.90
A165-CTM	IP65 case for pushbutton unit, round, momentary or indicator	4.96	EC000221	160036	4536853009830		50	CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A16-1	Switch unit, SPDT, 5 A (125 VAC) / 3 A (230VAC), solder terminal	6.97	EC000041	160076	4536853010263		50	CG	CGL	JPN	8536.5015.90
A16-2	Switch unit, DPDT, 5 A (125 VAC) / 3 A (230 VAC), solder terminal	10.95	EC000041	160077	4536853010270		50	CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A165S-A2M	Selector switch, non-illuminated, lever type, square, 2 notches, maintained, IP65	21.33	EC000222	152141	4536854345654		30	CG	CGL	JPN	8536.5015.90
A165S-A3M	Selector switch, non-illuminated, lever type, square, 3 notches, maintained, IP65	21.33	EC000222	160700	4536854345685		30	CG	CGL	JPN	8536.5015.90
A165S-J2M	Selector switch, non-illuminated, lever type, rectangular, 2 notches, maintained, IP65	20.81	EC000222	160702	4536854345715		10	CG	CGL	JPN	8536.5015.90
A165S-J3M	Selector switch, non-illuminated, lever type, rectangular, 3 notches, maintained, IP65	21.33	EC000222	152142	4536854345746		30	CG	CGL	JPN	8536.5015.90
A165S-T2M	Selector switch, non-illuminated, lever type, round, 2 notches, maintained, IP65	22.81	EC000222	160707	4536854345777		30	CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A165K-T2ML	Selector switch, round, key-type, 2 notches, maintained, IP65, key release left side only	42.93	EC000222	160670	4536854345081		30	CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
A165-2N-1	Switch unit, SPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal	6.94	EC000041	160741	4536854346385	50		CG	CGL	JPN	8536.5015.90
A165-2N-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, solder terminal	11.92	EC002498	160743	4536854346408	50		CG	CGL	JPN	8536.5015.90
A165-2N-2L	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, release in left position, solder terminal	10.95	EC000041	155154	4536854346415			CG	CGL	JPN	8536.5015.90
A165-2N-2P	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 2 position selector switch, PCB terminal	52.85	EC000041	148178	4536854375330			CG	CGL	JPN	8536.5015.90
A165-3N-2	Switch unit, DPDT, 5 A (125 VAC)/ 3 A (230 VAC), for 3 position selector switch, solder terminal	9.01	EC002498	160744	4536854346446	50		CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A165S-A2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, square, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	25.27	EC001029	160755	4536854346521	5		CG	CGL	JPN	8536.5015.90
A165S-J2M-2	Knob-type selector switch, 16mm mounting, non-illuminated, rectangular, 2 position, manual reset, DPDT	25.75	EC001029	105652	4536854346576	5		CG	CGL	JPN	8536.5015.90
A165S-T2M-1	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, SPDT contact block, solder terminal	21.69	EC001029	160760	4536854346613			CG	CGL	JPN	8536.5015.90
A165S-T2M-2	Selector switch complete, dia. 16 mm, non-illuminated, lever type, round, 2 notches, manual reset, IP65, DPDT contact block, solder terminal	25.27	EC001029	160761	4536854346620	5		CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A16-12DY	LED, 12 VDC, yellow	4.94	EC002498	160006	4536853009618	100		CG	CGL	JPN	8536.5015.90
A16-24DG	LED, 24 VDC, green	7.75	EC002498	160007	4536853009632	100		CG	CGL	JPN	8536.5015.90
A16-24DR	LED, 24 VDC, red	7.12	EC002498	149210	4536853009649	100		CG	CGL	JPN	8536.5015.90
A16-24DSG	LED, 24 VDC, green, superbright	7.55	EC002498	160020	4536854589089			CG	CGL	JPN	8536.5015.90
A16-24DSR	LED, 24 VDC, red, superbright	7.55	EC002498	143445	4536854589096	18		CG	CGL	JPN	8536.5015.90
A16-24DSW	LED, 24 VDC, white, superbright	6.49	EC002498	105995	4536854589102	30		CG	CGL	JPN	8536.5015.90
A16-24DSY	LED, 24 VDC, yellow, superbright	7.55	EC002498	160021	4536854589119	20		CG	CGL	JPN	8536.5015.90
A16-24DW	LED, 24 VDC, white	8.74	EC002498	160008	4536853009656	100		CG	CGL	JPN	8536.5015.90
A16-24DY	LED, 24 VDC, yellow	7.55	EC002498	160009	4536853009663	100		CG	CGL	JPN	8536.5015.90
Endüstriyel Switch A16											
A165K-KEY	Spare key for A165K switches	7.09	EC002024	160654	4536854480225			CG	CGL	JPN	8536.5015.90
Diğer Endüstriyel Switchler											
DZ-10G-1B	Basic switch, pin plunger, 10 A, DPDT, screw terminals	20.63	EC000030	133557	4536853181819	20		CG	CGX	JPN	8536.5015.90
DZ-10GW-1B	Basic switch, hinge lever, 10 A, DPDT, screw terminals	24.64	EC000030	133564	4536853181994	20		CG	CGX	JPN	8536.5015.90
DZ-10GW22-1B	Basic switch, short hinge roller lever, 10 A, DPDT, screw terminals	24.64	EC000030	133569	4536853182052	20		CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler											
TZ-1GV	High temperature basic switch, hinge lever, 1 A	230.90	EC000030	156285	4536854126833	20		CG	CGX	JPN	8536.5015.90
TZ-1GV2	High temperature basic switch, hinge lever, 1 A	239.20	EC000030	109865	4536854126840	20		CG	CGX	JPN	8536.5015.90
TZ-1GV22	High temperature basic switch, short hinge roller lever, 1 A	250.30	EC000030	109866	4536854126857	20		CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler											
X-10GM-B	Basic switch, general purpose, reverse hinge lever, 10A, screw terminals	20.64	EC000030	108112	4536854245558	20		CG	CGX	JPN	8536.5015.90
X-10GQ22-B	Basic switch, panel mount roller plunger, SPDT, 10A	17.99	EC000030	108195	4536854244636	20		CG	CGX	JPN	8536.5015.90
X-10GW22-B	Basic switch, general purpose, short hinge roller lever, 10A, screw terminals	15.26	EC000030	108200	4536854245084	20		CG	CGX	JPN	8536.5015.90
X-10GW-B	Basic switch, general purpose, hinge lever, 10A, screw terminals	14.14	EC000030	144219	4536854244926	20		CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler											
Z-10FM22Y-B	General purpose basic switch, reverse short hinge roller lever, 10A split contact, screw terminals	25.75	EC000030	150638	4536854262173			CG	CGX	JPN	8536.5015.90
Z-10FO22Y-B	General purpose basic switch, panel mount roller plunger, 10A split contact, screw terminals	33.20	EC000030	106726	4536854261886	20		CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler											
AP-B	Screw Terminal Use (Phenol Resin) for Z15 switch	0.59	EC002594	137468	4536853004736	20		CG	CGX	JPN	8536.5015.90
AP-DV	Z-15 serisi için koruma altlığı	5.32	EC002594	239600	4536853004903			CG	CGX	JPN	8536.5015.90
AP-Z	Soldering or Screw Terminal Use (Vinyl Chloride) for Z15 switch	3.68	EC002594	148140	4536853004880	20		CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler											
D4A-1101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	138.90	EC000030	142473	4536853200633			CG	CGX	JPN	8536.5015.90
D4A-2501N	Limit switch, four-pole, double-break, without indicator, top roller plunger	221.00	EC000030	105809	4536853201401			CG	CGX	JPN	8536.5015.90
D4A-2918N	Limit switch, four-pole, double-break, centre neutral, without indicator, roller lever	213.10	EC000030	134828	4536853201753			CG	CGX	JPN	8536.5015.90
D4A-5101N	Limit switch, double-pole, double-break, without indicator, standard roller lever	136.20	EC000030	134742	4536853202576			CG	CGX	JPN	8536.5015.90
D4A-A00	Replacement lever, roller lever type	27.47	EC002594	134865	4536853198121			CG	CGX	JPN	8536.5015.90
D4A-C00	Replacement lever, adjustable roller lever type	31.48	EC002594	103625	4536853198268			CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler											
D4E-1A10N	Limit switch, slim sealed, connector type, general purpose, roller plunger	50.65	EC000030	155720	4536853222949	#	10	CG	CGX	JPN	8536.5015.90
D4E-1A20N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger	55.35	EC000030	134060	4536853222956	#	10	CG	CGX	JPN	8536.5015.90
D4E-1B10N	Limit switch, slim sealed, connector type, general purpose, cross roller plunger	50.65	EC000030	134063	4536853222987	#	10	CG	CGX	JPN	8536.5015.90
D4E-1B20N	Limit switch, slim sealed, screw terminal, general purpose, cross roller plunger	59.65	EC000030	134064	4536853222994	#	10	CG	CGX	JPN	8536.5015.90
D4E-1C10N	Limit switch, slim sealed, connector type, general purpose, plunger	56.80	EC000030	134062	4536853223021	#	10	CG	CGX	JPN	8536.5015.90

Image	Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
	D4E-1C20N	Limit switch, slim sealed, screw terminal, general purpose, plunger	45.24	EC000030	155721	4536853223038			CG	CGX	JPN	8536.5015.90
	D4E-1D10N	Limit switch, slim sealed, connector type, general purpose, sealed roller plunger	85.25	EC000030	133989	4536853223410	#	10	CG	CGX	JPN	8536.5015.90
	D4E-1D20N	Limit switch, slim sealed, screw terminal, general purpose, sealed roller plunger	89.00	EC000030	133990	4536853223830			CG	CGX	JPN	8536.5015.90
	D4E-1E10N	Limit switch, slim sealed, connector type, general purpose, sealed cross roller plunger	103.20	EC000030	236316	4536853224073			CG	CGX	JPN	8536.5015.90
	D4E-1E20N	Limit switch, slim sealed, screw terminal, general purpose, sealed cross roller plunger	91.80	EC000030	133993	4536853224042			CG	CGX	JPN	8536.5015.90
	D4E-1G20N	Limit switch, slim sealed, screw terminal, general purpose, roller lever	55.85	EC000030	133974	4536853223076			CG	CGX	JPN	8536.5015.90
	D4FR-1A21N	Limit switch, slim sealed, screw terminal, general purpose, roller plunger, right-hand, pre-cabled, oil-resistant	68.40	EC000030	674830	4548583868571	2	CG	CGX	JPN	8536.5015.90	
	D4ER-1L21N	Limit switch, slim sealed, screw terminal, general purpose, long roller lever, right-hand, pre-cabled, oil-resistant	83.55	EC000030	674859	4548583868816	#	2	CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler												
	D5A-1100	Limit switch	140.80	EC000030	105958	4536853227272			CG	CGX	JPN	8536.5015.90
	D5A-3200	Limit switch	164.90	EC000030	133692	4536853227364			CG	CGX	JPN	8536.5015.90
	D5A-3300	High-precision switch	177.80	EC000030	133701	4536853227425			CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler												
	D5B-1013	Limit switch	74.65	EC000030	133715	4536853227692			CG	CGX	JPN	8536.5015.90
	D5B-1023	Limit switch	86.85	EC000030	133717	4536853227722			CG	CGX	JPN	8536.5015.90
	D5B-1511	Tactile Limit switch, M10 body, short spring wobble stick actuator, 1m prewired	73.75	EC000030	133719	4536853227746			CG	CGX	JPN	8536.5015.90
	D5B-1513	Limit switch	74.30	EC000030	133720	4536853227753	#		CG	CGX	JPN	8536.5015.90
	D5B-1515	Tactile Limit switch, M10 body, short spring wobble stick actuator, 5m prewired	80.60	EC000030	133721	4536853227760	#		CG	CGX	JPN	8536.5015.90
	D5B-1533	Tactile Limit switch, M10 body, long spring wobble stick actuator, 3m prewired	74.65	EC000030	151368	4536853227784			CG	CGX	JPN	8536.5015.90
	D5B-5011	Tactile Limit switch, M5 body, hemispheric actuator, 1 m prewired	68.40	EC000030	133724	4536853227807			CG	CGX	JPN	8536.5015.90
	D5B-5013	Tactile Limit switch, M5 body, hemispheric actuator, 3m prewired	73.75	EC000030	133725	4536853227814			CG	CGX	JPN	8536.5015.90
	D5B-8513	Limit switch	87.35	EC000030	133641	4536853227982			CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler												
	D5C-1D40	Touch switch, free attachment, M4 screw actuator, DC, 3-wire, NPN-NO, 3m cable	170.60	EC000030	133644	4536853228033	#		CG	CGX	JPN	8536.5015.90
Diğer Endüstriyel Switchler												
	W-10FB3	Limit switch	15.50	EC000030	108330	4536854172540		50	CG	CGX	JPN	9032.9000.90
Özel Endüstriyel Switchler												
	M2B-1B24	Panel mount buzzer, intermittent/continuous sound, 12-24 VAC/DC supply	33.29	EC001026	116058	4536853684693		10	CG	CGY	JPN	8536.5015.90
	M2B-1BH24D	Panel mount buzzer, intermittent/continuous (high pitched) high sound, 12-24 VAC/DC supply	55.45	EC001026	153015	4536853684822		10	CG	CGY	JPN	8536.5015.90
	M2B-1BH24E	Panel mount buzzer, intermittent (short/long) high sound, 12-24 VAC/DC supply	55.45	EC001026	116065	4536853684846			CG	CGY	JPN	8536.5015.90
Özel Endüstriyel Switchler												
	M16-0	Solder terminal socket for use with M16 range of indicators	1.40	EC002498	103150	4536854350689		80	CG	CGY	JPN	8536.5015.90
Özel Endüstriyel Switchler												
	M22N-BC-TGA-GC	Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC	14.80	EC000272	660568	4548583711198		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TGA-GC-P	M22N Gösterge, Plastik yassı yüzeyli, Yeşil, Yeşil, 24 V, push-in terminali	18.03	EC000272	672578	4549734088077		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TGA-GE	Indicator M22N flat etched, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC	18.73	EC000272	662879	4548583711211		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TGA-GE-P	M22N Indicator, Plastik flat etched, Green, Green, 220/230/240 V AC, push-in terminal	20.35	EC000272	672607	4549734088091		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TRA-BC	Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC	16.67	EC000272	662885	4548583711143		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TRA-BC-P	M22N Göstergesi, Plastik yassı kazınmış, Kırmızı, Kırmızı, 24 V, push-in terminali	18.03	EC000272	672579	4549734088022		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TRA-BE	Indicator M22N flat etched, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC	14.18	EC000272	664398	4548583711167		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TRA-BE-P	M22N Indicator, Plastik flat etched, Red, Red, 220/230/240 V AC, push-in terminal	19.77	EC000272	672592	4549734088046		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TWA-WC	Indicator M22N flat etched, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC	14.80	EC000272	660932	4548583711297		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TWA-WC-P	M22N Göstergesi, Plastik yassı fırınlanmış, Beviz, Beviz, 24 V, push-in terminali	18.03	EC000272	672612	4549734088176			CG	CGY	TWN	8536.5015.90
	M22N-BC-TWA-WF-P	M22N Gösterge, Plastik yassı fırınlanmış, Beviz, Beviz, 220/230/240 V AC, push-in terminal	20.44	EC000272	672576	4549734088190		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TYA-YC	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC	14.80	EC000272	660935	4548583711242		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TYA-YC-P	M22N Indicator, Plastik flat etched, Yellow, Yellow, 24 V, push-in terminal	18.49	EC000272	672582	4549734088121		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TYA-YD	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 100-120 VAC	14.18	EC000272	660559	4548583711259			CG	CGY	TWN	8536.5015.90
	M22N-BC-TYA-YE	Indicator M22N flat etched, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	14.18	EC000272	662878	4548583711266		10	CG	CGY	TWN	8536.5015.90
	M22N-BC-TYA-YE-P	M22N Indicator, Plastik flat etched, Yellow, Yellow, 220/230/240 V AC, push-in terminal	19.77	EC000272	672598	4549734088145		10	CG	CGY	TWN	8536.5015.90
	M22N-BN-TGA-GC	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 24 VDC	14.98	EC000272	662881	4548583710146		10	CG	CGY	TWN	8536.5015.90
	M22N-BN-TGA-GC-P	M22N Gösterge, Plastik düz, Yeşil, Yeşil, 24 V, push-in terminali	18.03	EC000272	672611	4549734087025		10	CG	CGY	TWN	8536.5015.90
	M22N-BN-TGA-GD	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 100-120 VAC	17.35	EC000272	660931	4548583710153		10	CG	CGY	TWN	8536.5015.90
	M22N-BN-TGA-GD-P	Indicator M22N flat, CAP COLOR GREEN, LED GREEN, LED VOLTAGE 200-240 VAC	18.73	EC000272	662880	4548583710160		10	CG	CGY	TWN	8536.5015.90
	M22N-BN-TGA-GE-P	M22N Indicator, Plastik flat, Green, Green, 220/230/240 V AC, push-in terminal	20.35	EC000272	672605	4549734087049		10	CG	CGY	TWN	8536.5015.90
	M22N-BN-TRA-BC	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 24 VDC	16.26	EC000272	661890	4548583710092		5	CG	CGY	TWN	8536.5015.90
	M22N-BN-TRA-BC-P	M22N Göstergesi, Plastik düz, Kırmızı, Kırmızı, 24 V, push-in terminali	18.03	EC000272	672594	4549734086974		10	CG	CGY	TWN	8536.5015.90
	M22N-BN-TRA-RE	Indicator M22N flat, CAP COLOR RED, LED RED, LED VOLTAGE 200-240 VAC	14.14	EC000272	664399	4548583710115			CG	CGY	TWN	8536.5015.90
	M22N-BN-TRA-RE-P	M22N Indicator, Plastik flat, Red, Red, 220/230/240 V AC, push-in terminal	19.77	EC000272	672596	4549734086998		10	CG	CGY	TWN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
M22N-BN-TWA-WC	Indicator M22N flat, CAP COLOR WHITE, LED WHITE, LED VOLTAGE 24 VDC	15.05	EC000272	662492	4548583710245		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WC-P	M22N Gösterge, Plastik düz, Beyaz, Beyaz, 24 V, qiris terminali	18.03	EC000272	672622	4549734087124	#	10	CG	CGY	TWN	8536.5015.90
M22N-BN-TWA-WF-P	M22N Göstergesi, Plastik düz, Beyaz, Beyaz, 220/230/240 V AC, push-in terminali	20.44	EC000272	672603	4549734087148		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 24 VDC	14.98	EC000272	662491	4548583710191		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YC-P	M22N Indicator, Plastic flat, Yellow, Yellow, 24 V, push-in terminal	12.80	EC000272	672581	4549734087070		10	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE	Indicator M22N flat, CAP COLOR YELLOW, LED YELLOW, LED VOLTAGE 200-240 VAC	14.14	EC000272	666629	4548583710214		2	CG	CGY	TWN	8536.5015.90
M22N-BN-TYA-YE-P	M22N Indicator, Plastic flat, Yellow, Yellow, 220/230/240 V AC, push-in terminal	19.77	EC000272	672609	4549734087094		10	CG	CGY	TWN	8536.5015.90
Özel Endüstriyel Switchler											
A3AT-90K1-00R	Compact Pushbutton, illuminated, round, momentary, SPST-NO, solder terminal, red LED	9.70	EC001028	141165	4536853027445		6	CG	CGY	JPN	8536.5015.90
A3CT-7011	Rectangular switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, momentary	12.29	EC001028	140773	4536853046682		10	CG	CGY	JPN	8536.5015.90
A3CT-500G	Pushbutton, illuminated, round, green	3.45	EC000221	140785	4536853047894		50	CG	CGY	JPN	8536.5015.90
A3CT-7011	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, momentary	14.50	EC001028	140698	4536853048006		10	CG	CGY	JPN	8536.5015.90
A3CT-7021	Round switch unit, SPST-NO + SPST-NC, 1 A (125 VAC)/0.5 A (230 VAC), solder terminal, alternate	12.68	EC001028	140699	4536853048013		10	CG	CGY	JPN	8536.5015.90
Endüstriyel Switchler için Aksesuarlar											
APB-PG	Terminal cover for Z15 switch, plastic	2.80	EC002594	186943	4536853899103	#	100	CG	CGZ	ITA	8544.4290.90
Endüstriyel Switchler için Aksesuarlar											
A16Z-3004	Tightening tool	10.38	EC002498	160086	4536854540950			CG	CGZ	JPN	8536.5015.90
A16Z-5070	Yellow E-stop name plate	4.43	EC000624	160087	4536854540981		10	CG	CGZ	JPN	8536.5015.90
A16Z-5080	Switch and lamp extractor	4.43	EC002024	149866	4536854381386		20	CG	CGZ	JPN	8536.5015.90
A16Z-5050	Switch Guard, For rectangular models	6.89	EC000202	160080	4536854540080		25	CG	CGZ	JPN	8536.5015.90
Endüstriyel Switchler için Aksesuarlar											
A22-3200	Mounting latch, momentary models	1.64	EC002498	160836	4536854356476		10	CG	CGZ	JPN	8536.5015.90
A22NZ-A-301	Pushbutton accessory A22NZ, Tightening Wrench	19.74	EC002032	659819	4548583718395			CG	CGZ	TWN	8536.5015.90
A22NZ-A-302	Pushbutton accessory A22NZ, LED Lamp Extractor	3.89	EC002032	661690	4548583718401		20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-303	Pushbutton accessory A22NZ, Protective Cover	3.89	EC002040	664306	4548583718418			CG	CGZ	TWN	8536.5015.90
A22NZ-A-50103	Pushbutton accessory A22NZ Ø22, Small Legend Plate Frame	3.89	EC001032	663413	4548583718463		20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-50501	Pushbutton accessory A22NZ Ø22, Lock Ring	3.89	EC002024	665523	4548583718487		50	CG	CGZ	TWN	8536.5015.90
A22NZ-A-51103	Pushbutton accessory A22NZ Ø22, Large Legend Plate Frame	3.89	EC001032	666229	4548583718470		20	CG	CGZ	TWN	8536.5015.90
A22NZ-A-R01Y	Pushbutton accessory A22NZ Ø22, Control Box	10.56	EC002000	660760	4548583718456	#		CG	CGZ	TWN	8536.5015.90
A22NZ-A-C01	Pushbutton accessory A22NZ, Reinforcement Plate	4.04	EC002024	666228	4548583718500		20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-01	Pushbutton accessory A22NZ, Mounting Collar	3.32	EC002024	662415	4548583718081	#	20	CG	CGZ	TWN	8536.5015.90
A22NZ-H-02	E-Stop, İrme Montajı mandalı	5.64	EC002498	679759	4549734144896		20	CG	CGZ	TWN	8536.5015.90
A22NZ-K-01	Pushbutton accessory A22NZ, Key	11.90	EC002024	661431	4548583718494		20	CG	CGZ	TWN	8536.5015.90
A22Z-3380	Security bracket, lever stopper, for A22E emergency stop switch	1.52	EC002024	160888	4536854474569		20	CG	CGZ	JPN	8536.5015.90
A22Z-3466-1	Legend plate, emergency stop, 60mm dia., round, yellow	5.97	EC000624	160837	4536854356483	#	50	CG	CGZ	JPN	8536.5015.90
A22Z-3905	Tightening wrench	17.18	EC002032	160841	4536854356537		20	CG	CGZ	JPN	8536.5015.90
A22Z-B101	Control box enclosure, one hole	29.57	EC002000	160842	4536854375415			CG	CGZ	JPN	8536.5015.90
A22Z-B101Y	Control box enclosure, one hole, yellow, for emergency stop	32.55	EC002000	160843	4536854375422	#		CG	CGZ	JPN	8536.5015.90
A22Z-B102	Control box enclosure, two holes	30.98	EC002000	160844	4536854375439			CG	CGZ	JPN	8536.5015.90
A22Z-B103	Control box enclosure, three holes	37.61	EC002000	160845	4536854375446			CG	CGZ	JPN	8536.5015.90
Endüstriyel Switchler için Aksesuarlar											
VAQ-4-L	Pushbutton switch, panel cutout dia. 10.5 mm, momentary operation, without operation unit	4.58	EC001028	146451	4536854130106		20	CG	CGZ	JPN	8536.5015.90
Solid State Röle G3N											
G3NA-205B-UTU-100-240VAC	Solid state relay, surface mounting, 1-pole, 5 A, 264 VAC max	32.62	EC002055	690649	4549734591126		10	CI	CIC	CHN	8536.4900.99
G3NA-205B-UTU-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 5 A, maks. 264 VAC	23.63	EC002055	690651	4548583569638		10	CI	CIC	CHN	8536.4900.99
G3NA-210B-UTU-100-240VAC	Solid state relay, phototriac, 10 A, 5 to 24 VDC input voltage	32.11	EC002055	690648	4549734591133			CI	CIC	CHN	8536.4900.99
G3NA-210B-UTU-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 264 VAC	26.96	EC002055	377386	4536854807954	#	10	CI	CIC	CHN	8536.4900.99
G3NA-220B-UTU-100-240VAC	Solid state relay, surface mounting, 1-pole, 20 A, 264 VAC max	38.29	EC002055	690647	4549734591140			CI	CIC	CHN	8536.4900.99
G3NA-220B-UTU-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 20 A, maks. 264 VAC	34.61	EC002055	377387	4536854808012	#	10	CI	CIC	CHN	8536.4900.99
G3NA-225B-UTU-100-240VAC	Solid state relay, surface mounting, 1-pole, 25 A, 264 VAC max	37.37	EC002055	690646	4549734591157			CI	CIC	CHN	8536.4900.99
G3NA-225B-UTU-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 25 A, maks. 264 VAC	31.05	EC002055	690650	4548583523418	#	10	CI	CIC	CHN	8536.4900.99
G3NA-240B-UTU-100-240VAC	Solid state relay, surface mounting, 1-pole, 40 A, 264 VAC max	70.15	EC002055	690645	4549734591164			CI	CIC	CHN	8536.4900.99
G3NA-240B-UTU-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 40 A, maks. 264 VAC	63.15	EC002055	377388	4547648573580	#	10	CI	CIC	CHN	8536.4900.99
G3NA-250B-UTU-100-240VAC	Solid state relay, surface mounting, 1-pole, 50 A, 264 VAC max	75.55	EC002055	690643	4549734591188			CI	CIC	CHN	8536.4900.99
G3NA-250B-UTU-5-24VDC	Solid state röle, yüzey montajlı, tek faz, 50 A, maks. 264 VAC	71.95	EC002055	690644	4549734591171			CI	CIC	CHN	8536.4900.99
G3NA-275B-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 75 A, 264 VAC max	84.30	EC002055	690641	4549734591201			CI	CIC	CHN	8536.4900.99
G3NA-275B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 264 VAC	77.40	EC002055	690642	4549734591195			CI	CIC	CHN	8536.4900.99
G3NA-290B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 264 VAC	82.25	EC002055	690640	4549734591218			CI	CIC	CHN	8536.4900.99
G3NA-410B-UTU-100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 528 VAC max	70.35	EC002055	690637	4549734591249			CI	CIC	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3NA-4108-UTU-2-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 528 VAC	63.75	EC002055	690638	4549734591232		10	CI	CIC	CHN	8536.4900.99
G3NA-425B-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 25 A, 528 VAC max	79.80	EC002055	690636	4549734591270		10	CI	CIC	CHN	8536.4900.99
G3NA-425B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 25 A, maks. 528 VAC	68.90	EC002055	377389	4548583045514	#	10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU-2 100-240VAC	Solid state relay, surface mounting, 1-pole, 50 A, 528 VAC max	87.10	EC002055	690635	4549734591300		10	CI	CIC	CHN	8536.4900.99
G3NA-450B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 50 A, maks. 528 VAC	90.65	EC002055	377390	4548583045538	#	10	CI	CIC	CHN	8536.4900.99
G3NA-475B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 75 A, maks. 528 VAC	93.20	EC002055	690634	4549734591317	#	10	CI	CIC	CHN	8536.4900.99
G3NA-490B-UTU-2 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 90 A, maks. 528 VAC	111.90	EC002055	690632	4549734591331		10	CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU 100-240VAC	Solid state relay, surface mounting, 1-pole, 10 A, 220 VDC max	58.85	EC002055	690629	4549734591362		10	CI	CIC	CHN	8536.4900.99
G3NA-D210B-UTU 5-24VDC	Solid state röle, yüzey montajlı, tek faz, 10 A, maks. 220 VDC	54.30	EC002055	690630	4549734591355	#	10	CI	CIC	CHN	8536.4900.99
G3NE-210T-US 12VDC	SSR (hızlı bağlantı), 1 ph. w/ o soğutucu, 10 A (100-240 VAC), sıfır çapraz, 12 VDC	37.42	EC002055	679635	4547648016223		10	CI	CIC	JPN	8536.4900.99
G3NE-220T-US 24VDC	Compact SSR, 20A, 264 VAC max, zero cross over	26.02	EC002055	230921	4536854921360		10	CI	CIC	JPN	8536.4900.99
G3PH-5075B 5-24VDC	Solid state röle, yüzey montajlı, maks. yük akımı: 75 A, 180-480 VAC	705.00	EC002055	355575	4548583055605		10	CI	CIC	JPN	8536.4900.99
G3PH-5150B 5-24VDC	Solid state röle, yüzey montajlı, maks. yük akımı: 150 A, 180-480 VAC	1,058.00	EC002055	355576	4548583055612		10	CI	CIC	JPN	8536.4900.99
Solid State Röle G3PA											
G3PA-240R-VD 5-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 40 A, maks. 264 VAC	100.80	EC002055	376268	4536854864407	#	10	CI	CID	CHN	8536.4900.99
G3PA-260R-VD 5-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 60 A, maks. 264 VAC	145.80	EC002055	376269	4536854864414	#	10	CI	CID	CHN	8536.4900.99
G3PA-420R-VD 12-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 20 A, maks. 440 VAC	99.65	EC002055	376270	4536854864568	#	10	CI	CID	CHN	8536.4900.99
G3PA-420R-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 20 A, 440 VAC max	128.90	EC002055	124813	4536854487217		10	CI	CID	JPN	8536.4900.99
G3PA-430R-VD 12-24VDC	Solid state röle, DIN ray/yüzey montajlı, tek faz, 30 A, maks. 440 VAC	162.50	EC002055	376271	4536854864575		10	CI	CID	CHN	8536.4900.99
G3PA-430R-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 30 A, 440 VAC max	217.70	EC002055	124815	4536854515484		10	CI	CID	JPN	8536.4900.99
G3PA-450R-VD-2 12-24VDC	Solid state relay, DIN rail/surface mounting, 1-pole, 50 A, 440 VAC max	289.20	EC002055	124814	4536854515477		10	CI	CID	JPN	8536.4900.99
Solid State Röle G3PW											
G3PW-A220FC-C-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vidasız terminali, RS-485 haberleşme	523.50	EC002055	260085	4547648600422		10	CI	CIE	JPN	8536.4900.99
G3PW-A220FC-S-FLK	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, sabit akım tipi, 20 A, 100-240 VAC, vida terminali, RS-485 haberleşme	519.50	EC002055	260076	4547648600460		10	CI	CIE	JPN	8536.4900.99
G3PW-A220FU-S	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 20 A, 100-240 VAC, vida terminali	447.80	EC002055	260082	4547648600361		10	CI	CIE	JPN	8536.4900.99
G3PW-A245FU-S	Tek faz güç kontrolörü, 0(1)-5 VDC/4-20 mA giriş, standart tip, 45 A, 100-240 VAC, vida terminali	588.50	EC002055	260083	4547648600378		10	CI	CIE	JPN	8536.4900.99
Solid State Röle G3PB											
G3PE-215B-12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 15 A, maks. 264 VAC	52.65	EC002055	376272	4547648524896	#	10	CI	CIG	CHN	8536.4900.99
G3PE-215B-2 12-24VDC	Solid State relay, 2-pole, screw mounting, 15A, 264VAC max	139.40	EC002055	375402	4548583409750		10	CI	CIG	JPN	8536.4900.99
G3PE-215B-3N 12-24VDC	Solid State relay, 3-pole, DIN-track mounting, 15A, 264VAC max	190.30	EC002055	375422	4548583409958		10	CI	CIG	JPN	8536.4900.99
G3PE-225B-12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 25 A, maks. 264 VAC	60.35	EC002055	376273	4547648524902	#	10	CI	CIG	CHN	8536.4900.99
G3PE-225B-2 12-24VDC	Solid State relay, 2-pole, screw mounting, 25A, 264VAC max	156.10	EC002055	375403	4548583409767		10	CI	CIG	JPN	8536.4900.99
G3PE-225B-3N 12-24VDC	Solid State relay, 3-pole, DIN-track mounting, 25A, 264VAC max	242.40	EC002055	375423	4548583409965		10	CI	CIG	JPN	8536.4900.99
G3PE-225B1-12-24VDC	Solid state relay, 1 phase, 25A 100-240VAc, with heat sink, DIN rail mount, non zero cross switching function	57.90	EC002055	376275	4547648524940		10	CI	CIG	CHN	8536.4900.99
G3PE-235B-12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 35 A, maks. 264 VAC	70.50	EC002055	375391	4548583409613	#	10	CI	CIG	JPN	8536.4900.99
G3PE-245B-12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 45 A, maks. 264 VAC	88.30	EC002055	375392	4548583409620	#	10	CI	CIG	JPN	8536.4900.99
G3PE-245B-2 12-24VDC	Solid State relay, 2-pole, screw mounting, 45A, 264VAC max	201.30	EC002055	375405	4548583409781		10	CI	CIG	JPN	8536.4900.99
G3PE-245B1-12-24VDC	Solid State Relay, 1-pole, DIN-track mounting, w/o zero cross, 45 A, 264 VAC max	171.30	EC002055	375394	4548583409668		10	CI	CIG	JPN	8536.4900.99
G3PE-515B-12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 15 A, maks. 528 VAC	85.25	EC002055	375395	4548583409675		10	CI	CIG	JPN	8536.4900.99
G3PE-515B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 15A, 528VAC max	171.10	EC002055	375426	4548583409996		10	CI	CIG	JPN	8536.4900.99
G3PE-515B-3 12-24VDC	Solid State relay, 3-pole, screw mounting, 15A, 528VAC max	212.20	EC002055	375414	4548583409873		10	CI	CIG	JPN	8536.4900.99
G3PE-515B-3N 12-24VDC	Solid state röle, 3 faz, DIN ray montajlı, 15 A, maks. 528 VAC	205.20	EC002055	375430	4548583410039	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B-12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 25 A, maks. 528 VAC	90.15	EC002055	375396	4548583409682	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 25A, 528VAC max	183.00	EC002055	375427	4548583410008	#	10	CI	CIG	JPN	8536.4900.99
G3PE-525B-3 12-24VDC	Solid State relay, 3-pole, screw mounting, 25A, 528VAC max	252.30	EC002055	375415	4548583409880		10	CI	CIG	JPN	8536.4900.99
G3PE-525B-3N 12-24VDC	Solid state röle, 3 faz, DIN ray montajlı, 25 A, maks. 528 VAC	252.30	EC002055	375431	4548583410046	#	10	CI	CIG	JPN	8536.4900.99
G3PE-535B-12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 35 A, maks. 528 VAC	102.20	EC002055	375397	4548583409699		10	CI	CIG	JPN	8536.4900.99
G3PE-535B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 35A, 528VAC max	233.90	EC002055	375428	4548583410015		10	CI	CIG	JPN	8536.4900.99
G3PE-535B-3 12-24VDC	Solid State relay, 3-pole, screw mounting, 35A, 528VAC max	303.30	EC002055	375416	4548583409897		10	CI	CIG	JPN	8536.4900.99
G3PE-535B-3N 12-24VDC	Solid state röle, 3 faz, DIN ray montajlı, 35 A, maks. 528 VAC	303.30	EC002055	375432	4548583410053	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B-12-24VDC	Solid state röle, tek faz, DIN ray montajlı, 45 A, maks. 528 VAC	104.10	EC002055	375390	4548583409705	#	10	CI	CIG	JPN	8536.4900.99
G3PE-545B-2N 12-24VDC	Solid state relay, 2-pole, DIN-track mounting, 45A, 528VAC max	247.60	EC002055	375429	4548583410022		10	CI	CIG	JPN	8536.4900.99
G3PE-545B-3 12-24VDC	Solid State relay, 3-pole, screw mounting, 45A, 528VAC max	287.50	EC002055	375417	4548583409903		10	CI	CIG	JPN	8536.4900.99
G3PE-545B-3N 12-24VDC	Solid state röle, 3 faz, DIN ray montajlı, 45 A, maks. 528 VAC	329.70	EC002055	375433	4548583410060	#	5	CI	CIG	JPN	8536.4900.99
Solid State Röle G3BR											
G3RV-2025 24VDC	Yedek, AC tip, solid state röle, 2 A, 24 VDC	24.62	EC002055	323541	4547648741071		20	CI	CIH	JPN	8536.4900.99
G3RV-D03SL 12VDC	Solid State Relay, plug-in, 5-pin, 3 A, 5 - 24 VDC	21.77	EC002055	323546	4547648741125		20	CI	CIH	JPN	8536.4900.99
G3RV-D03SL 24VDC	Yedek, DC tip, solid state röle, 3 A, 24 VDC	21.77	EC002055	323547	4547648741132	#	20	CI	CIH	JPN	8536.4900.99
G3RV-D03SL 48VDC	Solid State Relay, plug-in, 5-pin, 3 A, 5 - 24 VDC	21.77	EC002055	323548	4547648741149		20	CI	CIH	JPN	8536.4900.99
Solid State Röle G3RR											
G3RDZRR1SN-1-UTU 12-24VDC	SSR (input), plug-in, 0.1-100 mA (4-32 VDC), low-speed (10 Hz), 12-24 VDC	31.17	EC002055	124672	4536854686917		10	CI	CIH	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G3R-IDZ1SN-UTU 12-24VDC	Solid state relay (input, plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 12-24 VDC	25.53	EC002055	124671	4536853418625		20	CI	CIH	JPN	8536.4900.99
G3R-IDZ1SN-UTU 5VDC	SSR (input, plug-in, 0.1-100 mA (4-32 VDC), high-speed (1 kHz), 5 VDC	23.73	EC002055	145210	4536854686894		12	CI	CIH	JPN	8536.4900.99
G3R-OA202SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	24.67	EC002055	124673	4536853418632	#	20	CI	CIH	JPN	8536.4900.99
G3R-OA202SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 75-264 VAC	24.60	EC002055	124674	4536853418649	#	20	CI	CIH	JPN	8536.4900.99
G3R-OD201SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 1.5A, 48-200VDC	28.84	EC002055	124676	4536853418663		10	CI	CIH	JPN	8536.4900.99
G3R-ODX02SN-UTU 5-24VDC	Solid state relay, plug-in, 5-pin, 1-pole, 2 A, 4-60 VDC	27.93	EC002055	124675	4536853418656	#	20	CI	CIH	JPN	8536.4900.99
Solid State Röle G3RV-SR											
G3RV-SR500-A 230VAC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	48.97	EC002055	669903	4548583797802		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-A 24VAC/DC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 24 VAC/DC	41.73	EC002055	669868	4548583797819		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-A 24VDC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	41.73	EC002055	669922	4548583797765	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-AL 24VAC/DC	Slimline SSR 6mm incl. socket, AC output TRIAC, 2A, Push-in terminals, 24V AC/DC, Non Zero-cross	42.17	EC002055	669886	4548583797895		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 12VDC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 12 VDC	42.09	EC002055	669888	4548583797673		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 230VAC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 230 VAC	53.85	EC002055	669890	4548583797727		10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 24VAC/DC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 24 VAC/DC	42.23	EC002055	669860	4548583797734	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR500-D 24VDC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, Push-in Plus terminal, 24 VDC	41.02	EC002055	669870	4548583797680	#	10	CI	CIK	JPN	8536.4900.99
Solid State Röle G3RV-SR											
G3RV-SR700-A 230VAC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, vidalı terminal, 230 VAC	48.04	EC002055	669907	4548583798045		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-A 24VAC/DC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	41.61	EC002055	669916	4548583798052	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-A 24VDC	Ince solid state röle & siyah soket, 100-240 VAC'de 2 A, AC yük için, sifir geçiş fonksiyonu, vidalı terminal, 24 VDC	40.50	EC002055	669865	4548583798007	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-AL 24VAC/DC	Slimline SSR 6mm incl. socket, AC output TRIAC, 2A, Screw terminals, 24V AC/DC, Non Zero-cross	42.11	EC002055	669856	4548583798137		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-AL 24VDC	Slimline SSR 6mm incl. socket, AC output TRIAC, 2A, Screw terminals, 24V DC, Non Zero-cross	42.86	EC002055	669899	4548583798083		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 230VAC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, vidalı terminal, 230 VAC	47.20	EC002055	669882	4548583797963		10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 24VAC/DC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, vidalı terminal, 24 VAC/DC	42.19	EC002055	669894	4548583797970	#	10	CI	CIK	JPN	8536.4900.99
G3RV-SR700-D 24VDC	Ince solid state röle & siyah soket, 5-24 VDC'de 3 A, DC yük için, sifir geçiş fonksiyonu, vidalı terminal, 24 VDC	40.02	EC002055	669919	4548583797925	#	10	CI	CIK	JPN	8536.4900.99
Solid State Röle G3PJ											
G3PJ-L15B-DC12-24	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	52.05	EC002055	669862	4548583783331	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L15B-PU-DC12-24	Solid state röle, 1 faz, 15 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	58.70	EC002055	669912	4548583783379	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L25B-DC12-24	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	64.50	EC002055	669893	4548583783348	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L25B-PU-DC12-24	Solid state röle, 1 faz, 25 A, 24-240 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	70.65	EC002055	669857	4548583783386	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L15B-DC12-24	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	80.70	EC002055	669945	4548583783355	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L15B-PU-DC12-24	Solid state röle, 1 faz, 15 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	87.40	EC002055	669883	4548583783393		10	CI	CIL	JPN	8536.4900.99
G3PJ-L25B-DC12-24	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC	93.65	EC002055	669932	4548583783362	#	10	CI	CIL	JPN	8536.4900.99
G3PJ-L25B-PU-DC12-24	Solid state röle, 1 faz, 25 A, 100-480 VAC, soğutuculu, DIN ray montaj, giriş gerilimi 12-24V DC, Push-in Plus terminal	99.40	EC002055	669913	4548583783409		10	CI	CIL	JPN	8536.4900.99
Solid State Röleler için Aksesuarlar											
G32A-A40-VD 5-24VDC	Yedek kartuş G3PA-240B 5-24 VDC için, sadece 'VD' kodu olanlara uyumludur.	76.30	EC002055	377393	4536854866722	#	10	CI	CIZ	CHN	8536.4900.99
G32A-A420-VD 12-24VDC	Yedek kartuş G3PA-420B-VD 12-24 VDC ile uyumludur.	113.30	EC002055	377395	4536854866784		10	CI	CIZ	CHN	8536.4900.99
G32A-A430-VD 12-24VDC	Yedek kartuş G3PA-430B-VD 12-24 VDC ile uyumludur.	133.90	EC002055	377396	4536854866791		10	CI	CIZ	CHN	8536.4900.99
G32A-A60-VD 5-24VDC	Yedek kartuş G3PA-260B 5-24 VDC için, sadece 'VD' kodu olanlara uyumludur.	124.90	EC002055	377394	4536854866739		10	CI	CIZ	CHN	8536.4900.99
G32A-FA 100-240VAC	Cycle controller for use with SSR's	128.60	EC002586	125216	4536853420246		10	CI	CIZ	JPN	8536.4900.99
G32X-V2K	Harici direnc, 2kW, G3PW güç kontrolörü için	55.50	EC002586	125222	4536853420321		10	CI	CIZ	JPN	8544.4290.90
Vidalı Terminal Bloğu											
XW5G-S10-1-1-1	Topraklama klemensi, 10 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	3.70	EC000901	669285	4548583794320	#	50	CL	CLA	DEU	8536.9010.00
XW5G-S16-1-1-1	Topraklama klemensi, 16 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	5.56	EC000901	669277	4548583794351	#	50	CL	CLA	DEU	8536.9010.00
XW5G-S2.5-1-1-1	Topraklama klemensi, 2.5 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	1.98	EC000901	669252	4548583794238	#	100	CL	CLA	DEU	8536.9010.00
XW5G-S35-1-1-1	Topraklama klemensi, 35 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	7.90	EC000901	669331	4548583794382		20	CL	CLA	DEU	8536.9010.00
XW5G-S40-1-1-1	Topraklama klemensi, 40 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.07	EC000901	669324	4548583794269		100	CL	CLA	DEU	8536.9010.00
XW5G-S6.0-1-1-1	Topraklama klemensi, 6.0 mm ² , sarı-yeşil, vidalı, 1 giriş-1 çıkış	2.87	EC000901	669340	4548583794290		100	CL	CLA	DEU	8536.9010.00
XW5T-S10-1-1-1	Geçiş klemensi, 10 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	1.50	EC000897	669337	4548583794306	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S10-1-1-1BL	Geçiş klemensi, 10 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	1.50	EC000897	669342	4548583794313		50	CL	CLA	DEU	8536.9010.00
XW5T-S16-1-1-1	Geçiş klemensi, 16 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	1.98	EC000897	669316	4548583794337	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S16-1-1-1BL	Geçiş klemensi, 16 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	1.98	EC000897	669263	4548583794344	#	50	CL	CLA	DEU	8536.9010.00
XW5T-S2.5-1-1-1	Geçiş klemensi, 2.5 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	0.53	EC000897	669329	4548583794214	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S2.5-1-1-1BL	Geçiş klemensi, 2.5 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	0.53	EC000897	669291	4548583794221	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S35-1-1-1	Geçiş klemensi, 35 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	4.26	EC000897	669254	4548583794368		20	CL	CLA	DEU	8536.9010.00
XW5T-S35-1-1-1BL	Geçiş klemensi, 35 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	4.26	EC000897	669266	4548583794375		20	CL	CLA	DEU	8536.9010.00
XW5T-S4.0-1-1-1	Geçiş klemensi, 4.0 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	0.72	EC000897	669265	4548583794245		100	CL	CLA	DEU	8536.9010.00
XW5T-S4.0-1-1-1BL	Geçiş klemensi, 4.0 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	0.72	EC000897	669336	4548583794252		100	CL	CLA	DEU	8536.9010.00
XW5T-S6.0-1-1-1	Geçiş klemensi, 6.0 mm ² , koyu gri, vidalı, 1 giriş-1 çıkış	0.99	EC000897	669323	4548583794276	#	100	CL	CLA	DEU	8536.9010.00
XW5T-S6.0-1-1-1BL	Geçiş klemensi, 6.0 mm ² , mavimsi, vidalı, 1 giriş-1 çıkış	0.99	EC000897	669304	4548583794283	#	100	CL	CLA	DEU	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Vidalı Terminal Bloğu											
XW5G-S4.0-2-2-1	Topraklama klemensi, 4.0 mm², san-yeşil, Vidalı, 2 qiris-2 cikis	4.32	EC000901	669341	4548583794498	100		CL	CLA	DEU	8536.9010.00
XW5T-S2.5-1-1-2	Geçis klemensi, 2.5 mm², siyah, koyu gri, 2 katlı	2.00	EC000897	669326	4548583794535	100		CL	CLA	CHN	8536.9010.00
XW5T-S4.0-1-1-2	Geçis klemensi, 4.0 mm², siyah, vidalı, 2 katlı	2.20	EC000897	669311	4548583794559	100		CL	CLA	DEU	8536.9010.00
XW5T-S4.0-2-2-1	Geçis klemensi, 4.0 mm², koyu gri, vidalı, 2 qiris-2 cikis	1.77	EC000897	669281	4548583794474	100		CL	CLA	DEU	8536.9010.00
XW5T-S4.0-2-2-1BL	Geçis klemensi, 4.0 mm², mavi, vidalı, 2 qiris-2 cikis	1.77	EC000897	669290	4548583794481	100		CL	CLA	DEU	8536.9010.00
Vidalı Terminal Bloğu											
XW5T-S4.0-FU5	Sigortalı (5x20_5x25_5x30), 4.0 mm², koyu gri, vidalı	4.08	EC000899	669283	4548583794504	50		CL	CLA	DEU	8536.9010.00
XW5T-S4.0-FU6	Sigortalı (6.3x32), 4.0 mm², koyu gri, vidalı	5.23	EC000899	669249	4548583794511	50		CL	CLA	DEU	8536.9010.00
Yaylı Terminal Bloğu											
XW5G-P1.5-1-1-1	Topraklama klemensi, 1.5 mm², san-yeşil, Push-in Plus, 1 qiris-1 cikis	1.53	EC000901	669962	4548583796324	#	5	CL	CLB	CHN	8536.9010.00
XW5G-P1.5-1-1-2	Topraklama klemensi, 1.5 mm², san-yeşil, Push-in Plus, 2 katlı	2.93	EC000901	670015	4548583796331	50		CL	CLB	CHN	8536.9010.00
XW5G-P1.5-1-2-1	Topraklama klemensi, 1.5 mm², san-yeşil, Push-in Plus, 1 qiris-2 cikis	1.84	EC000901	669956	4548583796348			CL	CLB	CHN	8536.9010.00
XW5G-P1.5-2-2-1	Topraklama klemensi, 1.5 mm², san-yeşil, Push-in Plus, 2 qiris-2 cikis	1.93	EC000901	670000	4548583796355	50		CL	CLB	CHN	8536.9010.00
XW5G-P2.5-1-1-1	Topraklama klemensi, 2.5 mm², san-yeşil, Push-in Plus, 1 qiris-1 cikis	1.68	EC000901	669959	4548583796362	#	50	CL	CLB	CHN	8536.9010.00
XW5G-P4.0-1-1-1	Topraklama klemensi, 4.0 mm², san-yeşil, Push-in Plus, 1 qiris-1 cikis	1.76	EC000901	669987	4548583796379	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1-1-1	Geçis klemensi, 1.5 mm², koyu gri, Push-in Plus, 1 qiris-1 cikis	0.63	EC000897	669988	4548583796201	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1-1-1BL	Geçis klemensi, 1.5 mm², mavi, Push-in Plus, 1 qiris-1 cikis	0.63	EC000897	669995	4548583796263	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1-1-2	Geçis klemensi, 1.5 mm², koyu gri, Push-in Plus, 2 katlı	1.37	EC000897	669999	4548583796218	50		CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1-1-2BL	Geçis klemensi, 1.5 mm², mavi, Push-in Plus, 2 katlı	1.37	EC000897	670003	4548583796270	50		CL	CLB	CHN	8536.9010.00
XW5T-P1.5-1-2-1	Geçis klemensi, 1.5 mm², koyu gri, Push-in Plus, 1 qiris-2 cikis	0.90	EC000897	669976	4548583796225	50		CL	CLB	CHN	8536.9010.00
XW5T-P1.5-2-2-1	Geçis klemensi, 1.5 mm², koyu gri, Push-in Plus, 2 qiris-2 cikis	0.97	EC000897	669980	4548583796232	50		CL	CLB	CHN	8536.9010.00
XW5T-P1.5-2-2-1BL	Geçis klemensi, 1.5 mm², mavi, Push-in Plus, 2 qiris-2 cikis	0.97	EC000897	670008	4548583796294	50		CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1-1-1	Geçis klemensi, 2.5 mm², koyu gri, Push-in Plus, 1 qiris-1 cikis	0.71	EC000897	669950	4548583796249	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1-1-1BL	Geçis klemensi, 2.5 mm², mavi, Push-in Plus, 1 qiris-1 cikis	0.72	EC000897	669968	4548583796300	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P4.0-1-1-1	Geçis klemensi, 4.0 mm², koyu gri, Push-in Plus, 1 qiris-1 cikis	0.77	EC000897	670007	4548583796256	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P4.0-1-1-1BL	Geçis klemensi, 4.0 mm², mavi, Push-in Plus, 1 qiris-1 cikis	0.77	EC000897	669953	4548583796317	#	50	CL	CLB	CHN	8536.9010.00
Yaylı Terminal Bloğu											
XW5G-P2.5-1-2-1	Topraklama klemensi, 2.5 mm², san-yeşil, Push-in Plus, 1 qiris-2 cikis	1.64	EC000901	676103	4549734137881	50		CL	CLB	CHN	8536.9010.00
XW5G-P2.5-2-2-1	Topraklama klemensi, 2.5 mm², san-yeşil, Push-in Plus, 2 qiris-2 cikis	1.79	EC000901	676104	4549734137898	50		CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1-1-2	Geçis klemensi, 2.5 mm², koyu gri, Push-in Plus, 2 katlı	2.37	EC000897	676108	4549734137751	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1-1-2BL	Geçis klemensi, 2.5 mm², mavi, Push-in Plus, 2 katlı	2.37	EC000897	676121	4549734137782	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-1-2-1	Geçis klemensi, 2.5 mm², koyu gri, Push-in Plus, 1 qiris-2 cikis	1.17	EC000897	676107	4549734137768	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-2-2-1	Geçis klemensi, 2.5 mm², koyu gri, Push-in Plus, 2 qiris-2 cikis	1.38	EC000897	676116	4549734137775	#	50	CL	CLB	CHN	8536.9010.00
XW5T-P2.5-2-2-1BL	Geçis klemensi, 2.5 mm², mavi, Push-in Plus, 2 qiris-2 cikis	1.38	EC000897	676100	4549734137805	#	50	CL	CLB	CHN	8536.9010.00
Yaylı Terminal Bloğu											
XW6T-COM1.5X12BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 12 pins, blue short bar	6.70	EC000897	687932	4549734509190			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X12RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 12 pins, red short bar	6.70	EC000897	687933	4549734509183			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X12YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 12 pins, yellow short bar	6.82	EC000897	687931	4549734509206			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X16BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 16 pins, blue short bar	8.91	EC000897	687929	4549734509220			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X16RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 16 pins, red short bar	8.91	EC000897	687930	4549734509213			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X20BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 20 pins, blue short bar	11.14	EC000897	687926	4549734509251			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X20RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 20 pins, red short bar	11.14	EC000897	687927	4549734509244			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X20YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 20 pins, yellow short bar	11.35	EC000897	687925	4549734509268	7		CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X40RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 40 pins, red short bar	22.26	EC000897	687924	4549734509275			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X8BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 8 pins, blue short bar	4.47	EC000897	687935	4549734509169			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X8RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 8 pins, red short bar	4.47	EC000897	687922	4549734509152			CL	CLB	JPN	8536.9010.00
XW6T-COM1.5X8YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 1.5 mm², 8 pins, yellow short bar	4.55	EC000897	687934	4549734509176			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X12BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 12 pins, blue short bar	7.21	EC000897	687944	4549734509343			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X12RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 12 pins, red short bar	7.21	EC000897	687942	4549734509336			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X12YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 12 pins, yellow short bar	7.34	EC000897	687941	4549734509350			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X16BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 16 pins, blue short bar	9.70	EC000897	687939	4549734509374			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X16RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 16 pins, red short bar	9.70	EC000897	687940	4549734509367			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X16YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 16 pins, yellow short bar	9.88	EC000897	687938	4549734509381			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X20BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 20 pins, blue short bar	12.12	EC000897	687936	4549734509404			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X20RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 20 pins, red short bar	12.12	EC000897	687937	4549734509398			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X40YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 40 pins, yellow short bar	24.67	EC000897	687918	4549734509442	5		CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X8BL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 8 pins, blue short bar	4.95	EC000897	687945	4549734509312			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X8RD	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 8 pins, red short bar	4.86	EC000897	687946	4549734509305			CL	CLB	JPN	8536.9010.00
XW6T-COM2.5X8YL	Wiring System interface with indicator of correct cable insertion, nominal cross section 2.5 mm², 8 pins, yellow short bar	4.95	EC000897	687943	4549734509329			CL	CLB	JPN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Vidalı Terminal Bloğu Aksesuar											
XW55-S2.5-10	Köprü aparatı, 2.5 mm ² vidalı klemens ile uyumlu, 10 bacaklı, sarı	3.33	EC000489	669284	4548583794627	#	20	CL	CLC	DEU	8536.9010.00
XW55-S2.5-10N	Üst köprü aparatı, 2.5 mm ² vidalı klemens ile uyumlu, 10 vidalı, sarı	4.91	EC000489	669312	4548583794788		10	CL	CLC	DEU	8536.9010.00
XW55-S2.5-2	Köprü aparatı, 2.5 mm ² vidalı klemens ile uyumlu, 2 bacaklı, sarı	0.42	EC000489	669280	4548583794580		10	CL	CLC	DEU	8536.9010.00
XW55-S2.5-3	Köprü aparatı, 2.5 mm ² vidalı klemens ile uyumlu, 3 bacaklı, sarı	0.75	EC000489	669256	4548583794597		10	CL	CLC	DEU	8536.9010.00
XW55-S2.5-5	Köprü aparatı, 2.5 mm ² vidalı klemens ile uyumlu, 5 bacaklı, sarı	1.50	EC000489	669262	4548583794610		10	CL	CLC	DEU	8536.9010.00
XW55-S4.0-10	Köprü aparatı, 4.0 mm ² vidalı klemens ile uyumlu, 10 bacaklı, sarı	3.51	EC000489	669255	4548583794672		20	CL	CLC	DEU	8536.9010.00
XW55-S4.0-2	Köprü aparatı, 4.0 mm ² vidalı klemens ile uyumlu, 2 bacaklı, sarı	0.44	EC000489	669301	4548583794634		10	CL	CLC	DEU	8536.9010.00
XW55-S4.0-5	Köprü aparatı, 4.0 mm ² vidalı klemens ile uyumlu, 5 bacaklı, sarı	1.58	EC000489	669303	4548583794665		10	CL	CLC	DEU	8536.9010.00
XW55-S6.0-2	Köprü aparatı, 6.0 mm ² vidalı klemens ile uyumlu, 2 bacaklı, sarı	0.81	EC000489	669328	4548583794689		10	CL	CLC	DEU	8536.9010.00
XW52-S2.5PT	Ayrıca, 2.5 mm ² , 4.0 mm ² , 6.0 mm ² ve 10 mm ² vidalı klemens ile uyumlu	0.49	EC000886	669300	4548583794856		10	CL	CLC	DEU	8536.9010.00
Vidalı Terminal Bloğu Aksesuar											
XW5E-S16	Kapak, 16 mm ² , 1 giriş-1 çıkış, vidalı klemens ile uyumlu	0.67	EC000886	669282	4548583794801		10	CL	CLC	DEU	8536.9010.00
XW5E-S2.5	Kapak, 2.5 mm ² , 4.0 mm ² , 6.0 mm ² ve 10 mm ² , 1 giriş-1 çıkış, vidalı klemens ile uyumlu	0.38	EC000886	669267	4548583794795	#	10	CL	CLC	DEU	8536.9010.00
XW5E-S2.5N	Kapak, 2.5 mm ² , 2 katlı, vidalı klemens ile uyumlu	0.67	EC000886	669317	4548583794849		10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-1-1-2	Kapak, 4.0 mm ² , 2 katlı, vidalı klemens ile uyumlu	0.53	EC000886	669270	4548583794832		10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-1-2-1	Kapak, 4.0 mm ² , 1 giriş-2 çıkış, vidalı klemens ile uyumlu	0.49	EC000886	669250	4548583794818		10	CL	CLC	DEU	8536.9010.00
XW5E-S4.0-2-1	Kapak, 4.0 mm ² , 2 giriş-2 çıkış, vidalı klemens ile uyumlu	0.53	EC000886	669339	4548583794825		10	CL	CLC	DEU	8536.9010.00
Yaylı Terminal Bloğu Aksesuarı											
XW5S-P1.5-10BL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, mavimsi	3.86	EC000489	670046	4548583796577	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10RD	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	3.86	EC000489	670043	4548583796423	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-10YL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	3.86	EC000489	670049	4548583796720		20	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2BL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, mavimsi	0.70	EC000489	669972	4548583796539		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2RD	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı	0.70	EC000489	669954	4548583796386		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-2YL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, sarı	0.70	EC000489	669996	4548583796683		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3BL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 3 bacaklı, mavimsi	0.88	EC000489	669981	4548583796546		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3RD	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 3 bacaklı, kırmızı	0.88	EC000489	669966	4548583796393		3	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-3YL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 3 bacaklı, sarı	0.88	EC000489	669971	4548583796690		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4BL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 4 bacaklı, mavimsi	1.08	EC000489	669974	4548583796553		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4RD	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 4 bacaklı, kırmızı	1.08	EC000489	669998	4548583796409		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-4YL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 4 bacaklı, sarı	1.08	EC000489	669986	4548583796706		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5BL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, mavimsi	1.62	EC000489	669989	4548583796560		5	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5RD	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.62	EC000489	669991	4548583796416		50	CL	CLD	CHN	8536.9010.00
XW5S-P1.5-5YL	Köprü aparatı, 1.5 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, sarı	1.62	EC000489	669964	4548583796713		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10BL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, mavimsi	3.86	EC000489	670047	4548583796621	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10RD	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	3.86	EC000489	670044	4548583796478	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-10YL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	3.86	EC000489	670050	4548583796775		20	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2BL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, mavimsi	0.79	EC000489	670006	4548583796584		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2RD	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, kırmızı	0.79	EC000489	670009	4548583796430		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-2YL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, sarı	0.79	EC000489	669952	4548583796737		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-3BL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 3 bacaklı, mavimsi	1.04	EC000489	669983	4548583796591		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-3RD	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 3 bacaklı, kırmızı	1.04	EC000489	669979	4548583796447		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-4BL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 4 bacaklı, mavimsi	1.23	EC000489	670014	4548583796607		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-4RD	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 4 bacaklı, kırmızı	1.23	EC000489	670001	4548583796454		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-5BL	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, mavimsi	1.44	EC000489	670012	4548583796614		50	CL	CLD	CHN	8536.9010.00
XW5S-P2.5-5RD	Köprü aparatı, 2.5 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.44	EC000489	669963	4548583796461		CL	CLD	CHN	8536.9010.00	
XW5S-P4.0-10BL	Köprü aparatı, 4.0 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, mavimsi	4.00	EC000489	670048	4548583796676	#	20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-10RD	Köprü aparatı, 4.0 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, kırmızı	4.00	EC000489	670045	4548583796522		20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-10YL	Köprü aparatı, 4.0 mm ² Push-in Plus klemens ile uyumlu, 10 bacaklı, sarı	4.00	EC000489	670051	4548583796829		20	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-2BL	Köprü aparatı, 4.0 mm ² Push-in Plus klemens ile uyumlu, 2 bacaklı, mavimsi	0.93	EC000489	670004	4548583796638		50	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-5BL	Köprü aparatı, 4.0 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, mavimsi	1.87	EC000489	669997	4548583796669		50	CL	CLD	CHN	8536.9010.00
XW5S-P4.0-5RD	Köprü aparatı, 4.0 mm ² Push-in Plus klemens ile uyumlu, 5 bacaklı, kırmızı	1.87	EC000489	669985	4548583796515		CL	CLD	CHN	8536.9010.00	
Yaylı Terminal Bloğu Aksesuarı											
XW5E-P1.5-1-1-1	Kapak, 1.5 mm ² , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.30	EC000886	669955	4548583796836	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1-1-2	Kapak, 1.5 mm ² , iki katlı, Push-in Plus klemens ile uyumlu	0.31	EC000886	669973	4548583796843	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-1-2-1	Kapak, 1.5 mm ² , 1 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.30	EC000886	670011	4548583796850		3	CL	CLD	CHN	8536.9010.00
XW5E-P1.5-2-2-1	Kapak, 1.5 mm ² , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.30	EC000886	669967	4548583796867		50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1-1-1	Kapak, 2.5 mm ² , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.31	EC000886	669949	4548583796874	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-1-1-2	Kapak, 2.5 mm ² , iki katlı, Push-in Plus klemens ile uyumlu	0.58	EC000886	676114	4549734137935	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P2.5-2-2-1	Kapak, 2.5 mm ² , 2 giriş-2 çıkış, Push-in Plus klemens ile uyumlu	0.59	EC000886	676112	4549734137959	#	50	CL	CLD	CHN	8536.9010.00
XW5E-P4.0-1-1-1	Kapak, 4.0 mm ² , 1 giriş-1 çıkış, Push-in Plus klemens ile uyumlu	0.31	EC000886	669960	4548583796881	#	50	CL	CLD	CHN	8536.9010.00
XW5E-EP12	Durdurucu, 6 mm	3.77	EC000886	669994	4548583796898		3	CL	CLD	CHN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW5Z-EP6	Durdurucu, 12 mm	0.58	EC000886	670013	4548583796904	#	50	CL	CLD	CHN	8536.9010.00
Sayıcı H7EC/R/T											
H7EC-N	Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 30cps/1kcps, gerilimsiz giriş, gri kasa	83.90	EC002300	672687	4548583755635	#	10	DA	DAA	IDN	9029.1000.90
H7EC-N-B	Toplam sayıcı, 1/32DIN (48 x 24 mm), kendi kendine çalışır, LCD, 8 basamaklı, 30cps / 1kcps, no-V girişi, siyah kutu	83.90	EC002300	672677	4548583755642	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NEV	Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 20cps, VAC/DC giriş, gri kasa	122.00	EC002300	672659	4548583755697	10	DA	DAA	DAA	IDN	9029.1000.90
H7EC-NEV-B	Toplam sayıcı, 1/32DIN (48 x 24 mm), kendinden güç, LCD, 8 basamaklı, 20cps, VAC / DC girişi, siyah kutu	137.40	EC002300	672683	4548583755703	10	DA	DAA	DAA	IDN	9029.1000.90
H7EC-NV	Toplam Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 8 hane, 30cps/1kcps, VDC giriş, gri kasa	86.80	EC002300	672660	4548583755659	#	10	DA	DAA	IDN	9029.1000.90
H7EC-NV-B	Toplam sayıcı, 1/32DIN (48 x 24 mm), kendi kendine çalışır, LCD, 8 basamaklı, 30cps / 1kcps, VDC girişi, siyah kutu	88.30	EC002300	672691	4548583755666	10	DA	DAA	DAA	IDN	9029.1000.90
H7EC-NV-BH	Toplam sayıcı, 1/32DIN (48 x 24 mm), kendinden güç, arka aydınlatmalı, LCD, 8 basamaklı, 30cps / 1kcps, VDC girişi, siyah kutu	93.00	EC002300	672661	4548583755680	10	DA	DAA	DAA	IDN	9029.1000.90
H7EC-NV-H	Toplam Sayıcı, DIN 48x24 mm, dahili pilli, arka ışıklı LCD, 8 hane, 30cps/1kcps, VDC giriş, gri kasa	93.45	EC002300	672690	4548583755673	#	10	DA	DAA	IDN	9029.1000.90
H7ER-N	Takometre, DIN 48x24 mm, dahili pilli, LCD, 4 hane, 1/60 ppr, gerilimsiz giriş, gri kasa	91.05	EC002294	672673	4548583755734	10	DA	DAA	DAA	IDN	9029.1000.90
H7ER-NV	Takometre, DIN 48x24 mm, dahili pilli, LCD, 4 hane, 1/60 ppr, VDC giriş, gri kasa	99.70	EC002294	672680	4548583755758	10	DA	DAA	DAA	IDN	9029.1000.90
H7ER-NV1	Takometre, DIN 48x24 mm, dahili pilli, LCD, 5 hane, 1/60 ppr, VDC giriş, gri kasa	99.70	EC002294	672678	4548583755796	10	DA	DAA	DAA	IDN	9029.1000.90
H7ER-NV-H	Takometre, 1/32DIN (48 x 24mm), dahili pilli, arka ışıklı LCD, 4 hane, 1/60ppr, VDC giriş, gri kasa	108.50	EC002294	672669	4548583755772	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-N	Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, gerilimsiz giriş, gri kasa	86.50	EC001641	672656	4548583755833	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N1	Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, gerilimsiz giriş, gri kasa	101.70	EC001641	672657	4548583755857	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-N1-B	Time counter, 1/32DIN (48 x 24 mm), self-powered, LCD, 7-digit, 999h59m59s / 9999h59.9m, no-V input, black case	89.90	EC001641	672662	4548583755864	#	10	DA	DAA	IDN	9029.1000.90
H7ET-N-B	Zaman sayıcı, 1/32DIN (48 x 24 mm), kendinden güç, LCD, 7 haneli, 999999.9h / 3999d23.9h, no-V girişi, siyah kutu	89.90	EC001641	672672	4548583755840	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-NEV	Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VAC/DC giriş, gri kasa	138.80	EC001641	672681	4548583755956	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-NEV1	Zaman Sayıcı, DIN 48x24 mm, dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VAC/DC giriş, gri kasa	131.20	EC001641	672674	4548583755970	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-NEV-B	Zaman sayıcı, 1/32DIN (48 x 24 mm), kendinden güç, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VAC / DC girişi, siyah kutu	125.50	EC001641	672663	4548583755963	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-NV	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, LCD, 7 hane, 999999.9h / 3999d23.9h, VDC giriş, gri kasa	89.55	EC001641	672665	4548583755871	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-NV1	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, LCD, 7 hane, 999h59m59s / 9999h59.9m, VDC giriş, gri kasa	108.70	EC001641	672658	4548583755918	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-NV1-BH	Zaman sayıcı, 1/32DIN (48 x 24 mm), kendinden güç, arka ışıklı LCD, 7 basamaklı, 999h59m59s / 9999h59.9m, VDC girişi, siyah kutu	131.20	EC001641	672670	4548583755949	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-NV-B	Zaman sayıcı, 1/32DIN (48 x 24 mm), kendinden güç, LCD, 7 basamaklı, 999999.9h / 3999d23.9h, VDC girişi, siyah kutu	94.05	EC001641	672692	4548583755888	10	DA	DAA	DAA	IDN	9029.1000.90
H7ET-NV-H	Zaman Sayıcı, 1/32DIN (48 x 24mm), dahili pilli, arka ışıklı LCD, 7 hane, 999999.9h / 3999d23.9h, VDC giriş, gri kasa	95.30	EC001641	672664	4548583755895	#	10	DA	DAA	IDN	9029.1000.90
Sayıcı H8PS											
H8PS-16RFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)	1,059.00	EC002301	169011	4547648042628			DA	DAB	JPN	9029.1000.90
H8PS-16RP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 16x PNP outputs (requires E6CP/E6F encoder)	1,055.00	EC002301	169010	4547648042611			DA	DAB	JPN	9029.1000.90
H8PS-32RFP	Rotary positioner, 1/4DIN (96 x 96mm), track/surface mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)	1,447.00	EC002301	169015	4547648042703			DA	DAB	JPN	9029.1000.90
H8PS-32RP	Rotary positioner, 1/4DIN (96 x 96mm) panel mounting, 24 VDC, 32x PNP outputs (requires E6CP/E6F encoder)	1,447.00	EC002301	169014	4547648042697			DA	DAB	JPN	9029.1000.90
H8PS-8RP	Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)	614.00	EC002301	142010	4536853532451			DA	DAB	JPN	9029.1000.90
H8PS-8RFP	Rotary positioner, DIN 96x96 mm, track/surface mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)	630.50	EC002301	119516	4536853532482			DA	DAB	JPN	9029.1000.90
H8PS-8BP	Rotary positioner, DIN 96x96 mm panel mounting, 24 VDC, 8x PNP outputs (requires E6CP/E6F encoder)	619.00	EC002301	119515	4536853532475			DA	DAB	JPN	9029.1000.90
Sayıcı H7GP/HP											
H7GP-C	Total counter, 1/32DIN (48 x 24mm), 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	199.40	EC002300	243926	4547648353571			DA	DAC	CHN	9029.1000.90
H7GP-CD	Total counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	180.70	EC002300	243927	4547648353588			DA	DAC	CHN	9029.1000.90
H7GP-TD	Time counter, 1/32DIN (48 x 24mm), 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	181.20	EC001641	243929	4547648353601			DA	DAC	CHN	9029.1000.90
Sayıcı H7GP/HP											
H7HP-A	Total/time counter, DIN72x36mm, 100-240 VAC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	231.80	EC002300	243933	4547648353885			DA	DAC	CHN	9029.1000.90
H7HP-AD	Total/time counter, DIN72x36mm, 12-24 VDC, LCD, 6-digit, 30cps or 5kcps, NPN/PNP input, manual reset	211.40	EC002300	243934	4547648353892			DA	DAC	CHN	9029.1000.90
H7HP-C8D	Total counter, DIN72x36mm, 12-24 VDC, LCD, 8-digit, 30cps or 5kcps, NPN/PNP input, manual reset	253.60	EC002300	243936	4547648353915			DA	DAC	CHN	9029.1000.90
Sayıcı H7CX											
H7CC-A	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	287.20	EC002300	700355	4549734670043			DA	DAE	CHN	9029.1000.90
H7CC-A11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	287.20	EC002300	700351	4549734670005			DA	DAE	CHN	9029.1000.90
H7CC-A11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	287.20	EC002300	700353	4549734670029			DA	DAE	CHN	9029.1000.90
H7CC-A11S	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	287.20	EC002300	700352	4549734670012			DA	DAE	CHN	9029.1000.90
H7CC-A11SD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	287.20	EC002300	700354	4549734670036			DA	DAE	CHN	9029.1000.90
H7CC-A8	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	293.50	EC002300	700369	4549734670180			DA	DAE	CHN	9029.1000.90
H7CC-A8D	Digital counter, plug-in, 8-pin, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	293.50	EC002300	700370	4549734670197			DA	DAE	CHN	9029.1000.90
H7CC-AD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	287.20	EC002300	700357	4549734670067			DA	DAE	CHN	9029.1000.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H7CC-AS	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	287.20	EC002300	700356	4549734670050			DA	DAE	CHN	9029.1000.90
H7CC-ASD	Digital counter, plug-in, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1-stage & total present counter, SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	287.20	EC002300	700358	4549734670074			DA	DAE	CHN	9029.1000.90
H7CC-AU	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700363	4549734670128			DA	DAE	CHN	9029.1000.90
H7CC-AUD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPDT relay & SPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700364	4549734670135			DA	DAE	CHN	9029.1000.90
H7CC-AW	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700359	4549734670081			DA	DAE	CHN	9029.1000.90
H7CC-AWD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, SPST & SPDT relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700361	4549734670104			DA	DAE	CHN	9029.1000.90
H7CC-AWS	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002300	700360	4549734670098			DA	DAE	CHN	9029.1000.90
H7CC-AWSD	Digital counter, screw terminals, 48x48 mm, IP66, 6 count digits, multifunction: 1&2-stage, total, batch, dual, twin counter, tachometer, DPST transistor output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002300	700362	4549734670111			DA	DAE	CHN	9029.1000.90
H7CC-R11	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002294	700365	4549734670142			DA	DAE	CHN	9029.1000.90
H7CC-R11D	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT 3 A relay output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002294	700366	4549734670159			DA	DAE	CHN	9029.1000.90
H7CC-R11W	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST relay output, 100-240 VAC supply, 12 VDC aux. supply	325.40	EC002294	700367	4549734670166			DA	DAE	CHN	9029.1000.90
H7CC-R11WD	Digital counter, plug-in, 11-pin, 48x48 mm, IP66, 6 count digits, tachometer, SPDT & SPST output, 12-48 VDC / 24 VAC supply, 12 VDC aux. supply	325.40	EC002294	700368	4549734670173			DA	DAE	CHN	9029.1000.90
H7CC-A114D1-N	Counter, plug-in, 11-pin, DIN48x48mm, IP66, 4 digits, multifunction: 1-stage & total, SPST-NO.3A relay output, 12-24VDC/24VAC supply, 12VDC aux supply	367.40	EC002300	668600	4548583745353			DA	DAE	IDN	8536.4900.99
H7CC-A114-N	Counter, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 digits, multifunction: 1-stage & total, SPST-NO.3 A relay output, 100-240 VAC supply, 12 VDC aux supply	316.00	EC002300	668637	4548583745339			DA	DAE	IDN	8536.4900.99
H7CC-A11D1-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO.3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	316.00	EC002300	668595	4548583745315			DA	DAE	IDN	8536.4900.99
H7CC-A11-N	Counter, plug-in, 11-pin, DIN 48x48 mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage & total, SPST-NO.3 A relay output, 100-240 VAC supply, 12 VDC aux. supply	312.00	EC002300	668611	4548583745292			DA	DAE	IDN	8536.4900.99
H7CC-A4D-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO.3 A relay output, 12-24 VDC/24 VAC supply, includes colour change display function	265.00	EC002300	668621	4548583745421	#		DA	DAE	IDN	9029.1000.90
H7CC-A4-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, SPST-NO.3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	367.90	EC002300	668623	4548583745407			DA	DAE	IDN	9029.1000.90
H7CC-A4SD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage & total, transistor output, 12-24 VDC/24 VAC supply, includes colour change display function	250.90	EC002300	668601	4548583745438			DA	DAE	IDN	9029.1000.90
H7CC-A4W-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 2-stage & total, SPST-NO.3 A relay output, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	451.50	EC002300	668590	4548583745490			DA	DAE	IDN	9029.1000.90
H7CC-A4WSD-N	Counter, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, two transistor outputs, 12-24 VDC/24 VAC supply, includes colour change display function	284.70	EC002300	668630	4548583745506			DA	DAE	IDN	9029.1000.90
H7CC-AD-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage & Toplam, SPST-NO.3 A röle çıkışı, 12-24 VDC/24 VAC supply	308.50	EC002300	668628	4548583745384	#		DA	DAE	IDN	9029.1000.90
H7CC-A-N	Sayıcı, soketli, vida terminal, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage & Toplam, SPST-NO.3 A röle çıkışı, 100-240 VAC, 12 VDC alarm çıkışı	308.00	EC002300	668633	4548583745360			DA	DAE	IDN	9029.1000.90
H7CC-AUD1-N	Sayıcı, DIN 48x48 mm, IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, SPST-NO.3 A röle & 100 mA, 30 VDC NPN transistör çıkışı, 12-24 VDC/24 VAC, 12 VDC alarm çıkışı	324.20	EC002300	311858	4547648642712	#		DA	DAE	CHN	9029.1000.90
H7CC-AU-N	Sayıcı, DIN 48x48 mm, IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, SPST-NO.3 A röle & 100 mA, 30 VDC NPN transistör çıkışı, 100-240 VAC, 12 VDC alarm çıkışı	323.90	EC002300	311857	4547648642705	#		DA	DAE	CHN	9029.1000.90
H7CC-AUSD1-N	Counter, DIN48x48mm, IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, 2x 100mA 30VDC NPN transistor outputs, 12-24VDC/24VAC supply, 12 VDC aux supply, includes color change display function	381.00	EC002300	311859	4547648642729			DA	DAE	CHN	9029.1000.90
H7CC-AWD1-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, 2 röle çıkışı, 12-24 VDC/24 VAC, 12 VDC alarm çıkışı	332.20	EC002300	668634	4548583745469			DA	DAE	IDN	9029.1000.90
H7CC-AW-N	Sayıcı, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 gerçek sayma hanesi, multifonksiyonlu: 1-stage/2-stage/toplam/batch/dual/takometre, 2 röle çıkışı, 100-240 VAC, 12 VDC alarm çıkışı	332.20	EC002300	668588	4548583745445			DA	DAE	IDN	9029.1000.90
H7CC-AWS-N	Counter, 1/16DIN (48 x 48mm), IP66, 6 preset & 6 actual count digits, multifunction: 1-stage/2-stage/total/batch/dual/tachometer, two transistor outputs, 100-240 VAC supply, 12 VDC aux supply, includes colour change display function	407.30	EC002300	668643	4548583745452			DA	DAE	IDN	9029.1000.90
Diğer Sayıcılar											
H7AN-4DM 100-240VAC	Preset 4 digit counter, DIN72x72mm, battery back-up	739.00	EC002300	243906	4547648355223			DA	DAX	CHN	9029.1000.90
Diğer Sayıcılar											
H7BX-A	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO. 3 A	639.00	EC002300	241306	4547648453615			DA	DAX	CHN	9029.1000.90
H7BX-AD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 1-stage, SPST-NO. 3 A	639.00	EC002300	241308	4547648453639			DA	DAX	CHN	9029.1000.90
H7BX-AW	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO. 3 A	684.00	EC002300	241307	4547648453622			DA	DAX	CHN	9029.1000.90
H7BX-AWD1	Counter, DIN 72x72 mm, digital, multifunction, preset to 2-stage, SPST-NO. 3 A	684.00	EC002300	241309	4547648453646			DA	DAX	CHN	9029.1000.90
Sayıçılar için Aksesuarlar											
Y92A-96B	Protective cover for DIN96x96mm device, hard plastic	14.30	EC002586	142011	4536853532512		4	DA	DAZ	JPN	8536.4900.99
Y92F-35	Flush panel mounting adapter for H7E	6.06	EC002295	107355	4536854819872		10	DA	DAZ	JPN	8536.4900.99
Y92F-75	Flush mounting adapter for H7E, panel cut-out 45.3x26mm	4.86	EC002295	154955	4536853531324		10	DA	DAZ	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
Y92F-76	Flush mounting adapter for H7E, panel cut-out 52.5x27.5mm	5.73	EC002295	119559	4536853531331			DA	DAZ	JPN	8536.4900.99	
Y92F-77B	Flush panel mounting adapter for H7E	4.12	EC002295	119562	4536854478239			DA	DAZ	JPN	8536.4900.99	
Y92F-91	DIN rail mounting base for H8P5 rotary positioner	33.02	EC002295	156348	4536853532529			DA	DAZ	JPN	8544.4999.00	
Y92S-36	Battery for H7E-N	14.78	EC002295	119560	4536854478277			DA	DAZ	JPN	8536.4900.99	
Y92S-41-200	Output cable, free wire ends, 2m long (1pc required for 16 output, 2pcs required for 32 output)	97.35	EC002295	169367	4547648043861			DA	DAZ	JPN	8544.4999.00	
İzleme Ürünü 61E												
61F-GP-N 110VAC	Floatless level controller	98.45	EC001447	159892	4536854333163			DB	DBA	JPN	9032.1080.90	
61F-GP-N 230VAC	Floatless level controller	85.85	EC001447	159981	4536854336119			DB	DBA	JPN	9032.1080.90	
61F-GP-N 240VAC	Floatless level controller, 240 VAC	109.10	EC001447	159975	4536854335891			DB	DBA	JPN	9032.1080.90	
61F-GP-N2 110VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC	94.35	EC001447	159968	4536854335792			DB	DBA	JPN	9032.1080.90	
61F-GP-N2 220VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 220 VAC	97.20	EC001447	159970	4536854335815		10	DB	DBA	JPN	9032.1080.90	
61F-GP-N2 230VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, (PF083A-E soket gereklidir)	97.20	EC001447	159971	4536854335822		#	10	DB	DBA	JPN	9032.1080.90
61F-GP-N2 24VAC	Level sensor, conductive, miniature, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC	92.80	EC001447	159972	4536854335846			10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 110VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 110 VAC, 8-pin	94.05	EC001447	159911	4536854333828			10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 230VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, (PF083A-E soket gereklidir), 8 pinli	91.50	EC001447	159913	4536854333866		#	10	DB	DBA	JPN	9032.1080.90
61F-GP-N8 24VAC	Level sensor, conductive, compact, plug-in, general-purpose, relay, LED indicator (requires PF083A-E socket), 24 VAC, 8-pin	93.25	EC001447	159915	4536854333880			10	DB	DBA	JPN	9032.1080.90
61F-GP-N8D 230VAC	Level sensor, conductive, compact, plug-in, low-sensitivity, relay, LED indicator (requires PF083A-E socket), 230 VAC	91.50	EC001447	151827	4536854333941			DB	DBA	JPN	9032.1080.90	
61F-GP-N8H 220VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 220 VAC	75.75	EC001447	159921	4536854334016			DB	DBA	JPN	9032.1080.90	
61F-GP-N8H 230VAC	İzleme rölesi, soketli, sıvı seviye kontrolörü, hassas alolama, (PF083A-E soket gereklidir), 8 pinli	110.00	EC001447	105293	4536854334023			DB	DBA	JPN	9032.1080.90	
61F-GP-N8H 24VAC	Level sensor, conductive, compact, plug-in, high-sensitivity, relay, LED indicator (requires PF083A-E socket), 24 VAC	105.00	EC001447	157405	4536854334047			DB	DBA	JPN	9032.1080.90	
61F-GP-N8HY 220VAC	Level sensor, conductive, compact, plug-in, high-sensitivity reverse-acting, relay, LED indicator (requires PF083A-E socket)	106.50	EC001447	159923	4536854334085			10	DB	DBA	JPN	9032.1080.90
61F-GP-N8HY 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, relay output, LED indicator (requires PF113A-E socket), 24VDC	188.20	EC001447	143687	4536854845468			DB	DBA	JPN	9032.1080.90	
61F-GP-N1 24VDC	Level sensor, DC Power supply, conductive, variable sensitivity, plug-in, general-purpose, transistor output, LED indicator (requires PF113A-E socket), 24VDC	182.00	EC001447	159956	4536854728013			10	DB	DBA	JPN	9032.1080.90
61F-IS-CP08-ARA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 100-240 VAC	91.80	EC001447	207589	4549734726214			DB	DBA	JPN	9032.1080.90	
61F-IS-CP08-ARB	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 8 pins, relay output, 24 VAC	91.80	EC001447	207590	4549734726207			DB	DBA	JPN	9032.1080.90	
61F-IS-CP08-NBA	Floatless level switch, plug-in, standard type, 8 pins, relay output, 100-240 VAC	81.00	EC001447	207600	4549734697125			DB	DBA	JPN	9032.1080.90	
61F-IS-CP08-SBA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 100-240 VAC	91.80	EC001447	207598	4549734697149			DB	DBA	JPN	9032.1080.90	
61F-IS-CP08-SRB	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 24 VAC	91.80	EC001447	207597	4549734697156			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-ARA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, advanced operation, 11 pins, relay output, 100-240 VAC	113.40	EC001447	207591	4549734726191			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-BBC	Floatless level switch, plug-in, DC power supply type, 11 pins, relay output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	149.10	EC001447	207595	4549734697170			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-BTC	Floatless level switch, plug-in, DC power supply type, 11 pins, transistor output, 24 VDC, adjustable sensitivity, (requires PF113A-E socket)	149.10	EC001447	207596	4549734697163			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-BNE	Floatless level switch, plug-in, adjustable sensitivity, one level, 100-240 VAC	135.00	EC001447	207592	4549734697255			DB	DBA	JPN	9032.1080.90	
61F-IS-CP11-NBA	Floatless level switch, plug-in, standard type, 11 pins, relay output, 100-240 VAC	102.60	EC001447	207601	4549734697118			10	DB	DBA	JPN	9032.1080.90
61F-IS-CP11-SBA	Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 11 pins, relay output, 100-240 VAC	113.40	EC001447	207599	4549734697132			DB	DBA	JPN	9032.1080.90	
61F-WL-CP08-NBA	Water Leak Detector, plug-in, 8 pins, relay output, 100-240 VAC	102.60	EC001447	207593	4549734697194			DB	DBA	JPN	9032.1080.90	
61F-WL-CP11-NBA	Water Leak Detector, plug-in, 11 pins, relay output, 100-240 VAC	113.40	EC001447	207594	4549734697187			DB	DBA	JPN	9032.1080.90	
İzleme Ürünü K7L												
K7L-ATS0	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, bej kasa	288.20	EC001447	117007	4536854465079			DB	DBB	JPN	9031.9000.00	
K7L-ATS0B	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, siyah kasa	320.60	EC001447	669530	4548583792883			DB	DBB	JPN	9031.9000.00	
K7L-ATS0D	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 250 kOhm - 50 MOhm, sensör arıza tespiti, bej kasa	348.00	EC001447	163294	4536854616099			DB	DBB	JPN	9031.9000.00	
K7L-UD	Sıvı sızıntı sensörü, soket montaj, ayarlanabilir hassasiyet, 1 MOhm, uzak mesafelerde kablolama, sensör arıza tespiti, bej kasa	427.70	EC001447	231842	4547648292610			DB	DBB	JPN	9031.9000.00	
İzleme Ürünü K8AK												
K8AK-AS1 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC	39.37	EC001440	378158	4548583402225			DB	DBK	CHN	9031.9000.00	
K8AK-AS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC	41.09	EC001440	378159	4548583402232			DB	DBK	CHN	9031.9000.00	
K8AK-AS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 100-240 VAC	42.79	EC001440	378160	4548583402249			DB	DBK	CHN	9031.9000.00	
K8AK-AS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 8A AC ya da DC, 1 SPDT, 24VAC/DC	44.49	EC001440	378161	4548583402256			DB	DBK	CHN	9031.9000.00	
K8AK-AS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC	47.22	EC001440	378162	4548583402263			DB	DBK	CHN	9031.9000.00	
K8AK-AS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC	47.22	EC001440	378163	4548583402270			DB	DBK	CHN	9031.9000.00	
K8AK-AW1 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 2 SPDT, 100-240 VAC	34.21	EC001440	378164	4548583402287			DB	DBK	CHN	9031.9000.00	
K8AK-AW1 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 2 SPDT, 24VAC/DC	34.21	EC001440	378165	4548583402294			DB	DBK	CHN	9031.9000.00	
K8AK-AW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 8A AC ya da DC, 2 SPDT, 100-240 VAC	35.96	EC001440	378166	4548583402300			DB	DBK	CHN	9031.9000.00	
İzleme Ürünü K8AK												
K8AK-VS2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC	34.21	EC001438	378170	4548583402348			DB	DBK	CHN	9031.9000.00	
K8AK-VS2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC	34.21	EC001438	378171	4548583402355			DB	DBK	CHN	9031.9000.00	
K8AK-VS3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC	35.96	EC001438	378172	4548583402362			DB	DBK	CHN	9031.9000.00	
K8AK-VS3 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC	35.96	EC001438	378173	4548583402379			DB	DBK	CHN	9031.9000.00	
K8AK-VW2 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 100-240 VAC	34.33	EC001438	378174	4548583402386			DB	DBK	CHN	9031.9000.00	
K8AK-VW2 24VAC/DC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 2 SPDT, 24VAC/DC	34.21	EC001438	378175	4548583402393			DB	DBK	CHN	9031.9000.00	
K8AK-VW3 100-240VAC	İzleme rölesi 22.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 2 SPDT, 100-240 VAC	35.96	EC001438	378176	4548583402409		#	DB	DBK	CHN	9031.9000.00	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
İzleme Ürünü K8AK											
K8AK-PA1	İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 115 - 240V AC, 1 SPDT	31.83	EC001441	378179	4548583402430	#		DB	DBK	CHN	9031.9000.00
K8AK-PA2	İzleme rölesi 22.5mm genişlik, 3 faz, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 220 - 480V AC, 1 SPDT	32.56	EC001441	378180	4548583402447	#		DB	DBK	CHN	9031.9000.00
K8AK-PH1	İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 DPDT	26.36	EC001441	378178	4548583402423	#		DB	DBK	CHN	9031.9000.00
K8AK-PM1	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 115 - 240V AC, 2 SPDT	36.97	EC001441	378181	4548583402454	#		DB	DBK	CHN	9031.9000.00
K8AK-PM2	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 3 faz 4 kablo, 220 - 480V AC, 2 SPDT	42.61	EC001441	378182	4548583402461	#		DB	DBK	CHN	9031.9000.00
K8AK-PW1	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, 115 - 240 VAC, 2 SPDT	28.83	EC001441	378183	4548583402478	#		DB	DBK	CHN	9031.9000.00
K8AK-PW2	İzleme rölesi 22.5mm genişlik, 3 faz, aşırı ve düşük gerilim, 220 - 480 V AC, 2 SPDT	42.17	EC001441	378184	4548583402485	#		DB	DBK	CHN	9031.9000.00
İzleme Ürünü K8AK											
K8AK-LS1 100-240VAC	İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC	27.51	EC001447	378185	4548583402492	#		DB	DBK	CHN	9031.9000.00
K8AK-LS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, sıvı seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC	28.04	EC001447	378186	4548583402508	#		DB	DBK	CHN	9031.9000.00
İzleme Ürünü K8AK											
K8AK-PT1 100-240VAC	İzleme rölesi 22.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, motor sıcaklık koruması, termistör girişi, 100 - 240 VAC, 1 SPDT	39.93	EC001446	387480	4548583506657	#		DB	DBK	CHN	9031.9000.00
K8AK-TH115 100-240VAC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC	62.30	EC001446	378187	4548583402515	#		DB	DBK	CHN	9031.9000.00
K8AK-TH115 24VAC/DC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC	62.30	EC001446	378188	4548583402522	#		DB	DBK	CHN	9031.9000.00
K8AK-TH125 100-240VAC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC	62.30	EC001446	378189	4548583402539	#		DB	DBK	CHN	9031.9000.00
K8AK-TH125 24VAC/DC	İzleme rölesi 22.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC	62.30	EC001446	378190	4548583402546	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 100-240VAC	İzleme rölesi 22.5mm genişlik, motor sıcaklık koruması, termistör girişi, 100 - 240VAC, 1 SPDT	24.46	EC001446	387478	4548583506633	#		DB	DBK	CHN	9031.9000.00
K8AK-TS1 24VAC/DC	İzleme rölesi 22.5mm genişlik, 3 faz, motor sıcaklık koruması, termistör girişi, 24VAC/DC, 1 SPDT	24.41	EC001446	387479	4548583506640	#		DB	DBK	CHN	9031.9000.00
İzleme Ürünü K8DS											
K8DS-PA2	İzleme rölesi 17.5mm genişlik, 3 faz, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	26.97	EC001441	387486	4548583481589	#		DB	DBS	CHN	9031.9000.00
K8DS-PH1	İzleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT	23.95	EC001441	378191	4548583402553	#		DB	DBS	CHN	9031.9000.00
K8DS-PM2	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT	32.59	EC001441	387484	4548583481565	#		DB	DBS	CHN	9031.9000.00
K8DS-PU1	İzleme rölesi 17.5mm genişlik, 3 faz, düşük gerilim, faz sırası hatası ve faz kaybı, gerilim asimetrisi, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT	26.94	EC001441	387481	4548583481534	#		DB	DBS	CHN	9031.9000.00
K8DS-PU2	İzleme rölesi 17.5mm genişlik, 3 faz, düşük gerilim, faz sırası hatası ve faz kaybı, gerilim asimetrisi, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	32.59	EC001441	387482	4548583481541	#		DB	DBS	CHN	9031.9000.00
K8DS-PZ2	İzleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT	44.73	EC001441	387488	4548583508286	#		DB	DBS	CHN	9031.9000.00
İzleme Ürünü K8DT											
K8DT-AS1CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	46.57	EC001440	669469	4548583773455	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	46.57	EC001440	669484	4548583773516	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	46.57	EC001440	669473	4548583773486	#		DB	DBT	CHN	9031.9000.00
K8DT-AS1TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	46.57	EC001440	669518	4548583773547	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	48.23	EC001440	669480	4548583773462	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	48.23	EC001440	669498	4548583773523	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	48.23	EC001440	669522	4548583773493	#		DB	DBT	CHN	9031.9000.00
K8DT-AS2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	48.23	EC001440	669494	4548583773554	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal	49.86	EC001440	669458	4548583773479	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal	49.86	EC001440	669453	4548583773530	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal	49.86	EC001440	669489	4548583773509	#		DB	DBT	CHN	9031.9000.00
K8DT-AS3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal	49.86	EC001440	669512	4548583773561	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	49.86	EC001440	669460	4548583773578	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	49.86	EC001440	669501	4548583773639	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	49.86	EC001440	669525	4548583773608	#		DB	DBT	CHN	9031.9000.00
K8DT-AW1TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 2 - 500mA AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	49.86	EC001440	669520	4548583773660	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	51.55	EC001440	669493	4548583773585	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	51.55	EC001440	669515	4548583773646	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	51.55	EC001440	669513	4548583773615	#		DB	DBT	CHN	9031.9000.00
K8DT-AW2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 0.1 - 5A AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	51.55	EC001440	669516	4548583773677	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 100-240 VAC, Push-in Plus terminal	53.20	EC001440	669495	4548583773592	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 SPDT, 24VAC/DC, Push-in Plus terminal	53.20	EC001440	669514	4548583773653	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 100-240 VAC, Push-in Plus terminal	53.20	EC001440	669482	4548583773622	#		DB	DBT	CHN	9031.9000.00
K8DT-AW3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük akım 10 - 200A AC (harici akım trafosu gerekir), 1 transistör, 24VAC/DC, Push-in Plus terminal	53.20	EC001440	669483	4548583773684	#		DB	DBT	CHN	9031.9000.00
İzleme Ürünü K8DT											
K8DT-VS2CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	44.87	EC001438	669478	4548583773691	#		DB	DBT	CHN	9031.9000.00
K8DT-VS2CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	44.87	EC001438	669470	4548583773738	#		DB	DBT	CHN	9031.9000.00
K8DT-VS2TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	44.87	EC001438	669488	4548583773714	#		DB	DBT	CHN	9031.9000.00
K8DT-VS2TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	44.87	EC001438	669512	4548583773752	#		DB	DBT	CHN	9031.9000.00
K8DT-VS3CA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	46.57	EC001438	669457	4548583773707	#		DB	DBT	CHN	9031.9000.00
K8DT-VS3CD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	46.57	EC001438	669504	4548583773745	#		DB	DBT	CHN	9031.9000.00
K8DT-VS3TA	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	46.57	EC001438	669463	4548583773721	#		DB	DBT	CHN	9031.9000.00
K8DT-VS3TD	İzleme rölesi 17.5mm genişlik, Tek faz aşırı ya da düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	46.57	EC001438	669490	4548583773769	#		DB	DBT	CHN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K8DT-VW2CA	Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	48.23	EC001438	669474	4548583773776			DB	DBT	CHN	9031.9000.00
K8DT-VW2CD	Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	48.23	EC001438	669507	4548583773813			DB	DBT	CHN	9031.9000.00
K8DT-VW2TA	Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	48.23	EC001438	669454	4548583773790			DB	DBT	CHN	9031.9000.00
K8DT-VW2TD	Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 1 - 150V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	48.23	EC001438	669499	4548583773837			DB	DBT	CHN	9031.9000.00
K8DT-VW3CA	Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 100-240 VAC, Push-in Plus terminal	49.86	EC001438	669452	4548583773783			DB	DBT	CHN	9031.9000.00
K8DT-VW3CD	Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 SPDT, 24VAC/DC, Push-in Plus terminal	49.86	EC001438	669449	4548583773820			DB	DBT	CHN	9031.9000.00
K8DT-VW3TA	Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 100-240 VAC, Push-in Plus terminal	49.86	EC001438	669524	4548583773806			DB	DBT	CHN	9031.9000.00
K8DT-VW3TD	Izleme rölesi 17.5mm genişlik, Tek faz aşırı ve düşük gerilim 20 - 600V AC ya da DC, 1 transistör, 24VAC/DC, Push-in Plus terminal	49.86	EC001438	669456	4548583773844			DB	DBT	CHN	9031.9000.00
Izleme Ürünü K8DT											
K8DT-PH1CN	Izleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 SPDT, Push-in Plus terminal	33.25	EC001441	669476	4548583773851	#		DB	DBT	CHN	9031.9000.00
K8DT-PH1TN	Izleme rölesi 17.5mm genişlik, 3 faz, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200-480 VAC, 1 transistör, Push-in Plus terminal	33.25	EC001441	669485	4548583773868			DB	DBT	CHN	9031.9000.00
K8DT-PM1CN	Izleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal	43.24	EC001441	669523	4548583773875	#		DB	DBT	CHN	9031.9000.00
K8DT-PM1TN	Izleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal	43.24	EC001441	669481	4548583773899			DB	DBT	CHN	9031.9000.00
K8DT-PM2CN	Izleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 SPDT, Push-in Plus terminal	43.24	EC001441	669510	4548583773882			DB	DBT	CHN	9031.9000.00
K8DT-PM2TN	Izleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 400 VAC, 1 transistör, Push-in Plus terminal	43.24	EC001441	669496	4548583773905			DB	DBT	CHN	9031.9000.00
K8DT-PZ1CN	Izleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 SPDT, Push-in Plus terminal	39.90	EC001441	669491	4548583773912			DB	DBT	CHN	9031.9000.00
K8DT-PZ1TN	Izleme rölesi 17.5mm genişlik, 3 faz, aşırı/düşük gerilim, gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 200 - 240 VAC, 1 transistör, Push-in Plus terminal	39.90	EC001441	669472	4548583773936			DB	DBT	CHN	9031.9000.00
K8DT-PZ2CN	Izleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 SPDT, Push-in Plus terminal	46.57	EC001441	669497	4548583773929			DB	DBT	CHN	9031.9000.00
K8DT-PZ2TN	Izleme rölesi 17.5mm genişlik, 3 faz, aşırı ve düşük gerilim, ayarlanabilir gerilim asimetrisi, faz sırası hatası ve faz kaybı, 3 faz 3 kablo, 380 - 480 VAC, 1 transistör, Push-in Plus terminal	46.57	EC001441	669475	4548583773943			DB	DBT	CHN	9031.9000.00
Izleme Ürünü K8DT											
K8DT-LS1CA	Izleme rölesi 17.5mm genişlik, sıvi seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 100-240 VAC, Push-in Plus terminal	43.24	EC001447	669486	4548583773950			DB	DBT	CHN	9031.9000.00
K8DT-LS1CD	Izleme rölesi 17.5mm genişlik, sıvi seviye kontrolörü, 10k - 100k Ohm, 1 SPDT, 24VAC/DC, Push-in Plus terminal	43.24	EC001447	669464	4548583773974			DB	DBT	CHN	9031.9000.00
K8DT-LS1TA	Izleme rölesi 17.5mm genişlik, sıvi seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 100-240 VAC, Push-in Plus terminal	43.24	EC001447	669487	4548583773967			DB	DBT	CHN	9031.9000.00
K8DT-LS1TD	Izleme rölesi 17.5mm genişlik, sıvi seviye kontrolörü, 10k - 100k Ohm, 1 transistör, 24VAC/DC, Push-in Plus terminal	43.24	EC001447	669450	4548583773981			DB	DBT	CHN	9031.9000.00
Izleme Ürünü K8DT											
K8DT-TH1CA	Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal	59.90	EC001446	669503	4548583773998			DB	DBT	CHN	9031.9000.00
K8DT-TH1CD	Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal	59.90	EC001446	669467	4548583774032			DB	DBT	CHN	9031.9000.00
K8DT-TH1TA	Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal	59.90	EC001446	669506	4548583774018			DB	DBT	CHN	9031.9000.00
K8DT-TH1TD	Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0-999 °C/F, termokupl ve PT100/1000 giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal	59.90	EC001446	669451	4548583774056			DB	DBT	CHN	9031.9000.00
K8DT-TH2CA	Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 100-240 VAC, Push-in Plus terminal	59.90	EC001446	669461	4548583774001			DB	DBT	CHN	9031.9000.00
K8DT-TH2CD	Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 SPDT, 24VAC/DC, Push-in Plus terminal	59.90	EC001446	669505	4548583774049			DB	DBT	CHN	9031.9000.00
K8DT-TH2TA	Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 100-240 VAC, Push-in Plus terminal	59.90	EC001446	669462	4548583774025			DB	DBT	CHN	9031.9000.00
K8DT-TH2TD	Izleme rölesi 17.5mm genişlik, aşırı ya da düşük sıcaklık, 0 - 1700 °C/F (min. ayar 10 °C), termokupl giriş tipi, 1 transistör, 24VAC/DC, Push-in Plus terminal	59.90	EC001446	669459	4548583774063			DB	DBT	CHN	9031.9000.00
Diğer İzleme Ürünleri											
F03-16PE-10M	Floatless level controller accessory	285.40	EC002586	695006	4549734593687			DB	DBX	JPN	9032.1080.90
F03-16PE-1M	Electrode band, 1m, stainless steel with polyethylene cover	28.64	EC002586	695009	4549734593656			DB	DBX	JPN	9032.1080.90
F03-16PE-25M	Electrode band, stainless steel with polyethylene cover	876.00	EC002586	695003	4549734593717			DB	DBX	JPN	9032.1080.90
F03-16PE-2M	Electrode band, stainless steel with polyethylene cover	67.95	EC002586	695008	4549734593663			DB	DBX	JPN	9032.1080.90
F03-16PE-50M	Electrode band, stainless steel with polyethylene cover	1,434.00	EC002586	695002	4549734593748			DB	DBX	JPN	9032.1080.90
F03-16PE-5M	Sensing band sticker, polyethylene, greater durability and condensation resistance	167.60	EC002586	695007	4549734593670			DB	DBX	JPN	9032.1080.90
F03-16PS	Floatless level controller accessory, liquid leakage point sensor, polyethylene, outer sheath:PVC, inner sheath:Fluoroplastic, SUS304 electrode material	101.40	EC002586	175703	4547648088015			DB	DBX	JPN	9032.1080.90
F03-16PS-F	Point Sensor, electrodes have fluoroplastic coating to resist chemicals	136.70	EC002586	175704	4547648088022	#		DB	DBX	JPN	9032.1080.90
F03-16SFC-5M	Liquid Leakage Sensing Band (with color indication), 5m length. Greater flexibility and enables visual confirmation when the inner color appears	271.30	EC002586	182849	4547648143882			DB	DBX	JPN	9032.1080.90
Diğer İzleme Ürünleri											
K8AC-H22CC-FLK	Accessory	587.00	EC001440	351514	4547648569859			DB	DBX	JPN	9031.9000.00
Izleme Ürünleri için Aksesuarlar											
K8AC-C200L	K8AK-A*3 için 200 A akım transformatörü	72.10	EC002048	184037	4547648140492			DB	DBZ	JPN	9031.9000.00
Izleme Ürünleri için Aksesuarlar											
F03-26PES	Mounting bracket and sticker, sensing band sticker. Used for F03-16PE (adhesive tape).	49.21	EC002586	165136	4536854718342		10	DB	DBZ	JPN	9032.1080.90
Izleme Ürünleri için Aksesuarlar											
61F-11	Floatless level controller	48.44	EC001447	160000	4536854337161			DB	DBZ	JPN	9032.1080.90
BE-1	Electrode holder, 1-pole electrode, standard type (150°C), liquid with low specific resistance	30.60	EC002586	132182	4536853143343			DB	DBZ	JPN	9032.1080.90
BE-3	Electrode holder, 3-way, standard type (150°C)	62.75	EC002586	132183	4536853143350			DB	DBZ	JPN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
BS-1	Electrode holder, 1-pool electrode, for high pressure or high temperature applications (250°C), 1.96Mpa	58.20	EC002586	137186	4536853143695		10	DB	DBZ	JPN	9032.1080.90
F03-01 SUS201	Sivi seviye elektrodu, paslanmaz çelik, SUS201, 1 m, 6 mm çap, ek yapilabilir, kesilebilir	10.89	EC002586	155001	4536853384531		100	DB	DBZ	JPN	9032.1080.90
F03-01 SUS316	Sivi seviye elektrodu, paslanmaz çelik, SUS316, 1 m, 6 mm çap, ek yapilabilir, kesilebilir	21.72	EC002586	153056	4536853384548	#	25	DB	DBZ	JPN	9032.1080.90
F03-02 SUS201	Electrode connecting nut	2.72	EC002586	127405	4536853384586			DB	DBZ	JPN	8538.9099.99
F03-02 SUS316	Electrode lock nut, with 1 number of parts in an set	4.54	EC002586	127406	4536853384593		15	DB	DBZ	JPN	8538.9099.99
F03-03 SUS304	Electrode lock nut	0.59	EC002586	127409	4536853384630		5	DB	DBZ	JPN	8538.9099.99
F03-03 SUS316	Electrode lock nut, with 2 number of parts in an set	1.40	EC002586	156416	4536853384647		20	DB	DBZ	JPN	8538.9099.99
F03-11	Floatless level controller accessory	33.78	EC002586	144315	4536853384739			DB	DBZ	JPN	8538.9099.99
F03-12	PS Electrode Holder Mounting Plate	18.22	EC002586	127415	4536853384746			DB	DBZ	JPN	8538.9099.99
F03-14 1P	Electrode separator, 1 electrode, ceramic, 250°C max, 15g	2.40	EC002586	127416	4536853384760		10	DB	DBZ	JPN	8538.9099.99
F03-14 3P	Electrode separator, 3 electrodes, ceramic, 250°C max, 30g	3.40	EC002586	153057	4536853384777		10	DB	DBZ	JPN	8538.9099.99
F03-14 5P	Electrode separator, 5 way	4.53	EC002586	150824	4536853385132		10	DB	DBZ	JPN	8538.9099.99
F03-20	Terminal block, liquid leakage sensor	134.00	EC002586	143275	4536854479267			DB	DBZ	JPN	9032.1080.90
F03-20T	Floatless level controller accessory	56.70	EC002586	196359	4536854616129			DB	DBZ	JPN	9032.1080.90
F03-31	Floatless level controller accessory	14.78	EC002586	127425	4536853384876		10	DB	DBZ	JPN	8538.9099.99
F03-60 SUS316	Liquid leakage detector accessory	29.07	EC002586	127420	4536853384821		25	DB	DBZ	JPN	9032.1080.90
PS-31 SUS304 1000MM	Sivi seviye röleleri için elektrot, 1 m uzunluk, istenilen uzunlukta kesilebilir	41.15	EC002586	143136	4536853724153		20	DB	DBZ	JPN	9032.1080.90
PS-31 SUS304 300MM	Electrode set, holder & electrodes, 0.3 m length, 4 mm diameter, non-extendable	37.47	EC002586	157459	4536853724160			DB	DBZ	JPN	9032.1080.90
PS-3S	3'lu elektrot tutucusu	32.06	EC002586	176624	4547648047791			DB	DBZ	CHN	9032.1080.90
PS-4S	Electrode holder, 4 way	37.47	EC002586	176625	4547648047814			DB	DBZ	CHN	9032.1080.90
PS-5S	Electrode holder, 5 way	41.94	EC002586	176626	4547648047838			DB	DBZ	CHN	9032.1080.90
Panel İndikatörleri K3MA											
K3MA-FA2 100-240VAC	Frekans/Oran metre, DIN 96x48 mm, pulse girişi, 2NO röle çıkışı, 100-240 VAC	321.00	EC002301	227985	4547648238793			DC	DCA	CHN	9031.9000.00
K3MA-FA2 24VAC/DC	Frekans/Oran metre, DIN 96x48 mm, pulse girişi, 2NO röle çıkışı, 24 VAC/DC	317.50	EC002301	228009	4547648238809			DC	DCA	CHN	9031.9000.00
Panel İndikatörleri K3MA											
K3MA-J 100-240VAC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	303.20	EC002301	228010	4547648238694			DC	DCA	CHN	9031.9000.00
K3MA-J 24VAC/DC	Process meter, DIN 96x48mm, colour change display, DC voltage/ current input	277.10	EC002301	227976	4547648238700			DC	DCA	CHN	9031.9000.00
K3MA-JA2 100-240VAC	Proses metre, DIN 96x48 mm, DC gerilim/ akım girişi, 2NO röle çıkışı, 100-240 VAC	305.60	EC002301	227977	4547648238717	#		DC	DCA	CHN	9031.9000.00
K3MA-JA2 24VAC/DC	Proses metre, DIN 96x48 mm, DC gerilim/ akım girişi, 2NO röle çıkışı, 24 VAC/DC	291.50	EC002301	227978	4547648238724	#		DC	DCA	CHN	9031.9000.00
Panel İndikatörleri K3MA											
K3MA-L-C 100-240VAC	Sıcaklık metre, DIN 96x48 mm, Termokupl/ RTD girişi, 1C/O röle çıkışı, 100-240 VAC	305.50	EC002301	227981	4547648238755			DC	DCA	CHN	9031.9000.00
K3MA-L-C 24VAC/DC	Sıcaklık metre, DIN 96x48 mm, Termokupl/ RTD girişi, 1C/O röle çıkışı, 24 VAC/DC	291.50	EC002301	227982	4547648238762			DC	DCA	CHN	9031.9000.00
Panel İndikatörleri K3GN											
K3GN-NDC 24VDC	Dijital panel metre, DIN48x24mm, DC gerilim/akım + NPN girişi, 2x röle çıkışı	327.80	EC002301	227823	4547648238328			DC	DCC	CHN	9031.9000.00
K3GN-PDC 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP girişi, 2x röle çıkışı	328.50	EC002301	227824	4547648238342	#		DC	DCC	CHN	9031.9000.00
K3GN-PDT2 24VDC	Dijital panel metre, DIN 48x24 mm, DC gerilim/akım + PNP girişi, 3x PNP transistör çıkışı	294.90	EC002301	227825	4547648238359			DC	DCC	CHN	9031.9000.00
Panel İndikatörleri K3HB											
K3HB-CNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Yukarı/Aşağı saymak için pulse, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kollektör, 100-240 VAC	521.50	EC002301	180120	4547648109864			DC	DCD	JPN	9031.9000.00
K3HB-CPB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No. voltage, voltage or PNP open collector, 100-240 VAC supply	525.00	EC002301	181447	4547648140331			DC	DCD	JPN	9031.9000.00
K3HB-CPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Up/Down counting pulse, 30Hz to 50kHz No. voltage, voltage or PNP open collector, 24 VAC/VDC supply	525.00	EC002301	181448	4547648140348			DC	DCD	JPN	9031.9000.00
K3HB-HTA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Sıcaklık sensörü girişi, PT100K, J, T, E, I, U, N, R, S, B, W, 100-240 VAC	696.50	EC002301	168448	4547648022651			DC	DCD	JPN	9031.9000.00
K3HB-RNB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da NPN açık kollektör, 100-240 VAC	521.50	EC002301	180112	4547648109789			DC	DCD	JPN	9031.9000.00
K3HB-RNB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), 2 line display with dual color change for actual value, output and option slots, Rotary pulse/Rate indicator, 30Hz to 50kHz No. voltage, voltage or NPN open collector, 24 VAC/VDC supply	537.50	EC002301	180113	4547648109796			DC	DCD	JPN	9031.9000.00
K3HB-RPB 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kollektör, 100-240 VAC	533.50	EC002301	180114	4547648109802			DC	DCD	JPN	9031.9000.00
K3HB-RPB 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Döner pulse/Oran indikatörü, 30Hz - 50kHz gerilimsiz, gerilim ya da PNP açık kollektör, 24 VAC/VDC	509.50	EC002301	180115	4547648109819			DC	DCD	JPN	9031.9000.00
K3HB-SSD 24VAC/DC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Lineer sensör indikatörü, DC Proses girişi, 0 - 5v, 1 - 5V, -5 - +5V, -10 - +10V, 0 - 20mA ya da 4 - 20mA, 24 VAC/DC, sanivede 2000, sıvıyalaklama özelliği	987.00	EC002301	118207	4547648008501			DC	DCD	JPN	9031.9000.00
K3HB-VLC 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 100-240 VAC	517.50	EC002301	168446	4547648022477	#		DC	DCD	JPN	9031.9000.00
K3HB-VLC 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), Load cell girişi (DC Düşük gerilim girişi), 0.00 - 19.999mV/0.000 - 19.999mV/100.00 - 199.99mV, 24 VAC/DC	517.50	EC002301	168447	4547648022484			DC	DCD	JPN	9031.9000.00
K3HB-XAA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC akım girişi, 0-19.999mA - 0-10 A, 100-240 VAC	586.00	EC002301	168496	4547648021814			DC	DCD	JPN	9031.9000.00
K3HB-XAD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi +199.99mA ve 4.000 - 20.000mA, 100-240 VAC	505.50	EC002301	168444	4547648021777			DC	DCD	JPN	9031.9000.00
K3HB-XAD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC akım girişi +199.99mA ve 4.000 - 20.000mA, 24 VAC/VDC	533.50	EC002301	168445	4547648021784			DC	DCD	JPN	9031.9000.00
K3HB-XVA 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), AC gerilim girişi, 0.0 - 400.0V - 0.0000 - 1.999V, 100-240 VAC	586.00	EC002301	168494	4547648021791			DC	DCD	JPN	9031.9000.00
K3HB-XVD 100-240VAC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi +199.99V ve 1.0000 - 5.0000V, 100-240 VAC	521.50	EC002301	168442	4547648021753			DC	DCD	JPN	9031.9000.00
K3HB-XVD 24VAC/VDC	Dijital panel metre, DIN1/8 (48(h) x 96(w)), DC gerilim girişi +199.99V ve 1.0000 - 5.0000V, 24 VAC/VDC	525.00	EC002301	168443	4547648021760			DC	DCD	JPN	9031.9000.00

Diğer Panel İndikatörleri

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K33-A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 12 VDC 80mA sensör güç kaynağı	61.75	EC002295	147813	4536854951220			DC	DCX	JPN	9031.9000.00
K33-B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 10 VDC 100mA sensör güç kaynağı	63.40	EC002295	168451	4547648022842			DC	DCX	JPN	9031.9000.00
K33-CPA	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 1 röle (PASS) SPDT ve 12 VDC 80mA sensör güç kaynağı	73.85	EC002295	105740	4536854951213			DC	DCX	JPN	9031.9000.00
K33-CPB	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, 1 röle (PASS) SPDT ve 10 VDC 100mA sensör güç kaynağı	76.95	EC002295	168450	4547648022835			DC	DCX	JPN	9031.9000.00
K33-FLK3A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	132.90	EC002295	168458	4547648022910			DC	DCX	JPN	9031.9000.00
K33-FLK3B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, RS-485 haberleşme ve 10 VDC 100mA sensör güç kaynağı	156.80	EC002295	168459	4547648022927			DC	DCX	JPN	9031.9000.00
K33-11A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Linear DC (0/4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	250.40	EC002295	168452	4547648022859			DC	DCX	JPN	9031.9000.00
K33-11B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Linear DC (0/4-20mA çıkış ve 12 VDC 80mA sensör güç kaynağı	282.90	EC002295	168453	4547648022866	#		DC	DCX	JPN	9031.9000.00
K33-12A	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Linear DC(0)1-5V ya da 0 - 10V çıkış ve 12 VDC 80mA sensör güç kaynağı	250.40	EC002295	168454	4547648022873			DC	DCX	JPN	9031.9000.00
K33-12B	Opsiyon kartı (Slot B), K3N modelleriyle uyumlu değildir, Linear DC(0)1-5V ya da 0 - 10V çıkış ve 12 VDC 80mA sensör güç kaynağı	294.90	EC002295	168455	4547648022880			DC	DCX	JPN	9031.9000.00
K34-C1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 2 röle çıkışı (H/L) SPDT	89.00	EC002295	155312	4536854927195			DC	DCX	JPN	9031.9000.00
K34-C2	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 4 röle çıkışı (H/H/L/L1) SPNO	112.50	EC002295	118248	4536854927201			DC	DCX	JPN	9031.9000.00
K34-DRT	Opsiyon kartı (Slot B), Devicenet haberleşme	393.20	EC002295	168460	4547648025607			DC	DCX	JPN	9031.9000.00
K34-T1	Opsiyon kartı (Slot C), K3N modelleriyle uyumlu değildir, 5 NPN açık kolektör çıkışı (H/H/PASS/L/L1)	103.70	EC002295	118249	4536854927218			DC	DCX	JPN	9031.9000.00
K35-1	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir, NPN açık kolektör, event giriş, 5 noktalı, M3 terminal bloğu	79.45	EC002295	118251	4536854927232			DC	DCX	JPN	9031.9000.00
K35-3	Opsiyon kartı (Slot D), K3N modelleriyle uyumlu değildir, PNP açık kolektör, event giriş, 5 noktalı, M3 terminal bloğu	96.75	EC002295	144606	4536854927249			DC	DCX	JPN	9031.9000.00
Diğer Panel İndikatörleri											
K32-49HC	Hard cover for use with 96x48mm panel meter	8.08	EC002295	118244	4536853597092			DC	DCX	JPN	9031.9000.00
K32-49SC	Splash-proof soft cover for use with 96x48mm panel meter	27.71	EC002295	146531	4536853597153			DC	DCX	JPN	9031.9000.00
Güç Kaynağı SBVS											
SBVS-01505	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 10 W, 5 VDC, 2.0 A output	122.50	EC002540	324848	4547648711555			DD	DDH	CHN	8504.4030.00
SBVS-01512	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 12 VDC, 1.2 A output	122.50	EC002540	324268	4547648711562			DD	DDH	CHN	8504.4030.00
SBVS-01524	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 15 W, 24 VDC, 0.65 A output	122.50	EC002540	307948	4547648711579			DD	DDH	CHN	8504.4030.00
SBVS-03005	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 20 W, 5 VDC, 4 A output	154.70	EC002540	324849	4547648711586			DD	DDH	CHN	8504.4030.00
SBVS-03012	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 12 VDC, 2.5 A output	155.90	EC002540	323512	4547648711593			DD	DDH	CHN	8504.4030.00
SBVS-03024	Power supply, plastic case, 22.5 mm wide DIN rail or direct panel mounting, 100/240 VAC supply, 30 W, 24 VDC, 1.3 A output	155.90	EC002540	325147	4547648711609			DD	DDH	CHN	8504.4030.00
SBVS-06024	Power supply, 60 W, 100-240 VAC input, 24 VDC, 2.5 A output, DIN rail mounting, basic model	213.70	EC002540	247532	4547648419352			DD	DDH	CHN	8504.4030.00
SBVS-06024A	Güç kaynağı, 60 W, 100-240 VAC giriş, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	289.40	EC002540	281052	4547648639927			DD	DDH	CHN	8504.4030.00
SBVS-06024B	Güç kaynağı, 60 W, 100-240 VAC giriş, 24 VDC, 2.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	232.40	EC002540	281059	4547648639941			DD	DDH	CHN	8504.4030.00
SBVS-09024	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, basic model	279.30	EC002540	247534	4547648419369			DD	DDH	CHN	8504.4030.00
SBVS-09024AP	Power supply, 90W, 100-240 VAC input, 24 VDC 3.75A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor, function with settable alarm point	328.90	EC002540	281069	4547648640046			DD	DDH	CHN	8504.4030.00
SBVS-12024	Power supply, 120 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, basic model	335.30	EC002540	247535	4547648419376			DD	DDH	CHN	8504.4030.00
SBVS-12024A	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	419.60	EC002540	281061	4547648639965			DD	DDH	CHN	8504.4030.00
SBVS-12024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring, function with settable alarm point	340.50	EC002540	281071	4547648640060			DD	DDH	CHN	8504.4030.00
SBVS-12024B	Güç kaynağı, 120 W, 100-240 VAC giriş, 24 VDC, 5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	386.60	EC002540	281062	4547648639972			DD	DDH	CHN	8504.4030.00
SBVS-12024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 5 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function, with settable alarm point	377.90	EC002540	281072	4547648640077			DD	DDH	CHN	8504.4030.00
SBVS-18024	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, basic model	467.70	EC002540	247536	4547648419383			DD	DDH	CHN	8504.4030.00
SBVS-18024A	Güç kaynağı, 180 W, 100-240 VAC giriş, 24 VDC, 7.5 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	552.00	EC002540	281065	4547648640008			DD	DDH	CHN	8504.4030.00
SBVS-18024AP	Power supply, 180W, 100-240VAC input, 24VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and maintenance monitor, function with settable alarm point	593.50	EC002540	281073	4547648640084			DD	DDH	CHN	8504.4030.00
SBVS-18024BE	Power supply, 180W, 100-240 VAC input, 24 VDC 7.5A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function	415.70	EC002540	201367	4548583020221			DD	DDH	CHN	8504.4030.00
SBVS-24024	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, basic model	582.50	EC002540	247537	4547648419390			DD	DDH	CHN	8504.4030.00
SBVS-24024AP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and forecast monitoring function, with settable alarm point	680.50	EC002540	281067	4547648640022			DD	DDH	CHN	8504.4030.00
SBVS-24024B	Güç kaynağı, 240 W, 100-240 VAC giriş, 24 VDC, 10 A çıkış, DIN ray montaj, NPN alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	585.00	EC002540	281064	4547648639996			DD	DDH	CHN	8504.4030.00
SBVS-24024BP	Power supply, 240 W, 100-240 VAC input, 24 VDC, 10 A output, DIN rail mounting, digital display with running voltage and current, peak current, and total run time function, with settable alarm point	593.50	EC002540	281068	4547648640039			DD	DDH	CHN	8504.4030.00
SBVS-48024A	Güç kaynağı, 480 W, 100-240 VAC giriş, 24 VDC, 20.0 A çıkış, DIN ray montaj, NPN/PNP alarm çıkışı, akım, gerilim, pik akım ve bakım zamanını gösteren dijital ekran	721.50	EC002540	333444	4547648711661			DD	DDH	CHN	8504.4030.00
SBVS-48024B	Güç kaynağı, 480 W, 100-240 VAC giriş, 24 VDC, 20.0 A çıkış, DIN ray montaj, NPN/PNP alarm çıkışı, akım, gerilim, pik akım ve toplam çalışma zamanını gösteren dijital ekran	685.50	EC002540	333445	4547648711678			DD	DDH	CHN	8504.4030.00
Güç Kaynağı SBVS											
SBAS-24006	Power supply, 240W, 24VDC, 6 branch output	1,893.00	EC002540	356597	4547648711289			DD	DDH	CHN	8504.4030.00
SBAS-24006N	Power supply, 240W, 24VDC, 100 to 240 input voltage, 10A current, 6 branch outputs, no communication function, not changeable parameter setting	1,678.00	EC002540	324220	4547648711296			DD	DDH	CHN	8504.4030.00
SBAS-48008	Power supply, 480W, 24VDC, 8 branch output	2,260.00	EC002540	324222	4547648711319			DD	DDH	CHN	8504.4030.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Güç Kaynağı S8VK-G											
SBVK-G01505	Kitap tipi güç kaynağı, PRO, 15 W, 5VDC, 3 A, DIN ray montaj	34.27	EC002540	374164	4548583357648	#		DD	DDL	CHN	8504.4030.00
SBVK-G01512	Kitap tipi güç kaynağı, PRO, 15 W, 12 VDC, 1.2 A, DIN ray montaj	33.33	EC002540	374165	4548583357655	#		DD	DDL	CHN	8504.4030.00
SBVK-G01524	Kitap tipi güç kaynağı, PRO, 15 W, 24VDC, 0.65 A, DIN ray montaj	34.33	EC002540	374166	4548583357662	#		DD	DDL	CHN	8504.4030.00
SBVK-G03005	Kitap tipi güç kaynağı, PRO, 30 W, 5VDC, 5 A, DIN ray montaj	42.58	EC002540	374167	4548583357679	#		DD	DDL	CHN	8504.4030.00
SBVK-G03012	Kitap tipi güç kaynağı, PRO, 30 W, 12 VDC, 2.5 A, DIN ray montaj	41.09	EC002540	374168	4548583357686	#		DD	DDL	CHN	8504.4030.00
SBVK-G03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3 A, DIN ray montaj	41.09	EC002540	374169	4548583357693	#		DD	DDL	CHN	8504.4030.00
SBVK-G06012	Kitap tipi güç kaynağı, PRO, 60 W, 12 VDC, 4.5 A, DIN ray montaj	47.87	EC002540	374170	4548583357709	#		DD	DDL	CHN	8504.4030.00
SBVK-G06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj	47.87	EC002540	374171	4548583357716	#		DD	DDL	CHN	8504.4030.00
SBVK-G12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj	72.70	EC002540	374869	4548583357723	#		DD	DDL	CHN	8504.4030.00
SBVK-G24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj	121.70	EC002540	374870	4548583357730	#		DD	DDL	CHN	8504.4030.00
SBVK-G24048	Kitap tipi güç kaynağı, PRO, 240 W, 48VDC, 5 A, DIN ray montaj	121.70	EC002540	374871	4548583357747	#		DD	DDL	CHN	8504.4030.00
SBVK-G48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20 A, DIN ray montaj	169.10	EC002540	374872	4548583357754	#		DD	DDL	CHN	8504.4030.00
SBVK-G48048	Kitap tipi güç kaynağı, PRO, 480 W, 48VDC, 10 A, DIN ray montaj	169.10	EC002540	374873	4548583357761	#		DD	DDL	CHN	8504.4030.00
Güç Kaynağı S8VK-C											
SBVK-C12024	Kitap tipi güç kaynağı, LITE, 120 W, 24VDC, 5 A, DIN ray montaj	44.49	EC002540	375667	4548583357914	#		DD	DDM	CHN	8504.4030.00
SBVK-C24024	Kitap tipi güç kaynağı, LITE, 240 W, 24VDC, 10 A, DIN ray montaj	79.80	EC002540	375668	4548583357921	#	2	DD	DDM	CHN	8504.4030.00
SBVK-C48024	Kitap tipi güç kaynağı, LITE, 480 W, 24VDC, 20 A, DIN ray montaj	140.10	EC002540	375669	4548583357938	#		DD	DDM	CHN	8504.4030.00
Güç Kaynağı S8VK-S											
SBVK-S03024	Kitap tipi güç kaynağı, PRO, 30 W, 24VDC, 1.3 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	44.01	EC002540	675333	4549734134620	#		DD	DDN	CHN	8504.4030.00
SBVK-S06024	Kitap tipi güç kaynağı, PRO, 60 W, 24VDC, 2.5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	51.60	EC002540	669508	4548583761117	#		DD	DDN	CHN	8504.4030.00
SBVK-S12024	Kitap tipi güç kaynağı, PRO, 120 W, 24VDC, 5 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, sıvı geçirmez	74.45	EC002540	669511	4548583761124	#		DD	DDN	CHN	8504.4030.00
SBVK-S24024	Kitap tipi güç kaynağı, PRO, 240 W, 24VDC, 10 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çıkışı, sıvı geçirmez	144.70	EC002540	672485	4548583761131	#		DD	DDN	CHN	8504.4030.00
SBVK-S48024	Kitap tipi güç kaynağı, PRO, 480 W, 24VDC, 20 A, DIN ray montaj, Push-in Plus terminal, silikon kaplamalı, düşük gerilim alarm çıkışı, sıvı geçirmez	221.00	EC002540	672486	4548583761148	#		DD	DDN	CHN	8504.4030.00
Güç Kaynağı S8VK accessory											
SB2Y-VK10F	Front-mounting bracket for SBVK (120, 240 and 480 W models)	11.34	EC002498	377521	4548583415911		100	DD	DDO	JPN	8504.4030.00
SB2Y-VK90F	Front-mounting bracket for SBVK-T (480 W and 960 W models)	31.71	EC002498	203192	4549734674379			DD	DDO	CHN	8504.4030.00
SBVK-R10	Yedekleme ünitesi, PRO PLUS (giriz 5-30VDC, çıkış 10 A)	46.78	EC002498	377513	4548583425613	#		DD	DDO	CHN	8504.4030.00
SBVK-R20	Yedekleme ünitesi, PRO PLUS (giriz 10-60VDC, çıkış 20 A)	70.45	EC002498	377514	4548583425620	#		DD	DDO	CHN	8504.4030.00
SBV-NFS203	Noise filter accessory power supply, 250 VAC/DC rated voltage, 3 A rated current, DIN-rail mounting, Push-in terminal	38.87	EC002025	680674	4549734175876			DD	DDO	CHN	8529.9097.90
SBV-NFS206	Noise filter accessory power supply, 250 VAC/DC rated voltage, 6 A rated current, DIN-rail mounting, Push-in terminal	40.77	EC002025	680575	4549734172707	#		DD	DDO	CHN	8529.9097.90
Güç Kaynağı S8FS											
S8FS-C015051	Güç kaynağı, LITE, 15 W, 100-240 VAC giriz, 5 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	668800	4548583751286	#		DD	DDP	CHN	8504.4030.00
S8FS-C015121	Güç kaynağı, LITE, 15 W, 100-240 VAC giriz, 12 VDC, 1.3 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	668734	4548583751293	#		DD	DDP	CHN	8504.4030.00
S8FS-C015241	Güç kaynağı, LITE, 15 W, 100-240 VAC giriz, 24 VDC, 0.7 A çıkış, DIN ray montaj seçeneği	13.47	EC002540	668755	4548583751316	#		DD	DDP	CHN	8504.4030.00
S8FS-C025121	Güç kaynağı, LITE, 25 W, 100-240 VAC giriz, 12 VDC, 2.1 A çıkış, yüzey montaj seçeneği	15.36	EC002540	668777	4548583741522	#		DD	DDP	CHN	8504.4030.00
S8FS-C025241	Güç kaynağı, LITE, 25 W, 100-240 VAC giriz, 24 VDC, 1.1 A çıkış, yüzey montaj seçeneği	15.36	EC002540	668782	4548583741546	#		DD	DDP	CHN	8504.4030.00
S8FS-C02524J	Güç kaynağı, LITE, 25 W, 100-240 VAC giriz, 24 VDC, 1.1 A çıkış, DIN ray montaj seçeneği	15.36	EC002540	668760	4548583751361	#		DD	DDP	CHN	8504.4030.00
S8FS-C035121	Güç kaynağı, LITE, 35 W, 100-240 VAC giriz, 12 VDC, 3.0 A çıkış, yüzey montaj seçeneği	16.53	EC002540	668770	4548583741560	#		DD	DDP	CHN	8504.4030.00
S8FS-C03512J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriz, 12 VDC, 3.0 A çıkış, DIN ray montaj seçeneği	16.53	EC002540	668764	4548583751392	#		DD	DDP	CHN	8504.4030.00
S8FS-C035241	Güç kaynağı, LITE, 35 W, 100-240 VAC giriz, 24 VDC, 1.5 A çıkış, yüzey montaj seçeneği	16.53	EC002540	668793	4548583741584	#		DD	DDP	CHN	8504.4030.00
S8FS-C03524J	Güç kaynağı, LITE, 35 W, 100-240 VAC giriz, 24 VDC, 1.5 A çıkış, DIN ray montaj seçeneği	16.53	EC002540	668731	4548583751415	#		DD	DDP	CHN	8504.4030.00
S8FS-C050121	Güç kaynağı, LITE, 50 W, 100-240 VAC giriz, 12 VDC, 4.2 A çıkış, yüzey montaj seçeneği	18.44	EC002540	668722	4548583741607	#		DD	DDP	CHN	8504.4030.00
S8FS-C05012J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriz, 12 VDC, 4.2 A çıkış, DIN ray montaj seçeneği	18.44	EC002540	668802	4548583751446	#		DD	DDP	CHN	8504.4030.00
S8FS-C050241	Güç kaynağı, LITE, 50 W, 100-240 VAC giriz, 24 VDC, 2.2 A çıkış, yüzey montaj seçeneği	18.44	EC002540	668798	4548583741621	#		DD	DDP	CHN	8504.4030.00
S8FS-C05024J	Güç kaynağı, LITE, 50 W, 100-240 VAC giriz, 24 VDC, 2.2 A çıkış, DIN ray montaj seçeneği	18.44	EC002540	668786	4548583751460	#		DD	DDP	CHN	8504.4030.00
S8FS-C075121	Güç kaynağı, LITE, 75 W, 100-240 VAC giriz, 12 VDC, 6.2 A çıkış, yüzey montaj seçeneği	23.05	EC002540	668750	4548583741652	#		DD	DDP	CHN	8504.4030.00
S8FS-C07512J	Güç kaynağı, LITE, 75 W, 100-240 VAC giriz, 12 VDC, 6.2 A çıkış, DIN ray montaj seçeneği	21.12	EC002540	668754	4548583751514	#		DD	DDP	CHN	8504.4030.00
S8FS-C100121	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 8.5 A çıkış, yüzey montaj seçeneği	24.94	EC002540	668771	4548583741706	#		DD	DDP	CHN	8504.4030.00
S8FS-C10012J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 8.5 A çıkış, DIN ray montaj seçeneği	24.94	EC002540	668756	4548583751545	#		DD	DDP	CHN	8504.4030.00
S8FS-C100241	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 4.5 A çıkış, yüzey montaj seçeneği	24.94	EC002540	668804	4548583741720	#		DD	DDP	CHN	8504.4030.00
S8FS-C10024J	Güç kaynağı, LITE, 100 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 4.5 A çıkış, DIN ray montaj seçeneği	24.94	EC002540	668732	4548583751569	#		DD	DDP	CHN	8504.4030.00
S8FS-C150121	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 12.5 A çıkış, yüzey montaj seçeneği	28.78	EC002540	668780	4548583741768	#		DD	DDP	CHN	8504.4030.00
S8FS-C15012J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 12.5 A çıkış, DIN ray montaj seçeneği	28.78	EC002540	668737	4548583751613	#		DD	DDP	CHN	8504.4030.00
S8FS-C150241	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 6.5 A çıkış, yüzey montaj seçeneği	28.78	EC002540	668785	4548583741782	#		DD	DDP	CHN	8504.4030.00
S8FS-C15024J	Güç kaynağı, LITE, 150 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 6.5 A çıkış, DIN ray montaj seçeneği	28.78	EC002540	668751	4548583751637	#		DD	DDP	CHN	8504.4030.00
S8FS-C200121	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 17.0 A çıkış, yüzey montaj seçeneği	42.19	EC002540	668784	4548583741829	#		DD	DDP	CHN	8504.4030.00
S8FS-C200241	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 8.8 A çıkış, yüzey montaj seçeneği	42.19	EC002540	668729	4548583741836	#		DD	DDP	CHN	8504.4030.00
S8FS-C20024J	Güç kaynağı, LITE, 200 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 8.8 A çıkış, DIN ray montaj seçeneği	42.19	EC002540	668762	4548583751682	#		DD	DDP	CHN	8504.4030.00
S8FS-C350121	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 29.0 A çıkış, yüzey montaj seçeneği	61.50	EC002540	668803	4548583741874	#		DD	DDP	CHN	8504.4030.00
S8FS-C35012J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriz, 12 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	668766	4548583751729	#		DD	DDP	CHN	8504.4030.00
S8FS-C350241	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 29.0 A çıkış, yüzey montaj seçeneği	61.50	EC002540	668810	4548583741881	#		DD	DDP	CHN	8504.4030.00
S8FS-C35024J	Güç kaynağı, LITE, 350 W, 100-120 VAC ve 200-240 VAC giriz, 24 VDC, 29.0 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	668733	4548583751736	#		DD	DDP	CHN	8504.4030.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8FS-C35048	Güç kaynağı, LITE, 350 W, 100-240 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, yüzey montaj seçeneği	61.50	EC002540	668718	4548583741904	#		DD	DDP	CHN	8504.4030.00
S8FS-C35048I	Güç kaynağı, LITE, 350 W, 100-240 VAC ve 200-240 VAC giriş, 48 VDC, 9.7 A çıkış, DIN ray montaj seçeneği	61.50	EC002540	668813	4548583751750	#		DD	DDP	CHN	8504.4030.00
S8FS-G01505CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 5 VDC, 3 A çıkış, DIN ray montaj	47.67	EC002540	677992	4549734104333			DD	DDP	CHN	8504.4030.00
S8FS-G01512CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 12 VDC, 1.3 A çıkış, DIN ray montaj	47.67	EC002540	677965	4549734104357			DD	DDP	CHN	8504.4030.00
S8FS-G01524CD	Güç kaynağı, 15 W, 100-240 VAC giriş, 24 VDC, 0.65 A çıkış, DIN ray montaj	47.67	EC002540	678163	4549734104395			DD	DDP	CHN	8504.4030.00
S8FS-G03005CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 5 VDC, 6 A çıkış, DIN ray montaj	58.50	EC002540	677983	4549734104432			DD	DDP	CHN	8504.4030.00
S8FS-G03012CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 12 VDC, 3 A çıkış, DIN ray montaj	58.50	EC002540	677974	4549734104456			DD	DDP	CHN	8504.4030.00
S8FS-G03015CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 15 VDC, 2.4 A çıkış, DIN ray montaj	58.50	EC002540	677963	4549734104470			DD	DDP	CHN	8504.4030.00
S8FS-G03024CD	Güç kaynağı, 30 W, 100-240 VAC giriş, 24 VDC, 1.5 A çıkış, DIN ray montaj	58.50	EC002540	677972	4549734104494			DD	DDP	CHN	8504.4030.00
S8FS-G05005CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 5 VDC, 8 A çıkış, DIN ray montaj	73.85	EC002540	677957	4549734104531			DD	DDP	CHN	8504.4030.00
S8FS-G05012CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 12 VDC, 4.3 A çıkış, DIN ray montaj	73.85	EC002540	677962	4549734104555			DD	DDP	CHN	8504.4030.00
S8FS-G05015CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 15 VDC, 3.5 A çıkış, DIN ray montaj	73.85	EC002540	678174	4549734104579			DD	DDP	CHN	8504.4030.00
S8FS-G05024C	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, yüzey montaj	69.30	EC002540	677981	4549734104586			DD	DDP	CHN	8504.4030.00
S8FS-G05024CD	Güç kaynağı, 50 W, 100-240 VAC giriş, 24 VDC, 2.2 A çıkış, DIN ray montaj	73.85	EC002540	677969	4549734104593			DD	DDP	CHN	8504.4030.00
S8FS-G10005CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 5 VDC, 16 A çıkış, DIN ray montaj	97.00	EC002540	677985	4549734104630			DD	DDP	CHN	8504.4030.00
S8FS-G10012CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 12 VDC, 8.5 A çıkış, DIN ray montaj	97.00	EC002540	677960	4549734104654			DD	DDP	CHN	8504.4030.00
S8FS-G10024C	Güç kaynağı, 100 W, 100-240 VAC giriş, 24 VDC, 4.5 A çıkış, yüzey montaj	92.30	EC002540	677984	4549734104685			DD	DDP	CHN	8504.4030.00
S8FS-G10024CD	Güç kaynağı, 100 W, 100-240 VAC giriş, 24 VDC, 4.5 A çıkış, DIN ray montaj	97.00	EC002540	677977	4549734104692			DD	DDP	CHN	8504.4030.00
S8FS-G15012CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 12 VDC, 13 A çıkış, DIN ray montaj	119.90	EC002540	677958	4549734104791			DD	DDP	CHN	8504.4030.00
S8FS-G15024C	Güç kaynağı, 150 W, 100-240 VAC giriş, 24 VDC, 6.5 A çıkış, yüzey montaj	115.50	EC002540	677994	4549734104821			DD	DDP	CHN	8504.4030.00
S8FS-G15024CD	Güç kaynağı, 150 W, 100-240 VAC giriş, 24 VDC, 6.5 A çıkış, DIN ray montaj	119.90	EC002540	677986	4549734104838			DD	DDP	CHN	8504.4030.00
S8FS-G30012CD	Güç kaynağı, 300 W, 100-240 VAC giriş, 12 VDC, 25 A çıkış, DIN ray montaj	220.30	EC002540	677980	4549734104937			DD	DDP	CHN	8504.4030.00
S8FS-G30024C	Güç kaynağı, 300 W, 100-240 VAC giriş, 24 VDC, 14 A çıkış, yüzey montaj	215.70	EC002540	675283	4549734104968	#		DD	DDP	CHN	8504.4030.00
S8FS-G30024CD	Güç kaynağı, 300 W, 100-240 VAC giriş, 24 VDC, 14 A çıkış, DIN ray montaj	220.30	EC002540	677975	4549734104975	#		DD	DDP	CHN	8504.4030.00
S8FS-G60012CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 12 VDC, 50 A çıkış, DIN ray montaj	351.20	EC002540	678150	4549734105057			DD	DDP	CHN	8504.4030.00
S8FS-G60024C	Güç kaynağı, 600 W, 100-240 VAC giriş, 24 VDC, 27 A çıkış, yüzey montaj	346.20	EC002540	675284	4549734105125	#		DD	DDP	CHN	8504.4030.00
S8FS-G60024CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 24 VDC, 27 A çıkış, DIN ray montaj	351.20	EC002540	678170	4549734105132	#		DD	DDP	CHN	8504.4030.00
S8FS-G60048CD	Güç kaynağı, 600 W, 100-240 VAC giriş, 48 VDC, 13 A çıkış, DIN ray montaj	351.20	EC002540	678148	4549734105217	#		DD	DDP	CHN	8504.4030.00
Güç Kaynağı S8VK-T											
S8VK-T12024	Kitap tipi güç kaynağı, PRO, 3 faz, 120 W, 24VDC, 5 A, DIN ray montaj	89.05	EC002540	382729	4548583357983	#		DD	DDQ	CHN	8504.4030.00
S8VK-T12024-400	Coated version, Book type power supply, Pro, Three-phase, 120 W, 24VDC, 5A, DIN rail mounting	102.60	EC002540	659380	4548583721234			DD	DDQ	CHN	8504.4030.00
S8VK-T24024	Kitap tipi güç kaynağı, PRO, 3 faz, 240 W, 24VDC, 10 A, DIN ray montaj	133.80	EC002540	382730	4548583357990	#		DD	DDQ	CHN	8504.4030.00
S8VK-T24024-400	Coated version, Book type power supply, Pro, Three-phase, 240 W, 24VDC, 10A, DIN rail mounting	132.50	EC002540	659384	4548583564589			DD	DDQ	CHN	8504.4030.00
S8VK-T48024	Kitap tipi güç kaynağı, PRO, 3 faz, 480 W, 24VDC, 20A, DIN ray montaj	247.20	EC002540	386429	4548583358003	#		DD	DDQ	CHN	8504.4030.00
S8VK-T48024-400	Coated version, Book type power supply, Pro, Three-phase, 480 W, 24VDC, 20A, DIN rail mounting	282.00	EC002540	659385	4548583564596			DD	DDQ	CHN	8504.4030.00
S8VK-T96024	Kitap tipi güç kaynağı, PRO, 3 faz, 960 W, 24VDC, 40A, DIN ray montaj	333.00	EC002540	386430	4548583358010	#		DD	DDQ	CHN	8504.4030.00
S8VK-T96024-400	Coated version, Book type power supply, Pro, Three-phase, 960 W, 24VDC, 40A, DIN rail mounting	370.60	EC002540	659379	4548583564602			DD	DDQ	CHN	8504.4030.00
Güç Kaynağı S8VK-T											
S8VK-WA24024	3-phase power supply, 240 W, 24 VDC, 10 A, DIN rail mounting	277.80	EC002540	688154	4549734449083		3	DD	DDQ	CHN	8504.4030.00
S8VK-WA48024	3-phase power supply, 480 W, 24 VDC, 20 A, DIN rail mounting	378.90	EC002540	688155	4549734449090		3	DD	DDQ	CHN	8504.4030.00
S8VK-WA96024	3-phase power supply, 960 W, 24 VDC, 40 A, DIN rail mounting	569.00	EC002540	688156	4549734449106			DD	DDQ	CHN	8504.4030.00
S8VK-WB24024	3-phase power supply, 400 VAC, 240 W, 24 VDC, 10 A, DIN rail mounting	234.20	EC002540	699600	4549734674799			DD	DDQ	CHN	8504.4030.00
S8VK-WB24048	3-phase power supply, 400 VAC, 240 W, 48 VDC, 5 A, DIN rail mounting	234.20	EC002540	699603	4549734674829			DD	DDQ	CHN	8504.4030.00
S8VK-WB48024	3-phase power supply, 400 VAC, 480 W, 24 VDC, 20 A, DIN rail mounting	332.60	EC002540	699601	4549734674805			DD	DDQ	CHN	8504.4030.00
S8VK-WB48048	3-phase power supply, 400 VAC, 480 W, 48 VDC, 10 A, DIN rail mounting	332.60	EC002540	699604	4549734674836			DD	DDQ	CHN	8504.4030.00
S8VK-WB96024	3-phase power supply, 400 VAC, 960 W, 24 VDC, 40 A, DIN rail mounting	480.40	EC002540	699602	4549734674812			DD	DDQ	CHN	8504.4030.00
S8VK-WB96048	3-phase power supply, 400 VAC, 960 W, 48 VDC, 20 A, DIN rail mounting	480.40	EC002540	699605	4549734674843			DD	DDQ	CHN	8504.4030.00
Güç Kaynağı S8VK-X											
S8VK-X03005-FIP	Book type power supply, 30 W, 5 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	148.20	EC002540	680581	4549734172752			DD	DDR	CHN	8504.4030.00
S8VK-X06012-FIP	Book type power supply, 60 W, 12 VDC, 4.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	155.10	EC002540	680586	4549734172769			DD	DDR	CHN	8504.4030.00
S8VK-X06024-FIP	Book type power supply, 60 W, 24 VDC, 2.5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	155.10	EC002540	680578	4549734172776			DD	DDR	CHN	8504.4030.00
S8VK-X09024A-FIP	Book type power supply, 90 W, 24 VDC, 3.75 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	210.00	EC002540	680584	4549734172714			DD	DDR	CHN	8504.4030.00
S8VK-X12024A-FIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	230.80	EC002540	680585	4549734172721			DD	DDR	CHN	8504.4030.00
S8VK-X12024-FIP	Book type power supply, 120 W, 24 VDC, 5 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	195.90	EC002540	680579	4549734172790			DD	DDR	CHN	8504.4030.00
S8VK-X24024A-FIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	331.90	EC002540	680577	4549734172738			DD	DDR	CHN	8504.4030.00
S8VK-X24024-FIP	Book type power supply, 240 W, 24 VDC, 10 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	297.30	EC002540	680583	4549734172806			DD	DDR	CHN	8504.4030.00
S8VK-X48024A-FIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, display, Ethernet IP / Modbus TCP compatibility	436.90	EC002540	680580	4549734172745			DD	DDR	CHN	8504.4030.00
S8VK-X48024-FIP	Book type power supply, 480 W, 24 VDC, 20 A, DIN rail mounting, Push-in terminal, Coated, Ethernet IP / Modbus TCP compatibility	402.20	EC002540	680576	4549734172813			DD	DDR	CHN	8504.4030.00
S8V Elektronik Sigorta											
S8V-CP0424	Electronic circuit breaker, 4 channels, max. 10 A per channel, 24 VDC	172.50	EC002498	689505	4549734494106	#		DD	DDT	DEU	8536.2010.90
S8V-CP0424S	Electronic circuit breaker, 4 channels, 3.8 A per channel, 24 VDC, UL class 2	196.00	EC002498	689504	4549734494113			DD	DDT	DEU	8536.2010.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8V Elektronik Sigorta											
S8V-CP0824	Electronic circuit breaker, 8 channels, max. 10 A per channel, 24 VDC	295.80	EC002498	689503	4549734494120	#		DD	DDT	DEU	8536.2010.90
Diğer Güç Kaynağı											
S8JX-P30024CD	Covered Power Supplies, PROplus, 100 to 240 VAC input voltage, 300W, 24V, 14A peak current, 16.5A (200VAC)	645.00	EC002540	364918	4548583103719			DD	DDX	CHN	8504.4030.00
S8JX-P30024N	Power supply, 300 W, 100/240 VAC input, 24 VDC, 14 A output	460.60	EC002540	364916	4548583103696			DD	DDX	CHN	8504.4030.00
S8JX-P60024N	Power supply, 600 W, 100-240 VAC input, 24 VDC, 27 A output	738.50	EC002540	364919	4548583103726			DD	DDX	CHN	8504.4030.00
Diğer Güç Kaynağı											
S8T-DCBU-02	DC backup block for S8TS PSU of 500 ms at an output current of 2.5A	243.70	EC002498	324267	4547648711401			DD	DDX	CHN	8504.4030.00
Diğer Güç Kaynağı											
S82S-7705	Power supply, 7.5W, 12-24VDC input, 5 VDC, 1.5A output, DIN rail mounting	144.70	EC002540	149574	4536854104688			DD	DDX	JPN	8504.4030.00
Diğer Güç Kaynağı											
S8M-CP04	Çoklu devre koruyucu, maks. giriş akımı 17 A, 4 x 4.0 A her çıkış için, kollara ayırmak için ideal, 24 VDC	366.10	EC002498	324847	4547648711371			DD	DDX	CHN	8504.4030.00
S8M-CP04-R5	Çoklu devre koruyucu, maks. giriş akımı 16 A, 4 x 3.8 A her çıkış için (UL class 2 uyumlu), R5-232C haberleşme, kollara ayırmak için ideal, 24 VDC	526.50	EC002498	323509	4547648711364			DD	DDX	CHN	8504.4030.00
Güç Kaynağı için Aksesuarlar											
S82Y-FSC015DIN	Mounting bracket, DIN-rail, 15W	3.69	EC002498	668799	4548583758049	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC050DIN	Mounting bracket, DIN-rail, 35W, 50W	3.69	EC002498	668745	4548583758063	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC150DIN	Mounting bracket, DIN-rail, 75W, 100W, 150W	3.69	EC002498	668768	4548583758070	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC350DIN	Mounting bracket, DIN-rail, 75W, 200W, 350W	3.69	EC002498	668791	4548583758087	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C5	Terminal Cover for upper terminal, 25W, 35W, 50W, 75W	1.23	EC002498	668749	4548583758162	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C5MF	Terminal Cover for front terminal, 15W	1.23	EC002498	668744	4548583758193	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C7	Terminal Cover for upper terminal, 100W, 150W	1.23	EC002498	668769	4548583758179	#		DD	DDZ	CHN	8504.9090.00
S82Y-FSC-C7F	Terminal Cover for front terminal, 100W, 150W	1.33	EC002498	668720	4548583758216	#		DD	DDZ	CHN	8504.9090.00
Programlanabilir Röle ZEN											
ZEN-10C1AR-A-V2	Programlanabilir röle, 100-240 VAC, 6 x 100-240 VAC giriş, 4 x röle çıkışı 5 A, RTC, LCD ekran	313.90	EC001417	240972	4547648391047	#		DE	DEA	CHN	8536.5080.90
ZEN-10C1DR-D-V2	Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı 5 A, RTC, LCD ekran	313.90	EC001417	240974	4547648391061	#		DE	DEA	CHN	8536.5080.90
ZEN-10C1DT-D-V2	Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x transistör çıkışı, RTC, LCD ekran	313.90	EC001417	240979	4547648391115	#		DE	DEA	CHN	8536.5080.90
ZEN-10C2AR-A-V2	Programmable relay, 100-240 VAC supply, 6x 100-240 VAC inputs, 4x relay outputs 5 A	263.50	EC001417	240973	4547648391054	#		DE	DEA	CHN	8536.5080.90
ZEN-10C2DR-D-V2	Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı 5 A	263.50	EC001417	240975	4547648391078	#		DE	DEA	CHN	8536.5080.90
ZEN-10C3AR-A-V2	Programlanabilir röle, 100-240 VAC, 6 x 100-240 VAC giriş, 4 x röle çıkışı 5 A, RTC, LCD ekran, genişletilemez	246.30	EC001417	240983	4547648391160	#		DE	DEA	CHN	8536.5080.90
ZEN-10C3DR-D-V2	Programlanabilir röle, 24 VDC, 6 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 4 x röle çıkışı 5 A, RTC, LCD ekran, genişletilemez	246.30	EC001417	240984	4547648391177	#		DE	DEA	CHN	8536.5080.90
ZEN-10C4AR-A-V2	Programmable relay, 24 VDC supply, 6x 100-240 VAC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable	361.80	EC001417	240987	4547648391207	#		DE	DEA	CHN	8536.5080.90
ZEN-10C4DR-D-V2	Programmable relay, 24 VDC supply, 6x 24 VDC inputs (2 of which can be 0-10 V analog inputs), 4x relay outputs 5 A, RTC, LCD display, expandable	361.80	EC001417	240988	4547648391214	#		DE	DEA	CHN	8536.5080.90
ZEN-20C1AR-A-V2	Programlanabilir röle, 100-240 VAC, 12 x 100-240 VAC giriş, 8 x röle çıkışı 5 A, RTC, LCD ekran	406.20	EC001417	240989	4547648391221	#		DE	DEA	CHN	8536.5080.90
ZEN-20C1DR-D-V2	Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı 5 A, RTC, LCD ekran	406.20	EC001417	240991	4547648391245	#		DE	DEA	CHN	8536.5080.90
ZEN-20C1DT-D-V2	Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x transistör çıkışı, RTC, LCD ekran	406.20	EC001417	240993	4547648391269	#		DE	DEA	CHN	8536.5080.90
ZEN-20C2AR-A-V2	Programlanabilir röle, 100-240 VAC, 12 x 100-240 VAC giriş, 8 x röle çıkışı 5 A	378.60	EC001417	240990	4547648391238	#		DE	DEA	CHN	8536.5080.90
ZEN-20C2DR-D-V2	Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı 5 A	378.60	EC001417	240992	4547648391252	#		DE	DEA	CHN	8536.5080.90
ZEN-20C2DT-D-V2	Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x transistör çıkışı	378.60	EC001417	240994	4547648391276	#		DE	DEA	CHN	8536.5080.90
ZEN-20C3AR-A-V2	Programmable relay, 100-240 VAC supply, 12x 100-240 VAC inputs, 8x relay outputs 5A, unexpandable	361.80	EC001417	240985	4547648391184	#		DE	DEA	CHN	8536.5080.90
ZEN-20C3DR-D-V2	Programlanabilir röle, 24 VDC, 12 x 24 VDC giriş (2 tanesi 0-10 V analog giriş olarak kullanılabilir), 8 x röle çıkışı 5 A, genişletilemez	361.80	EC001417	240986	4547648391191	#		DE	DEA	CHN	8536.5080.90
Programlanabilir Röle ZEN											
ZEN-8E1DT	Genişletme ünitesi, 4 x 24 VDC giriş, 4 x transistör çıkışı	128.00	EC001419	240981	4547648391139	#		DE	DEA	CHN	8536.5080.90
Diğer Programlanabilir Röleler											
ZEN-8E1AR	Genişletme ünitesi, 4 x 100-240 VAC giriş, 4 x röle çıkışı 5 A	147.20	EC001419	240976	4547648391085	#		DE	DEX	CHN	8536.5080.90
ZEN-8E1DR	Genişletme ünitesi, 4 x 24 VDC giriş, 4 x röle çıkışı 5 A	134.30	EC001419	240977	4547648391092	#		DE	DEX	CHN	8536.5080.90
Programlanabilir Röleler için Aksesuarlar											
ZEN-BAT01	ZEN programlanabilir röle için pil	73.85	EC002584	240970	4547648391023	#		DE	DEZ	CHN	8506.5090.90
ZEN-CIF01	PC-Zen arasında bağlantıyı sağlayan 2 m kablo	173.00	EC001423	240969	4547648391016	#		DE	DEZ	CHN	8536.5080.90
ZEN-MFD01	Hafıza kartı, EEPROM	68.85	EC000192	240971	4547648391030	#		DE	DEZ	CHN	8536.5080.90
ZEN-SOFT01-V4	ZEN programlanabilir röle için yazılım, CD-ROM	104.20	EC000809	240995	4547648391283	#		DE	DEZ	JPN	8523.8090.00
Sıcaklık & Proses ESC2											
ESC2-R201-100-240VAC-0-200	Basic Temp. Controller, 1/16 DIN, 48x48mm Dial knob, On-Off Control, I-Thermocouple, 0-200deg, 100-240V AC	132.00	EC001446	378350	4548583418264	#		DF	DFD	CHN	9032.1080.90
ESC2-R201-100-240VAC-0-400	Basic Temp. Controller, 1/16 DIN, 48x48mm Dial knob, On-Off Control, I-Thermocouple, 0-400deg, 100-240V AC	107.20	EC001446	378352	4548583418288	#		DF	DFD	CHN	9032.1080.90
ESC2-R20K-100-240VAC-0-1200	Temp. controller, LITE, 1/16 DIN, 48x48mm Dial knob, On-Off Control, K-Thermocouple, 0-1200deg, 100-240V AC	119.50	EC001446	378343	4548583418134	#		DF	DFD	CHN	9032.1080.90
ESC2-R20K-100-240VAC-0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm Dial knob, On-Off Control, K-Thermocouple, 0-200deg, 100-240V AC	131.70	EC001446	378359	4548583418073	#		DF	DFD	CHN	9032.1080.90
ESC2-R20K-100-240VAC-0-400	Temp. controller, LITE, 1/16 DIN, 48x48mm Dial knob, On-Off Control, K-Thermocouple, 0-400deg, 100-240V AC	133.40	EC001446	378360	4548583418097	#		DF	DFD	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5C2-R20K-100-240VAC-0-600	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, K-Thermocouple, 0-600deg., 100-240V AC	133.40	EC001446	378361	4548583418103			DF	DFD	CHN	9032.1080.90
E5C2-R20P-D-100-240VAC-0-100	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-100deg., 100-240V AC	133.70	EC001446	378363	4548583418240			DF	DFD	CHN	9032.1080.90
E5C2-R20P-D-100-240VAC-0-200	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-200deg., 100-240V AC	138.20	EC001446	378364	4548583418325			DF	DFD	CHN	9032.1080.90
E5C2-R20P-D-100-240VAC-0-300	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 0-300deg., 100-240V AC	133.40	EC001446	378355	4548583418332			DF	DFD	CHN	9032.1080.90
E5C2-R20P-D-100-240VAC-50-50	Temp. controller, LITE, 1/16 DIN, 48x48mm, Dial knob, On-Off Control, Pt100, 50-50deg., 100-240V AC	138.20	EC001446	378353	4548583418295			DF	DFD	CHN	9032.1080.90
Sıcaklık & Proses Termo Sensör											
E52-ELP4-50-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia 4, 50, AISI 316, pre-wired with open cable ends 2m	36.90	EC002081	374422	4547648954815			DF	DFL	ITA	8544.4993.90
E52-ELP5-100-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 100mm, 304SS, pre-wired with cable end shoes 2m	29.05	EC002081	374644	4547648955591			DF	DFL	ITA	8544.4993.90
E52-ELP5-50-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 5, 50mm, 304SS, pre-wired with cable end shoes 2m	28.63	EC002081	374643	4547648955584	13		DF	DFL	ITA	8544.4993.90
E52-ELP6-100-2-A	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100, SUS 304, pre-wired with open cable ends 2m	35.44	EC002081	374423	4547648954822			DF	DFL	ITA	8544.4993.90
E52-ELP6-50-2-A	Temperature sensor, Lite, smooth tube, PT100, class B, dia 6, 50mm, 304SS, pre-wired with cable end shoes 2m	35.44	EC002081	374645	4547648955607			DF	DFL	ITA	8544.4993.90
E52-ELT6-100-2-A	Temperature sensor, Lite, smooth tube, Thermocouple, J, dia 6, 100mm, 304SS, pre-wired with cable end shoes 2m	22.04	EC002081	374412	4547648954716			DF	DFL	ITA	8544.4993.90
E52-EP3-250-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 3mm, 250mm, AISI 316, pre-wired with open cable ends 2m	103.30	EC002081	374342	4547648954013			DF	DFL	ITA	8544.4993.90
E52-EP6-100-2-B	Temperature sensor, Pro, smooth tube, PT100, class B, dia 6, 100mm, AISI 316, pre-wired with open cable ends 2m	42.47	EC002081	374350	4547648954099	5		DF	DFL	ITA	8544.4993.90
E52-EP6-200-T2-CG1/2G-B	Temperature sensor, Pro, enclosed terminals, G1/2" mounting, PT100mm, class B, dia 6, 200, AISI 316, enclosed screw terminals	137.00	EC002081	374361	4547648954204	15		DF	DFL	ITA	8544.4993.90
E52-EP6-35-2-BG1/4G-B	Temperature sensor, Pro, bajonet mounting, PT100, class B, dia 6, 35mm, AISI 316, pre-wired with open cable ends 2m	64.15	EC002081	374352	4547648954112	10		DF	DFL	ITA	8544.4993.90
E52-EJ51-B	Temperature sensor, Pro Plus, Surface temp, Thermocouple, J, dia 10, dia 4mm screw hole, Cu-Stg, pre-wired with open cable ends	25.72	EC002081	374348	4547648954075			DF	DFL	ITA	8544.4993.90
E52-ETK3-100-2-A	Temperature sensor, Pro, smooth tube, Thermocouple, K, dia 3, 100mm, INCONEL 600, pre-wired with cable end shoes 2m	51.20	EC002081	374416	4547648954754			DF	DFL	ITA	8544.4993.90
E52-P20C-N-D=8	Temp. Sensor, Enclosed terminals, Pt100 class B, -200-450deg, dia. 3,2mm, 200mm, SUS 304	257.40	EC002081	375791	4548583324510			DF	DFL	JPN	9032.1080.90
Sıcaklık & Proses Termo Sensör											
E51B-10-70C	Kızılötesi sıcaklık sensörü, 10 - 70°C	435.20	EC002081	171655	4547648047654	#		DF	DFL	JPN	9032.1080.90
E51B-140-260C	Kızılötesi sıcaklık sensörü, 140 - 260°C	447.20	EC002081	171658	4547648047685	#		DF	DFL	JPN	9032.1080.90
E51B-60-120C	Kızılötesi sıcaklık sensörü, 60 - 120°C	439.20	EC002081	171656	4547648047661	#		DF	DFL	JPN	9032.1080.90
E51C-A40	Kızılötesi sıcaklık sensörü, M18, 0 - 400°C	846.00	EC002081	267944	4547648644242	#		DF	DFL	JPN	9032.1080.90
Sıcaklık & Proses ES5CS-V											
E5CSV-01T-500-100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 100-240VAC	191.50	EC001446	229456	4547648223201	#		DF	DFM	CHN	9032.1080.90
E5CSV-01TD-500-24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 24 VAC/DC	194.80	EC001446	229458	4547648223171	#		DF	DFM	CHN	9032.1080.90
E5CSV-R1T-500-100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 100-240VAC	192.10	EC001446	229455	4547648223195	#		DF	DFM	CHN	9032.1080.90
E5CSV-R1TD-500-24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, Termokupl ve PT100 giriş, 1 alarm çıkışı, 24VAC/DC	195.50	EC001446	229457	4547648223218	#		DF	DFM	CHN	9032.1080.90
Sıcaklık & Proses ES5CS-V											
E5CB-0TP-100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 100-240 VAC	158.10	EC001446	352128	4548583012882			DF	DFM	CHN	9032.1080.90
E5CB-0TPD-24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 24 VAC/DC	158.10	EC001446	352130	4548583012905			DF	DFM	CHN	9032.1080.90
E5CB-0ITC-100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 100-240 VAC	158.10	EC001446	352127	4548583012875			DF	DFM	CHN	9032.1080.90
E5CB-0ITCD-24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 x 12 VDC gerilim çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 24 VAC/DC	158.10	EC001446	352129	4548583012899			DF	DFM	CHN	9032.1080.90
E5CB-R1P-100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 100-240 VAC	158.10	EC001446	352124	4548583012844			DF	DFM	CHN	9032.1080.90
E5CB-R1PD-24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, Pt100 RTD giriş, 1 alarm çıkışı, 24 VAC/DC	158.10	EC001446	352126	4548583012868			DF	DFM	CHN	9032.1080.90
E5CB-R1TC-100-240 VAC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 100-240 VAC	158.10	EC001446	352123	4548583012820			DF	DFM	CHN	9032.1080.90
E5CB-R1TCD-24VAC/DC	Sıcaklık kontrolörü, LITE, 1/16DIN (48 x 48mm), 1 röle çıkışı, ON/OFF ya da PID kontrol, termokupl giriş, 1 alarm çıkışı, 24 VAC/DC	158.10	EC001446	352125	4548583012851			DF	DFM	CHN	9032.1080.90
Sıcaklık & Proses ES5AN-H											
E5AN-HAA2HBM-500-100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps option unit, Terminal cov., 100-240V AC	564.00	EC001446	246790	4547648451826			DF	DFN	CHN	9032.1080.90
E5AN-HAA2HBM-500-24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps option unit, Terminal cov., 24V AC/DC	579.50	EC001446	246764	4547648451901			DF	DFN	CHN	9032.1080.90
E5AN-HAA2HHBFM-500-100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 2 x Aux OUT, HT Burnout SSR Fail, 3Phs, Event I/P & Transf. OUT option unit, Terminal cov., 100-240V AC	591.00	EC001446	246791	4547648451840			DF	DFN	CHN	9032.1080.90
E5AN-HAA3BFM-500-100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm 2 x OUT option 3 x Aux OUT, Event I/P & Transf. OUT option unit, Terminal cov., 100-240V AC	713.50	EC001446	246760	4547648451864			DF	DFN	CHN	9032.1080.90
E5AN-HPRB2BM-500-100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (96 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps option unit, Terminal cov., 100-240V AC	610.50	EC001446	246762	4547648451888			DF	DFN	CHN	9032.1080.90
Sıcaklık & Proses ES5EN-H											
E5EN-HAA2HBM-500-100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps option unit, 100-240V AC	616.00	EC001446	246796	4547648453424			DF	DFO	CHN	9032.1080.90
E5EN-HAA2HBM-500-24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, 1 x HT Burnout SSR fail, 2 Event I/Ps option unit, 24V AC/DC	631.00	EC001446	246782	4547648453509			DF	DFO	CHN	9032.1080.90
E5EN-HAA2HHBFM-500-100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm 2 x OUT option 2 x Aux OUT, HT Burnout SSR Fail, 3Phs, Event I/P & Transf. OUT option unit, 100-240V AC	685.50	EC001446	246777	4547648453448			DF	DFO	CHN	9032.1080.90
E5EN-HPRB2BFM-500-100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, Event I/P & Transf. OUT option unit, 100-240V AC	693.50	EC001446	246781	4547648453493			DF	DFO	CHN	9032.1080.90
E5EN-HPRB2BM-500-100-240 VAC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps option unit, 100-240V AC	668.00	EC001446	246797	4547648453486			DF	DFO	CHN	9032.1080.90
E5EN-HPRB2BM-500-24VAC/DC	Temp. controller, PROplus, 1/4 DIN, (48 x 96)mm, Pos. Prop. Control 2 x Aux OUT, 2 Event I/Ps option unit, 24V AC/DC	685.00	EC001446	246788	4547648453561			DF	DFO	CHN	9032.1080.90
Sıcaklık & Proses ES5CN-H											
E5CN-HC2M-500-100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Current OUT 2 x Aux OUT option unit, 100-240V AC	443.70	EC001446	246794	4547648452724			DF	DFP	CHN	9032.1080.90
E5CN-HC2MD-500-24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Current OUT 2 x Aux OUT option unit, 24V AC/DC	479.50	EC001446	246774	4547648452762			DF	DFP	CHN	9032.1080.90
E5CN-HQ2M-500-100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Pulsed voltage OUT, 2 x Aux OUT option unit, 100-240V AC	385.70	EC001446	246793	4547648452717	#		DF	DFP	CHN	9032.1080.90
E5CN-HQ2MD-500-24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Pulsed voltage OUT, 2 x Aux OUT option unit, 24V AC/DC	385.70	EC001446	246773	4547648452755			DF	DFP	CHN	9032.1080.90
E5CN-HR2M-500-100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Relay Out, 2 x Aux OUT option unit, 100-240V AC	386.10	EC001446	246792	4547648452700			DF	DFP	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E5CN-HR2MD-500-24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Relay, OUT, 2 x Aux OUT, option unit, 24V AC/DC	387.80	EC001446	246795	4547648452748			DF	DFP	CHN	9032.1080.90
E5CN-HTO2M-500-100-240 VAC	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), SSR driver (12 VDC) output, 100-240 VAC	392.00	EC001446	352173	4548583000520			DF	DFP	CHN	9032.1080.90
E5CN-HTR2M-500-100-240 VAC	Temp. controller, PROplus, Ramp/Soak temperature controller, 1/16DIN (48x48mm), universal input (TC, RTD, Linear), relay output, 100-240 VAC	419.00	EC001446	352172	4548583000513			DF	DFP	CHN	9032.1080.90
E5CN-HV2M-500-100-240 VAC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Linear Voltg. OUT, 2 x Aux OUT, option unit, 100-240V AC	479.50	EC001446	246772	4547648452731			DF	DFP	CHN	9032.1080.90
E5CN-HV2MD-500-24VAC/DC	Temp. controller, PROplus, 1/16 DIN, (48 x 48)mm, 1 x Linear Voltg. OUT, 2 x Aux OUT, option unit, 24V AC/DC	479.50	EC001446	246775	4547648452779			DF	DFP	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5DC-CX0ASM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	193.50	EC001446	377939	4548583422247			DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 0-20/4-20mA akım çıkışı, 2 alarm çıkışı, RS-485 haberleşme, 24 VAC/DC	211.00	EC001446	377942	4548583422278	#		DF	DFQ	CHN	9032.1080.90
E5DC-CX0ASM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	128.90	EC001446	377933	4548583422186			DF	DFQ	CHN	9032.1080.90
E5DC-CX0DSM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, alarm çıkışı yok, RS-485 haberleşme, 24 VAC/DC	128.90	EC001446	377934	4548583422193	#		DF	DFQ	CHN	9032.1080.90
E5DC-CX2ASM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, alarm çıkışı yok, 100-240 VAC	118.10	EC001446	377929	4548583422148			DF	DFQ	CHN	9032.1080.90
E5DC-CX2ASM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı vanma SSR arıza, 100-240 VAC	164.30	EC001446	377931	4548583422162	#		DF	DFQ	CHN	9032.1080.90
E5DC-CX2ASM-017	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, 2 alarm çıkışı, 1 event girişi, ısıtıcı vanma SSR arıza, 100-240 VAC	144.00	EC001446	377935	4548583422209			DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, alarm çıkışı yok, 24 VAC/DC	118.10	EC001446	377930	4548583422155	#		DF	DFQ	CHN	9032.1080.90
E5DC-CX2DSM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x 12 VDC, gerilim çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı vanma SSR arıza, 24 VAC/DC	164.30	EC001446	377932	4548583422179	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX0ASM-015	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, alarm çıkışı yok, RS-485 haberleşme, 100-240 VAC	128.90	EC001446	377925	4548583422100	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, alarm çıkışı yok, RS-485 haberleşme, 24 VAC/DC	128.90	EC001446	377926	4548583422117	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, 100-240 VAC	118.10	EC001446	377921	4548583422063	#		DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı vanma SSR arıza, 100-240 VAC	164.30	EC001446	377923	4548583422087			DF	DFQ	CHN	9032.1080.90
E5DC-RX2ASM-017	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, 1 event girişi, ısıtıcı vanma SSR arıza, 100-240 VAC	144.00	EC001446	377927	4548583422124			DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-000	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, 24 VAC/DC	118.10	EC001446	377922	4548583422070			DF	DFQ	CHN	9032.1080.90
E5DC-RX2DSM-002	Sıcaklık kontrolörü, PRO, DIN ray montajı için soketli, 22,5mm, 1 x röle çıkışı, 2 alarm çıkışı, RS-485 haberleşme, ısıtıcı vanma SSR arıza, 24 VAC/DC	164.30	EC001446	377924	4548583422094	#		DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5DC-CX0DBM-015	Temp. controller, PRO, DIN Rail 22.5 mm, Uni. I/P, 1 x 12 VDC pulse OUT, No AUX, RS-485, No cov., 24 VAC/DC, Push-in plus terminal	209.30	EC001446	687799	4549734493390			DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5CC-CX3ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 100-240 VAC	240.00	EC001446	689379	4549734266758	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, RS-485, 100-240 VAC	346.50	EC001446	689382	4549734266833			DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	327.40	EC001446	689383	4549734266796	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 24 VAC/DC	240.00	EC001446	689380	4549734266765	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, RS-485, 24 VAC/DC	305.20	EC001446	689388	4549734266840			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	273.00	EC001446	689382	4549734266789			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 24 VAC/DC	327.40	EC001446	689384	4549734266802			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-007	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 0-20/4-20mA akım çıkışı, 3 alarm çıkışı, 2 event girişi, uzaktan set değeri, 24 VAC/DC	307.80	EC001446	689386	4549734266826			DF	DFQ	IDN	9032.1020.90
E5CC-003ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 2 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 100-240 VAC	176.60	EC001446	689367	4549734266635			DF	DFQ	IDN	9032.1020.90
E5CC-003DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 2 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 24 VAC/DC	176.60	EC001446	689368	4549734266642			DF	DFQ	IDN	9032.1020.90
E5CC-CX2ASM-000	Temp. Contr. 1/16 DIN (48x48mm), 1 x 12 VDC pulse OUT, 2 AUX, No cov., 100-240 VAC	159.00	EC001446	689400	4549734267335			DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 100-240 VAC	163.70	EC001446	689366	4549734266512	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı vanma SSR arıza, 100-240 VAC	196.40	EC001446	689417	4549734266536			DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-003	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 100-240 VAC	240.00	EC001446	689419	4549734266550	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 4 event girişi, 100-240 VAC	196.40	EC001446	689421	4549734266574			DF	DFQ	IDN	9032.1020.90
E5CC-CX3ASM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	229.60	EC001446	689423	4549734266598			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 24 VAC/DC	163.70	EC001446	689416	4549734266529	#		DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı vanma SSR arıza, 24 VAC/DC	196.40	EC001446	689418	4549734266543			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-003	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 24 VAC/DC	245.00	EC001446	689420	4549734266567			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	196.40	EC001446	689422	4549734266581			DF	DFQ	IDN	9032.1020.90
E5CC-CX3DSM-007	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 3 alarm çıkışı, 2 event girişi, uzaktan set değeri, 24 VAC/DC	229.60	EC001446	689426	4549734266628			DF	DFQ	IDN	9032.1020.90
E5CC-RX2ASM-000	Temp. Contr. 1/16 DIN (48x48mm), 1 x Bel. OUT, 2 AUX, No cov., 100-240 VAC	137.80	EC001446	689427	4549734266994			DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 100-240 VAC	163.70	EC001446	689406	4549734266390	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı vanma SSR arıza, 100-240 VAC	196.40	EC001446	689406	4549734266413			DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-003	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 100-240 VAC	240.00	EC001446	689408	4549734266437			DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 4 event girişi, 100-240 VAC	196.40	EC001446	689410	4549734266451			DF	DFQ	IDN	9032.1020.90
E5CC-RX3ASM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 100-240 VAC	229.60	EC001446	689412	4549734266475			DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 24 VAC/DC	163.70	EC001446	689405	4549734266406	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, ısıtıcı vanma SSR arıza, 24 VAC/DC	196.40	EC001446	689407	4549734266420			DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-003	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 24 VAC/DC	245.00	EC001446	689409	4549734266444	#		DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-005	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 4 event girişi, 24 VAC/DC	196.40	EC001446	689411	4549734266468			DF	DFQ	IDN	9032.1020.90
E5CC-RX3DSM-006	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 3 alarm çıkışı, 2 event girişi, transfer çıkışı, 24 VAC/DC	229.60	EC001446	689413	4549734266482	#		DF	DFQ	IDN	9032.1020.90
Sıcaklık & Proses E5_C											
E5AC-CC4A5M-013	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş, 4 alarm çıkışı, 2 x 0-20/4-20mA akım çıkışı, 6 event girişi, uzaktan set değeri, transfer çıkışı, 100-240 VAC	558.50	EC001446	374743	4548583350397			DF	DFQ	CHN	9032.1080.90
E5AC-CX4A5M-000	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş, 4 alarm çıkışı, 1 x 0-20/4-20mA akım çıkışı, 100-240 VAC	359.20	EC001446	374727	4548583350236	#		DF	DFQ	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
ESAC-CX4A5M-004	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 x 0-20/4-20mA akım çıkışı, 2 event girişi, RS-485 haberleşme, 100-240 VAC	432.50	EC001446	374729	4548583350250			DF	DFQ	CHN	9032.1080.90
ESAC-CX4D5M-000	Sıcaklık kontrolörü, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 x 0-20/4-20mA akım çıkışı, 24 VAC/DC	358.80	EC001446	374728	4548583350243			DF	DFQ	CHN	9032.1080.90
ESAC-PR4A5M-000	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 2 röle çıkışı, oransal vana kontrolü, 100/240 VAC	421.10	EC001446	374747	4548583350434			DF	DFQ	CHN	9032.1080.90
ESAC-OX4A5M-000	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), 1x12 gerilim çıkışı, t/c & Pt100 & analog giriş/4 alarm çıkışı, 100-240 VAC	258.80	EC001446	374695	4548583349919	#		DF	DFQ	CHN	9032.1080.90
ESAC-RX4A5M-000	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 röle çıkışı, 100-240 VAC	269.40	EC001446	374687	4548583349834	#		DF	DFQ	CHN	9032.1080.90
ESAC-RX4A5M-010	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 röle çıkışı, 4 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC	317.50	EC001446	374691	4548583349872			DF	DFQ	CHN	9032.1080.90
ESAC-RX4D5M-000	Sıcaklık kontrolörü, PRO, 1/4 DIN (96x96 mm), t/c & Pt100 & analog giriş/4 alarm çıkışı, 1 röle çıkışı, 24 VAC/DC	269.40	EC001446	374688	4548583349841			DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5EC-CQ4D5M-011	Temp. controller, PRO, 1/8 DIN (96x48mm), 1x0/4-20 mA curr. OUT/1 x 12 VDC pulse OUT, 4 AUX., EVT, I/P 6, SSR fail det./1-PH, Transf. OUT, 24 VAC/DC	361.60	EC001446	680588	4548583367180	#		DF	DFQ	CHN	9032.1080.90
E5EC-CX4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1x0-20/4-20mA akım çıkışı, 4 alarm çıkışı, 100-240 VAC	313.90	EC001446	356345	4548583091900			DF	DFQ	CHN	9032.1080.90
E5EC-CX4A5M-004	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1x0-20/4-20mA akım çıkışı, 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 100-240 VAC	384.70	EC001446	356347	4548583091924			DF	DFQ	CHN	9032.1080.90
E5EC-CX4D5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1x0-20/4-20mA akım çıkışı, 4 alarm çıkışı, 24 VAC/DC	313.90	EC001446	356346	4548583091917			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 2 x röle çıkışı (oransal vana kontrolü için), 4 alarm çıkışı, 100-240 VAC	388.10	EC001446	374773	4548583351073			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-004	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 2 x röle çıkışı (oransal vana kontrolü için), 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 100-240 VAC	436.40	EC001446	374774	4548583351080			DF	DFQ	CHN	9032.1080.90
E5EC-PR4A5M-014	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 2 x röle çıkışı (oransal vana kontrolü için), 4 alarm çıkışı, 4 event girişi, RS-485 haberleşme, uzaktan set değeri, 100-240 VAC	554.50	EC001446	374775	4548583351097			DF	DFQ	CHN	9032.1080.90
E5EC-OR4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 1 x röle çıkışı, 4 alarm çıkışı, 100-240 VAC	237.90	EC001446	356337	4548583091825	#		DF	DFQ	CHN	9032.1080.90
E5EC-OR4D5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 1 x röle çıkışı, 4 alarm çıkışı, 24 VAC/DC	237.90	EC001446	356338	4548583091832			DF	DFQ	CHN	9032.1080.90
E5EC-OX4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 100-240 VAC	218.40	EC001446	356313	4548583091580	#		DF	DFQ	CHN	9032.1080.90
E5EC-OX4A5M-009	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 100-240 VAC	272.20	EC001446	356315	4548583091603			DF	DFQ	CHN	9032.1080.90
E5EC-OX4A5M-010	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 4 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC	272.00	EC001446	356317	4548583091627			DF	DFQ	CHN	9032.1080.90
E5EC-OX4D5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 24 VAC/DC	218.40	EC001446	356314	4548583091597			DF	DFQ	CHN	9032.1080.90
E5EC-OX4D5M-009	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 3 faz ısıtıcı alarmı, 24 VAC/DC	289.70	EC001446	356316	4548583091610			DF	DFQ	CHN	9032.1080.90
E5EC-RR4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 2 x röle çıkışı, 4 alarm çıkışı, 100-240 VAC	237.90	EC001446	356321	4548583091665			DF	DFQ	CHN	9032.1080.90
E5EC-RX4A5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x röle çıkışı, 4 alarm çıkışı, 100-240 VAC	229.60	EC001446	356305	4548583091504	#		DF	DFQ	CHN	9032.1080.90
E5EC-RX4D5M-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x röle çıkışı, 4 alarm çıkışı, 24 VAC/DC	229.60	EC001446	356306	4548583091511			DF	DFQ	CHN	9032.1080.90
E5EC-RX4D5M-010	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x röle çıkışı, 4 alarm çıkışı, 4 event girişi, ısıtıcı yanma SSR arıza, 24 VAC/DC	274.70	EC001446	356310	4548583091559			DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5GC-OX1A6M-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screw terminals, 1 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	213.70	EC001446	392093	45485833505124			DF	DFQ	CHN	9032.1080.90
E5GC-OX1ACM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	218.80	EC001446	392095	45485833505148			DF	DFQ	CHN	9032.1080.90
E5GC-OX1DCM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1 x 12 VDC pulse OUT, 24V AC/DC	218.80	EC001446	392103	45485833505155			DF	DFQ	CHN	9032.1080.90
E5GC-OX2ACM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals, 2 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	237.60	EC001446	392127	45485833505186			DF	DFQ	CHN	9032.1080.90
E5GC-OX2DCM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals, 2 AUX, 1 x 12 VDC pulse OUT, 24V AC/DC	237.60	EC001446	392128	45485833505193			DF	DFQ	CHN	9032.1080.90
E5GC-RX1ACM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1 x relay OUT, 100-240 VAC	208.10	EC001446	392088	45485833504820			DF	DFQ	CHN	9032.1080.90
E5GC-RX1DCM-000	Temp. controller, PRO, 1/32 DIN (24x48mm), screwless terminals, 1 AUX, 1 x relay OUT, 24V AC/DC	201.40	EC001446	392102	45485833504837			DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5CC-OX2AUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm), Plug-in type, 2 AUX, 1 x 12 VDC pulse OUT, 100-240 VAC	160.40	EC001446	386704	4548583466678			DF	DFQ	CHN	9032.1080.90
E5CC-RW2AUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm), Plug-in type, 2 AUX, SPDT, Rel., 100-240 VAC	138.80	EC001446	386699	4548583466616			DF	DFQ	CHN	9032.1080.90
E5CC-RW2DUM-000	Temp. controller, PRO, 1/16 DIN (48x48mm), Plug-in type, 2 AUX, SPDT, Rel., 24V AC/DC	147.20	EC001446	386700	4548583466623			DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5CC-OX2ABM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 100-240 VAC, Push-in Plus terminal	169.90	EC001446	669546	4548583762343	#		DF	DFQ	CHN	9032.1080.90
E5CC-OX2ABM-001	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza, 100-240 VAC, Push-in Plus terminal	201.00	EC001446	669542	4548583762367			DF	DFQ	CHN	9032.1080.90
E5CC-OX2DBM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 24 VAC/DC, Push-in Plus terminal	169.90	EC001446	669543	4548583762350	#		DF	DFQ	CHN	9032.1080.90
E5CC-OX2DBM-004	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 2 event girişi, RS-485 haberleşme, 24 VAC/DC, Push-in Plus terminal	233.70	EC001446	669550	4548583762411			DF	DFQ	CHN	9032.1080.90
E5CC-RX2ABM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 2 alarm çıkışı, 100-240 VAC, Push-in Plus terminal	169.90	EC001446	669534	4548583762244	#		DF	DFQ	CHN	9032.1080.90
E5CC-RX2DBM-000	Sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x röle çıkışı, 2 alarm çıkışı, 24 VAC/DC, Push-in Plus terminal	169.90	EC001446	669552	4548583762251	#		DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5EC-OX2DBM-010	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm çıkışı, 4 event girişi, ısıtıcı yanma SSR arıza, 24 VAC/DC	276.30	EC001446	669579	4548583762695			DF	DFQ	CHN	9032.1080.90
E5EC-OX4ABM-008	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 2 event girişi, RS-485 haberleşme, ısıtıcı yanma SSR arıza, 100-240 VAC, Push-in Plus terminal	192.70	EC001446	669582	4548583762749			DF	DFQ	CHN	9032.1080.90
E5EC-OX4DBM-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 x 12 VDC gerilim çıkışı, 4 alarm çıkışı, 24 VAC/DC, Push-in Plus terminal	158.60	EC001446	669563	4548583762732			DF	DFQ	CHN	9032.1080.90
E5EC-RX4ABM-000	Sıcaklık kontrolörü, PRO, 1/8 DIN (96x48mm), 1 röle çıkışı, 4 alarm çıkışı, 100-240 VAC, Push-in Plus terminal	234.80	EC001446	669584	4548583762565			DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
ESAC-TOX4A5M-008	Programlanabilir sıcaklık kontrolörü, PRO, 1/4 DIN (96x96mm), 4 alarm çıkışı, 1 x 12 VDC gerilim çıkışı, 2 event girişi, ısıtıcı yanma SSR arıza, RS-485, 100-240 VAC	338.70	EC001446	385188	4548583470774			DF	DFQ	CHN	9032.1080.90
Sıcaklık & Proses E5_C											
E5CC-TOX3A5M-000	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 3 alarm çıkışı, 1 x 12 VDC gerilim çıkışı, 100-240 VAC	200.00	EC001446	385252	4548583473010			DF	DFQ	CHN	9032.1080.90
E5CC-TOX3A5M-003	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 3 alarm çıkışı, 1 x 12 VDC gerilim çıkışı, 3 faz ısıtıcı alarmı, RS-485 haberleşme, 100-240 VAC	248.00	EC001446	385256	4548583473058			DF	DFQ	CHN	9032.1080.90
E5CC-TRX3A5M-000	Programlanabilir sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 3 alarm çıkışı, 1 x röle çıkışı, 100-240 VAC	200.00	EC001446	385242	4548583472914			DF	DFQ	CHN	9032.1080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Sıcaklık & Proses E5_D											
E5CD-OX2A6M-000	Yeni nesil dijital sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm röle çıkışı, 100-240 VAC	191.50	EC001446	676834	4549734126267			DF	DFR	CHN	9032.1080.90
E5CD-OX2D6M-000	Yeni nesil dijital sıcaklık kontrolörü, PRO, 1/16 DIN (48x48mm), 1 x 12 VDC gerilim çıkışı, 2 alarm röle çıkışı, 24 VAC/DC	191.50	EC001446	676837	4549734126298			DF	DFR	CHN	9032.1080.90
Sıcaklık & Proses'ler için Aksesuarlar											
E53-C3	Output unit for E5A/E /K, linear 4-20mA, 600 Ohm, 12-bit	96.95	EC002586	129680	4536853362560			DF	DFZ	JPN	9032.1080.90
E53-C3N	Output unit for E5A/EN-H, 4-20 mA linear output	86.75	EC002586	246554	4547648476881			DF	DFZ	JPN	9032.1080.90
E53-O4	Output unit for E5A/E /K, 20mA, 24VDC, PNP	27.83	EC002586	142183	4536853362553			DF	DFZ	JPN	9032.1080.90
E53-R	Output unit for E5A/E /K/X, SPST-NO, 5A relay	13.01	EC002586	129678	4536853362508			DF	DFZ	JPN	9032.1080.90
E53-RN	Output unit for E5A/EN-H, relay output	13.61	EC002586	246558	4547648488488			DF	DFZ	JPN	9032.1080.90
E53-V34	Output unit for E5A/E /K, linear 0-10VDC, 12-bit	122.50	EC002586	148624	4536853362614			DF	DFZ	JPN	9032.1080.90
E53-V34N	Output unit for E5A/EN-H, 0-10 V linear output	87.05	EC002586	246556	4547648476904			DF	DFZ	JPN	9032.1080.90
Sıcaklık & Proses'ler için Aksesuarlar											
E53-AKB	option unit for E5AK/EK/EN, event input, 2 points	106.20	EC002586	129693	4536853362850			DF	DFZ	JPN	9032.1080.90
E53-CNBN2	E5CN-H option board- Event inputs, **only compatible with new E5CN-H models**	36.65	EC002586	243808	4547648463478			DF	DFZ	CHN	9032.1080.90
Sıcaklık & Proses'ler için Aksesuarlar											
E53-CN01N2	E5CN-H option board- RS-232C communications, **only compatible with new E5CN-H models**	77.45	EC002586	243821	4547648463607			DF	DFZ	CHN	9032.1080.90
E53-CN03N2	E5CN-H option board- RS-485 communications, **only compatible with new E5CN-H models**	77.20	EC002586	243809	4547648463485			DF	DFZ	CHN	9032.1080.90
E53-EN03	Communication unit for E5AK/EK/AN/EN, RS-485	109.70	EC002586	182424	4547648142410	#		DF	DFZ	JPN	9032.1080.90
Sıcaklık & Proses'ler için Aksesuarlar											
E53-COV17	Terminal cover	6.88	EC002586	243805	4547648476072			DF	DFZ	CHN	8536.4900.99
Sıcaklık & Proses'ler için Aksesuarlar											
E53-CNBN2	E5CN-H plug-in option card, event input & transfer output	187.30	EC002586	243819	4547648463584			DF	DFZ	CHN	9032.1080.90
Sıcaklık & Proses'ler için Aksesuarlar											
E5T2-C-MI/4	CX-Thermo yazılımı ile programlama (E5_C, E5_D, E5_N (version 5 & 6), E5ZN ve CelciuX (EJ1))	167.40	EC000809	242527	4547648504447			DF	DFZ	JPN	9032.1080.90
Sıcaklık & Proses'ler için Aksesuarlar											
E54-CT1	5,8 mm iç çaplı akım transformatörü	35.88	EC002048	103241	4536853363079	#		DF	DFZ	JPN	9032.1080.90
E54-CT3	12,0 mm iç çaplı akım transformatörü	64.25	EC002048	129612	4536853363086	#		DF	DFZ	JPN	9032.1080.90
Sıcaklık & Proses'ler için Aksesuarlar											
E53-COV19	E5CB Terminal cover	16.16	EC002586	353953	4547648841894			DF	DFZ	CHN	3926.9097.90
E58-CIFQ1	E5_N ve CelciuX (EJ1) için USB programlama kablosu	425.40	EC000310	176286	4547648103459	#		DF	DFZ	JPN	9032.1080.90
E58-CIFQ2	E5CB, E5_C, E5_D için USB programlama kablosu	376.20	EC000310	353471	4548583020627	#		DF	DFZ	JPN	9032.1080.90
E58-CIFQ2-F	Kolay ön vizyeli USB kablo aparatı (E5CB, E5CC, E5CD ile kullanılabilir)	125.20	EC000310	356821	4548583097667			DF	DFZ	CHN	9032.9000.90
E5DC-SCT1S	Socket for E5DC	34.92	EC001456	414645	4548583546004			DF	DFZ	CHN	9032.1080.90
Y92F-45	Panel adaptor, 48x48 device into 67x67 hole	45.49	EC002586	104661	4536854618567			DF	DFZ	JPN	9032.1080.90
Y92F-52	DIN mounting adapter for E5CC	19.27	EC002586	372111	4548583318373	#		DF	DFZ	CHN	9032.1080.90
Zaman Rölesi H3CR											
H3CR-A 100-240VAC/100-125VDC	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 100-240VAC, 100-125VDC	66.00	EC001439	667919	4548583553262	#		DG	DGB	IDN	8536.4900.99
H3CR-A AC24-48/DC12-48	Zaman rölesi, soketli, 11 pinli, DIN 48x48 mm, multifonksiyonlu, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	66.00	EC001439	667950	4548583553279	#		DG	DGB	IDN	8536.4900.99
H3CR-A 301 100-240AC/100-125DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	64.50	EC001439	667945	4548583553361			DG	DGB	IDN	8536.4900.99
H3CR-A 301 AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), multifunction, 0.1s-600h, DPDT, 5 A	64.50	EC001439	667930	4548583553378			DG	DGB	IDN	8536.4900.99
H3CR-AB 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	64.50	EC001439	667944	4548583553316	#		DG	DGB	IDN	8536.4900.99
H3CR-AB AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT, 5 A	64.50	EC001439	667924	4548583553323	#		DG	DGB	IDN	8536.4900.99
H3CR-AB 301 100-240AC/DC100DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.1s-600h, DPDT, 5 A	64.50	EC001439	667939	4548583553385			DG	DGB	IDN	8536.4900.99
H3CR-ABE 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	80.50	EC001439	667916	4548583553330	#		DG	DGB	IDN	8536.4900.99
H3CR-ABE 24-48VAC/DC	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	83.95	EC001439	667957	4548583553347			DG	DGB	IDN	8536.4900.99
H3CR-ABS AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), on/flicker-on/flicker-off/interval/one-shot-delay, 0.05s-300h, DPDT (inc. inst.), 5 A	68.00	EC001439	667943	4548583553354			DG	DGB	IDN	8536.4900.99
H3CR-AP 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	78.10	EC001439	667928	4548583553286			DG	DGB	IDN	8536.4900.99
H3CR-AP AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, DPDT, 5 A	68.50	EC001439	667907	4548583553293			DG	DGB	IDN	8536.4900.99
H3CR-AS AC24-48/DC12-48	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), voltage input, multifunction, 0.05s-300h, Transistor output (NPN/PNP universal)	62.55	EC001439	667962	4548583553309			DG	DGB	IDN	8536.4900.99
H3CR-F 100-240VAC/100-125VDC	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (kiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	105.30	EC001439	667935	4548583552845			DG	DGB	IDN	8536.4900.99
H3CR-F AC24-48/DC12-48	Zaman rölesi, soketli, 11 pinli, 1/16DIN (48x48mm), çift zamanlı (kiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	104.10	EC001439	667910	4548583552852			DG	DGB	IDN	8536.4900.99
H3CR-F8 100-240VAC/100-125VDC	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (kiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 100-240 VAC, 100-125VDC	103.00	EC001439	667955	4548583552807	#		DG	DGB	IDN	8536.4900.99
H3CR-F8 24-48VAC/12-48VDC	Zaman rölesi, soketli, 8 pinli, 1/16DIN (48x48mm), çift zamanlı (kiz) flicker on & off-delay, 0.05 s-300 saat, DPDT, 5 A, 24-48VAC, 12-48VDC	103.00	EC001439	667922	4548583552814	#		DG	DGB	IDN	8536.4900.99
H3CR-F8N 100-240VAC/100-125VDC	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	102.50	EC001439	667913	4548583552821			DG	DGB	IDN	8536.4900.99
H3CR-F8N AC24-48/DC12-48	Timer, plug-in, 8-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 24-48VAC, 12-48VDC	71.95	EC001439	667950	4548583552838			DG	DGB	IDN	8536.4900.99

Image	Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
	H3CR-FN 100-240VAC/100-125VDC	Timer, plug-in, 11-pin, 1/16DIN (48x48mm), twin on & off-delay, flicker ON start, 0.05s-300h, DPDT, 5 A, 100-240 VAC, 100-125VDC	105.30	EC001439	667915	4548583552869			DG	DGB	IDN	8536.4900.99
	H3CR-GBFL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, SPST-NO instantaneous, SPST-NO time-limit, 5 A, 200-240 VAC	105.70	EC001439	667925	4548583552913			DG	DGB	IDN	8536.4900.99
	H3CR-GBL AC200-240	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), star-delta-delay, 0.5-120s, DPST-NO, 5 A, 200-240 VAC	96.30	EC001439	667923	4548583552890			DG	DGB	IDN	8536.4900.99
	H3CR-H8L 100-120VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	115.00	EC001439	667931	4548583552968			DG	DGB	IDN	8536.4900.99
	H3CR-H8L 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	98.75	EC001439	667933	4548583553019			DG	DGB	IDN	8536.4900.99
	H3CR-H8L 200-240VAC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	97.05	EC001439	667908	4548583552975			DG	DGB	IDN	8536.4900.99
	H3CR-H8L 200-240VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	97.05	EC001439	667921	4548583553026			DG	DGB	IDN	8536.4900.99
	H3CR-H8L 24VAC/DC M	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12m, DPDT, 5 A	100.30	EC001439	667946	4548583552982			DG	DGB	IDN	8536.4900.99
	H3CR-H8L 24VAC/DC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	95.10	EC001439	667952	4548583553033			DG	DGB	IDN	8536.4900.99
	H3CR-H8RL 100-120VAC S	Timer, plug-in, 8-pin, 1/16DIN (48 x 48mm), power off-delay, 0.05-12s, DPDT, 5 A	93.25	EC001439	667911	4548583553118			DG	DGB	IDN	8536.4900.99
Zaman Rölesi H3DK												
	H3DK-F 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, çift zamanlı (ikiz), flicker on & off-delay, 0.1 sn-12 saat, SPDT, 5 A, 24-240 VAC/DC	72.80	EC001439	668599	4548583745001	#		DG	DGD	IDN	9107.0000.90
	H3DK-G 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, yıldız-üçgen, 1-120 sn, DPDT, 5 A, 24-240 VAC/DC	72.80	EC001439	668604	4548583745018	#		DG	DGD	IDN	9107.0000.90
	H3DK-GF 240-440VAC	Timer, DIN rail mounting, 22.5mm, star-delta-delay, 1-120s, DPDT, 5 A, 240-440 VAC	72.80	EC001439	352023	4548583002418			DG	DGD	CHN	9107.0000.90
	H3DK-HBL 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 24 VAC/DC	72.80	EC001439	668624	4548583745025			DG	DGD	IDN	9107.0000.90
	H3DK-HBS 24-48VAC/DC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 24 VAC/DC	72.80	EC001439	668618	4548583745032			DG	DGD	IDN	9107.0000.90
	H3DK-HCS 100-120VAC	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 100-120 VAC	72.80	EC001439	668587	4548583745056			DG	DGD	IDN	9107.0000.90
	H3DK-HDL AC200-240V	Zaman rölesi, DIN ray montajlı, 22.5mm, power off-delay, 1-120s, SPDT, 5 A, 200-230 VAC	72.80	EC001439	668644	4548583745063	#		DG	DGD	IDN	9107.0000.90
	H3DK-HDS AC200-240V	Timer, DIN rail mounting, 22.5mm, power off-delay, 0.1-12s, SPDT, 5 A, 200-240 VAC	72.80	EC001439	668617	4548583745070			DG	DGD	IDN	9107.0000.90
	H3DK-M1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 1 çıkış rölesi, 24 - 240 VAC/DC	52.70	EC001439	668642	4548583744967	#		DG	DGD	IDN	9107.0000.90
	H3DK-M1A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 1 output relay, 12 VDC	52.70	EC001439	668610	4548583745087			DG	DGD	IDN	9107.0000.90
	H3DK-M2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 8 mod off-delay dahil, gerilim girişi, 2 çıkış rölesi, 24 - 240 VAC/DC	52.70	EC001439	668641	4548583744974	#		DG	DGD	IDN	9107.0000.90
	H3DK-M2A DC12	Timer, DIN-rail mounting, multi range, multi mode timer, 8 modes incl. off-delay, 2 output relays, 12 VDC	55.65	EC001439	668594	4548583745094			DG	DGD	IDN	9107.0000.90
	H3DK-S1 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 1 çıkış röle, 24 - 240 VAC/DC	36.51	EC001439	668605	4548583744981			DG	DGD	IDN	9107.0000.90
	H3DK-S2 24-240VAC/DC	Zaman rölesi, DIN ray montajlı, çoklu zaman aralığı, çok modlu zaman rölesi, 4 mod, 2 çıkış röle, 24 - 240 VAC/DC	42.27	EC001439	668622	4548583744998	#		DG	DGD	IDN	9107.0000.90
Zaman Rölesi H3DS												
	H3DS-AL AC/DC	Timer, DIN rail mounting, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 h, SPDT, 5 A, 'Smart Dial' lockable settings, no-input available, A single operating mode, screw terminal type	46.87	EC001439	670944	4548583753006	#		DG	DGE	IDN	8536.4900.99
	H3DS-ALC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal, tek çalışma modu	44.91	EC001439	670938	4548583752948			DG	DGE	IDN	8536.4900.99
	H3DS-FL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, ikiz on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal tipi	76.05	EC001439	670935	4548583752917			DG	DGE	IDN	9107.0000.90
	H3DS-FLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, ikiz on & off-delay, 0.1 s-12 saat, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal	85.05	EC001439	670940	4548583752979			DG	DGE	IDN	9107.0000.90
	H3DS-GL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, yıldız-üçgen, 1-120 s, DPST-NO, 5 A, kilitlenebilir ayar mekanizması, vidalı terminal tipi	76.05	EC001439	670937	4548583752931	#		DG	DGE	IDN	8536.4900.99
	H3DS-ML AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SCR çıkışı 0.7 A, 2 kablolü in-line yük bağlantısı, kilitlenebilir ayar mekanizması, vidasız terminal	57.90	EC001439	670946	4548583753020	#		DG	DGE	IDN	8536.4900.99
	H3DS-MLC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, multifonksiyonlu, 0.1 s-120 h, SPDT, 5 A, kilitlenebilir ayar mekanizması, vidasız terminal	53.60	EC001439	670941	4548583752962	#		DG	DGE	IDN	8536.4900.99
	H3DS-SL AC/DC	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SCR çıkışı 0.7 A, 2 kablolü in-line yük bağlantısı, kilitlenebilir ayar mekanizması	53.25	EC001439	670945	4548583753013			DG	DGE	IDN	8536.4900.99
	H3DS-XL	Zaman rölesi, DIN ray montajlı, 17.5 mm, 24-230 VAC/24-48 VDC, on-delay, 0.1 s-120 saat, SCR çıkışı 0.7 A, 2 kablolü in-line yük bağlantısı, kilitlenebilir ayar mekanizması	40.21	EC001439	670936	4548583752924			DG	DGE	IDN	8536.4900.99
Zaman Rölesi H3Y												
	H3Y-2 AC200-230 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	63.95	EC001439	671634	4548583753068			DG	DGG	IDN	8536.4900.99
	H3Y-2 AC200-230 30M	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Minutes, Surface/DIN-track mounting (with socket)	65.15	EC001439	671552	4548583753136			DG	DGG	IDN	8536.4900.99
	H3Y-2 AC200-230 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	58.60	EC001439	671567	4548583753075	10		DG	DGG	IDN	8536.4900.99
	H3Y-2 AC200-230 60S	Timer, plug-in, 8-pin, on-delay, DPDT, 200-230 VAC Supply voltage, 60 Seconds, Surface/DIN-track mounting (with socket)	57.10	EC001439	671614	4548583753082			DG	DGG	IDN	8536.4900.99
	H3Y-2 AC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 3 A, 24 VAC Supply, 0.5 - 10 Seconds	50.55	EC001439	184690	4547648114226			DG	DGG	CHN	8536.4900.99
	H3Y-2 DC24 10S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	52.40	EC001439	671620	4548583753587	10		DG	DGG	IDN	8536.4900.99
	H3Y-2 DC24 30S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	72.70	EC001439	671563	4548583753594			DG	DGG	IDN	8536.4900.99
	H3Y-2 DC24 5S	Timer, plug-in, 8-pin, on-delay, DPDT, 24 VDC Supply voltage, 5 Seconds, Surface/DIN-track mounting (with socket)	51.15	EC001439	671689	4548583753570	10		DG	DGG	IDN	8536.4900.99
	H3Y-4 DC24 10S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 10 Seconds, Surface/DIN-track mounting (with socket)	82.00	EC001439	671578	4548583754812	10		DG	DGG	IDN	8536.4900.99
	H3Y-4 DC24 30S	Timer, plug-in, 14-pin, on-delay, 4PDT, 24 VDC Supply voltage, 30 Seconds, Surface/DIN-track mounting (with socket)	56.70	EC001439	671655	4548583754829	10		DG	DGG	IDN	8536.4900.99
	H3YN-2 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 100-120 VAC, bej kasa	55.30	EC001439	671716	4548583755307	10		DG	DGG	IDN	8536.4900.99
	H3YN-2 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 200-230 VAC, bej kasa	56.55	EC001439	671573	4548583755291	#	10	DG	DGG	IDN	8536.4900.99
	H3YN-2 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VAC, bej kasa	53.30	EC001439	671718	4548583755314	#	10	DG	DGG	IDN	8536.4900.99
	H3YN-2 DC12	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 12 VDC, bej kasa	51.80	EC001439	671626	4548583755369	10		DG	DGG	IDN	8536.4900.99
	H3YN-2 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 24 VDC, bej kasa	51.60	EC001439	671562	4548583755352	#	10	DG	DGG	IDN	8536.4900.99
	H3YN-2 DC48	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk, DPDT, 5 A, 48 VDC, bej kasa	61.30	EC001439	671646	4548583755345	10		DG	DGG	IDN	8536.4900.99
	H3YN-21 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 100-120 VAC, bej kasa	59.95	EC001439	671570	4548583755383	10		DG	DGG	IDN	8536.4900.99
	H3YN-21 AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 200-230 VAC, bej kasa	66.80	EC001439	671683	4548583755376	10		DG	DGG	IDN	8536.4900.99
	H3YN-21 AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VAC, bej kasa	68.00	EC001439	671630	4548583755390	10		DG	DGG	IDN	8536.4900.99
	H3YN-21 DC12	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 12 VDC, bej kasa	62.30	EC001439	671617	4548583755444	10		DG	DGG	IDN	8536.4900.99
	H3YN-21 DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0.1 dk-10 saat, DPDT, 5 A, 24 VDC, bej kasa	59.95	EC001439	671651	4548583755437	10		DG	DGG	IDN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
H3YN-21-B DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 dk-10 saat, DPDT, 5 A, 24 VDC, bobin tarafı üstte, sıyah kasa	60.75	EC001439	669612	4548583780965				DG	DGG	CHN	8536.4900.99
H3YN-2-B 100-120VAC	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT, 5 A, 100-120 VAC, bobin tarafı üstte, sıyah kasa	65.85	EC001439	669602	4548583780842				DG	DGG	CHN	8536.4900.99
H3YN-2-B AC200-230	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT, 5 A, 200-230 VAC, bobin tarafı üstte, sıyah kasa	68.05	EC001439	669610	4548583780859	#	10		DG	DGG	CHN	8536.4900.99
H3YN-2-B AC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT, 5 A, 24 VAC, bobin tarafı üstte, sıyah kasa	62.85	EC001439	669606	4548583780866				DG	DGG	CHN	8536.4900.99
H3YN-2-B DC24	Zaman rölesi, soketli, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT, 5 A, 24 VDC, bobin tarafı üstte, sıyah kasa	60.75	EC001439	669626	4548583780880	#	10		DG	DGG	CHN	8536.4900.99
H3YN-4 100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 100-120 VAC, bej kasa	60.50	EC001439	671690	4548583755468				DG	DGG	IDN	8536.4900.99
H3YN-4 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bej kasa	61.85	EC001439	671591	4548583755451	#	10		DG	DGG	IDN	8536.4900.99
H3YN-4 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 24 VAC, bej kasa	58.50	EC001439	671644	4548583755475				DG	DGG	IDN	8536.4900.99
H3YN-4 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 24 VDC, bej kasa	56.85	EC001439	671695	4548583755512	#	10		DG	DGG	IDN	8536.4900.99
H3YN-41 100-120VAC	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 dk-10 saat, 4PDT, 3 A, 100-120 VAC, bej kasa	60.50	EC001439	671595	4548583755543				DG	DGG	IDN	8536.4900.99
H3YN-41 AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 dk-10 saat, 4PDT, 3 A, 200-230 VAC, bej kasa	66.65	EC001439	671602	4548583755536				DG	DGG	IDN	8536.4900.99
H3YN-41 AC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 dk-10 saat, 4PDT, 3 A, 24 VAC, bej kasa	69.00	EC001439	671717	4548583755550				DG	DGG	IDN	8536.4900.99
H3YN-41 DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 dk-10 saat, 4PDT, 3 A, 24 VDC, bej kasa	68.30	EC001439	671660	4548583755598				DG	DGG	IDN	8536.4900.99
H3YN-4-B AC200-230	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 200-230 VAC, bobin tarafı üstte, sıyah kasa	73.10	EC001439	669624	4548583781016				DG	DGG	CHN	8536.4900.99
H3YN-4-B DC24	Zaman rölesi, soketli, 14 pinli, çok fonksiyonlu, 0,1 s-10 dk, 4PDT, 3 A, 24 VDC, bobin tarafı üstte, sıyah kasa	65.45	EC001439	669615	4548583781047	#			DG	DGG	CHN	8536.4900.99
Zaman Rölesi H5CX												
H5CX-A11D-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24VDC/24 VAC supply	243.00	EC001439	668627	4548583745247				DG	DGH	IDN	8536.4900.99
H5CX-A11-N	Timer, plug-in, 11-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, SPDT 5A relay output, 100-240 VAC supply	243.00	EC001439	668597	4548583745223				DG	DGH	IDN	8536.4900.99
H5CX-A11SD-N	Timer, plug-in, 11-pin, 1/16DIN (48 x 48mm), IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), multifunction, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24 VDC/24 VAC supply	243.30	EC001439	668603	4548583745254				DG	DGH	IDN	8536.4900.99
H5CX-AD-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0.01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, SPDT 5 A röle çıkışı, 12-24 VDC/24 VAC	212.40	EC001439	668625	4548583745162	#			DG	DGH	IDN	8536.4900.99
H5CX-A-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0.01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, SPDT 5 A röle çıkışı, 100-240 VAC	255.70	EC001439	668585	4548583745148	#			DG	DGH	IDN	8536.4900.99
H5CX-ASD-N	Zaman rölesi, DIN48x48mm, IP66, 4 haneli, çoklu zaman aralığı 0.01s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, NPN transistör çıkışı, 12-24VDC	212.40	EC001439	668609	4548583745179				DG	DGH	IDN	8536.4900.99
H5CX-AS-N	Zaman rölesi, DIN 48x48 mm, IP66, 4 haneli, çoklu zaman aralığı 0.01 s - 9999 saat (10 aralık), multifonksiyonlu, NPN/PNP/gerilimsiz giriş seçilebilir, NPN transistör çıkışı, 100-240 VAC	241.40	EC001439	668592	4548583745155				DG	DGH	IDN	8536.4900.99
H5CX-L8D-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 12-24 VDC/24 VAC supply	204.50	EC001439	668620	4548583745209	#			DG	DGH	IDN	8536.4900.99
H5CX-L8D-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 12-24 VDC/24 VAC supply	269.00	EC001439	668593	4548583745285				DG	DGH	IDN	8536.5080.90
H5CX-L8E-N	Timer, plug-in, 8-pin, DIN 48x48 mm, economy model, Contact output (time-limit SPDT + instantaneous SPDT), None NPN inputs, 100 to 240 VAC supply	269.00	EC001439	668636	4548583745278				DG	DGH	IDN	8536.5080.90
H5CX-L8-N	Timer, plug-in, 8-pin, DIN 48x48 mm, IP66, 4 preset & 4 actual time digits, multi range 0.01 s to 9999 h (10 ranges), economy model, NPN/PNP/No voltage input selectable, SPDT 5 A relay output, 100-240 VAC supply	211.90	EC001439	668607	4548583745186				DG	DGH	IDN	8536.4900.99
H5CX-L8SD-N	Timer, plug-in, 8-pin, DIN48x48mm, IP66, 4 preset & 4 actual time digits, multi range 0.01s to 9999h (10 ranges), economy model, NPN/PNP/No voltage input selectable, 100mA 30VDC NPN transistor output, 12-24VDC/24VAC supply	218.70	EC001439	668614	4548583745216				DG	DGH	IDN	8536.4900.99
Zaman Rölesi H3DT												
H3DT-A1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç AÇIK gecikmeli, 0,1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	49.52	EC001439	669477	4548583773356	#			DG	DGT	CHN	9107.0000.90
H3DT-A2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç AÇIK gecikmeli, 0,1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	52.15	EC001439	669509	4548583773363				DG	DGT	CHN	9107.0000.90
H3DT-F 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Cift (iki) zamanlı, Flaşor AÇIK/KAPALI başlangıç, 1-120 s, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	77.50	EC001439	669468	4548583773370	#			DG	DGT	CHN	9107.0000.90
H3DT-G 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Yıldız-Üçgen, 1 s-120 s, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	77.50	EC001439	669479	4548583773387	#			DG	DGT	CHN	9107.0000.90
H3DT-HBL 24-48VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	73.40	EC001439	669466	4548583773424				DG	DGT	CHN	9107.0000.90
H3DT-HBS 24-48VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 0,1 s-12 s, 1 x SPDT, 5 A, 24-48 VAC/DC, Push-in Plus terminal	73.40	EC001439	669492	4548583773394				DG	DGT	CHN	9107.0000.90
H3DT-HDL 200-240VAC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 1 s-120 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	73.40	EC001439	669455	4548583773448				DG	DGT	CHN	9107.0000.90
H3DT-HDS 200-240VAC	Zaman rölesi, DIN ray montaj, 17,5 mm, Güç KAPALI gecikmeli, 0,1 s-12 s, 1 x SPDT, 5 A, 200-240 VAC, Push-in Plus terminal	73.40	EC001439	669521	4548583773417				DG	DGT	CHN	9107.0000.90
H3DT-L1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0,1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	59.15	EC001439	669519	4548583773349				DG	DGT	CHN	9107.0000.90
H3DT-L2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Genişletilmiş çok fonksiyonlu, 8 çıkış modu (sinyal geldiği an çalışır), gerilim (sinyal) girişi, 0,1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	61.60	EC001439	669500	4548583773332	#			DG	DGT	CHN	9107.0000.90
H3DT-N1 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0,1 s-1200 sa, 1 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	59.05	EC001439	669502	4548583773325				DG	DGT	CHN	9107.0000.90
H3DT-N2 24-240VAC/DC	Zaman rölesi, DIN ray montaj, 17,5 mm, Standart çok fonksiyonlu, 8 çıkış modu (enerji geldiği an çalışır), gerilim (sinyal) girişi, 0,1 s-1200 sa, 2 x SPDT, 5 A, 24-240 VAC/DC, Push-in Plus terminal	61.40	EC001439	669448	4548583773318	#			DG	DGT	CHN	9107.0000.90
Diğer Zaman Röleleri												
H3RN-1 12VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 s-10 dk, SPDT, 3 A, 12 VDC, bej kasa	56.20	EC001439	147546	4536853509699		10		DG	DGX	JPN	8536.4900.99
H3RN-1 24VAC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 s-10 dk, SPDT, 3 A, 24 VAC, bej kasa	58.90	EC001439	145454	4536853509712		10		DG	DGX	JPN	8536.4900.99
H3RN-1 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 s-10 dk, SPDT, 3 A, 24 VDC, bej kasa	56.60	EC001439	120361	4536853509705		10		DG	DGX	JPN	8536.4900.99
H3RN-1 1 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 dk-10 sa, SPDT, 3 A, 24 VDC, bej kasa	56.55	EC001439	148556	4536853509736		10		DG	DGX	JPN	8536.4900.99
H3RN-1-B 24VDC	Minyatür zaman rölesi, 5 pinli, çok fonksiyonlu, 0,1 s-10 dk, SPDT, 3 A, 24 VDC, bobin tarafı üstte, sıyah kasa	65.15	EC001439	669638	4548583782952		10		DG	DGX	JPN	8536.4900.99
H3RN-2 24VAC	Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0,1 s-10 dk, DPDT-NO, 3 A, 24 VAC, bej kasa	65.90	EC001439	150751	4536853509774				DG	DGX	JPN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
H3RN-2.24VDC	Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk. DPDT-NO, 3 A, 24 VDC, bej kasa	63.00	EC001439	156331	4536853509767		10	DG	DGX	JPN	8536.4900.99
H3RN-21.12VDC	Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 dk-10 sa. DPDT-NO, 3 A, 12 VDC, bej kasa	64.25	EC001439	120365	4536853509781			DG	DGX	JPN	8536.4900.99
H3RN-2.8.24VDC	Minyatür zaman rölesi, 8 pinli, çok fonksiyonlu, 0.1 s-10 dk. DPDT-NO, 3 A, 24 VDC, bobin tarafı üstte, siyah kasa	66.30	EC001439	669644	4548583783010			DG	DGX	JPN	8536.4900.99
Diğer Zaman Röleleri											
H3FA-BU.24DC	Control Components, Timers, Other Timers, H3FA-BU.24DC	67.25	EC001439	120571	4536853505622			DG	DGX	JPN	8536.4900.99
Diğer Zaman Röleleri											
HSAN-4DM.100-240VAC	Digital Timer, 72 x 72 mm, 4 digit display, time limit and integrating operation, time range 0.01 to 99 h, with memory backup, screw terminals	620.00	EC001439	372095	4547648354332			DG	DGX	CHN	8536.4900.99
Diğer Zaman Röleleri											
HSF-B	Digital Daily Time Switch, Flush mounting, 24 h x 7 days (Operation days can be specified)	261.50	EC001439	243646	4547648354080			DG	DGX	CHN	8536.4900.99
HSF-KB	Digital Daily Time Switch, Surface Mounting/Track Mounting, 24 h x 7 days (Operation days can be specified)	320.80	EC001439	243648	4547648354134			DG	DGX	CHN	8536.4900.99
HS5-WB2	Digital Time Switch, Weekly, Flush mounting, 2 circuits, 100 to 240 VAC	582.50	EC001439	243986	4547648356350			DG	DGX	CHN	8536.4900.99
HS5-WFB2	Digital Time Switch, Weekly, Surface mounting/track mounting, 2 circuits, 100 to 240 VAC	564.00	EC001439	243987	4547648356589			DG	DGX	CHN	8536.4900.99
Zaman Röleleri için Aksesuarlar											
Y92A-48	Protective cover for DIN48x48mm device, hard plastic (shallow)	6.13	EC002586	120050	4536853523268		10	DG	DGZ	JPN	3926.9097.90
Y92A-48B	Protective cover for DIN 48x48 mm device, hard plastic	5.76	EC002586	120938	4536853494049			DG	DGZ	JPN	3926.9097.90
Y92A-48D	Protective cover for DIN48x48mm device, soft plastic	6.09	EC002586	156312	4536854247040			DG	DGZ	JPN	3926.9097.90
Y92A-48F1	Protective cover for H5/7CR timer/counter, soft plastic	16.30	EC002586	151801	4536854247088		10	DG	DGZ	JPN	3926.9097.90
Y92A-48G	Protective cover for DIN48x48mm device	3.49	EC002586	142439	4536854506420			DG	DGZ	JPN	8536.4900.99
Y92A-48N	Watertight cover for DIN 48x48 mm device, IP66, plastic	64.80	EC002586	154196	4536853362935	#		DG	DGZ	JPN	9032.1080.90
Y92A-49N	Watertight cover for DIN48x96mm device, IP66, plastic	83.00	EC002586	129704	4536853362942			DG	DGZ	JPN	9032.1080.90
Y92A-72N	Watertight cover for DIN72x72mm device, IP66, plastic	88.80	EC002586	142057	4536853362959			DG	DGZ	JPN	9032.1080.90
Y92A-96N	Watertight cover for DIN 96x96 mm device, IP66, plastic	103.80	EC002586	148625	4536853362966			DG	DGZ	JPN	9032.1080.90
Y92F-30	Flush panel mounting adapter for DIN 48x48 mm device	4.86	EC002586	332154	4547648769525	#	50	DG	DGZ	CHN	3926.9097.90
Y92F-78	Flush panel mounting adapter for H3Y(N) timer	5.28	EC002586	120088	4536854478291		8	DG	DGZ	JPN	3926.9097.90
Y92H-3	Clips for H3Y(N) timer & PYF socket	1.14	EC002586	120086	4536853521516			DG	DGZ	JPN	3926.9097.90
Y92S-29	Waterproof packing for use with 48x48mm devices and Y92F30 flush mounting adapter	5.21	EC002586	107361	4536854248313		25	DG	DGZ	JPN	8536.4900.99
Y92S-38	Adjustment and locking tool for H3DS	14.30	EC002586	235530	4536854577819			DG	DGZ	CHN	3926.9097.90
Güç İzleme											
KM1-PMU11A-FLK	Power monitor, master unit, single system, three-phase / 4-wire, Compoway/E and Modbus	313.10	EC001506	380518	4548583998674			DQ	DQA	JPN	9031.9000.00
Güç İzleme											
KM50-F1-FLK	Power monitor, on-panel 48x96mm with LED display, single phase / 2-wire, three-phase / 3-wire, Compoway/E and Modbus	216.70	EC001506	380520	4547648822220			DQ	DQA	JPN	9031.9000.00
KM50-OPT-ED1	Mounting form for KM50 E-version (DIN rail mounting type)	76.55	EC002498	380511	4548583998056			DQ	DQA	JPN	9031.9000.00
KM-N2-FLK	Çoklu devre, kompakt, DIN ray montajlı, pano içi, sebecke analizörü, sınıf 0.5s, RS-485 haberleşme, 4 x Pulse çıkışı, Push-in Plus terminal	234.10	EC001506	669418	4548583795624	#		DQ	DQA	CHN	9031.9000.00
KM-N3-FLK	Çoklu devre, 96 x 96 mm, kompakt, pano üstü, sebecke analizörü, sınıf 0.5s, RS-485 haberleşme, 4 x Pulse çıkışı, Push-in Plus terminal	225.00	EC001506	672546	4548583800199	#		DQ	DQA	CHN	9031.9000.00
Güç İzleme											
KM20-CTF-100A	Maks. 14.5 mm çaplı kablolar için saha montaj, 100 A akım trafosu	41.00	EC002048	380506	4547648706247			DQ	DQA	JPN	9031.9000.00
KM20-CTF-50A	Maks. 9.5 mm çaplı kablolar için saha montaj, 50 A akım trafosu	27.99	EC002048	380519	4547648706223			DQ	DQA	JPN	9031.9000.00
KM20-CTF-CB3	Akım trafosu için 3 m bağlantı kablosu	20.51	EC002498	380509	4547648706780			DQ	DQA	JPN	9031.9000.00
KM-NCT-E100A	Split-type Current Transformers, rated primary current 100 A, rated secondary current 1 A	110.40	EC002048	687721	4549734440967			DQ	DQA	JPN	9031.9000.00
KM-NCT-E250A	Split-type Current Transformers, rated primary current 250 A, rated secondary current 1 A	116.60	EC002048	687720	4549734440943			DQ	DQA	JPN	9031.9000.00
KM-NCT-E500A	Split-type Current Transformers, rated primary current 500 A	122.80	EC002048	687719	4549734440950			DQ	DQA	JPN	9031.9000.00
Kesintiz Güç Kaynağı S8BA											
S8BA-24D24D120LE	UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 5 A, 120 W, min. 6 dk. - maks. 29 dk. besleme süresi	977.50	EC000382	668093	4547648846608	#		DU	DUA	JPN	8504.4030.00
S8BA-24D24D240LE	UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 10 A, 240 W, min. 6 dk. - maks. 58 dk. besleme süresi	1,107.00	EC000382	668092	4547648846615	#		DU	DUA	JPN	8504.4030.00
S8BA-24D24D360LE	UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 15 A, 360 W, min. 6 dk. - maks. 87 dk. besleme süresi	1,365.00	EC000382	668096	4547648846622			DU	DUA	JPN	8504.4030.00
S8BA-24D24D480LE	UPS, dahili lityum-iyon akü, DIN ray montaj, DC-DC, 20 A, 480 W, min. 6 dk. - maks. 119 dk. besleme süresi	1,590.00	EC000382	668091	4547648846639	#		DU	DUA	JPN	8504.4030.00
S8BA-24D24D480SBE	UPS, DIN rail type, Separated battery type, DC-DC, 20 A, 480 W	340.20	EC000382	683502	4548583941724			DU	DUA	CHN	8504.4030.00
S8BA-24D24D960SBE	UPS, DIN rail type, Separated battery type, DC-DC, 40 A, 960 W	483.90	EC000382	683500	4548583941731			DU	DUA	CHN	8504.4030.00
Kesintiz Güç Kaynağı S8BA											
S8BA-S480L	UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 3.9 Ah	677.50	EC000382	683501	4548583941748			DU	DUA	CHN	8507.6000.90
S8BA-S960L	UPS, DIN rail type, Battery unit for S8BA (Separated battery type), 7.8 Ah	1,046.00	EC000382	683499	4548583941755			DU	DUA	CHN	8507.6000.90
Kesintiz Güç Kaynağı BU											
BU1002SWG	UPS, Kule tipi, AC-AC, 1000 VA, 700 W	1,944.00	EC000382	678549	4547648849623			DU	DUB	TWN	8504.4030.00
Kesintiz Güç Kaynağı Aksesuarı											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
S8BW-C02	R45 - açık uç alarm kablosu	69,70	EC002850	668098	4547648846660	#		DU	DUW	JPN	8544.4290.90
Kesintiz Güç Kaynağı Aksesuarı											
S8BA-B120L	S8BA için yedek akü paketi	586,00	EC002850	671160	4547648846646			DU	DUW	JPN	8506.5090.90
Kesintiz Güç Kaynağı Aksesuarı											
BP100XSG	BU1002SWG için yedek pil paketi	487,20	EC002850	678554	4547648849760			DU	DUW	TWN	8506.5090.90
BP150XSG	BU3002SWG için yedek pil paketi	456,20	EC002850	678555	4547648849777			DU	DUW	TWN	8506.5090.90
BLJB2002RW	BU2002RWLG için yedek akü paketi	1,645,00	EC002850	671158	4547648845397			DU	DUW	JPN	8506.5090.90
BLJB3002RW	BU3002RWLG ve BU5002RWL için yedek akü paketi	1,998,00	EC002850	671159	4547648845403			DU	DUW	JPN	8506.5090.90
Inverter Q2V											
Q2V-A2001-AAA	Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	488,20	EC001857	688470	4549734972130	#		EA	EA	GBR	8504.4090.90
Q2V-A2002-AAA	Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	492,60	EC001857	688471	4549734972147	#		EA	EA	GBR	8504.4090.90
Q2V-A2004-AAA	Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	715,00	EC001857	688472	4549734972154	#		EA	EA	GBR	8504.4090.90
Q2V-A2006-AAA	Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	828,50	EC001857	688473	4549734972161	#		EA	EA	GBR	8504.4090.90
Q2V-A2010-AAA	Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,004,00	EC001857	688474	4549734972178	#		EA	EA	GBR	8504.4090.90
Q2V-A2012-AAA	Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11.0 A / 2.2 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,122,00	EC001857	688475	4549734972185	#		EA	EA	GBR	8504.4090.90
Q2V-A2021-AAA	Inverter Q2V 200V, ND: 21.0 A / 5.5 kW, HD: 17.6 A / 4 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	1,224,00	EC001857	688476	4549734972192	#		EA	EA	GBR	8504.4090.90
Q2V-A2030-AAA	Inverter Q2V 200V, ND: 30.0 A / 7.5 kW, HD: 25.0 A / 5.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	2,280,00	EC001857	688477	4549734972208	#		EA	EA	GBR	8504.4090.90
Q2V-A2042-AAA	Inverter Q2V 200V, ND: 42.0 A / 11.0 kW, HD: 33.0 A / 7.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	2,293,00	EC001857	688478	4549734972215	#		EA	EA	GBR	8504.4090.90
Q2V-A2056-AAA	Inverter Q2V 200V, ND: 56.0 A / 15.0 kW, HD: 47.0 A / 11.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	2,847,00	EC001857	688479	4549734972222	#		EA	EA	GBR	8504.4090.90
Q2V-A2070-AAA	Inverter Q2V 200V, ND: 70.0 A / 18.5 kW, HD: 60.0 A / 15.0 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	3,668,00	EC001857	688480	4549734972239	#		EA	EA	GBR	8504.4090.90
Q2V-A2082-AAA	Inverter Q2V 200V, ND: 82.0 A / 22.0 kW, HD: 75.0 A / 18.5 kW, with integrated EMC C3-Filter, max. output freq. 590Hz	5,415,00	EC001857	688449	4549734971928	#		EA	EA	GBR	8504.4090.90
Q2V-A4001-AAA	Inverter Q2V 400V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, EMC filter class C2, max. output freq. 590Hz	786,00	EC001857	688450	4549734971935	#		EA	EA	GBR	8504.4090.90
Q2V-A4002-AAA	Inverter Q2V 400V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, EMC filter class C2, max. output freq. 590Hz	877,00	EC001857	688451	4549734971942	#		EA	EA	GBR	8504.4090.90
Q2V-A4004-AAA	Inverter Q2V 400V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, EMC filter class C2, max. output freq. 590Hz	991,00	EC001857	688452	4549734971959	#		EA	EA	GBR	8504.4090.90
Q2V-A4005-AAA	Inverter Q2V 400V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,106,00	EC001857	688453	4549734971966	#		EA	EA	GBR	8504.4090.90
Q2V-A4007-AAA	Inverter Q2V 400V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,237,00	EC001857	688454	4549734971973	#		EA	EA	GBR	8504.4090.90
Q2V-A4009-AAA	Inverter Q2V 400V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,379,00	EC001857	688455	4549734971980	#		EA	EA	GBR	8504.4090.90
Q2V-A4012-AAA	Inverter Q2V 400V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,545,00	EC001857	688456	4549734971997	#		EA	EA	GBR	8504.4090.90
Q2V-A4018-AAA	Inverter Q2V 400V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	1,987,00	EC001857	688457	4549734972000	#		EA	EA	GBR	8504.4090.90
Q2V-A4023-AAA	Inverter Q2V 400V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	2,250,00	EC001857	688458	4549734972017	#		EA	EA	GBR	8504.4090.90
Q2V-A4031-AAA	Inverter Q2V 400V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	2,537,00	EC001857	688459	4549734972024	#		EA	EA	GBR	8504.4090.90
Q2V-A4038-AAA	Inverter Q2V 400V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	3,247,00	EC001857	688460	4549734972031	#		EA	EA	GBR	8504.4090.90
Q2V-A4044-AAA	Inverter Q2V 400V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, EMC filter class C2, max. output freq. 590Hz	4,293,00	EC001857	688461	4549734972048	#		EA	EA	GBR	8504.4090.90
Q2V-A4060-AAA	Inverter Q2V 400V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, EMC filter class C2, max. output freq. 590Hz	5,100,00	EC001857	688462	4549734972055	#		EA	EA	GBR	8504.4090.90
Q2V-A4001-AAA	Inverter Q2V 1x200V, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, EMC filter class C1, max. output freq. 590Hz	548,50	EC001857	688463	4549734972062	#		EA	EA	GBR	8504.4090.90
Q2V-A4002-AAA	Inverter Q2V 1x200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, EMC filter class C1, max. output freq. 590Hz	560,50	EC001857	688464	4549734972079	#		EA	EA	GBR	8504.4090.90
Q2V-A4004-AAA	Inverter Q2V 1x200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, EMC filter class C1, max. output freq. 590Hz	587,50	EC001857	688465	4549734972086	#		EA	EA	GBR	8504.4090.90
Q2V-A4006-AAA	Inverter Q2V 1x200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, EMC filter class C1, max. output freq. 590Hz	697,50	EC001857	688466	4549734972093	#		EA	EA	GBR	8504.4090.90
Q2V-A4010-AAA	Inverter Q2V 1x200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, EMC filter class C1, max. output freq. 590Hz	819,50	EC001857	688467	4549734972109	#		EA	EA	GBR	8504.4090.90
Q2V-A4012-AAA	Inverter Q2V 1x200V, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, EMC filter class C1, max. output freq. 590Hz	956,00	EC001857	688468	4549734972116	#		EA	EA	GBR	8504.4090.90
Q2V-A4018-AAA	Inverter Q2V 1x200V, ND: 17.6 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz	1,088,00	EC001857	688469	4549734972123	#		EA	EA	GBR	8504.4090.90
Inverter Q2V											
Q2V-A2001-BAA	Inverter Q2V 200V, ND: 1.2 A / 0.2 kW, HD: 0.8 A / 0.1 kW, without integrated EMC filter, max. output freq. 590Hz	430,90	EC001857	702677	4549734794619			EA	EA	GBR	8504.4090.90
Q2V-A2002-BAA	Inverter Q2V 200V, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, without integrated EMC filter, max. output freq. 590Hz	434,80	EC001857	702676	4549734794602			EA	EA	GBR	8504.4090.90
Q2V-A2004-BAA	Inverter Q2V 200V, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, without integrated EMC filter, max. output freq. 590Hz	630,50	EC001857	702675	4549734794596			EA	EA	GBR	8504.4090.90
Q2V-A2006-BAA	Inverter Q2V 200V, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, without integrated EMC filter, max. output freq. 590Hz	731,00	EC001857	702674	4549734794589			EA	EA	GBR	8504.4090.90
Q2V-A2010-BAA	Inverter Q2V 200V, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, without integrated EMC filter, max. output freq. 590Hz	885,50	EC001857	702673	4549734794572			EA	EA	GBR	8504.4090.90
Q2V-A2012-BAA	Inverter Q2V 200V, ND: 12.2 A / 3 kW, HD: 11 A / 2.2 kW, without integrated EMC filter, max. output freq. 590Hz	990,00	EC001857	702672	4549734794565			EA	EA	GBR	8504.4090.90
Q2V-A2021-BAA	Inverter Q2V 200V, ND: 21 A / 5.5 kW, HD: 17.6 A / 4 kW, without integrated EMC filter, max. output freq. 590Hz	1,079,00	EC001857	702671	4549734794558			EA	EA	GBR	8504.4090.90
Q2V-A2030-BAA	Inverter Q2V 200V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, without integrated EMC filter, max. output freq. 590Hz	2,011,00	EC001857	702670	4549734794541			EA	EA	GBR	8504.4090.90
Q2V-A2042-BAA	Inverter Q2V 200V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, without integrated EMC filter, max. output freq. 590Hz	2,023,00	EC001857	702669	4549734794534			EA	EA	GBR	8504.4090.90
Q2V-A2056-BAA	Inverter Q2V 200V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, without integrated EMC filter, max. output freq. 590Hz	2,513,00	EC001857	702668	4549734794527			EA	EA	GBR	8504.4090.90
Q2V-A2070-BAA	Inverter Q2V 200V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, without integrated EMC filter, max. output freq. 590Hz	3,236,00	EC001857	702667	4549734794510			EA	EA	GBR	8504.4090.90
Q2V-A2082-BAA	Inverter Q2V 200V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, without integrated EMC filter, max. output freq. 590Hz	4,774,00	EC001857	702666	4549734794503			EA	EA	GBR	8504.4090.90
Q2V-A4001-BAA	Inverter Q2V 400V, ND: 1.2 A / 0.37 kW, HD: 1.2 A / 0.37 kW, IP20, without EMC filter, max. output freq. 590Hz	692,50	EC001857	702696	4549734794800			EA	EA	GBR	8504.4090.90
Q2V-A4002-BAA	Inverter Q2V 400V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz	773,50	EC001857	702695	4549734794794			EA	EA	GBR	8504.4090.90
Q2V-A4004-BAA	Inverter Q2V 400V, ND: 4.1 A / 1.5 kW, HD: 3.4 A / 1.1 kW, IP20, without EMC filter, max. output freq. 590Hz	873,50	EC001857	702694	4549734794787			EA	EA	GBR	8504.4090.90
Q2V-A4005-BAA	Inverter Q2V 400V, ND: 5.4 A / 2.2 kW, HD: 4.8 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz	975,50	EC001857	702693	4549734794770			EA	EA	GBR	8504.4090.90
Q2V-A4007-BAA	Inverter Q2V 400V, ND: 7.1 A / 3.0 kW, HD: 5.6 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz	1,091,00	EC001857	702692	4549734794763			EA	EA	GBR	8504.4090.90
Q2V-A4009-BAA	Inverter Q2V 400V, ND: 8.9 A / 4.0 kW, HD: 7.3 A / 3.0 kW, IP20, without EMC filter, max. output freq. 590Hz	1,216,00	EC001857	702691	4549734794756			EA	EA	GBR	8504.4090.90
Q2V-A4012-BAA	Inverter Q2V 400V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 4.0 kW, IP20, without EMC filter, max. output freq. 590Hz	1,362,00	EC001857	702690	4549734794749			EA	EA	GBR	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Q2V-A4018-BAA	Inverter Q2V, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, without EMC filter, max. output freq. 590Hz	1,753.00	EC001857	202689	4549734794732			EA	EA	GBR	8504.4090.90
Q2V-A4023-BAA	Inverter Q2V, 400 V, ND: 23.4 A / 11.0 kW, HD: 18.0 A / 7.5 kW, IP20, without EMC filter, max. output freq. 590Hz	1,986.00	EC001857	202688	4549734794725			EA	EA	GBR	8504.4090.90
Q2V-A4031-BAA	Inverter Q2V, 400 V, ND: 31.0 A / 15.0 kW, HD: 24.0 A / 11.0 kW, IP20, without EMC filter, max. output freq. 590Hz	2,239.00	EC001857	202687	4549734794718			EA	EA	GBR	8504.4090.90
Q2V-A4038-BAA	Inverter Q2V, 400 V, ND: 38.0 A / 18.5 kW, HD: 31.0 A / 15.0 kW, IP20, without EMC filter, max. output freq. 590Hz	2,864.00	EC001857	202686	4549734794701			EA	EA	GBR	8504.4090.90
Q2V-A4044-BAA	Inverter Q2V, 400 V, ND: 44.0 A / 22.0 kW, HD: 39.0 A / 18.5 kW, IP20, without EMC filter, max. output freq. 590Hz	3,788.00	EC001857	202685	4549734794695			EA	EA	GBR	8504.4090.90
Q2V-A4060-BAA	Inverter Q2V, 400 V, ND: 60.0 A / 30.0 kW, HD: 45.0 A / 22.0 kW, IP20, without EMC filter, max. output freq. 590Hz	4,497.00	EC001857	202684	4549734794688			EA	EA	GBR	8504.4090.90
Q2V-AB001-BAA	Inverter Q2V, Single Phase, ND: 1.2 A / 0.18 kW, HD: 0.8 A / 0.1 kW, IP20, without EMC filter, max. output freq. 590Hz	483.70	EC001857	202683	4549734794671			EA	EA	GBR	8504.4090.90
Q2V-AB002-BAA	Inverter Q2V, Single Phase, ND: 1.9 A / 0.37 kW, HD: 1.6 A / 0.25 kW, IP20, without EMC filter, max. output freq. 590Hz	494.60	EC001857	202682	4549734794664			EA	EA	GBR	8504.4090.90
Q2V-AB004-BAA	Inverter Q2V, Single Phase, ND: 3.5 A / 0.75 kW, HD: 3.0 A / 0.55 kW, IP20, without EMC filter, max. output freq. 590Hz	518.00	EC001857	202681	4549734794657			EA	EA	GBR	8504.4090.90
Q2V-AB006-BAA	Inverter Q2V, Single Phase, ND: 6.0 A / 1.1 kW, HD: 5.0 A / 0.75 kW, IP20, without EMC filter, max. output freq. 590Hz	615.50	EC001857	202680	4549734794640			EA	EA	GBR	8504.4090.90
Q2V-AB010-BAA	Inverter Q2V, Single Phase, ND: 9.6 A / 2.2 kW, HD: 8.0 A / 1.5 kW, IP20, without EMC filter, max. output freq. 590Hz	723.50	EC001857	202679	4549734794633			EA	EA	GBR	8504.4090.90
Q2V-AB012-BAA	Inverter Q2V, Single Phase, ND: 12.2 A / 3.0 kW, HD: 11.0 A / 2.2 kW, IP20, without EMC filter, max. output freq. 590Hz	843.50	EC001857	202678	4549734794626			EA	EA	GBR	8504.4090.90
Inverter V1000											
VZA2011FAA	V1000 inverter, 3~ 200 VAC, 11 kW, 47 A, sensorless vector	2,703.00	EC001857	352965	4547648898171			EA	EAG	GBR	8504.4090.90
VZA2015FAA	V1000 inverter, 3~ 200 VAC, 15 kW, 60 A, sensorless vector	3,482.00	EC001857	352966	4547648898188			EA	EAG	GBR	8504.4090.90
VZA20P1BAA	V1000 inverter, 3~ 200 VAC, 0.12 kW, 0.8 A, sensorless vector	463.60	EC001857	234265	4547648389020			EA	EAG	JPN	8504.4090.90
VZA20P2BAA	V1000 inverter, 3~ 200 VAC, 0.25 kW, 1.6 A, sensorless vector	468.00	EC001857	234266	4547648389037			EA	EAG	JPN	8504.4090.90
VZA20P4BAA	V1000 inverter, 3~ 200 VAC, 0.55 kW, 3.0 A, sensorless vector	679.00	EC001857	234267	4547648389044	#		EA	EAG	JPN	8504.4090.90
VZA20P7BAA	V1000 inverter, 3~ 200 VAC, 1.1 kW, 5.0 A, sensorless vector	786.50	EC001857	234268	4547648389051	#		EA	EAG	JPN	8504.4090.90
VZA21P5BAA	V1000 inverter, 3~ 200 VAC, 1.5 kW, 8.0 A, sensorless vector	954.00	EC001857	234269	4547648389068			EA	EAG	JPN	8504.4090.90
VZA22P2BAA	V1000 inverter, 3~ 200 VAC, 2.2 kW, 11 A, sensorless vector	1,066.00	EC001857	234270	4547648389075			EA	EAG	JPN	8504.4090.90
VZA24P0BAA	V1000 inverter, 3~ 200 VAC, 4 W, 17.5 A, sensorless vector	1,162.00	EC001857	234271	4547648389082	#		EA	EAG	JPN	8504.4090.90
VZA25P5FAA	V1000 inverter, 3~ 200 VAC, 5.5 kW, 25 A, sensorless vector	2,166.00	EC001857	352963	4547648898157			EA	EAG	GBR	8504.4090.90
VZA27P5FAA	V1000 inverter, 3~ 200 VAC, 7.5 kW, 33 A, sensorless vector	2,177.00	EC001857	352964	4547648898164			EA	EAG	GBR	8504.4090.90
VZA4011FAA	V1000 inverter, 3~ 400 VAC, 11 kW, 24 A, sensörsüz vektör	2,411.00	EC001857	240694	4547648463812	#		EA	EAG	GBR	8504.4090.90
VZA4015FAA	V1000 inverter, 3~ 400 VAC, 15 kW, 31 A, sensörsüz vektör	3,082.00	EC001857	240695	4547648463829	#		EA	EAG	GBR	8504.4090.90
VZA40P2BAA	V1000 inverter, 3~ 400 VAC, 0.37 kW, 1.2 A, sensörsüz vektör	745.50	EC001857	234251	4547648388887		3	EA	EAG	JPN	8504.4090.90
VZA40P4BAA	V1000 inverter, 3~ 400 VAC, 0.55 kW, 1.8 A, sensörsüz vektör	833.00	EC001857	234252	4547648388894	#		EA	EAG	JPN	8504.4090.90
VZA40P7BAA	V1000 inverter, 3~ 400 VAC, 1.1 kW, 3.4 A, sensörsüz vektör	940.50	EC001857	234253	4547648388900	#		EA	EAG	JPN	8504.4090.90
VZA41P5BAA	V1000 inverter, 3~ 400 VAC, 1.5 kW, 4.8 A, sensörsüz vektör	1,050.00	EC001857	234254	4547648388917	#		EA	EAG	JPN	8504.4090.90
VZA42P2BAA	V1000 inverter, 3~ 400 VAC, 2.2 kW, 5.5 A, sensörsüz vektör	1,175.00	EC001857	234255	4547648388924	#	3	EA	EAG	JPN	8504.4090.90
VZA43P0BAA	V1000 inverter, 3~ 400 VAC, 3.0 kW, 7.2 A, sensörsüz vektör	1,309.00	EC001857	234256	4547648388931	#	3	EA	EAG	JPN	8504.4090.90
VZA44P0BAA	V1000 inverter, 3~ 400 VAC, 4.0 kW, 9.2 A, sensörsüz vektör	1,467.00	EC001857	234257	4547648388948	#		EA	EAG	JPN	8504.4090.90
VZA45P5FAA	V1000 inverter, 3~ 400 VAC, 5.5 kW, 14.8 A, sensörsüz vektör	1,888.00	EC001857	240692	4547648463799	#		EA	EAG	GBR	8504.4090.90
VZA47P5FAA	V1000 inverter, 3~ 400 VAC, 7.5 kW, 18 A, sensörsüz vektör	2,139.00	EC001857	240693	4547648463805	#		EA	EAG	GBR	8504.4090.90
VZAB0P1BAA	V1000 inverter, 1~ 200 VAC, 0.12 kW, 0.8 A, sensörsüz vektör	521.00	EC001857	234258	4547648388955			EA	EAG	JPN	8504.4090.90
VZAB0P2BAA	V1000 inverter, 1~ 200 VAC, 0.25 kW, 1.6 A, sensörsüz vektör	532.50	EC001857	234259	4547648388962	#		EA	EAG	JPN	8504.4090.90
VZAB0P4BAA	V1000 inverter, 1~ 200 VAC, 0.55 kW, 3.0 A, sensörsüz vektör	558.00	EC001857	234260	4547648388979	#		EA	EAG	JPN	8504.4090.90
VZAB0P7BAA	V1000 inverter, 1~ 200 VAC, 1.1 kW, 5.0 A, sensörsüz vektör	662.50	EC001857	234261	4547648388986	#	3	EA	EAG	JPN	8504.4090.90
VZAB1P5BAA	V1000 inverter, 1~ 200 VAC, 1.5 kW, 8.0 A, sensörsüz vektör	779.00	EC001857	234262	4547648388993	#	3	EA	EAG	JPN	8504.4090.90
VZAB2P2BAA	V1000 inverter, 1~ 200 VAC, 2.2 kW, 11.0 A, sensörsüz vektör	907.50	EC001857	234263	4547648389006	#		EA	EAG	JPN	8504.4090.90
VZAB4P0BAA	V1000 inverter, 1~ 200 VAC, 4.0 kW, 17.5 A, sensörsüz vektör	1,033.00	EC001857	234264	4547648389013	#		EA	EAG	JPN	8504.4090.90
Inverter V1000											
CIMR-VC4A0005JAB	Variable Frequency Drive, max. output freq. 400 Hz	984.50	EC001857	352952	4547648898041			EA	EAG	GBR	8504.4090.90
CIMR-VC4A0009JAB	V1000 Finless type Inverter, IP20, 3/4kW(HD/ND), 7/2/8.8A(HD/ND), 3~400VAC, sensorless vector, LED operator, max. output freq. 400Hz	1,664.00	EC001857	352360	4547648895903	#		EA	EAG	GBR	8504.4090.90
CIMR-VC4A0011JAB	Inverter V1000, 400 V, ND: 11.1 A / 5.5 kW, HD: 9.2 A / 4 kW, Finless, max. output freq. 400Hz	1,395.00	EC001857	352954	4547648898065			EA	EAG	GBR	8504.4090.90
CIMR-VCBA0003JAB	V1000 Inverter drive, Finless, 0.4/0.55kW(HD/ND), 3.0/3.5A(HD/ND), 200 VAC, single phase input, sensorless vector	426.60	EC001857	352358	4547648895880			EA	EAG	JPN	8504.4090.90
CIMR-VCBA0010JAB	V1000 Finless type Inverter, IP20, 1.5/2.2 kW(HD/ND), 8.0/9.6A(HD/ND), 1~200 VAC, sensorless vector, LED operator, max. output freq. 400Hz	581.00	EC001857	352962	4547648898140			EA	EAG	JPN	8504.4090.90
Inverter V1000											
JVOP-180	LCD operatör paneli	179.00	EC002025	241589	4547648851626			EA	EAG	JPN	8471.6070.00
Inverter V1000											
S=485/J	RS-422/485 haberleşme kartı, CIMR-J1000 inverter	87.30	EC002025	251861	4547648860802			EA	EAG	JPN	8517.6200.00
Inverter V1000											
JVOP-181	USB dönüştürücü ünitesi, kopyalama ve yedekleme fonksiyonu ile birlikte	330.00	EC002025	239699	4536853913854			EA	EAG	JPN	8471.6070.00
Inverter J1000											
JZA20P1BAA	Inverter sürücü, 0.1kW, 0.8A, 200 VAC, 3-faz	271.70	EC001857	246651	4547648550659			EA	EAH	JPN	8504.4090.90
JZA20P4BAA	Inverter sürücü, 0.55kW, 3.0A, 200 VAC, 3-faz	390.40	EC001857	246653	4547648550673	#		EA	EAH	JPN	8504.4090.90
JZA20P7BAA	Inverter sürücü, 1.1kW, 5.0A, 200 VAC, 3-faz	457.20	EC001857	246654	4547648550680	#		EA	EAH	JPN	8504.4090.90
JZA21P5BAA	Inverter sürücü, 1.5kW, 8.0A, 200 VAC, 3-faz	561.00	EC001857	246655	4547648550697	#		EA	EAH	JPN	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
JZA22P2BAA	Inverter sürücü, 2,2kW, 11.0A, 200 VAC, 3-faz	592,00	EC001857	246656	4547648550703	#		EA	EAH	JPN	8504.4090.90
JZA24P0BAA	Inverter sürücü, 4.0kW, 9.2A, 200 VAC, 3-faz	680,50	EC001857	246657	4547648550710			EA	EAH	JPN	8504.4090.90
JZA40P2BAA	J1000 Inverter sürücü, 0.37kW, 1.2A, 415 VAC, 3-faz	627,50	EC001857	246658	4547648550727			EA	EAH	JPN	8504.4090.90
JZA40P4BAA	J1000 Inverter sürücü, 0.55kW, 1.8A, 415 VAC, 3-faz	639,50	EC001857	246659	4547648550734		3	EA	EAH	JPN	8504.4090.90
JZA40P7BAA	J1000 Inverter sürücü, 1.1kW, 3.4A, 415 VAC, 3-faz	736,00	EC001857	246660	4547648550741	#	3	EA	EAH	JPN	8504.4090.90
JZA41P5BAA	J1000 Inverter sürücü, 1.5kW, 4.8A, 415 VAC, 3-faz	867,00	EC001857	246661	4547648550758	#		EA	EAH	JPN	8504.4090.90
JZA42P2BAA	J1000 Inverter sürücü, 2.2kW, 5.5A, 415 VAC, 3-faz	1,030,00	EC001857	246662	4547648550765		3	EA	EAH	JPN	8504.4090.90
JZA43P0BAA	J1000 Inverter sürücü, 3.0kW, 7.2A, 415 VAC, 3-faz	1,098,00	EC001857	246663	4547648550772	#		EA	EAH	JPN	8504.4090.90
JZA44P0BAA	J1000 Inverter sürücü, 4.0kW, 9.2A, 415 VAC, 3-faz	1,251,00	EC001857	246664	4547648550789	#		EA	EAH	JPN	8504.4090.90
JZAR0P1BAA	J1000 Inverter sürücü, 0.1kW, 0.8A, 240 VAC, tek-faz	322,40	EC001857	246646	4547648550604			EA	EAH	JPN	8504.4090.90
JZAR0P2BAA	J1000 Inverter sürücü, 0.25kW, 1.6A, 240 VAC, tek-faz	355,50	EC001857	246647	4547648550611	#		EA	EAH	JPN	8504.4090.90
JZAR0P4BAA	J1000 Inverter sürücü, 0.55kW, 3A, 240 VAC, tek-faz	395,30	EC001857	246648	4547648550628	#		EA	EAH	JPN	8504.4090.90
JZAR0P7BAA	J1000 Inverter sürücü, 1.1kW, 5A, 240 VAC, tek-faz	478,60	EC001857	246649	4547648550635	#	3	EA	EAH	JPN	8504.4090.90
JZAB1P5BAA	J1000 Inverter sürücü, 1.5kW, 8A, 240 VAC, tek-faz	639,50	EC001857	246650	4547648550642	#	3	EA	EAH	JPN	8504.4090.90
Inverter J1000											
JYOP-182	LED operatör paneli	85,75	EC002025	252658	4547648861502			EA	EAH	JPN	8471.6070.00
Inverter Q2A											
Q2A-A2004-AAA	Inverter Q2A, 200 V, ND: 3.5 A / 0.75 kW, HD: 3.2 A / 0.55 kW, IP20, max. output freq. 590 Hz	1,032,00	EC001857	684659	4549734959230	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2006-AAA	Inverter Q2A, 200 V, ND: 6 A / 1.1 kW, HD: 5 A / 0.75 kW, IP20, max. output freq. 590 Hz	1,231,00	EC001857	684657	4549734959216	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2010-AAA	Inverter Q2A, 200 V, ND: 9 A / 2.2 kW, HD: 8 A / 1.5 kW, IP20, max. output freq. 590 Hz	1,296,00	EC001857	684698	4549734959322	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2012-AAA	Inverter Q2A, 200 V, ND: 12.2 A / 3.0 kW, HD: 11 A / 2.2 kW, IP20, max. output freq. 590 Hz	1,898,00	EC001857	684699	4549734959339	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2021-AAA	Inverter Q2A, 200 V, ND: 21 A / 5.5 kW, HD: 17.5 A / 4.0 kW, IP20, max. output freq. 590 Hz	1,987,00	EC001857	684700	4549734959346	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2030-AAA	Inverter Q2A, 200 V, ND: 30 A / 7.5 kW, HD: 25 A / 5.5 kW, IP20, max. output freq. 590 Hz	2,087,00	EC001857	684701	4549734959353	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2042-AAA	Inverter Q2A, 200 V, ND: 42 A / 11 kW, HD: 33 A / 7.5 kW, IP20, max. output freq. 590 Hz	2,516,00	EC001857	684702	4549734959360	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2056-AAA	Inverter Q2A, 200 V, ND: 56 A / 15 kW, HD: 47 A / 11 kW, IP20, max. output freq. 590 Hz	2,984,00	EC001857	684703	4549734959377	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2070-AAA	Inverter Q2A, 200 V, ND: 70 A / 18.5 kW, HD: 60 A / 15 kW, IP20, max. output freq. 590 Hz	4,726,00	EC001857	684704	4549734959384	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2082-AAA	Inverter Q2A, 200 V, ND: 82 A / 22 kW, HD: 75 A / 18.5 kW, IP20, max. output freq. 590 Hz	5,825,00	EC001857	684705	4549734959391	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2110-AAA	Inverter Q2A, 200 V, ND: 110 A / 30 kW, HD: 88 A / 22 kW, IP20, max. output freq. 590 Hz	5,755,00	EC001857	684706	4549734959407	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2138-AAA	Inverter Q2A, 200 V, ND: 138 A / 37 kW, HD: 115 A / 30 kW, IP20, max. output freq. 590 Hz	9,720,00	EC001857	684707	4549734959414	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2169-AAA	Inverter Q2A, 200 V, ND: 169 A / 45 kW, HD: 145 A / 37 kW, IP20, max. output freq. 590 Hz	11,140,00	EC001857	684708	4549734959421	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2211-AAA	Inverter Q2A, 200 V, ND: 211 A / 55 kW, HD: 180 A / 45 kW, IP20, max. output freq. 590 Hz	12,350,00	EC001857	684709	4549734959438	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2257-AAA	Inverter Q2A, 200 V, ND: 257 A / 75 kW, HD: 215 A / 55 kW, IP20, max. output freq. 590 Hz	13,130,00	EC001857	684710	4549734959445	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2313-AAA	Inverter Q2A, 200 V, ND: 313 A / 90 kW, HD: 283 A / 75 kW, IP20, max. output freq. 590 Hz	23,700,00	EC001857	684711	4549734959452	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2360-AAA	Inverter Q2A, 200 V, ND: 360 A / 110 kW, HD: 346 A / 90 kW, IP20, max. output freq. 590 Hz	26,700,00	EC001857	684696	4549734959308	#		EA	EAJ	GBR	8504.4090.90
Q2A-A2415-AAA	Inverter Q2A, 200 V, ND: 415 A / 110 kW, IP20, max. output freq. 590 Hz	30,640,00	EC001857	684697	4549734959315	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4002-AAA	Inverter Q2A, 400 V, ND: 2.1 A / 0.75 kW, HD: 1.8 A / 0.55 kW, IP20, max. output freq. 590 Hz	1,010,00	EC001857	681122	4549734944120	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4004-AAA	Inverter Q2A, 400 V, ND: 4.1 A / 1.50 kW, HD: 3.4 A / 0.75 kW, IP20, max. output freq. 590 Hz	1,133,00	EC001857	681131	4549734944212	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4005-AAA	Inverter Q2A, 400 V, ND: 5.4 A / 2.20 kW, HD: 4.8 A / 1.50 kW, IP20, max. output freq. 590 Hz	1,263,00	EC001857	681133	4549734944236	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4007-AAA	Inverter Q2A, 400 V, ND: 7.1 A / 3.00 kW, HD: 5.5 A / 2.20 kW, IP20, max. output freq. 590 Hz	1,402,00	EC001857	681128	4549734944182	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4009-AAA	Inverter Q2A, 400 V, ND: 8.9 A / 3.70 kW, HD: 7.2 A / 3.00 kW, IP20, max. output freq. 590 Hz	1,540,00	EC001857	681117	4549734944076	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4012-AAA	Inverter Q2A, 400 V, ND: 11.9 A / 5.5 kW, HD: 9.2 A / 3.70 kW, IP20, max. output freq. 590 Hz	1,652,00	EC001857	681123	4549734944137	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4018-AAA	Inverter Q2A, 400 V, ND: 17.5 A / 7.5 kW, HD: 14.8 A / 5.5 kW, IP20, max. output freq. 590 Hz	2,035,00	EC001857	681116	4549734944069	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4023-AAA	Inverter Q2A, 400 V, ND: 23.4 A / 11 kW, HD: 18 A / 7.5 kW, IP20, max. output freq. 590 Hz	2,420,00	EC001857	681124	4549734944144	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4031-AAA	Inverter Q2A, 400 V, ND: 31 A / 15 kW, HD: 24 A / 11 kW, IP20, max. output freq. 590 Hz	2,879,00	EC001857	681125	4549734944151	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4038-AAA	Inverter Q2A, 400 V, ND: 38 A / 18.5 kW, HD: 31 A / 15 kW, IP20, max. output freq. 590 Hz	3,706,00	EC001857	681126	4549734944168	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4044-AAA	Inverter Q2A, 400 V, ND: 44 A / 22 kW, HD: 39 A / 18.5 kW, IP20, max. output freq. 590 Hz	4,361,00	EC001857	681127	4549734944175	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4060-AAA	Inverter Q2A, 400 V, ND: 59.6 A / 30 kW, HD: 45 A / 22 kW, IP20, max. output freq. 590 Hz	5,170,00	EC001857	681120	4549734944106	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4075-AAA	Inverter Q2A, 400 V, ND: 74.9 A / 37 kW, HD: 60 A / 30 kW, IP20, max. output freq. 590 Hz	5,925,00	EC001857	681118	4549734944083	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4089-AAA	Inverter Q2A, 400 V, ND: 89.2 A / 45 kW, HD: 75 A / 37 kW, IP20, max. output freq. 590 Hz	7,285,00	EC001857	681121	4549734944113	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4103-AAA	Inverter Q2A, 400 V, ND: 103 A / 55 kW, HD: 91 A / 45 kW, IP20, max. output freq. 590 Hz	7,775,00	EC001857	681115	4549734944052	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4140-AAA	Inverter Q2A, 400 V, ND: 140 A / 75 kW, HD: 112 A / 55 kW, IP20, max. output freq. 590 Hz	9,165,00	EC001857	681132	4549734944229	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4168-AAA	Inverter Q2A, 400 V, ND: 168 A / 90 kW, HD: 150 A / 75 kW, IP20, max. output freq. 590 Hz	11,060,00	EC001857	681129	4549734944199	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4208-AAA	Inverter Q2A, 400 V, ND: 208 A / 110 kW, HD: 180 A / 90 kW, IP20, max. output freq. 590 Hz	13,560,00	EC001857	681130	4549734944205	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4250-AAA	Inverter Q2A, 400 V, ND: 250 A / 132 kW, HD: 216 A / 110 kW, IP20, max. output freq. 590 Hz	14,360,00	EC001857	681114	4549734944045	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4296-AAA	Inverter Q2A, 400 V, ND: 296 A / 160 kW, HD: 260 A / 132 kW, IP20, max. output freq. 590 Hz	17,930,00	EC001857	681119	4549734944090	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4371-AAA	Inverter Q2A, 400 V, ND: 371 A / 200 kW, HD: 304 A / 160 kW, IP20, max. output freq. 590 Hz	25,830,00	EC001857	682306	4549734947848	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4389-AAA	Inverter Q2A, 400 V, ND: 389 A / 220 kW, HD: 371 A / 200 kW, IP20, max. output freq. 590 Hz	38,980,00	EC001857	682307	4549734947855	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4453-AAA	Inverter Q2A, 400 V, ND: 453 A / 250 kW, HD: 414 A / 220 kW, IP20, max. output freq. 590 Hz	43,250,00	EC001857	682308	4549734947862	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4568-AAA	Inverter Q2A, 400 V, ND: 568 A / 315 kW, HD: 453 A / 250 kW, IP20, max. output freq. 590 Hz	48,110,00	EC001857	682309	4549734947879	#		EA	EAJ	GBR	8504.4090.90
Q2A-A4675-AAA	Inverter Q2A, 400 V, ND: 675 A / 355 kW, HD: 605 A / 315 kW, IP20, max. output freq. 590 Hz	51,350,00	EC001857	682310	4549734947886	#		EA	EAJ	GBR	8504.4090.90
Inverter A1000											
CIMR-AC2A0004FAA	A1000 inverter, 3-200 V, HD: 0.4 kW, 3.2 A, ND: 0.75 kW, 3.5 A	1,011,00	EC001857	254864	4547648861960			EA	EAK	JPN	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
CIMR-AC2A0006FAA	A1000 inverter: 3~ 200 V, HD: 0.75 kW 5.0 A, ND: 1.1 kW 6.0 A	1,204.00	EC001857	254865	4547648861977			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0010FAA	A1000 inverter: 3~ 200 V, HD: 1.5 kW 8.0 A, ND: 2.2 kW 9.6 A	1,259.00	EC001857	254866	4547648861984			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0021FAA	A1000 inverter: 3~ 200 V, HD: 4.0 kW 17.5 A, ND: 5.5 kW 21.0 A	1,757.00	EC001857	254868	4547648862004			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0030FAA	A1000 inverter: 3~ 200 V, HD: 5.5 kW 25.0 A, ND: 7.5 kW 30.0 A	2,247.00	EC001857	254869	4547648862011			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0040FAA	A1000 inverter: 3~ 200 V, HD: 7.5 kW 33.0 A, ND: 11.0 kW 40.0 A	2,708.00	EC001857	254870	4547648862028			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0056FAA	A1000 inverter: 3~ 200 V, HD: 11 kW 47.0 A, ND: 15.0 kW 56.0 A	3,221.00	EC001857	254871	4547648862035			EA	EAK	JPN	8504.4090.90
CIMR-AC2A0312AAA	A1000 inverter: 3~ 200 V, HD: 75 kW 283 A, ND: 90 kW 312 A	20,940.00	EC001857	280386	4547648865319			EA	EAK	JPN	8504.4090.90
CIMR-AC4A0002FAA	A1000 inverter: 3~ 400 V, HD: 0.4 kW 1.8 A, ND: 0.75 kW 2.1 A	970.50	EC001857	324899	4547648877268			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0004FAA	A1000 inverter: 3~ 400 V, HD: 0.75 kW 3.4 A, ND: 1.5 kW 4.1 A	1,237.00	EC001857	324900	4547648877275			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0005FAA	A1000 inverter: 3~ 400 V, HD: 1.5 kW 4.8 A, ND: 2.2 kW 5.4 A	1,386.00	EC001857	324901	4547648877282			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0007FAA	A1000 inverter: 3~ 400 V, HD: 2.2 kW 5.5 A, ND: 3.0 kW 6.9 A	1,562.00	EC001857	324902	4547648877299			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0009FAA	A1000 inverter: 3~ 400 V, HD: 3 kW 7.2 A, ND: 4 kW 8.8 A	1,664.00	EC001857	332487	4547648883474			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0011FAA	A1000 inverter: 3~ 400 V, HD: 4 kW 9.2 A, ND: 5.5 kW 11.1 A	1,730.00	EC001857	324903	4547648877305			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0018FAA	A1000 inverter: 3~ 400 V, HD: 5.5 kW 14.8 A, ND: 7.5 kW 17.5 A	2,115.00	EC001857	324904	4547648877312			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0023FAA	A1000 inverter: 3~ 400 V, HD: 7.5 kW 18 A, ND: 11 kW 23 A	2,655.00	EC001857	301573	4547648870047			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0031FAA	A1000 inverter: 3~ 400 V, HD: 11 kW 24 A, ND: 15 kW 31 A	2,832.00	EC001857	301574	4547648870054			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0038FAA	A1000 inverter: 3~ 400 V, HD: 15 kW 31 A, ND: 18.5 kW 38 A	3,429.00	EC001857	301575	4547648870061			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0044FAA	A1000 inverter: 3~ 400 V, HD: 18.5 kW 39 A, ND: 22 kW 44 A	5,545.00	EC001857	301576	4547648870078			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0058AAA	A1000 inverter: 3~ 400 V, HD: 22 kW 45 A, ND: 30 kW 58 A	5,500.00	EC001857	324905	4547648877329			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0072AAA	A1000 inverter: 3~ 400 V, HD: 30 kW 60 A, ND: 37 kW 72 A	6,200.00	EC001857	324906	4547648877336			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0088AAA	A1000 inverter: 3~ 400 V, HD: 37 kW 75 A, ND: 45 kW 88 A	7,205.00	EC001857	324907	4547648877343			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0103AAA	A1000 inverter: 3~ 400 V, HD: 45 kW 91 A, ND: 55 kW 103 A	8,545.00	EC001857	324908	4547648877350	#		EA	EAK	GBR	8504.4090.90
CIMR-AC4A0139AAA	A1000 inverter: 3~ 400 V, HD: 55 kW 112 A, ND: 75 kW 139 A	9,330.00	EC001857	324909	4547648877367			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0165AAA	A1000 inverter: 3~ 400 V, HD: 75 kW 150 A, ND: 90 kW 165 A	12,010.00	EC001857	324910	4547648877374			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0208AAA	A1000 inverter: 3~ 400 V, HD: 90 kW 180 A, ND: 110 kW 208 A	15,560.00	EC001857	355206	4547648909655			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0250AAA	A1000 inverter: 3~ 400 V, HD: 110 kW 216 A, ND: 132 kW 250 A	17,300.00	EC001857	355207	4547648909662			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0296AAA	A1000 inverter: 3~ 400 V, HD: 132 kW 296 A, ND: 160 kW 304 A	20,670.00	EC001857	355208	4547648909679			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0362AAA	A1000 inverter: 3~ 400 V, HD: 160 kW 304 A, ND: 185 kW 362 A	26,610.00	EC001857	355209	4547648909686			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0414AAA	A1000 inverter: 3~ 400 V, HD: 185 kW 370 A, ND: 220 kW 414 A	40,120.00	EC001857	375334	4547648958370			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0515AAA	A1000 inverter: 3~ 400 V, HD: 220 kW 450 A, ND: 250 kW 515 A	44,550.00	EC001857	375335	4547648958387			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0675AAA	A1000 inverter: 3~ 400 V, HD: 315 kW 605 A, ND: 355 kW 675 A	52,900.00	EC001857	375336	4547648958394			EA	EAK	GBR	8504.4090.90
CIMR-AC4A0930AAA	A1000 inverter: 3~ 400 V, HD: 450 kW 810 A, ND: 500 kW 930 A	82,400.00	EC001857	351794	4547648894388			EA	EAK	JPN	8504.4090.90
CIMR-AC4A1200AAA	A1000 inverter: 3~ 400 V, HD: 560 kW 1090 A, ND: 630 kW 1200 A, max. output freq. 400Hz	91,250.00	EC001857	351795	4547648894395			EA	EAK	JPN	8504.4090.90
Inverters MX2											
3G3MX2-A2001-F	MX inverter drive, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 3~ input, sensorless vector	321.50	EC001857	379062	4548583484146			EA	EAP	CHN	8504.4090.90
3G3MX2-A2002-F	MX inverter drive, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 3~ input, sensorless vector	321.50	EC001857	379063	4548583484153			EA	EAP	CHN	8504.4090.90
3G3MX2-A2004-F	MX inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	340.90	EC001857	379064	4548583484160			EA	EAP	CHN	8504.4090.90
3G3MX2-A2007-F	MX inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	454.40	EC001857	379065	4548583484177	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2015-F	MX inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	440.90	EC001857	379066	4548583484184	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2022-F	MX inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	498.70	EC001857	379067	4548583484191	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2037-F	MX inverter sürücü, 3.7/5.5 kW (HD/ND), 17.5/19.6 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	576.00	EC001857	379068	4548583484207	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2055-F	MX inverter sürücü, 5.5/7.5 kW (HD/ND), 25/30 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	1,370.00	EC001857	379069	4548583484214	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2075-F	MX inverter sürücü, 7.5/11.0 kW (HD/ND), 33/40 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	1,589.00	EC001857	379070	4548583484221	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2110-F	MX inverter sürücü, 11/15 kW (HD/ND), 47/56 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	2,273.00	EC001857	379071	4548583484238	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A2150-F	MX inverter sürücü, 15/18.5 kW (HD/ND), 60/69 A (HD/ND), 200 VAC, 3~ giriş, sensorless vector	2,937.00	EC001857	379072	4548583484245	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4004-F	MX inverter sürücü, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	706.50	EC001857	379073	4548583484252	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4007-F	MX inverter sürücü, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	792.00	EC001857	378477	4548583484276	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4015-F	MX inverter sürücü, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	889.00	EC001857	379076	4548583484290	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4020-F	MX inverter sürücü, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	995.50	EC001857	379078	4548583484313	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4030-F	MX inverter sürücü, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	1,029.00	EC001857	379080	4548583484337	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4040-F	MX inverter sürücü, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	1,244.00	EC001857	379082	4548583484351	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4055-F	MX inverter sürücü, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	1,597.00	EC001857	379084	4548583484375	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4075-F	MX inverter sürücü, 7.5/11.0 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	1,808.00	EC001857	379085	4548583484382	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4110-F	MX inverter sürücü, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	2,001.00	EC001857	378478	4548583484399	#		EA	EAP	CHN	8504.4090.90
3G3MX2-A4150-F	MX inverter sürücü, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector	2,605.00	EC001857	379086	4548583484405	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB001-F	MX inverter sürücü, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	397.60	EC001857	379087	4548583484412	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB002-F	MX inverter sürücü, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	409.80	EC001857	379089	4548583484436	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB004-F	MX inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	424.90	EC001857	379091	4548583484450	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB007-F	MX inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	506.50	EC001857	379093	4548583484474	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB015-F	MX inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	599.50	EC001857	379095	4548583484498	#		EA	EAP	CHN	8504.4090.90
3G3MX2-AB022-F	MX inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ giriş, sensorless vector	698.00	EC001857	379097	4548583484511	#		EA	EAP	CHN	8504.4090.90
Inverters MX2											
3G3MX2-A4007-P-E	3G3MX2 inverter drive, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ giriş, sensorless vector, w/o heatsink	635.50	EC001857	377379	4548583379725			EA	EAP	JPN	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
3G3MX2-A4022-P-E	3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ sensorless vector, w/o heatsink	1,157.00	EC001857	377381	4548583379749			EA	EAP	JPN	8504.4090.90
3G3MX2-A4030-P-F	3G3MX2 inverter drive, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ sensorless vector, w/o heatsink	924.00	EC001857	377392	4548583442801	#		EA	EAP	JPN	8504.4090.90
3G3MX2-AB004-P-E	MX inverter drive, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink	476.40	EC001857	377385	4548583442795			EA	EAP	JPN	8504.4090.90
3G3MX2-AB007-P-E	3G3MX2 inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink	476.40	EC001857	377375	4548583379688			EA	EAP	JPN	8504.4090.90
3G3MX2-AB015-P-E	MX inverter drive, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink	588.50	EC001857	377376	4548583379695	#		EA	EAP	JPN	8504.4090.90
3G3MX2-AB022-P-E	3G3MX2 inverter drive, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1~ input, sensorless vector, w/o heatsink	687.50	EC001857	377377	4548583379701	#		EA	EAP	JPN	8504.4090.90
Invertörler RX / RX2											
3G3RX2-A2004	Inverter RX2, 200 V, VLD: 4.4 A / 0.75 kW, LD: 3.7 A / 0.75 kW, ND: 3.7 A / 0.4 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,344.00	EC001857	687637	4549734281386	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2007	Inverter RX2, 200 V, VLD: 8.0 A / 1.5 kW, LD: 6.3 A / 1.5 kW, ND: 5.0 A / 0.75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,397.00	EC001857	687638	4549734281393	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2015	Inverter RX2, 200 V, VLD: 10.4 A / 2.2 kW, LD: 9.4 A / 2.2 kW, ND: 8.0 A / 1.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,518.00	EC001857	687639	4549734281409	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2022	Inverter RX2, 200 V, VLD: 15.6 A / 3.7 kW, LD: 12 A / 3.7 kW, ND: 11 A / 2.2 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,592.00	EC001857	687640	4549734281416	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2037	Inverter RX2, 200 V, VLD: 22.8 A / 5.5 kW, LD: 19.6 A / 5.5 kW, ND: 17.5 A / 3.7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,605.00	EC001857	687641	4549734281423	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2075	Inverter RX2, 200 V, VLD: 46 A / 11 kW, LD: 40 A / 11 kW, ND: 32 A / 7.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,168.00	EC001857	687643	4549734281447	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2110	Inverter RX2, 200 V, VLD: 60 A / 15 kW, LD: 56 A / 15 kW, ND: 46 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,522.00	EC001857	687644	4549734281454	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2150	Inverter RX2, 200 V, VLD: 80 A / 18.5 kW, LD: 73 A / 18.5 kW, ND: 64 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3,253.00	EC001857	687645	4549734281461	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2185	Inverter RX2, 200 V, VLD: 93 A / 22 kW, LD: 85 A / 22 kW, ND: 76 A / 18.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,084.00	EC001857	687646	4549734281478	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2220	Inverter RX2, 200 V, VLD: 124 A / 30 kW, LD: 113 A / 30 kW, ND: 95 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,853.00	EC001857	687647	4549734281485	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2300	Inverter RX2, 200 V, VLD: 153 A / 37 kW, LD: 140 A / 37 kW, ND: 122 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6,175.00	EC001857	687648	4549734281492	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2370	Inverter RX2, 200 V, VLD: 185 A / 45 kW, LD: 169 A / 45 kW, ND: 146 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	7,455.00	EC001857	687649	4549734281508	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2450	Inverter RX2, 200 V, VLD: 229 A / 55 kW, LD: 210 A / 55 kW, ND: 182 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	8,615.00	EC001857	687650	4549734281515	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A2550	Inverter RX2, 200 V, VLD: 295 A / 75 kW, LD: 270 A / 75 kW, ND: 220 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	10,770.00	EC001857	687651	4549734281522	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4007	Inverter RX2, 400 V, VLD: 4.1 A / 1.5 kW, LD: 3.1 A / 1.5 kW, ND: 2.5 A / 0.75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,377.00	EC001857	687652	4549734281539	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4015	Inverter RX2, 400 V, VLD: 5.4 A / 2.2 kW, LD: 4.8 A / 2.2 kW, ND: 4.0 A / 1.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,522.00	EC001857	687653	4549734281546	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4022	Inverter RX2, 400 V, VLD: 8.3 A / 3.7 kW, LD: 6.7 A / 3.7 kW, ND: 5.5 A / 2.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,609.00	EC001857	687654	4549734281553	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4037	Inverter RX2, 400 V, VLD: 12.6 A / 5.5 kW, LD: 11.1 A / 5.5 kW, ND: 9.2 A / 3.7 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	1,748.00	EC001857	687655	4549734281560	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4055	Inverter RX2, 400 V, VLD: 17.5 A / 7.5 kW, LD: 16 A / 7.5 kW, ND: 14.8 A / 5.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,089.00	EC001857	687656	4549734281577	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4075	Inverter RX2, 400 V, VLD: 25 A / 11 kW, LD: 22 A / 11 kW, ND: 19 A / 7.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,513.00	EC001857	687657	4549734281584	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4110	Inverter RX2, 400 V, VLD: 31 A / 15 kW, LD: 29 A / 15 kW, ND: 25 A / 11 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	2,852.00	EC001857	687658	4549734281591	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4150	Inverter RX2, 400 V, VLD: 40 A / 18.5 kW, LD: 37 A / 18.5 kW, ND: 32 A / 15 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	3,488.00	EC001857	687659	4549734281607	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4185	Inverter RX2, 400 V, VLD: 47 A / 22 kW, LD: 43 A / 22 kW, ND: 39 A / 18.5 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,021.00	EC001857	687660	4549734281614	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4220	Inverter RX2, 400 V, VLD: 62 A / 30 kW, LD: 57 A / 30 kW, ND: 48 A / 22 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	4,679.00	EC001857	687661	4549734281621	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4300	Inverter RX2, 400 V, VLD: 77 A / 37 kW, LD: 70 A / 37 kW, ND: 61 A / 30 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6,030.00	EC001857	687662	4549734281638	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4370	Inverter RX2, 400 V, VLD: 93 A / 45 kW, LD: 85 A / 45 kW, ND: 75 A / 37 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	6,855.00	EC001857	687663	4549734281645	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4450	Inverter RX2, 400 V, VLD: 116 A / 55 kW, LD: 105 A / 55 kW, ND: 91 A / 45 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	7,885.00	EC001857	687664	4549734281652	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-A4550	Inverter RX2, 400 V, VLD: 147 A / 75 kW, LD: 135 A / 75 kW, ND: 112 A / 55 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP20.	8,715.00	EC001857	687665	4549734281669	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-B411K	Inverter RX2, 400 V, VLD: 252 A / 132 kW, LD: 230 A / 132 kW, ND: 217 A / 110 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	15,140.00	EC001857	687668	4549734281690	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-B413K	Inverter RX2, 400 V, VLD: 316 A / 160 kW, LD: 290 A / 160 kW, ND: 260 A / 132 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	19,410.00	EC001857	687635	4549734281706	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-B4750	Inverter RX2, 400 V, VLD: 176 A / 90 kW, LD: 160 A / 90 kW, ND: 150 A / 75 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	11,410.00	EC001857	687666	4549734281676	#		EA	EAQ	JPN	8504.4090.90
3G3RX2-B4900	Inverter RX2, 400 V, VLD: 213 A / 110 kW, LD: 195 A / 110 kW, ND: 180 A / 90 kW, open/closed loop vector, built-in filter, max. output freq. 590Hz, IP00.	13,930.00	EC001857	687667	4549734281683	#		EA	EAQ	JPN	8504.4090.90
Inverter SX											
SX-A6030-EV44	SX inverter IP20, 30 kW, 3~ 690 VAC, V/f drive, built-in filter, max. output freq. 400 Hz	10,710.00	EC001857	692982	4549734988209			EA	EAT	SWE	8504.4090.90
Inverterler için Aksesuarlar											
AX-CUSBM002-E	Mini USB'den USB'ye bağlantı kablosu	53.70	EC001681	322128	4547648872188			EA	EAZ	ITA	8503.0099.99
Inverterler için Aksesuarlar											
3G3AX-OP01	LED operatör paneli, kablo uzunluğu max. 3m olabılır	98.05	EC002025	335480	4547648489751			EA	EAZ	JPN	8523.8090.00
3G3AX-OP03	LED operatör paneli, kablo uzunluğu max. 3m olabılır	326.20	EC002025	357295	4548583121751	#		EA	EAZ	JPN	8503.0099.99
3G3AX-OP05	5 satır LCD dijital operatör paneli, kopyalama/fonksiyonlu	415.10	EC002025	376184	4548583096110			EA	EAZ	JPN	8523.8090.00
Inverterler için Aksesuarlar											
3G3AX-MX2-CR1-E	CompoNet option card	200.60	EC002025	335663	4547648767910			EA	EAZ	NLD	8517.6200.00
3G3AX-MX2-DRT-E	DeviceNet opsiyon kartı	200.30	EC002025	329211	4547648767903			EA	EAZ	NLD	8517.6200.00
3G3AX-MX2-ECT	MX2 EtherCAT opsiyon kartı	486.90	EC002025	343139	4547648834803	#		EA	EAZ	JPN	8517.6200.00
3G3AX-MX2-EIO15-E	Extra I/O opsiyon kartı, 1 analog voltaj girişi, 1 analog akım girişi, 8 bağımsız dijital girişi, 4 bağımsız dijital çıkışı	159.00	EC002025	324112	4548583372382			EA	EAZ	NLD	9032.8900.90
3G3AX-MX2-PRT-E	MX2 opsiyon kartı, Profibus	295.20	EC002025	327340	4547648767897	#		EA	EAZ	NLD	8517.6200.00
3G3AX-RX2-ECT	RX2 Series EtherCAT option board	650.50	EC002025	703077	4549734714921			EA	EAZ	JPN	8517.6200.00
3G3AX-RX2-PG01	RX2 PG speed controller option board	241.10	EC002025	687957	4549734281362	#		EA	EAZ	JPN	8523.8090.00
PG-B3	A1000 Open collector PG, A, B, Z pulse, fmax 50 kHz	185.40	EC002025	262489	4547648863605			EA	EAZ	JPN	8523.8090.00
PG-E8	FnDat PG interface for A1000, For speed feedback input by connection a motor encoder type: ERN1387 (HEIDENHAIN)	466.20	EC002025	329710	4547648880787			EA	EAZ	JPN	8471.6070.00
PG-F3	FnDat PG interface for A1000 and O2A inverters, For speed feedback input by connection a motor encoder type: FnDat 2.1/01, FnDat 2.2/01, FnDat 2.2/22 (HEIDENHAIN)	402.60	EC002025	323403	4547648872522			EA	EAZ	JPN	8471.6070.00
PG-X3	A1000 PG Linedriver, A, B, Z differential (RS422) girişi, fmax 300 kHz	185.40	EC002025	256633	4547648862806			EA	EAZ	JPN	8523.8090.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
PS-A10HB	A1000 24V DC Control board Power Supply option 400V class	324.20	EC002025	355602	4547648915878			EA	EAZ	JPN	8471.6070.00
PS-V10S	24 VDC control board power supply for 5.5-15 kW	299.50	EC002025	240837	4547648850049			EA	EAZ	JPN	8471.6070.00
SI-232/J	RS-232C comms interface for use with LED operator JVOP-182	111.50	EC002025	249034	4547648856799			EA	EAZ	JPN	8517.6200.00
SI-232/JC	RS-232C haberleşme kartı, CIMR-J1000 inverter	105.20	EC002025	249035	4547648856805			EA	EAZ	JPN	8517.6200.00
SI-EN3	EtherNet/IP option board for A1000 inverter	387.50	EC002025	330846	4547648882859	#		EA	EAZ	USA	8517.6200.00
SI-EN3/V	EtherNet/IP option board for V1000 inverter	553.50	EC002025	264659	4547648864237			EA	EAZ	USA	8517.6200.00
SI-EN3D	Dual Port EtherNet/IP option board for A1000, Q2A and Q2V inverters.	336.50	EC002025	414636	4547648997201			EA	EAZ	USA	8517.6200.00
SI-EN3DV	EtherNet/IP option board for V1000 inverter (dual)	461.10	EC002025	414637	4547648997218			EA	EAZ	USA	8517.6200.00
SI-EP3	A1000 option card - PROFINET	804.50	EC002025	373019	4547648949842			EA	EAZ	DEU	8517.6200.00
SI-EP3/V	V1000 option card - PROFINET	643.00	EC002025	373020	4547648949859			EA	EAZ	DEU	8517.6200.00
SI-E53	EtherCAT option board for A1000, Q2A and Q2V inverters.	367.90	EC002025	683366	4549734951203	#		EA	EAZ	GBR	8517.6200.00
SI-E53/Q2V	Q2V EtherCAT option board with JOHR-Q2V option card enclosure mounted from factory.	601.00	EC002025	695540	4549734996938	#		EA	EAZ	SWE	8517.6200.00
SI-E53/V	Ethercat option board for V1000	731.00	EC002025	690265	4549734980753	#		EA	EAZ	GBR	8517.6200.00
SI-N3	DeviceNet opsiyon kartı for A1000 inverter	275.50	EC002025	278325	4547648864978			EA	EAZ	JPN	8517.6200.00
SI-N3/V	DeviceNet opsiyon kartı, V1000 inverter	266.10	EC002025	241427	4547648850384			EA	EAZ	JPN	8517.6200.00
SI-P3	Profibus opsiyon kartı, A1000 inverter	480.70	EC002025	274269	4547648864831			EA	EAZ	JPN	8517.6200.00
SI-P3/V	Profibus opsiyon kartı, V1000 inverter	428.90	EC002025	240836	4547648850032			EA	EAZ	JPN	8517.6200.00
SI-S3	CAN open option board for A1000 inverter	314.00	EC002025	274270	4547648864848			EA	EAZ	JPN	8517.6200.00
SI-S3/V	CANopen opsiyon kartı, V1000 inverter	325.60	EC002025	240835	4547648850025			EA	EAZ	JPN	8517.6200.00
SI-T3/V	MECHATROLINK II option board for V1000 inverter	714.00	EC002025	256634	4547648862813			EA	EAZ	JPN	8517.6200.00
Inverterler için Aksesuarlar											
AX-BCR4015045-TF	Frenleme ünitesi 400 V, sürekli 15 A/11 KVA, anlık 45 A/33 KVA, 16 ohm min	1,008.00	EC002025	324034	4547648873956			EA	EAZ	DEU	8533.2900.00
AX-BCR4017068-TF	Frenleme ünitesi 400 V, sürekli 17 A/13 KVA, anlık 68 A/51 KVA, 11 ohm min	993.00	EC002025	324035	4547648873963			EA	EAZ	DEU	8533.2900.00
AX-BCR4035090-TF	Frenleme ünitesi 400 V, sürekli 35 A/26 KVA, anlık 90 A/67 KVA, 8.5 ohm min	1,740.00	EC002025	324036	4547648873970			EA	EAZ	DEU	8533.2900.00
AX-BCR4070130-TF	Frenleme ünitesi 400 V, sürekli 70 A/52 KVA, anlık 130 A/97 KVA, 5.5 ohm min	2,262.00	EC002025	324037	4547648873987			EA	EAZ	DEU	8533.2900.00
AX-BCR4090240-TF	Frenleme ünitesi 400V, sürekli 90A/67KVA, anlık 240A/180KVA, 3.2 ohm min	3,329.00	EC002025	325091	4547648877442			EA	EAZ	DEU	8533.2900.00
Inverterler için Aksesuarlar											
A1000-REJ0K15100-JE	Braking Resistor for J1000, 100 Ohms	39.18	EC002025	250563	4547648859806	10		EA	EAZ	ITA	8533.2900.00
A1000-REJ0K15200-JE	Braking Resistor for J1000, 200 Ohms	51.70	EC002025	250562	4547648859813	10		EA	EAZ	ITA	8533.2900.00
A1000-REJ0K15300-JE	Frenleme direnci, J1000, 300 Ohms	28.27	EC002025	250561	4547648859820	10		EA	EAZ	ITA	8533.2900.00
A1000-REJ0K15400-JE	Frenleme direnci, J1000, 400 Ohms	29.34	EC002025	250560	4547648859837	10		EA	EAZ	ITA	8533.2900.00
A1000-REV00K4030-JE	Braking Resistor, 30 ohm	43.60	EC002025	241659	4547648851268			EA	EAZ	ITA	9032.8900.90
A1000-REV00K4100-JE	Frenleme direnci, 100 ohm	48.03	EC002025	239854	4536853913878			EA	EAZ	ITA	9032.8900.90
A1000-REV00K5075-JE	Frenleme direnci, 75 ohm	50.90	EC002025	239855	4536853913885			EA	EAZ	ITA	9032.8900.90
A1000-REV00K6050-JE	Frenleme direnci, 50 ohm	70.30	EC002025	239856	4536853913892			EA	EAZ	ITA	9032.8900.90
A1000-REV00K9040-JE	Braking Resistor, 40 ohm	117.00	EC002025	239857	4536853913908			EA	EAZ	ITA	9032.8900.90
AX-REM00K1200-JE	Frenleme direnci, 200 ohm, 110 W nominal	29.45	EC002025	324011	4547648873727			EA	EAZ	ITA	8533.2900.00
AX-REM00K1400-JE	Frenleme direnci, 400 ohm, 190 W nominal	32.99	EC002025	324010	4547648873710			EA	EAZ	ITA	8533.2900.00
AX-REM00K2070-JE	Braking resistor, 70 ohm, 200 W nominal	34.53	EC002025	324012	4547648873734	10		EA	EAZ	ITA	8533.2900.00
AX-REM00K2120-JE	Frenleme direnci, 120 ohm, 200 W nominal	42.07	EC002025	324017	4547648873789			EA	EAZ	ITA	8533.2900.00
AX-REM00K2200-JE	Braking resistor, 200 ohm, 200 W nominal	42.07	EC002025	324015	4547648873765	10		EA	EAZ	ITA	8533.2900.00
AX-REM00K4035-JE	Frenleme direnci, 35 ohm, 400 W nominal	45.80	EC002025	324014	4547648873758			EA	EAZ	ITA	8533.2900.00
AX-REM00K4075-JE	Frenleme direnci, 70 ohm, 400 W nominal	50.75	EC002025	324013	4547648873741			EA	EAZ	ITA	8533.2900.00
AX-REM00K5120-JE	Frenleme direnci, 120 ohm, 500 W nominal	53.65	EC002025	324016	4547648873772			EA	EAZ	ITA	8533.2900.00
AX-REM00K6035-JE	Frenleme direnci, 35 ohm, 600 W nominal	82.90	EC002025	324023	4547648873840			EA	EAZ	ITA	8533.2900.00
AX-REM00K6100-JE	Frenleme direnci, 100 ohm, 600 W nominal	66.45	EC002025	324018	4547648873796			EA	EAZ	ITA	8533.2900.00
AX-REM00K9020-JE	Braking resistor, 20 ohm, 900 W nominal	145.30	EC002025	324024	4547648873857			EA	EAZ	ITA	8533.2900.00
AX-REM00K9070-JE	Frenleme direnci, 70 ohm, 900 W nominal	145.30	EC002025	324019	4547648873802			EA	EAZ	ITA	8533.2900.00
AX-REM01K9017-JE	Frenleme direnci, 17 ohm, 1900 W nominal	340.00	EC002025	324025	4547648873864			EA	EAZ	ITA	8533.2900.00
AX-REM01K9070-JE	Frenleme direnci, 70 ohm, 1900 W nominal	340.00	EC002025	324020	4547648873819			EA	EAZ	ITA	8533.2900.00
AX-REM02K1070-JE	Frenleme direnci, 70 ohm, 2100 W nominal	527.50	EC002025	324021	4547648873826			EA	EAZ	ITA	8533.2900.00
AX-REM03K5035-JE	Frenleme direnci, 35 ohm, 3500 W nominal	636.50	EC002025	324022	4547648873833			EA	EAZ	ITA	8533.2900.00
AX-REM19K0020-JE	Frenleme direnci, 20ohm, 19kW	735.00	EC002025	324030	4547648873918			EA	EAZ	ITA	8533.2900.00
AX-REM19K0030-JE	Frenleme direnci, 20ohm, 19kW	618.50	EC002025	324029	4547648873901			EA	EAZ	ITA	8533.2900.00
AX-REM38K0012-JE	Frenleme direnci, 12 ohm, 38 kW (ton 30sec, Duty 10%)/(5500 W (ton 300sec, Duty 25%, 50%))	928.00	EC002025	324031	4547648873925			EA	EAZ	ITA	8533.2900.00
ERF-150WJ101	Frenleme direnci, 100 Ohm, 200 VAC sürücü (1.5kW) (3G3IV-PERF150WJ101 ile eşdeğer)	40.94	EC002025	138124	4536853834982			EA	EAZ	JPN	9032.8900.90
ERF-150WJ201	Frenleme direnci, 200 Ohm, 200VAC sürücü (0.75kW'a kadar) (3G3IV-PERF150WJ201 ile eşdeğer)	52.85	EC002025	138125	4536853834999	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ301	Frenleme direnci, 300 Ohm, 400 VAC sürücü (2.2kW) (3G3IV-PERF150WJ301 ile eşdeğer)	40.94	EC002025	138126	4536853835002			EA	EAZ	JPN	9032.8900.90
ERF-150WJ401	Frenleme direnci, 400 Ohm, 400VAC sürücü (1.5kW) (3G3IV-PERF150WJ401 ile eşdeğer)	40.94	EC002025	147919	4536853835019	#		EA	EAZ	JPN	9032.8900.90
ERF-150WJ620	Braking resistor, 62 Ohm, for 200 VAC drives (3.7kW) (equivalent to 3G3IV-PERF150WJ620)	40.90	EC002025	143539	4536853835026			EA	EAZ	JPN	9032.8900.90
ERF-150WJ700	Frenleme direnci, 70 Ohm, 200 VAC sürücü (2.2kW) (3G3IV-PERF150WJ700 ile eşdeğer)	47.29	EC002025	148902	4536853835033			EA	EAZ	JPN	9032.8900.90
ERF-150WJ751	Frenleme direnci, 750 Ohm, 400VAC sürücü (0.75kW'a kadar) (3G3IV-PERF150WJ751 ile eşdeğer)	40.94	EC002025	138127	4536853835040			EA	EAZ	JPN	9032.8900.90
INV-BR15040-Type A	Resistor, aluminum, 1000 Watt, 40 Ohm	143.40	EC002025	187849	4549734983808			EA	EAZ	ITA	8504.4082.90

Image	Catalog Description	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Inverterler için Aksesuarlar												
	3G3RV-FI3010-SE	F7Z/F7Z footprint RFI filter, 10A, 415VAC, 3-faz, for 0.4 - 2.2kW units (equivalent to FS5972-10-07)	163.10	EC002025	139178	4536853864668			EA	EAZ	THA	8529.9097.90
	3G3RV-FI3018-SE	F7Z/F7Z footprint RFI filter, 18A, 415VAC, 3-faz, for 3.7 - 5.5kW units (equivalent to FS59721-8-07)	196.10	EC002025	139179	4536853864669			EA	EAZ	THA	8529.9097.90
	3G3RV-FI3035-F	F7Z/F7Z footprint RFI filter, 35A, 400VAC, 3-phase, for 7.5 & 11kW units	292.60	EC002025	139050	4536853866570			EA	EAZ	GBR	8529.9097.90
	3G3RV-FI3035-SE	F7Z/F7Z footprint RFI filter, 35A, 415VAC, 3-faz, for 7.5 & 11kW units (equivalent to FS5972-35-07)	276.50	EC002025	139180	4536853864712			EA	EAZ	THA	8529.9097.90
	3G3RV-FI3060-F	F7Z/F7Z footprint RFI filter, 60A, 415 VAC, 3-faz, for 15 & 18.5kW units	403.10	EC002025	139051	4536853866594			EA	EAZ	GBR	8529.9097.90
	3G3RV-FI3060-SE	F7Z/F7Z footprint RFI filter, 60A, 415VAC, 3-faz, for 15 & 18.5kW units (equivalent to FS5972-60-07)	437.40	EC002025	202556	4549734799380			EA	EAZ	THA	8529.9097.90
	3G3RV-FI3070-F	F7Z/F7Z footprint RFI filter, 20A, 400VAC, 3-phase, for 2.2 & 3.0kW units	507.50	EC002025	139052	4536853866617			EA	EAZ	GBR	8529.9097.90
	3G3RV-FI3100-SE	F7Z/F7Z RFI filter, 100A, 415 VAC, 3-faz	585.50	EC002025	202551	4549734793759			EA	EAZ	THA	8529.9097.90
	A1000-FIA3024-SE	A1000 ayak izi RFI filtresi, 24 A, 3~200 VAC; 2A0004 - 2A0021, 3 ~ 400 VAC; 4A0002 - 4A0023	122.50	EC002025	679458	4549734932608			EA	EAZ	THA	8529.9097.90
	A1000-FIA3044-SE	A1000 ayak izi RFI filtresi, 44 A, 3~ 400 VAC; 4A0031 - 4A0038	248.60	EC002025	679456	4549734932585			EA	EAZ	THA	8529.9097.90
	A1000-FIA3052-SE	A1000 ayak izi RFI filtresi, 52 A, 3~ 400 VAC; 4A0044	306.80	EC002025	679457	4549734932592			EA	EAZ	THA	8529.9097.90
	A1000-FIA3071-RE	A1000 footprint RFI filtre, 71 A, 3~ 400 VAC; 4A0058 - 4A0088	466.90	EC002025	328911	4547648880367			EA	EAZ	GBR	8529.9097.90
	A1000-FIA3105-RE	A1000 footprint RFI filtre, 105 A, 3~ 400 VAC; 4A0088 - 4A0139	587.50	EC002025	328912	4547648880374			EA	EAZ	GBR	8529.9097.90
	A1000-FIA3170-RE	A1000 footprint RFI filtre, 170 A, 3~ 400 VAC; 4A0139 - 4A0208	1,175.00	EC002025	328913	4547648880381			EA	EAZ	GBR	8529.9097.90
	A1000-FIA3300-RE	A1000 footprint RFI filtre, 300 A, 3~ 400 VAC; 4A0208 - 4A0362	1,892.00	EC002025	328914	4547648880398			EA	EAZ	GBR	8529.9097.90
	A1000-FIV1010-SE	J1000/V1000 footprint RFI filtre, 10A, 200 VAC, tek faz, 0.12 ila 0.55KW sürücü	30.90	EC002025	246710	4547648855013	#		EA	EAZ	THA	8529.9097.90
	A1000-FIV1010-SE-LL	Accessory inverter A1000 EMC filter	56.90	EC002025	386159	4547648975322			EA	EAZ	THA	8529.9097.90
	A1000-FIV1020-SE-LL-Q	Accessory inverter A1000 EMC filter	51.55	EC002025	693907	4549734993272			EA	EAZ	THA	8529.9097.90
	A1000-FIV1020-SE-Q	J1000/V1000 footprint RFI filtre, 20A, 200 VAC, tek faz, 1.1 ila 1.5KW sürücü	44.95	EC002025	693906	4549734993265			EA	EAZ	THA	8529.9097.90
	A1000-FIV1030-SE-LL-Q	Accessory inverter A1000 EMC filter	66.70	EC002025	693909	4549734993296			EA	EAZ	THA	8529.9097.90
	A1000-FIV1030-SE-Q	V1000 footprint RFI filtre, 30A, 200 VAC, tek faz, 2.2KW sürücü	58.45	EC002025	693908	4549734993289			EA	EAZ	THA	8529.9097.90
	A1000-FIV1040-SE	V1000 footprint RFI filtre, 40A, 200 VAC, tek faz, 4.0KW sürücü	87.95	EC002025	246713	4547648855044			EA	EAZ	THA	8529.9097.90
	A1000-FIV2010-SE-V1	Accessory inverter A1000 EMC filter	113.60	EC002025	385715	4547648974936			EA	EAZ	THA	8529.9097.90
	A1000-FIV2020-SE	J1000/V1000 footprint RFI filtre, 20A, 200 VAC, three phase, for 1.5 to 2.2KW drives	165.80	EC002025	246720	4547648855068			EA	EAZ	THA	8529.9097.90
	A1000-FIV2030-SE	J1000/V1000 footprint RFI filtre, 30A, 200 VAC, three phase, for 4.0KW drives	165.80	EC002025	246721	4547648855075			EA	EAZ	THA	8529.9097.90
	A1000-FIV2060-SE-V1	Q2V/V1000 footprint RFI filtre, 52 A, 3-phase 200 VAC, for 5.5 to 7.5 kW drives	234.40	EC002025	392487	4547648980470			EA	EAZ	THA	8529.9097.90
	A1000-FIV3005-SE	J1000/V1000 footprint RFI filtre, 5A, 400 VAC, üç faz, 0.37 ila 0.55KW sürücü	68.85	EC002025	246714	4547648855112	#		EA	EAZ	THA	8529.9097.90
	A1000-FIV3010-SE-LL-Q	Accessory inverter A1000 EMC filter	85.90	EC002025	693911	4549734993319			EA	EAZ	THA	8529.9097.90
	A1000-FIV3010-SE-Q	J1000/V1000 footprint RFI filtre, 10A, 400 VAC, üç faz, 1.1 ila 3.0KW sürücü	81.45	EC002025	693910	4549734993302	#		EA	EAZ	THA	8529.9097.90
	A1000-FIV3020-SE-LL-Q	Accessory inverter A1000 EMC filter	107.10	EC002025	693913	4549734993333			EA	EAZ	THA	8529.9097.90
	A1000-FIV3020-SE-Q	J1000/V1000 footprint RFI filtre, 20A, 400 VAC, üç faz, 4.0KW sürücü	96.40	EC002025	693912	4549734993326			EA	EAZ	THA	8529.9097.90
	A1000-FIV3030-SE-LL-Q	Accessory inverter A1000 EMC filter	125.70	EC002025	386169	4547648975421			EA	EAZ	THA	8529.9097.90
	A1000-FIV3030-SE-V1	Accessory inverter A1000 EMC filter	108.40	EC002025	385718	4547648974967			EA	EAZ	THA	8529.9097.90
	A1000-FIV3050-SE-LL	Accessory inverter A1000 EMC filter	265.50	EC002025	386170	4547648975438			EA	EAZ	THA	8529.9097.90
	A1000-FIV3050-SE-V2	Accessory inverter A1000 EMC filter	186.00	EC002025	685947	4549734965385			EA	EAZ	THA	8529.9097.90
	AX-FIC1010-SE	J1000/V1000 footprint RFI filtre, 10A, 200 VAC, tek faz, 0.12 ila 0.55KW sürücü	30.90	EC002025	701949	4549734790918			EA	EAZ	THA	8529.9097.90
	AX-FIC1010-SE-LL	Accessory inverter A1000 EMC filter	68.55	EC002025	701953	4549734790956			EA	EAZ	THA	8529.9097.90
	AX-FIC1020-SE	J1000/V1000 footprint RFI filtre, 20A, 200 VAC, tek faz, 1.1 ila 1.5KW sürücü	44.95	EC002025	701950	4549734790925			EA	EAZ	THA	8529.9097.90
	AX-FIC1020-SE-LL	Accessory inverter A1000 EMC filter	51.55	EC002025	701954	4549734790963			EA	EAZ	THA	8529.9097.90
	AX-FIC1030-SE	V1000 footprint RFI filtre, 30A, 200 VAC, tek faz, 2.2KW sürücü	58.45	EC002025	701951	4549734790932			EA	EAZ	THA	8529.9097.90
	AX-FIC1030-SE-LL	Accessory inverter A1000 EMC filter	66.70	EC002025	701955	4549734790970			EA	EAZ	THA	8529.9097.90
	AX-FIC1040-SE	V1000 footprint RFI filtre, 40A, 200 VAC, tek faz, 4.0KW sürücü	87.95	EC002025	701952	4549734790949			EA	EAZ	THA	8529.9097.90
	AX-FIC1040-SE-LL	Accessory inverter A1000 EMC filter	93.10	EC002025	701956	4549734790987			EA	EAZ	THA	8529.9097.90
	AX-FIC4005-SE	J1000/V1000 footprint RFI filtre, 5A, 400 VAC, üç faz, 0.37 ila 0.55KW sürücü	68.85	EC002025	701957	4549734790994			EA	EAZ	THA	8529.9097.90
	AX-FIC4005-SE-LL	Accessory inverter A1000 EMC filter	68.25	EC002025	701963	4549734791052			EA	EAZ	THA	8529.9097.90
	AX-FIC4010-SE	J1000/V1000 footprint RFI filtre, 10A, 400 VAC, üç faz, 1.1 ila 3.0KW sürücü	81.45	EC002025	701958	4549734791007			EA	EAZ	THA	8529.9097.90
	AX-FIC4010-SE-LL	Accessory inverter A1000 EMC filter	85.90	EC002025	701964	4549734791069			EA	EAZ	THA	8529.9097.90
	AX-FIC4015-SE	J1000/V1000 footprint RFI filtre, 20A, 400 VAC, üç faz, 4.0KW sürücü	96.40	EC002025	701959	4549734791014			EA	EAZ	THA	8529.9097.90
	AX-FIC4015-SE-LL	Accessory inverter A1000 EMC filter	107.10	EC002025	701965	4549734791076			EA	EAZ	THA	8529.9097.90
	AX-FIC4030-SE	Accessory inverter A1000 EMC filter	108.40	EC002025	701960	4549734791021			EA	EAZ	THA	8529.9097.90
	AX-FIC4030-SE-LL	Accessory inverter A1000 EMC filter	125.70	EC002025	701966	4549734791083			EA	EAZ	THA	8529.9097.90
	AX-FIC4050-SE-LL	Accessory inverter A1000 EMC filter	265.50	EC002025	701967	4549734791090			EA	EAZ	THA	8529.9097.90
	AX-FIC4080-SE	Common footprint RFI filter for Compact series (Q2V/V1000/J1000/MX2), 80 A, 400 VAC, three phase, for 18.5 kW and 22 kW drives	680.00	EC002025	701962	4549734791045			EA	EAZ	HUN	8529.9097.90
	AX-FIM1010-SE-LL	Accessory inverter MX2 EMC filter	35.31	EC002025	386171	4547648975445			EA	EAZ	THA	8529.9097.90
	AX-FIM1010-SE-V1	MX footprint RFI filtre, 10A, 200VAC, tek faz	31.48	EC002025	354492	4547648905985			EA	EAZ	THA	8529.9097.90
	AX-FIM1014-SE-LL	Accessory inverter MX2 EMC filter	50.15	EC002025	386172	4547648975452			EA	EAZ	THA	8529.9097.90
	AX-FIM1014-SE-V1	MX footprint RFI filtre, 14 A, 1~ 200 VAC, 0.75 kW modeli	46.59	EC002025	392486	4547648980463	#		EA	EAZ	THA	8529.9097.90
	AX-FIM1024-SE-LL	Accessory inverter MX2 EMC filter	54.85	EC002025	386173	4547648975469			EA	EAZ	THA	8529.9097.90
	AX-FIM1024-SE-V1	MX footprint RFI filtre, 24A, 200VAC, tek faz, 1.5 ila 2.2KW modeli	51.95	EC002025	354493	4547648905992	#		EA	EAZ	THA	8529.9097.90
	AX-FIM2030-SE-LL	MX footprint RFI filtre, 30A, 200VAC, three phase	132.70	EC002025	354496	4547648906029			EA	EAZ	THA	8529.9097.90
	AX-FIM3005-SE-LL	Accessory inverter MX2 EMC filter	77.35	EC002025	386177	4547648975506			EA	EAZ	THA	8529.9097.90
	AX-FIM3005-SE-V1	MX footprint RFI filtre, 5A, 400VAC, üç faz, 0.37 ila 1.1KW modeli	79.70	EC002025	354500	4547648906067			EA	EAZ	THA	8529.9097.90
	AX-FIM3010-RE-LL	MX footprint RFI filtre, 10A, 400VAC, three phase, for 1.5 to 3.0KW models, low leakage current	114.80	EC002025	324545	4547648876056			EA	EAZ	GBR	8529.9097.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
AX-FIM3010-SE-LL AX-FIM3010-SE-V1	Accessory inverter MX2 EMC filter MX footprint RFI filtre, 10A, 400VAC, üç faz, 1.5 ila 3.0kW modeli	92.85	EC002025	386178	4547648975513			EA	EAZ	THA	8529.9097.90
AX-FIM3014-SE-LL AX-FIM3014-SE-V1	Accessory inverter MX2 EMC filter MX footprint RFI filtre, 14A, 400VAC, üç faz, 4.0kW modeli	104.50	EC002025	386179	4547648975520	#		EA	EAZ	THA	8529.9097.90
AX-FIM3030-SE-LL AX-FIM3030-SE-V1	Accessory inverter MX2 EMC filter MX footprint RFI filtre, 50A, 400VAC, üç faz, 11 ila 15kW modeli	107.90	EC002025	354502	4547648906081	#		EA	EAZ	THA	8529.9097.90
AX-FIM3050-SE-LL AX-FIM3050-SE-V1	Accessory inverter MX2 EMC filter MX footprint RFI filtre, 90 A, 3~ 400 VAC, for 0.75-3.7 kW models	113.70	EC002025	386180	4547648975537			EA	EAZ	THA	8529.9097.90
AX-FIR4011-SE AX-FIR4030-SE	RX2 footprint RFI filter, 11 A, 3~ 400 VAC, for 0.75-3.7 kW models RX2 foot print RFI filter, 30 A, 3~ 400 VAC, for 5.5-11 kW models	238.50	EC002025	386181	4547648975544			EA	EAZ	THA	8529.9097.90
AX-FIR4058-SE AX-FIR4079-SE	RX2 foot print RFI filter, 58 A, 3~ 400 VAC, for 15-22 kW models RX2 book type RFI filter, 73 A, 3~ 400 VAC, for 30 kW models	212.30	EC002025	354504	4547648906104	#		EA	EAZ	THA	8529.9097.90
AX-FIR4090-SE AX-FIR4146-SE	RX2 book type RFI filter, 90 A, 3~ 400 VAC, for 37 kW models RX2 book type RFI filter, 146 A, 3~ 400 VAC, for 44-55 kW models	176.80	EC002025	689171	4549734976107			EA	EAZ	THA	8529.9097.90
AX-FIR4310-SE O2-FIA4010-SE	RX2 bush bar type RFI filter, 310 A, 3~ 400 VAC, for 75-132 kW models O2A footprint RFI filter, 10 A, 3~ 400 VAC, for 4002, 4004, 4005, 4007 models	113.70	EC002025	689170	4549734976091			EA	EAZ	THA	8529.9097.90
O2-FIA4020-SE O2-FIA4035-SE	O2A footprint RFI filter, 20 A, 3~ 400 VAC, for 4009, 4012 models O2A footprint RFI filter, 35 A, 3~ 400 VAC, for 4018, 4023 models	279.20	EC002025	689172	4549734976114			EA	EAZ	THA	8529.9097.90
O2-FIA4050-SE O2-FIA4080-SE	O2A footprint RFI filter, 50 A, 3~ 400 VAC, for 4031, 4038 models O2A Book end style RFI filter, 80 A, 3~ 400 VAC, for O2A-A4044/O2A-A4060/O2A-A4075/O2A-A2042/O2A-A2056/O2A-A2070/O2V-A4044/O2V-A4060 models.	399.00	EC002025	702548	4549734793728			EA	EAZ	CHN	8529.9097.90
O2-FIA4110-SE O2-FIA4170-SE	O2A/O2V Book end style RFI filter, 100 A, 3~ 400 VAC, for O2A-A4089/O2A-A2082/O2V-A2082 models O2A Book end style RFI filter, 170 A, 3~ 400 VAC, for 4103, 4140, 4168 models	454.40	EC002025	702549	4549734793735			EA	EAZ	CHN	8529.9097.90
O2-FIA4190-SE O2-FIA4600-SE	O2A/O2V Book end style RFI filter, 100 A, 3~ 400 VAC, for O2A-A4089/O2A-A2082/O2V-A2082 models O2A Busbar termination RFI filter, 410 A, 3~ 400 VAC, for 4208, 4250, 4296, 4371, 4389 models / For 4675 model, 2 units are needed	632.00	EC002025	702546	4549734793704			EA	EAZ	CHN	8529.9097.90
		1,308.00	EC002025	702547	4549734793711			EA	EAZ	CHN	8529.9097.90
		230.90	EC002025	682622	4549734949200			EA	EAZ	THA	8529.9097.90
		274.10	EC002025	682631	4549734949293	#		EA	EAZ	THA	8529.9097.90
		321.50	EC002025	682630	4549734949286	#		EA	EAZ	THA	8529.9097.90
		509.00	EC002025	682629	4549734949279	#		EA	EAZ	THA	8529.9097.90
		680.00	EC002025	702544	4549734793681			EA	EAZ	THA	8529.9097.90
		850.50	EC002025	702540	4549734793643			EA	EAZ	CHN	8529.9097.90
		1,254.00	EC002025	702541	4549734793650			EA	EAZ	CHN	8529.9097.90
		1,364.00	EC002025	702542	4549734793667			EA	EAZ	CHN	8529.9097.90
		1,492.00	EC002025	702543	4549734793674			EA	EAZ	CHN	8529.9097.90
Inverterler için Aksesuarlar											
AX-FER2102-PE AX-FER2815-PE AX-FER5045-PE	Ferrite choke, 21mm diameter, for 2.2kW inverters and below Ferrite choke, 28mm diameter, for 15kW inverters and below Ferrite choke, 50mm diameter, for 45kW inverters and below	11.70	EC002025	684893	4549734960939			EA	EAZ	CHN	8529.9097.90
AX-FER5255-PE AX-RAI0191150-DE AX-RAI0290780-DE	Ferrite choke, 52mm diameter, for 45kW Inverters and above AC input reactor, 115 A, 0.19 mH, for 45 to 55 kW sizes, 400VAC, 3 phase AC giriş reaktör, RX serisi, 78A, 0.29mH, 30 ila 37kW boyutlarında, 400VAC, 3 faz	14.52	EC002025	684894	4549734960946	#		EA	EAZ	CHN	8529.9097.90
AX-RAI03050500-DE AX-RAI0740335-DE AX-RAI01300170-DE	AC giriş reaktör, RX serisi, 50A, 0.36mH, 18.5 ila 22kW boyutlarında, 400VAC, 3 faz AC giriş reaktör, MX2/RX serisi, 33.5A, 0.74mH, 11 ve 15kW boyutlarında, 400VAC, 3 faz AC giriş reaktör, JX/ MX2/ RX serisi, 17A, 1.3mH, 5.5 ve 7.5kW boyutlarında, 400VAC, 3 faz	60.70	EC002025	684895	4549734960953	#		EA	EAZ	CHN	8529.9097.90
AX-RAI03500100-DE AX-RAI07700050-DE AX-RAO02000320-DE	AC giriş reaktör, MX2/ RX serisi, 10A, 3.5mH, 2.2, 3 ve 4.0kW boyutlarında, 400VAC, 3 faz AC giriş reaktör, MX2/ RX serisi, 5A, 7.7mH, 0.4, 0.7 ve 1.5kW boyutlarında, 400VAC, 3 faz AC output reactor, 32 A, 2 mH, for 15 kW, 400VAC, 3 phase	72.20	EC002025	684896	4549734960960			EA	EAZ	CHN	8529.9097.90
AX-RAO02500220-DE AX-RAO03600160-DE AX-RAO04600110-DE	AC giriş reaktör, RX serisi, 50A, 0.36mH, 18.5 ila 22kW boyutlarında, 400VAC, 3 faz AC çıkış reaktör, MX2/RX serisi, 22A, 2.5mH, 11kW üç faz, 400VAC AC çıkış reaktör, JX/ MX2/ RX serisi, 16A, 3.6mH, 7.5kW üç faz, 400VAC	111,160.00	EC002025	319011	4547648871570			EA	EAZ	ESP	8529.9097.90
AX-RAO07300080-DE AX-RAO11800053-DE AX-RAO16300038-DE	AC çıkış reaktör, JX/ MX2/ RX serisi, 17A, 1.3mH, 5.5 ve 7.5kW boyutlarında, 400VAC, 3 faz AC çıkış reaktör, MX2/ RX serisi, 10A, 3.5mH, 2.2, 3 ve 4.0kW boyutlarında, 400VAC, 3 faz AC çıkış reaktör, MX2/ RX serisi, 5A, 7.7mH, 0.4, 0.7 ve 1.5kW boyutlarında, 400VAC, 3 faz AC output reactor, 32 A, 2 mH, for 15 kW, 400VAC, 3 phase AC çıkış reaktör, MX2/ RX serisi, 22A, 2.5mH, 11kW üç faz, 400VAC AC çıkış reaktör, JX/ MX2/ RX serisi, 16A, 3.6mH, 7.5kW üç faz, 400VAC AC output reactor, 11 A, 4.6 mH, for 5.5 kW, 400VAC, 3 phase AC output reactor, 8 A, 7.3 mH, for 3.0 and 4.0 kW, 400VAC, 3 phase AC output reactor, 5.3 A, 11.8 mH, for 2.2 kW, 400VAC, 3 phase AC çıkış reaktör, JX/ MX2/ RX serisi, 3.8A, 16.3mH, 0.4, 0.7 ve 1.5kW üç faz, 400VAC	848.50	EC002025	319010	4547648871563			EA	EAZ	ESP	8529.9097.90
		576.00	EC002025	319009	4547648871556			EA	EAZ	ESP	8529.9097.90
		497.40	EC002025	319005	4547648871525			EA	EAZ	ESP	8529.9097.90
		400.20	EC002025	318999	4547648871464			EA	EAZ	ESP	8529.9097.90
		270.70	EC002025	319004	4547648871518			EA	EAZ	ESP	8529.9097.90
		259.00	EC002025	319003	4547648871501			EA	EAZ	ESP	8529.9097.90
		708.50	EC002025	319461	4547648871969			EA	EAZ	ESP	8529.9097.90
		645.00	EC002025	319462	4547648871976			EA	EAZ	ESP	8529.9097.90
		475.50	EC002025	319464	4547648871990			EA	EAZ	ESP	8529.9097.90
		416.90	EC002025	319466	4547648872010			EA	EAZ	ESP	8529.9097.90
		503.00	EC002025	319467	4547648872027			EA	EAZ	ESP	8529.9097.90
		267.90	EC002025	354528	4547648906326			EA	EAZ	ESP	8529.9097.90
		261.40	EC002025	319471	4547648872065			EA	EAZ	ESP	8529.9097.90
Inverterler için Aksesuarlar											
3G3AX-CAJOP300-EE 3G3AX-PCACN2 A1000-CAVP232-EE	3 metre operatör panel kablosu RJ45 TO USB converter/ connection cable Bağlantı kablosu, RS-232C, 3G3J/M(VV7)/E7/E7A/1000 ila PC. (equivalent ila 3G3J/PCN329-F) 3m	5.50	EC002025	324009	4547648873703			EA	EAZ	ITA	8503.0099.99
		430.80	EC002025	283120	4547648623186			EA	EAZ	JPN	9032.8900.90
		19.65	EC001681	241953	4547648850759			EA	EAZ	ITA	8544.4290.90
Inverterler için Aksesuarlar											
900-192-933-001 J0HB-Q2V JVOP-KPBCH04AAZ JVOP-KPL CA04AEZ JVOP-KPL CC04ABZ ZPSA-GA50V5-1	Door mounting kit for keypad JVOP-KPLxxxxxxx, screw mountin Q2V option card enclosure Blank cover kit for Q2V Q2 LCD Keypad (w/o Bluetooth) Q2 LCD Keypad (with Bluetooth) Heatsink External Mounting Kit Q2V 2030-2042, 4018-4023	56.75	EC002025	684852	4549734960557			EA	EAZ	JPN	8471.6070.00
		38.21	EC002025	690245	4549734980562	#		EA	EAZ	CHN	8517.6200.00
		38.21	EC002025	690779	4549734983976			EA	EAZ	JPN	8528.5291.00
		248.40	EC002025	690347	4549734981323			EA	EAZ	JPN	8528.5291.00
		791.00	EC002025	692138	4549734989046	#		EA	EAZ	GBR	8528.5291.00
		128.20	EC002025	690261	4549734980715			EA	EAZ	JPN	8531.9000.00
Inverterler için Aksesuarlar											
CX-DRIVE 2.9	CX-Drive configuration software for inverters and servos	78.30	EC000809	379897	4547648970013			EA	EAZ	NLD	8523.8090.00
Servo G Serisi											
R88D-GT01H R88D-GT02H R88D-GT04H R88D-GT08H	G-serisi servo sürücüsü, 1~ 200 VAC, Analog/Pulse tipi, 100 W G-serisi servo sürücüsü, 1~ 200 VAC, Analog/Pulse tipi, 200 W G-serisi servo sürücüsü, 1~ 200 VAC, Analog/Pulse tipi, 400 W G-serisi servo sürücüsü, 1~ 200 VAC, Analog/Pulse tipi, 800 W	1,836.00	EC002572	346799	4547648475266			EB	EBK	CHN	9032.8900.90
		1,955.00	EC002572	346800	4547648475273			EB	EBK	CHN	9032.8900.90
		1,836.00	EC002572	346801	4547648475280	#		EB	EBK	CHN	9032.8900.90
		2,099.00	EC002572	346802	4547648475297	#		EB	EBK	CHN	9032.8900.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88D-GT1SH	G-serisi servo drive, 1~ 200 VAC, Analog/Pulse input type, 1.5 kW	2,993.00	EC002572	364998	4547648475310			EB	EBK	CHN	9032.8900.90
Servo G Serisi											
R88D-GN01H-ML2	G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 100 W	1,929.00	EC002572	285522	4547648493284			EB	EBK	CHN	8501.4020.80
R88D-GN02H-ML2	G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 200 W	1,979.00	EC002572	285523	4547648493291			EB	EBK	CHN	8501.4020.80
R88D-GN04H-ML2	G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 400 W	2,008.00	EC002572	285524	4547648493307	#		EB	EBK	CHN	8501.4020.80
R88D-GN08H-ML2	G-serisi servo sürücü, 1~ 200 VAC, MECHATROLINK II entegre, 750 W	2,466.00	EC002572	285525	4547648493314			EB	EBK	CHN	8501.4020.80
R88D-GN10H-ML2	G-Series servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1 kW	3,450.00	EC002572	355422	4547648493321			EB	EBK	CHN	9032.8900.90
R88D-GN15H-ML2	G-serisi servo drive, 1~ 200 VAC, MECHATROLINK-II integrated, 1.5 kW	3,721.00	EC002572	355423	4547648493338			EB	EBK	CHN	9032.8900.90
Servo G Serisi											
R88M-G0503QH-BS2	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli	727.50	EC001851	322925	4547648493635			EB	EBK	CHN	8501.5100.90
R88M-G0503QH-S2	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	492.70	EC001851	322924	4547648493437			EB	EBK	CHN	8501.5100.90
R88M-G1003QH-BS2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm, frenli	832.00	EC001851	285893	4547648493642			EB	EBK	CHN	8501.5100.90
R88M-G1003QH-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	537.50	EC001851	285890	4547648493444			EB	EBK	CHN	8501.5100.90
R88M-G1003QH-S2-D	G-Series AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, with circular connector	611.50	EC001851	378071	4548583414815			EB	EBK	CHN	8501.5100.90
R88M-G2003QH-BS2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, frenli	983.50	EC001851	285894	4547648493659			EB	EBK	CHN	8501.5100.90
R88M-G2003QH-BS2-D	G-Series AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli, silindirik konektör	991.00	EC001851	378066	4548583415195			EB	EBK	CHN	8501.5100.90
R88M-G2003QH-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm	665.00	EC001851	285891	4547648493451			EB	EBK	CHN	8501.5100.90
R88M-G2003QH-S2-D	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 200 W, 200 VAC, 3000 rpm, 0.64 Nm, yuvarlak konektör	788.00	EC001851	378075	4548583414853			EB	EBK	CHN	8501.5100.90
R88M-G4003QH-BS2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, frenli	1,065.00	EC001851	285895	4547648493666	#		EB	EBK	CHN	8501.5100.90
R88M-G4003QH-BS2-D	G-Series AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake, with circular connector	1,187.00	EC001851	378047	4548583414587			EB	EBK	CHN	8501.5100.90
R88M-G4003QH-S2	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	719.50	EC001851	285892	4547648493468	#		EB	EBK	CHN	8501.5100.90
R88M-G4003QH-S2-D	G-serisi/SmartStep 2 AC servo motor (silindirik konektör), 400 W, 200 VAC, 3000 rpm, 1.3 Nm, yuvarlak konektör	858.50	EC001851	378046	4548583414570	#		EB	EBK	CHN	8501.5100.90
R88M-G7503QH-BS2	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	1,360.00	EC001851	286728	4547648493673	#		EB	EBK	CHN	8501.5100.90
R88M-G7503QH-BS2-D	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli, yuvarlak konektör	1,485.00	EC001851	378051	4548583414624			EB	EBK	CHN	8501.5100.90
R88M-G7503QH-S2	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	989.00	EC001851	286727	4547648493475	#		EB	EBK	CHN	8501.5100.90
R88M-G7503QH-S2-D	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, yuvarlak konektör	1,108.00	EC001851	378050	4548583414617	#		EB	EBK	CHN	8501.5100.90
Servo G Serisi											
R88M-GP10030H-S2	G-serisi/SmartStep 2 AC servo motor (küçük tipi), 100 W, 200 VAC, 3000 rpm, 0.32 Nm	676.00	EC001851	285896	4547648496131			EB	EBK	CHN	8501.5100.90
R88M-GP40030H-BS2	G-serisi Flat type AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, Brake	1,428.00	EC001851	322928	4547648496278			EB	EBK	CHN	8501.5100.90
R88M-GP40030H-S2	G-serisi/SmartStep 2 AC servo motor (küçük tipi), 400 W, 200 VAC, 3000 rpm, 1.3 Nm	838.00	EC001851	285898	4547648496155			EB	EBK	CHN	8501.5100.90
Servo G Serisi											
R88M-G0503QT-BS2	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli	1,085.00	EC001851	355426	4547648494335			EB	EBK	CHN	8501.5100.90
R88M-G0503QT-S2	G-serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	1,290.00	EC001851	317938	4547648493895			EB	EBK	CHN	8501.5100.90
R88M-G1003QT-BS2	G-serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli	1,807.00	EC001851	332276	4547648494342			EB	EBK	CHN	8501.5100.90
R88M-G1003QT-S2	G-serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	1,087.00	EC001851	313364	4547648493901			EB	EBK	CHN	8501.5100.90
R88M-G1K03QT-BS2	G-Series AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, Brake	2,949.00	EC001851	356460	4547648494380			EB	EBK	CHN	8501.5220.89
R88M-G1K03QT-S2	G-serisi AC servo motor, 1 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute	2,198.00	EC001851	317939	4547648493949			EB	EBK	CHN	8501.5220.89
R88M-G1K52QT-S2	G-series servo motor 1.5kW 2000RPM 230V, abs encoder	2,605.00	EC001851	668450	4547648495226			EB	EBK	CHN	8501.5220.89
R88M-G1K53QT-BS2	G-Series AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, Brake	3,216.00	EC001851	355419	4547648494397			EB	EBK	CHN	8501.5220.89
R88M-G1K53QT-S2	G-serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute	2,506.00	EC001851	356590	4547648493956			EB	EBK	CHN	8501.5220.89
R88M-G2003QT-BS2	G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, frenli	1,961.00	EC001851	332277	4547648494359			EB	EBK	CHN	8501.5100.90
R88M-G2003QT-S2	G-serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute	1,440.00	EC001851	317940	4547648493918			EB	EBK	CHN	8501.5100.90
R88M-G4003QT-BS2	G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, frenli	2,165.00	EC001851	332278	4547648494366			EB	EBK	CHN	8501.5100.90
R88M-G4003QT-BS2-D	G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, Brake, with circular connector	2,337.00	EC001851	378049	4548583414600			EB	EBK	CHN	8501.5100.90
R88M-G4003QT-S2	G-serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1,591.00	EC001851	317942	4547648493925			EB	EBK	CHN	8501.5100.90
R88M-G7503QT-BS2	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli	2,537.00	EC001851	332279	4547648494373			EB	EBK	CHN	8501.5100.90
R88M-G7503QT-S2	G-serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	1,898.00	EC001851	317943	4547648493932			EB	EBK	CHN	8501.5100.90
Servo G Serisi											
R88A-CNG01A	Servo motor konektörü servo motor üçü kablosu için	18.29	EC002584	292061	4547648491075			EB	EBK	CHN	8501.4020.80
R88A-CNG01B	frenli kablosu konektör G/SmartStep 2 motor tarafı	11.84	EC002584	292063	4547648560313			EB	EBK	CHN	8501.4020.80
R88A-CNG02R	Artımsal enkoder kablosu için servo motor konektörünü G-Sensi 50 ila 750 W	22.04	EC002584	678730	4549734927987			EB	EBK	CHN	8544.4290.90
Servo G Serisi											
R88A-RR50020S	Servo aksesuarı, direnç 500 W, 20 ohm	363.90	EC002615	292062	4547648560306			EB	EBK	JPN	8533.2900.00
Servo G5 Serisi											
R88A-CPG001S	Genel amaçlı servo kontrol kablosu, 1m	186.50	EC000237	292048	4547648493116	#		EB	EBL	CHN	8544.4290.90
XWZ2-100J-B24	Genel amaçlı servo terminal bloğu kablosu, 1m	276.10	EC000237	294103	4547648520881			EB	EBL	JPN	8501.4020.80
XWZ2-100J-B25	Servo kontrol kablosu (CS1W/C11W/C200HW-NCx13 için), 1m	186.00	EC000237	294105	4547648520904			EB	EBL	JPN	8501.4020.80
XWZ2-100J-B31	Servo kontrol kablosu for C11M-CPU21/22/23, 1m	186.00	EC000237	294107	4547648521031			EB	EBL	JPN	8501.4020.80

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XW27-100I-B34	G5 serisi, terminal bloğu kablosu, CN1 konektör, use with XW28-20G terminal bloğus, 1m	155,60	EC000237	323497	4547648737951			EB	EBL	JPN	8536.9010.00
XW27-200I-B24	Genel amaçlı servo terminal bloğu kablosu, 2m	309,50	EC000237	294104	4547648520898			EB	EBL	JPN	8501.4020.80
XW27-200I-B31	Cable: Servo Relay Unit to Servo driver, 2 m (G, G5)	202,70	EC000237	294108	4547648521048			EB	EBL	JPN	8501.4020.80
XW27-200I-B34	G5 serisi, terminal bloğu kablosu, CN1 konektörü için XW28-20G terminal bloğu ile birlikte kullanın, 2m	166,90	EC000237	323498	4547648737968			EB	EBL	JPN	8536.9010.00
Servo G5 Serisi											
R88D-KT01H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 100 W	1,346,00	EC002572	285527	4547648651370			EB	EBL	CHN	8501.4020.80
R88D-KT02H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 200 W	1,583,00	EC002572	285528	4547648651387			EB	EBL	CHN	8501.4020.80
R88D-KT04H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 400 W	1,683,00	EC002572	285529	4547648651394	#		EB	EBL	CHN	8501.4020.80
R88D-KT06F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 600 W	1,886,00	EC002572	285533	4547648651462			EB	EBL	CHN	8501.4020.80
R88D-KT08H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 750 W	1,914,00	EC002572	285530	4547648651400			EB	EBL	CHN	8501.4020.80
R88D-KT10F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.0 kW	2,005,00	EC002572	285534	4547648651479	#		EB	EBL	CHN	8501.4020.80
R88D-KT10H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.0 kW	2,304,00	EC002572	285531	4547648651417			EB	EBL	CHN	8501.4020.80
R88D-KT150F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 15.0 kW	8,900,00	EC002572	352678	4548583016262			EB	EBL	CHN	8501.4020.80
R88D-KT15F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 1.5 kW	2,012,00	EC002572	285535	4547648651486	#		EB	EBL	CHN	8501.4020.80
R88D-KT15H	Accurax G5 servo sürücü, 1~ 200 VAC, analog/pulse tipi, 1.5 kW	2,645,00	EC002572	285532	4547648651424			EB	EBL	CHN	8501.4020.80
R88D-KT20F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 2.0 kW	2,291,00	EC002572	285536	4547648651493	#		EB	EBL	CHN	8501.4020.80
R88D-KT30F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 3.0 kW	2,480,00	EC002572	285537	4547648651509	#		EB	EBL	CHN	8501.4020.80
R88D-KT50F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 5.0 kW	3,577,00	EC002572	285538	4547648651516	#		EB	EBL	CHN	8501.4020.80
R88D-KT75F	Accurax G5 servo sürücü, 3~ 400 VAC, analog/pulse tipi, 7.5 kW	6,575,00	EC002572	352677	4548583016255			EB	EBL	CHN	8501.4020.80
Servo G5 Serisi											
R88D-KN01H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 100 W	1,985,00	EC002572	285539	4547648651561			EB	EBL	CHN	8501.4020.80
R88D-KN02H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 200 W	2,246,00	EC002572	285540	4547648651578			EB	EBL	CHN	8501.4020.80
R88D-KN04H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 400 W	2,352,00	EC002572	285541	4547648651585			EB	EBL	CHN	8501.4020.80
R88D-KN06F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 600 W	2,574,00	EC002572	285545	4547648651653			EB	EBL	CHN	8501.4020.80
R88D-KN08H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 750 W	2,581,00	EC002572	285542	4547648651592			EB	EBL	CHN	8501.4020.80
R88D-KN10F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.0 kW	2,699,00	EC002572	285546	4547648651660			EB	EBL	CHN	8501.4020.80
R88D-KN10H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.0 kW	3,084,00	EC002572	285543	4547648651608			EB	EBL	CHN	8501.4020.80
R88D-KN15F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 1.5 kW	2,709,00	EC002572	285547	4547648651677			EB	EBL	CHN	8501.4020.80
R88D-KN15H-ML2	Accurax G5 servo sürücü, 1~ 200 VAC, MECHATROLINK II tipi, 1.5 kW	3,412,00	EC002572	285544	4547648651615			EB	EBL	CHN	8501.4020.80
R88D-KN20F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 2.0 kW	3,021,00	EC002572	285548	4547648651684			EB	EBL	CHN	8501.4020.80
R88D-KN30F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 3.0 kW	3,214,00	EC002572	285549	4547648651691			EB	EBL	CHN	8501.4020.80
R88D-KN50F-ML2	Accurax G5 servo sürücü, 3~ 400 VAC, MECHATROLINK II tipi, 5.0 kW	4,426,00	EC002572	285550	4547648651707			EB	EBL	CHN	8501.4020.80
Servo G5 Serisi											
R88D-KN01H-FCT	G5 serisi servo sürücü, EtherCAT tipi, 100 W, 1~ 200 VAC	1,836,00	EC002572	352679	4548583021310	#		EB	EBL	CHN	8501.4020.80
R88D-KN02H-FCT	G5 serisi servo sürücü, EtherCAT tipi, 200 W, 1~ 200 VAC	2,162,00	EC002572	352680	4548583021327	#		EB	EBL	CHN	8501.4020.80
R88D-KN04H-FCT	G5 serisi servo sürücü, EtherCAT tipi, 400 W, 1~ 200 VAC	2,265,00	EC002572	352681	4548583021334	#		EB	EBL	CHN	8501.4020.80
R88D-KN06F-FCT	G5 serisi servo sürücü, EtherCAT tipi, 600 W, 3~ 400 VAC	2,494,00	EC002572	352685	4548583021426	#		EB	EBL	CHN	8501.4020.80
R88D-KN08H-FCT	G5 serisi servo sürücü, EtherCAT tipi, 750 W, 1~ 200 VAC	2,490,00	EC002572	352682	4548583021341	#		EB	EBL	CHN	8501.4020.80
R88D-KN10F-FCT	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 3~ 400 VAC	2,600,00	EC002572	352686	4548583021433	#		EB	EBL	CHN	8501.4020.80
R88D-KN10H-FCT	G5 serisi servo sürücü, EtherCAT tipi, 1000 W, 1~ 200 VAC	2,976,00	EC002572	352683	4548583021358			EB	EBL	CHN	8501.4020.80
R88D-KN150F-FCT	G5 serisi servo sürücü, EtherCAT tipi, 15 kW, 3~ 400 VAC	10,210,00	EC002572	353422	4548583021495	#		EB	EBL	CHN	8501.4020.80
R88D-KN15F-FCT	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 3~ 400 VAC	2,651,00	EC002572	352687	4548583021440	#		EB	EBL	CHN	8501.4020.80
R88D-KN15H-FCT	G5 serisi servo sürücü, EtherCAT tipi, 1500 W, 1~ 200 VAC	3,086,00	EC002572	352684	4548583021365			EB	EBL	CHN	8501.4020.80
R88D-KN20F-FCT	G5 serisi servo sürücü, EtherCAT tipi, 2 kW, 3~ 400 VAC	2,854,00	EC002572	352688	4548583021457	#		EB	EBL	CHN	8501.4020.80
R88D-KN30F-FCT	G5 serisi servo sürücü, EtherCAT tipi, 3 kW, 3~ 400 VAC	3,035,00	EC002572	352689	4548583021464	#		EB	EBL	CHN	8501.4020.80
R88D-KN50F-FCT	G5 serisi servo sürücü, EtherCAT tipi, 5 kW, 3~ 400 VAC	4,041,00	EC002572	352690	4548583021471	#		EB	EBL	CHN	8501.4020.80
R88D-KN75F-FCT	G5 serisi servo sürücü, EtherCAT tipi, 7.5 kW, 3~ 400 VAC	6,400,00	EC002572	353421	4548583021488	#		EB	EBL	CHN	8501.4020.80
Servo G5 Serisi											
R88M-K05030H-B52	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental, frenli	1,212,00	EC001851	285565	4547648653176			EB	EBL	CHN	8501.5100.90
R88M-K05030H-S2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, incremental	762,50	EC001851	285551	4547648652964			EB	EBL	CHN	8501.5100.90
R88M-K05030T-B52	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute, frenli	1,557,00	EC001851	322953	4547648654852			EB	EBL	CHN	8501.5100.90
R88M-K05030T-S2	G5 serisi AC servo motor, 50 W, 200 VAC, 3000 rpm, 0.16 Nm, absolute	1,126,00	EC001851	322939	4547648654647			EB	EBL	CHN	8501.5100.90
R88M-K10030H-B52	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental, frenli	1,253,00	EC001851	285566	4547648653183			EB	EBL	CHN	8501.5100.90
R88M-K10030H-S2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, incremental	794,00	EC001851	285552	4547648652971			EB	EBL	CHN	8501.5100.90
R88M-K10030T-B52	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute, frenli	1,595,00	EC001851	322954	4547648654869			EB	EBL	CHN	8501.5100.90
R88M-K10030T-S2	G5 serisi AC servo motor, 100 W, 200 VAC, 3000 rpm, 0.32 Nm, absolute	1,165,00	EC001851	322940	4547648654654			EB	EBL	CHN	8501.5100.90
R88M-K11K015C-B052	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute, frenli ve yağ sızdırmazlığı	8,235,00	EC001851	352745	4548583017191			EB	EBL	CHN	8501.5230.90
R88M-K11K015C-S2	G5 serisi AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70 Nm, absolute	7,830,00	EC001851	352743	4548583016590	#		EB	EBL	CHN	8501.5230.90
R88M-K15K015C-B052	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute, frenli ve yağ sızdırmazlığı	9,645,00	EC001851	352691	4548583017207			EB	EBL	CHN	8501.5230.90
R88M-K15K015C-S2	G5 serisi AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.9 Nm, absolute	8,900,00	EC001851	352692	4548583016606			EB	EBL	CHN	8501.5230.90
R88M-K1K020C-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	2,093,00	EC001851	322981	4547648657358			EB	EBL	CHN	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-K1K020C-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute	1,390.00	EC001851	322971	4547648657211			EB	EBL	CHN	8501.5220.89
R88M-K1K020F-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,700.00	EC001851	285592	4547648656238			EB	EBL	CHN	8501.5220.89
R88M-K1K020F-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1,135.00	EC001851	285582	4547648656092	#		EB	EBL	CHN	8501.5220.89
R88M-K1K020H-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,450.00	EC001851	285588	4547648656153			EB	EBL	CHN	8501.5220.89
R88M-K1K020H-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, incremental	1,081.00	EC001851	285578	4547648656016			EB	EBL	CHN	8501.5220.89
R88M-K1K020T-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute, frenli	1,818.00	EC001851	322977	4547648657273			EB	EBL	CHN	8501.5220.89
R88M-K1K020T-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 2000 rpm, 4.77 Nm, absolute	1,433.00	EC001851	322967	4547648657136			EB	EBL	CHN	8501.5220.89
R88M-K1K030C-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute, frenli	2,464.00	EC001851	322961	4547648654975	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030C-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute	1,946.00	EC001851	322947	4547648654760			EB	EBL	CHN	8501.5220.89
R88M-K1K030F-B52	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental, frenli	2,085.00	EC001851	285572	4547648653299	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030F-S2	G5 serisi AC servo motor, 1.0 kW, 400 VAC, 3000 rpm, 3.18 Nm, incremental	1,604.00	EC001851	285559	4547648653084	#		EB	EBL	CHN	8501.5220.89
R88M-K1K030H-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental, frenli	2,178.00	EC001851	322929	4547648653220			EB	EBL	CHN	8501.5220.89
R88M-K1K030H-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, incremental	1,540.00	EC001851	285556	4547648653015			EB	EBL	CHN	8501.5220.89
R88M-K1K030T-B52	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute, frenli	2,533.00	EC001851	322958	4547648654906			EB	EBL	CHN	8501.5220.89
R88M-K1K030T-S2	G5 serisi AC servo motor, 1.0 kW, 200 VAC, 3000 rpm, 3.18 Nm, absolute	1,994.00	EC001851	322944	4547648654692			EB	EBL	CHN	8501.5220.89
R88M-K1K520C-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute, frenli	2,183.00	EC001851	322982	4547648657365			EB	EBL	CHN	8501.5220.89
R88M-K1K520C-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute	1,627.00	EC001851	322972	4547648657228			EB	EBL	CHN	8501.5220.89
R88M-K1K520F-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental, frenli	1,789.00	EC001851	285593	4547648656245	#		EB	EBL	CHN	8501.5220.89
R88M-K1K520F-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,287.00	EC001851	285583	4547648656108	#		EB	EBL	CHN	8501.5220.89
R88M-K1K520H-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental, frenli	1,711.00	EC001851	285589	4547648656160			EB	EBL	CHN	8501.5220.89
R88M-K1K520H-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, incremental	1,296.00	EC001851	285579	4547648656023			EB	EBL	CHN	8501.5220.89
R88M-K1K520T-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, absolute, frenli	2,038.00	EC001851	322978	4547648657280			EB	EBL	CHN	8501.5220.89
R88M-K1K520T-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 2000 rpm, 7.16 Nm, absolute	1,636.00	EC001851	322968	4547648657143			EB	EBL	CHN	8501.5220.89
R88M-K1K530C-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute, frenli	2,761.00	EC001851	322962	4547648654982			EB	EBL	CHN	8501.5220.89
R88M-K1K530C-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute	2,155.00	EC001851	322948	4547648654777	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530F-B52	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, incremental, frenli	2,406.00	EC001851	285573	4547648653305	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530F-S2	G5 serisi AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, incremental	1,872.00	EC001851	285560	4547648653091	#		EB	EBL	CHN	8501.5220.89
R88M-K1K530H-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, incremental, frenli	2,419.00	EC001851	285570	4547648653237			EB	EBL	CHN	8501.5220.89
R88M-K1K530H-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, incremental	1,858.00	EC001851	285557	4547648653022			EB	EBL	CHN	8501.5220.89
R88M-K1K530T-B52	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute, frenli	2,746.00	EC001851	322959	4547648654913			EB	EBL	CHN	8501.5220.89
R88M-K1K530T-S2	G5 serisi AC servo motor, 1.5 kW, 200 VAC, 3000 rpm, 4.77 Nm, absolute	2,199.00	EC001851	322945	4547648654708			EB	EBL	CHN	8501.5220.89
R88M-K20030H-B52	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental, frenli	1,379.00	EC001851	285567	4547648653190			EB	EBL	CHN	8501.5100.90
R88M-K20030H-S2	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, incremental	924.00	EC001851	285553	4547648652988			EB	EBL	CHN	8501.5100.90
R88M-K20030T-B52	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute, frenli	1,727.00	EC001851	322955	4547648654876	#		EB	EBL	CHN	8501.5100.90
R88M-K20030T-S2	G5 serisi AC servo motor, 200 W, 200 VAC, 3000 rpm, 0.64 Nm, absolute	1,256.00	EC001851	322941	4547648654661	#		EB	EBL	CHN	8501.5100.90
R88M-K2K010C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute, frenli	3,237.00	EC001851	322937	4547648658515			EB	EBL	CHN	8501.5220.89
R88M-K2K010F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, incremental, frenli	2,929.00	EC001851	285603	4547648658034			EB	EBL	CHN	8501.5220.89
R88M-K2K010F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 1000 rpm, 19.1 Nm, incremental	2,294.00	EC001851	285600	4547648657976			EB	EBL	CHN	8501.5220.89
R88M-K2K020C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute, frenli	2,447.00	EC001851	322983	4547648657372			EB	EBL	CHN	8501.5220.89
R88M-K2K020C-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute	1,905.00	EC001851	322973	4547648657235			EB	EBL	CHN	8501.5220.89
R88M-K2K020F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, incremental, frenli	2,107.00	EC001851	285594	4547648656252	#		EB	EBL	CHN	8501.5220.89
R88M-K2K020F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, incremental	1,490.00	EC001851	285584	4547648656115	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030C-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute, frenli	3,046.00	EC001851	322963	4547648654999	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030C-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute	2,448.00	EC001851	322949	4547648654784	#		EB	EBL	CHN	8501.5220.89
R88M-K2K030F-B52	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, incremental, frenli	2,722.00	EC001851	285574	4547648653312			EB	EBL	CHN	8501.5220.89
R88M-K2K030F-S2	G5 serisi AC servo motor, 2.0 kW, 400 VAC, 3000 rpm, 6.37 Nm, incremental	2,077.00	EC001851	285561	4547648653107	#		EB	EBL	CHN	8501.5220.89
R88M-K3K010C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, absolute, frenli	3,941.00	EC001851	322938	4547648658522			EB	EBL	CHN	8501.5220.89
R88M-K3K010C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, absolute	3,322.00	EC001851	322934	4547648658461			EB	EBL	CHN	8501.5220.89
R88M-K3K010F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, incremental, frenli	3,652.00	EC001851	285604	4547648658041			EB	EBL	CHN	8501.5220.89
R88M-K3K010F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 1000 rpm, 28.7 Nm, incremental	3,018.00	EC001851	285601	4547648657983	#		EB	EBL	CHN	8501.5220.89
R88M-K3K020C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute, frenli	2,835.00	EC001851	322984	4547648657389			EB	EBL	CHN	8501.5220.89
R88M-K3K020C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute	2,327.00	EC001851	322974	4547648657242			EB	EBL	CHN	8501.5220.89
R88M-K3K020F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental, frenli	2,486.00	EC001851	285595	4547648656269	#		EB	EBL	CHN	8501.5220.89
R88M-K3K020F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	1,864.00	EC001851	285585	4547648656122	#		EB	EBL	CHN	8501.5220.89
R88M-K3K030C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute, frenli	3,685.00	EC001851	322964	4547648655002			EB	EBL	CHN	8501.5220.89
R88M-K3K030C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute	2,791.00	EC001851	322950	4547648654791			EB	EBL	CHN	8501.5220.89
R88M-K3K030F-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, incremental, frenli	3,338.00	EC001851	285575	4547648653329			EB	EBL	CHN	8501.5220.89
R88M-K3K030F-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 3000 rpm, 9.55 Nm, incremental	2,426.00	EC001851	285562	4547648653114	#		EB	EBL	CHN	8501.5220.89
R88M-K40020C-B52	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute, frenli	1,727.00	EC001851	322979	4547648657334			EB	EBL	CHN	8501.5100.90
R88M-K40020C-S2	G5 serisi AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, absolute	1,260.00	EC001851	322969	4547648657198			EB	EBL	CHN	8501.5100.90
R88M-K40020F-B52	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, incremental, frenli	1,361.00	EC001851	285590	4547648656214			EB	EBL	CHN	8501.5100.90
R88M-K40020F-S2	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, incremental	912.00	EC001851	285580	4547648656078			EB	EBL	CHN	8501.5100.90
R88M-K40030H-B52	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli	1,572.00	EC001851	285568	4547648653206	#		EB	EBL	CHN	8501.5100.90
R88M-K40030H-S2	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	1,046.00	EC001851	285554	4547648652995	#		EB	EBL	CHN	8501.5100.90
R88M-K40030T-B52	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute, frenli	1,902.00	EC001851	322956	4547648654883			EB	EBL	CHN	8501.5100.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-K40030T-S2	G5 serisi AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, absolute	1,388.00	EC001851	322942	4547648654678	#		EB	EBL	CHN	8501.5100.90
R88M-K4K020C-BS2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, absolute, frenli	3,288.00	EC001851	322985	4547648657396			EB	EBL	CHN	8501.5220.89
R88M-K4K020C-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, absolute	2,890.00	EC001851	322975	4547648657259			EB	EBL	CHN	8501.5220.89
R88M-K4K020F-BS2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental, frenli	2,952.00	EC001851	285596	4547648656276			EB	EBL	CHN	8501.5220.89
R88M-K4K020F-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	2,362.00	EC001851	285586	4547648656139			EB	EBL	CHN	8501.5220.89
R88M-K4K030C-BS2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute, frenli	4,552.00	EC001851	322965	4547648655019			EB	EBL	CHN	8501.5220.89
R88M-K4K030C-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute	3,639.00	EC001851	322951	4547648654807			EB	EBL	CHN	8501.5220.89
R88M-K4K030F-BS2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, incremental, frenli	4,157.00	EC001851	285576	4547648653336			EB	EBL	CHN	8501.5220.89
R88M-K4K030F-S2	G5 serisi AC servo motor, 4.0 kW, 400 VAC, 3000 rpm, 12.7 Nm, incremental	3,206.00	EC001851	285563	4547648653121	#		EB	EBL	CHN	8501.5220.89
R88M-K4K510C-BS2	G5 serisi AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43.0 Nm, absolute, frenli	4,541.00	EC001851	322113	4548583017160			EB	EBL	CHN	8501.5220.89
R88M-K4K510C-S2	G5 serisi AC servo motor, 4.5 kW, 400 VAC, 1000 rpm, 43.0 Nm, absolute	4,582.00	EC001851	356385	4548583016569			EB	EBL	CHN	8501.5220.89
R88M-K4K020C-BS2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli	3,646.00	EC001851	322985	4547648657402			EB	EBL	CHN	8501.5220.89
R88M-K5K020C-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	3,222.00	EC001851	322976	4547648657266	#		EB	EBL	CHN	8501.5220.89
R88M-K5K020F-BS2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli	3,155.00	EC001851	285597	4547648656283	#		EB	EBL	CHN	8501.5220.89
R88M-K5K020F-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	2,486.00	EC001851	285587	4547648656146	#		EB	EBL	CHN	8501.5220.89
R88M-K5K030C-BS2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute, frenli	5,975.00	EC001851	322966	4547648655026	#		EB	EBL	CHN	8501.5220.89
R88M-K5K030C-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute	5,045.00	EC001851	322952	4547648654814			EB	EBL	CHN	8501.5220.89
R88M-K5K030F-BS2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, incremental, frenli	5,500.00	EC001851	285577	4547648653343			EB	EBL	CHN	8501.5220.89
R88M-K5K030F-S2	G5 serisi AC servo motor, 5.0 kW, 400 VAC, 3000 rpm, 15.9 Nm, incremental	4,614.00	EC001851	285564	4547648653138	#		EB	EBL	CHN	8501.5220.89
R88M-K60020C-BS2	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute, frenli	1,762.00	EC001851	322980	4547648657341			EB	EBL	CHN	8501.5100.90
R88M-K60020C-S2	G5 serisi AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute	1,278.00	EC001851	322970	4547648657204			EB	EBL	CHN	8501.5100.90
R88M-K60020F-BS2	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental, frenli	1,459.00	EC001851	285591	4547648656221	#		EB	EBL	CHN	8501.5100.90
R88M-K60020F-S2	G5 serisi AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, incremental	1,036.00	EC001851	285581	4547648656085	#		EB	EBL	CHN	8501.5100.90
R88M-K6K010C-BS2	G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute, frenli, with oil seal	6,210.00	EC001851	352701	4548583017177			EB	EBL	CHN	8501.5220.89
R88M-K6K010C-S2	G5 serisi AC servo motor, 6 kW, 400 VAC, 1000 rpm, 57.3 Nm, absolute	5,680.00	EC001851	352695	4548583016576			EB	EBL	CHN	8501.5220.89
R88M-K75030C-BS2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute, frenli	2,401.00	EC001851	322960	4547648654968			EB	EBL	CHN	8501.5100.90
R88M-K75030C-S2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute	1,997.00	EC001851	322946	4547648654753			EB	EBL	CHN	8501.5100.90
R88M-K75030F-BS2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental, frenli	2,064.00	EC001851	285571	4547648653282			EB	EBL	CHN	8501.5100.90
R88M-K75030F-S2	G5 serisi AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, incremental	1,579.00	EC001851	285558	4547648653077	#		EB	EBL	CHN	8501.5100.90
R88M-K75030H-BS2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	1,919.00	EC001851	285569	4547648653213	#		EB	EBL	CHN	8501.5100.90
R88M-K75030H-S2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,320.00	EC001851	285555	4547648653008	#		EB	EBL	CHN	8501.5100.90
R88M-K75030T-BS2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute, frenli	2,426.00	EC001851	322957	4547648654890			EB	EBL	CHN	8501.5100.90
R88M-K75030T-S2	G5 serisi AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, absolute	1,919.00	EC001851	322943	4547648654685			EB	EBL	CHN	8501.5100.90
R88M-K7K515C-BS2	G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute, frenli, with yağsız mazmali	6,840.00	EC001851	352702	4548583017184	#		EB	EBL	CHN	8501.5220.89
R88M-K7K515C-S2	G5 serisi AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute	6,120.00	EC001851	352696	4548583016583	#		EB	EBL	CHN	8501.5220.89
R88M-K90010C-BS2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute, frenli	2,511.00	EC001851	322936	4547648658508			EB	EBL	CHN	8501.5220.89
R88M-K90010C-S2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute	2,126.00	EC001851	322932	4547648658447			EB	EBL	CHN	8501.5220.89
R88M-K90010F-BS2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental, frenli	2,122.00	EC001851	285602	4547648658027			EB	EBL	CHN	8501.5220.89
R88M-K90010F-S2	G5 serisi AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, incremental	1,613.00	EC001851	285599	4547648657969			EB	EBL	CHN	8501.5220.89
R88M-K90010H-BS2	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental, frenli	2,191.00	EC001851	322930	4547648657990			EB	EBL	CHN	8501.5220.89
R88M-K90010H-S2	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, incremental	1,613.00	EC001851	285598	4547648657938			EB	EBL	CHN	8501.5220.89
R88M-K90010T-BS2	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute, frenli	2,511.00	EC001851	322935	4547648658478			EB	EBL	CHN	8501.5220.89
R88M-K90010T-S2	G5 serisi AC servo motor, 900 W, 200 VAC, 1000 rpm, 8.59 Nm, absolute	2,005.00	EC001851	322931	4547648658416			EB	EBL	CHN	8501.5220.89
R88M-KH40030H-BS2-D	G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental, frenli	1,584.00	EC001851	378081	4548583406704			EB	EBL	CHN	8501.5100.90
R88M-KH40030H-S2-D	G5 serisi high inertia AC servo motor, 400 W, 200 VAC, 3000 rpm, 1.3 Nm, incremental	1,110.00	EC001851	378080	4548583406698			EB	EBL	CHN	8501.5100.90
R88M-KH75030H-BS2-D	G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental, frenli	2,229.00	EC001851	378085	4548583406742			EB	EBL	CHN	8501.5100.90
R88M-KH75030H-S2-D	G5 serisi high inertia AC servo motor, 750 W, 200 VAC, 3000 rpm, 2.4 Nm, incremental	1,367.00	EC001851	378084	4548583406735			EB	EBL	CHN	8501.5100.90
Servo G5 Serisi											
R88M-KH1K020F-BS1	G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental, frenli	1,599.00	EC001851	377699	4548583406780			EB	EBL	CHN	8501.5220.89
R88M-KH1K020F-S1	G5 serisi high inertia AC servo motor, 1.0 kW, 400 VAC, 2000 rpm, 4.77 Nm, incremental	1,190.00	EC001851	374902	4548583406773			EB	EBL	CHN	8501.5220.89
R88M-KH1K520F-S1	G5 serisi high inertia AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, incremental	1,412.00	EC001851	374910	4548583406810			EB	EBL	CHN	8501.5220.89
R88M-KH2K020C-S1	G5 serisi high inertia AC servo motor, 2.0 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute	2,033.00	EC001851	375948	4548583406872			EB	EBL	CHN	8501.5220.89
R88M-KH3K020F-S1	G5 serisi high inertia AC servo motor, 4.0 kW, 400 VAC, 2000 rpm, 19.1 Nm, incremental	2,059.00	EC001851	377860	4548583406896			EB	EBL	CHN	8501.5220.89
R88M-KH4K020F-S1	G5 serisi high inertia AC servo motor, 3.0 kW, 400 VAC, 2000 rpm, 14.3 Nm, incremental	2,581.00	EC001851	377709	4548583406933			EB	EBL	CHN	8501.5220.89
R88M-KH5K020C-BS1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute, frenli	4,409.00	EC001851	377716	4548583407008			EB	EBL	CHN	8501.5220.89
R88M-KH5K020C-S1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, absolute	3,325.00	EC001851	377715	4548583406995			EB	EBL	CHN	8501.5220.89
R88M-KH5K020F-BS1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental, frenli	3,602.00	EC001851	377714	4548583406988			EB	EBL	CHN	8501.5220.89
R88M-KH5K020F-S1	G5 serisi high inertia AC servo motor, 5.0 kW, 400 VAC, 2000 rpm, 23.9 Nm, incremental	2,842.00	EC001851	377713	4548583406971			EB	EBL	CHN	8501.5220.89
R88M-KH7K515C-BS1	G5 high inertia servo motor, 7.5 kW, 400 VAC, 1500 rpm, ABS, Brake	7,290.00	EC001851	377862	4548583407022			EB	EBL	CHN	8501.5220.89
Servo G5 Serisi											
R88A-CMK001S	Analog monitör kablosu, 1m	30.42	EC000237	678728	4549734927963	#		EB	EBL	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CNK41L	G5 serisi servo harici enkoder konektör [for CN4]	36.90	EC002584	294101	4547648720489			EB	EBL	JPN	8501.4020.80
R88A-CNK81S	Aksesuar servo, G5, güvenlik I / O sinyali konektörü (CN8)	26.98	EC002584	678726	4549734927949			EB	EBL	CHN	8536.9901.00
R88A-CNW01B	Enkoder kablo konektörü (CN2), sürücü tarafı, tüm modeller	61.50	EC002584	678725	4549734927932	#		EB	EBL	CHN	8544.4290.90
Servo G5 Serisi											
R88A-CRGD0R3C	Absolute enkoder battery cable [battery not included]	148.50	EC002615	292058	4547648493215			EB	EBL	CHN	8501.4020.80
R88A-CRGD0R3C-BS	Absolute enkoder pil kablosu [BAT101G dahildir]	260.30	EC002615	292064	4547648582780	#		EB	EBL	CHN	8501.4020.80
Servo SmartStep2											
R7A-CPR001S	SmartStep 2 serisi servo kontrol kablosu, 1m	89.60	EC002615	292039	4547648491013			EB	EBM	CHN	8501.4020.80
XW2Z-100J-B29	CJ1W-NC113/213/413 ile terminal bloğu arası kablo, 1m	235.30	EC000237	292069	4547648520997			EB	EBM	JPN	8501.4020.80
XW2Z-100J-B32	SmartStep2 kablosu (100-400w) sürücü için servo röle ünitesi ile sürücü arası kablo	190.30	EC000237	292071	4547648521055			EB	EBM	JPN	8501.4020.80
Servo SmartStep2											
R7D-RP01H	SmartStep 2 servo sürücü, pulse tipi, 100 W, 1~ 200 VAC	1,127.00	EC002572	285887	4547648475181			EB	EBM	CHN	8501.4020.80
R7D-RP02HH	SmartStep 2 servo sürücü, pulse tipi, 200 W, 1~ 200 VAC	1,153.00	EC002572	285888	4547648475204			EB	EBM	CHN	8501.4020.80
R7D-RP04H	SmartStep 2 servo sürücü, pulse tipi, 400 W, 1~ 200 VAC	1,197.00	EC002572	285889	4547648475211	#		EB	EBM	CHN	8501.4020.80
R88D-GP08H	SmartStep 2 servo sürücü, pulse tipi, 800 W, 1~ 200 VAC	1,594.00	EC002572	285526	4547648728911	#		EB	EBM	CHN	8501.4020.80
Servo SmartStep2											
R7A-CNB01A	SmartStep 2 servo motor konektör (CNB)	14.37	EC002584	292043	4547648491068			EB	EBM	CHN	8501.4020.80
R7A-CNB01P	SmartStep 2 ana enerji beslemesi konektör (CNA)	12.78	EC002584	292044	4547648491082			EB	EBM	CHN	8501.4020.80
Servo SmartStep2											
R88A-RR080100S	Servo aksesuar, direnc 80 W, 100 ohm	93.90	EC002615	292066	4547648512688			EB	EBM	JPN	8533.2900.00
R88A-RR08050S	Servo aksesuar, direnc 80 W, 50 ohm	93.90	EC002615	292065	4547648512671			EB	EBM	JPN	8533.2900.00
Servo SmartStep2											
R7A-CLB002RG	Harici rejeneratif direnc konektörü kablosu, 2m	27.66	EC002584	292042	4547648491051			EB	EBM	CHN	8544.4290.90
Servolar için Aksesuarlar											
R88A-CAWA005S-DE	servo motor kablosu, 5m (DP9325252-5G ile aynı özellikte)	180.20	EC002615	139294	4536853863319			EB	EBZ	DEU	8544.4290.90
Servolar için Aksesuarlar											
JZSP-CHP800-10-ME	enkoder kablosu 10m	236.60	EC002615	247407	4547648856157			EB	EBZ	ITA	8544.4290.90
R88A-CFKB005CR-E	Extension cable from Hall and Temperature sensors to Serial Converter, 5m	186.00	EC002615	354073	4547648903493			EB	EBZ	ITA	8544.4290.90
R88A-CRGA001-5CR-E	G-serisi servo enkoder kablosu, 1.5m, absolute enkoder tipi, 50-750 W	119.60	EC002615	294075	4547648867917			EB	EBZ	ITA	8544.4290.90
R88A-CRGA003CR-E	G-serisi servo enkoder kablosu, 3m, absolute enkoder tipi, 50-750 W	135.20	EC002615	294076	4547648867924			EB	EBZ	ITA	8544.4290.90
R88A-CRGA005CR-E	G-serisi servo enkoder kablosu, 5m, absolute enkoder tipi, 50-750 W	151.70	EC002615	294077	4547648867931			EB	EBZ	ITA	8544.4290.90
R88A-CRGA010CR-E	G-serisi servo enkoder kablosu, 10m, absolute enkoder tipi, 50-750 W	190.30	EC002615	294078	4547648867948			EB	EBZ	ITA	8544.4290.90
R88A-CRGA015CR-E	G-serisi servo enkoder kablosu, 15m, absolute enkoder tipi, 50-750 W	232.20	EC002615	294079	4547648867955			EB	EBZ	ITA	8544.4290.90
R88A-CRGA020CR-E	G-serisi servo enkoder kablosu, 20m, absolute enkoder tipi, 50-750 W	274.50	EC002615	294080	4547648867962			EB	EBZ	ITA	8544.4290.90
R88A-CRGR001-5CR-E	Servo enkoder kablosu, 1.5m, incremental enkoder tipi, 50-750W	107.50	EC002615	281392	4547648855593			EB	EBZ	ITA	8544.4290.90
R88A-CRGR003CR-E	Servo enkoder kablosu, 3m, incremental enkoder tipi, 50-750W	120.40	EC002615	281398	4547648856069	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGR005CR-E	Servo enkoder kablosu, 5m, incremental enkoder tipi, 50-750W	137.30	EC002615	281399	454764885616	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGR010CR-E	Servo enkoder kablosu, 10m, incremental enkoder tipi, 50-750W	180.30	EC002615	281400	4547648856223	#		EB	EBZ	ITA	8544.4290.90
R88A-CRGR015CR-E	Servo enkoder kablosu, 15m, incremental enkoder tipi, 50-750W	222.70	EC002615	281401	454764885630			EB	EBZ	ITA	8544.4290.90
R88A-CRGR020CR-E	Servo enkoder kablosu, 20m, incremental enkoder tipi, 50-750W	265.70	EC002615	281402	454764885647			EB	EBZ	ITA	8544.4290.90
R88A-CRKA001-5CR-E	G5 serisi servo enkoder kablosu, 1.5m, 50-750 W	114.00	EC002615	298261	4547648868419			EB	EBZ	ITA	8544.4290.90
R88A-CRKA003CR-E	G5 serisi servo enkoder kablosu, 3m, 50-750 W	126.50	EC002615	298262	4547648868426			EB	EBZ	ITA	8544.4290.90
R88A-CRKA005CR-E	G5 serisi servo enkoder kablosu, 5m, 50-750 W	143.70	EC002615	301748	4547648870184	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA010CR-E	G5 serisi servo enkoder kablosu, 10m, 50-750 W	186.00	EC002615	298264	4547648868440	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA015CR-E	G5 serisi servo enkoder kablosu, 15m, 50-750 W	228.80	EC002615	298265	4547648868457			EB	EBZ	ITA	8544.4290.90
R88A-CRKA020CR-E	G5 serisi servo enkoder kablosu, 20m, 50-750 W	271.00	EC002615	298266	4547648868464	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKA030CR-E	G5 serisi servo enkoder kablosu, 30m, 50-750W	441.00	EC002615	347145	4547648889612			EB	EBZ	ITA	8544.4290.90
R88A-CRKC001-5NFR-E	G5 serisi servo enkoder kablosu, 1.5m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	142.90	EC002615	301010	4547648869553			EB	EBZ	ITA	8544.4290.90
R88A-CRKC003NFR-E	G5 serisi servo enkoder kablosu, 3m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	155.60	EC002615	301011	4547648869560	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC005NFR-E	G5 serisi servo enkoder kablosu, 5m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	173.20	EC002615	298269	4547648868495	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC010NFR-E	G5 serisi servo enkoder kablosu, 10m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	215.60	EC002615	298270	4547648868501	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC015NFR-E	G5 serisi servo enkoder kablosu, 15m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	258.10	EC002615	298271	4547648868518	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC020NFR-E	G5 serisi servo enkoder kablosu, 20m, 200 V, 1-1.5 kW, 400 V, 400 W-5 kW	301.00	EC002615	298272	4547648868525	#		EB	EBZ	ITA	8544.4290.90
R88A-CRKC030NFR-E	G5 serisi servo enkoder kablosu, 30m, 200V, 1kW - 1.5kW, 400V, 400W - 5kW	433.10	EC002615	341857	4547648887090			EB	EBZ	ITA	8544.4290.90
R88A-CRKM005SR-E	Accurax G5 harici enkoder kablosu for CN4, 5m	177.90	EC002615	349416	4547648891875			EB	EBZ	ITA	8544.4290.90
R88A-CRKN001-5CR-E	Accurax G5 linear sürücü ile serial converter ara kablosu, 1.5m	260.50	EC002615	354065	4547648903417			EB	EBZ	ITA	8544.4290.90
R88A-CRKN003CR-E	Accurax G5 linear sürücü ile serial converter ara kablosu 3m	199.20	EC002615	354066	4547648903424			EB	EBZ	ITA	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CRKN005CR-E	Accurax G5 linear sürücü ile serial converter ara kablosu, 5m	221.80	EC002615	354067	4547648903431			EB	EBZ	ITA	8544.4290.90
R88A-CRKN101CR-E	Accurax G5 linear sürücü ile serial converter ara kablosu 10m	346.30	EC002615	354068	4547648903448			EB	EBZ	ITA	8544.4290.90
R88A-CRWA003C-DE	servo enkoder kablosu, 3m (DP9325256-3G ile eşdeğer)	211.20	EC002615	139213	4536853863616	#		EB	EBZ	DEU	8544.4290.90
R88A-CRWA005C-DE	servo enkoder kablosu, 5m (DP9325256-5G ile eşdeğer)	251.70	EC002615	139214	4536853863630			EB	EBZ	DEU	8544.4290.90
R88A-CRWA010C-DE	servo enkoder kablosu, 10m (DP9325256-10G ile eşdeğer)	299.70	EC002615	139215	4536853863654			EB	EBZ	DEU	8544.4290.90
R88A-CRWA015C-DE	servo enkoder kablosu, 15m (DP9325256-15G ile eşdeğer)	376.10	EC002615	139216	4536853863661			EB	EBZ	DEU	8544.4290.90
R88A-CRWA020C-DE	servo enkoder kablosu, 20m (DP9325256-20G ile eşdeğer)	439.00	EC002615	139217	4536853863685			EB	EBZ	DEU	8544.4290.90
R88A-CRW8003N-E	Sigma II enkoder kablosu for 415 V motors, 3m (straight connector, similar JZSP-CMP02-3G is right-angled)	272.40	EC002615	155713	4536853861636			EB	EBZ	ITA	8544.4290.90
R88A-CRW8005N-E	Sigma II enkoder kablosu for 415 V motors, 5m (straight connector, similar JZSP-CMP02-5G is right-angled)	291.30	EC002615	139427	4536853861643			EB	EBZ	ITA	8544.4290.90
R88A-CRW8010N-E	Sigma II enkoder kablosu for 415 V motors, 10m (straight connector, similar JZSP-CMP02-10G is right-angled)	336.90	EC002615	157478	4536853861667			EB	EBZ	ITA	8544.4290.90
R88A-CSK0035-E	Servo sürücü, aksesuar, safety kablosu, 3m, G5 (CN8) - uçları açık	83.00	EC000237	413679	4547648996754	#		EB	EBZ	ITA	8544.4999.00
Servolar için Aksesuarlar											
R7A-CAB001-5SR-E	güç kablosu, SmartStep 2 motor, 1.5m	55.35	EC002615	281391	4547648865531			EB	EBZ	ITA	8544.4999.00
R7A-CAB003SR-E	güç kablosu, SmartStep 2 motor, 3m	63.15	EC002615	281392	4547648865548			EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-DE	SmartStep 2 güç kablosu, (50-400 W), yuvadak IP67 konnektör, non frend, 5m	131.90	EC002615	377686	4547648963251			EB	EBZ	ITA	8544.4999.00
R7A-CAB005SR-E	güç kablosu, SmartStep 2 motor, 5m	72.20	EC002615	281393	4547648865555			EB	EBZ	ITA	8544.4999.00
R7A-CAB010SR-E	güç kablosu, SmartStep 2 motor, 10m	96.65	EC002615	281394	4547648865562			EB	EBZ	ITA	8544.4999.00
R88A-CAGA001-5BR-E	SmartStep 2/G-serisi fren kablosu 1.5m, 50-750 W	50.55	EC002615	281403	4547648865654			EB	EBZ	ITA	8544.4290.90
R88A-CAGA001-5SR-E	SmartStep 2/G-serisi güç kablosu 1.5m, 50-750 W	52.55	EC002615	294069	4547648867856			EB	EBZ	ITA	8544.4999.00
R88A-CAGA003BR-E	SmartStep 2/G-serisi fren kablosu 3m, 50-750 W	56.15	EC002615	281404	4547648865661			EB	EBZ	ITA	8544.4290.90
R88A-CAGA003SR-E	SmartStep 2/G-serisi güç kablosu 3m, 50-750 W	59.75	EC002615	294070	4547648867863	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA005BR-E	SmartStep 2/G-serisi fren kablosu 5m, 50-750 W	63.85	EC002615	281405	4547648865678	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA005SR-E	SmartStep 2/G-serisi güç kablosu 5m, 50-750 W	69.85	EC002615	294071	4547648867870	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA010BR-E	SmartStep 2/G-serisi fren kablosu 10m, 50-750 W	82.25	EC002615	281406	4547648865685	#		EB	EBZ	ITA	8544.4290.90
R88A-CAGA010SR-E	SmartStep 2/G-serisi güç kablosu 10m, 50-750 W	93.75	EC002615	294072	4547648867887	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGA015BR-E	SmartStep 2/G-serisi fren kablosu 15m, 50-750 W	100.70	EC002615	281407	4547648865692			EB	EBZ	ITA	8544.4290.90
R88A-CAGA015SR-E	SmartStep 2/G-serisi güç kablosu 15m, 50-750 W	117.90	EC002615	294073	4547648867894			EB	EBZ	ITA	8544.4999.00
R88A-CAGA020SR-E	SmartStep 2/G-serisi güç kablosu 20m, 50-750 W	141.90	EC002615	294074	4547648867900			EB	EBZ	ITA	8544.4999.00
R88A-CAGB001-5SR-E	Servo motor güç kablosu, 1.5m, frensiz, 900 W-1.5 kW	142.50	EC002615	294081	4547648867979			EB	EBZ	ITA	8544.4999.00
R88A-CAGB003SR-E	Servo motor güç kablosu, 3m, frensiz, 900 W-1.5 kW	163.90	EC002615	294082	4547648867986	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB005BR-E	Servo motor güç kablosu, 5m, frenli, 900 W-1.5 kW	214.30	EC002615	294089	4547648868051			EB	EBZ	ITA	8544.4999.00
R88A-CAGB005SR-E	Servo motor güç kablosu, 5m, frensiz, 900 W-1.5 kW	192.40	EC002615	294083	4547648867993	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB010BR-E	Servo motor güç kablosu, 10m, frenli, 900 W-1.5 kW	296.40	EC002615	294090	4547648868068			EB	EBZ	ITA	8544.4999.00
R88A-CAGB010SR-E	Servo motor güç kablosu, 10m, frensiz, 900 W-1.5 kW	262.90	EC002615	294084	4547648868006	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB015SR-E	Servo motor güç kablosu, 15m, frensiz, 900 W-1.5 kW	333.30	EC002615	294085	4547648868013	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB020SR-E	Servo motor güç kablosu, 20m, frensiz, 900 W-1.5 kW	405.20	EC002615	294086	4547648868020	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGB030SR-E	Servo motor güç kablosu, 30m, w/o brake, 900W-1.5kW	582.00	EC002615	347177	4547648889933			EB	EBZ	ITA	8544.4999.00
R88A-CAGD003BR-E	G5 serisi servo motor güç kablosu, 3m, frenli, 3-5 kW	273.70	EC002615	298292	4547648868723			EB	EBZ	ITA	8544.4999.00
R88A-CAGD003SR-E	G5 serisi servo motor güç kablosu, 3m, frensiz, 3-5 kW	178.90	EC002615	298280	4547648868600	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005BR-E	G5 serisi servo motor güç kablosu, 5m, frenli, 3-5 kW	319.60	EC002615	298293	4547648868730	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD005SR-E	G5 serisi servo motor güç kablosu, 5m, frensiz, 3-5 kW	209.20	EC002615	298281	4547648868617	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010BR-E	G5 serisi servo motor güç kablosu, 10m, frenli, 3-5 kW	437.40	EC002615	298294	4547648868747	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD010SR-E	G5 serisi servo motor güç kablosu, 10m, frensiz, 3-5 kW	298.20	EC002615	298282	4547648868624	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD015BR-E	G5 serisi servo motor güç kablosu, 15m, frenli, 3-5 kW	550.00	EC002615	301013	4547648869584			EB	EBZ	ITA	8544.4999.00
R88A-CAGD015SR-E	G5 serisi servo motor güç kablosu, 15m, frensiz, 3-5 kW	445.10	EC002615	298283	4547648868631	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGD020BR-E	G5 serisi servo motor güç kablosu, 20m, frenli, 3-5 kW	626.50	EC002615	298296	4547648868754			EB	EBZ	ITA	8544.4999.00
R88A-CAGD020SR-E	G5 serisi servo motor güç kablosu, 20m, frensiz, 3-5 kW	541.50	EC002615	298284	4547648868648	#		EB	EBZ	ITA	8544.4999.00
R88A-CAGE010BR-E	G5 serisi servo fren kablosu, 10 m, 6 kW - 15 kW	184.00	EC002615	355783	4547648917360			EB	EBZ	ITA	8544.4290.90
R88A-CAGE015BR-E	G5 series servo brake cable, 15 m, 6 kW - 15 kW	213.70	EC002615	355784	4547648917377			EB	EBZ	ITA	8544.4290.90
R88A-CAGE020BR-E	G5 serisi servo fren kablosu, 20 m, 6 kW - 15 kW	216.90	EC002615	355785	4547648917384			EB	EBZ	ITA	8544.4290.90
R88A-CAKA001-5BR-E	G5 serisi servo fren kablosu, 1.5m, 50-750W	120.90	EC002615	298297	4547648868761			EB	EBZ	ITA	8544.4999.00
R88A-CAKA001-5SR-E	G5 serisi servo motor güç kablosu, 1.5m, non frend, 50-750 W	180.80	EC002615	298273	4547648868532			EB	EBZ	ITA	8544.4999.00
R88A-CAKA003BR-E	G5 serisi servo fren kablosu, 3m, 50-750W	126.50	EC002615	298298	4547648868778			EB	EBZ	ITA	8544.4999.00
R88A-CAKA003SR-E	G5 serisi servo motor güç kablosu, 3m, non frend, 50-750 W	195.70	EC002615	298274	4547648868549			EB	EBZ	ITA	8544.4999.00
R88A-CAKA005BR-E	G5 serisi servo fren kablosu, 5m, 50-750W	134.00	EC002615	298299	4547648868785	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA005SR-E	G5 serisi servo motor güç kablosu, 5m, non frend, 50-750 W	216.40	EC002615	298275	4547648868556	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010BR-E	G5 serisi servo fren kablosu, 10m, 50-750W	152.10	EC002615	298300	4547648868792	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA010SR-E	G5 serisi servo motor güç kablosu, 10m, non frend, 50-750 W	267.60	EC002615	298276	4547648868563	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA015BR-E	G5 serisi servo fren kablosu, 15m, 50-750W	171.20	EC002615	298301	4547648868808			EB	EBZ	ITA	8544.4999.00
R88A-CAKA015SR-E	G5 serisi servo motor güç kablosu, 15m, non frend, 50-750 W	317.90	EC002615	298277	4547648868570			EB	EBZ	ITA	8544.4999.00
R88A-CAKA020BR-E	G5 serisi servo fren kablosu, 20m, 50-750W	188.80	EC002615	298302	4547648868815			EB	EBZ	ITA	8544.4999.00
R88A-CAKA020SR-E	G5 serisi servo motor güç kablosu, 20m, non frend, 50-750 W	368.50	EC002615	298278	4547648868587	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKA030SR-E	G5 serisi servo motor güç kablosu, 30m, frensiz, 50-750W	537.00	EC002615	347158	4547648889742			EB	EBZ	ITA	8544.4999.00
R88A-CAKE005SR-E	G5 serisi servo motor güç kablosu, 5 m, frensiz, 6 kW - 7.5 kW	473.50	EC002615	355770	4547648917230	#		EB	EBZ	ITA	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CAKE0105R-E	G5 serisi servo motor güc kablosu, 10m, non frend, 6KW,ila 7,6KW	642.00	EC002615	355771	4547648917247	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE0155R-E	G5 serisi servo motor güc kablosu, 15 m, frensiz, 6 kW - 7,5 kW	926.50	EC002615	355772	4547648917254	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE0205R-E	G5 serisi servo motor güc kablosu, 20 m, frensiz, 6 kW - 7,5 kW	959.50	EC002615	355773	4547648917261	#		EB	EBZ	ITA	8544.4290.90
R88A-CAKE003BR-F	G5 serisi servo motor güc kablosu, 3m, frend, 750W,ila 2KW	245.10	EC002615	298286	4547648886662	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKE005BR-F	G5 serisi servo motor güc kablosu, 5m, frend, 750W,ila 2KW	272.50	EC002615	298287	4547648886679	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKE010BR-F	G5 serisi servo motor güc kablosu, 10m, frend, 750W,ila 2KW	340.50	EC002615	298288	4547648886686	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKE015BR-F	G5 serisi servo motor güc kablosu, 15m, frend, 750W,ila 2KW	408.90	EC002615	298289	4547648886693	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKE020BR-F	G5 serisi servo motor güc kablosu, 20m, frend, 750W,ila 2KW	477.60	EC002615	298290	4547648886709	#		EB	EBZ	ITA	8544.4999.00
R88A-CAKE030BR-F	G5 serisi servo motor güc kablosu, 30m, frenli, 750W to 2KW	622.00	EC002615	347161	4547648889773	#		EB	EBZ	ITA	8544.4999.00
R88A-CAK00105R-E	G5 serisi servo motor güc kablosu, 10m, frensiz, 11KW - 15KW	814.00	EC002615	355777	4547648917308	#		EB	EBZ	ITA	8544.4290.90
R88A-CAK0205R-E	G5 serisi servo motor güc kablosu, 20m, frensiz, 11KW - 15KW	1,249.00	EC002615	355779	4547648917322	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWA003B-DE	servo motor (frenli) kablosu, 3m (DP9325253-3G,ile aynı özellikte)	156.20	EC002615	139296	4536853863371	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA003S-DE	servo motor kablosu, 3m (DP9325252-3G,ile aynı özellikte)	146.50	EC002615	157472	4536853863302	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA005B-DE	servo motor (frenli) kablosu, 5m (DP9325253-5G,ile aynı özellikte)	189.30	EC002615	139297	4536853863395	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA010B-DE	servo motor (frenli) kablosu, 10m (DP9325253-10G,ile aynı özellikte)	262.50	EC002615	139298	4536853863418	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA010S-DE	servo motor kablosu, 10m (DP9325252-10G,ile aynı özellikte)	244.60	EC002615	139295	4536853863333	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA015S-DE	servo motor kablosu, 15m (DP9325252-15G,ile aynı özellikte)	330.10	EC002615	155691	4536853863340	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWA020S-DE	servo motor kablosu, 20m (DP9325252-20G,ile aynı özellikte)	405.70	EC002615	146112	4536853863364	#		EB	EBZ	DEU	8544.4290.90
R88A-CAWC003S-F	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 3m	208.40	EC002615	139430	4536853861711	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWC005S-F	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 5m	230.40	EC002615	139431	4536853861735	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWC010S-F	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 10m	285.30	EC002615	142781	4536853861759	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWC015S-F	Sigma II güc kablosu for 0.45, 0.85, 1, 1.3, 1.5, 2 kW motors, 15m	342.50	EC002615	139432	4536853861766	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWG003S-E	Sigma II motor cable for 4.4 kW motors, 3 m (straight connector, similar JZSP-CMM02D44-03G is right-angled)	233.20	EC002615	150202	4536853867270	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWG005S-E	Sigma II motor cable for 4.4 kW motors, 5 m (straight connector, similar JZSP-CMM02D44-05G is right-angled)	280.70	EC002615	138835	4536853867355	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWG010S-E	Sigma II motor cable for 4.4 kW motors, 10m (straight connector, similar JZSP-CMM02D44-10G is right-angled)	371.60	EC002615	156912	4536853867430	#		EB	EBZ	ITA	8544.4290.90
R88A-CAWK005S-DE	Sigma II/V servo motor güc kablosu (400V frensiz), 5m	182.50	EC002615	138782	4536853868345	#		EB	EBZ	DEU	8544.4290.90
Servolar için Aksesuarlar											
R88A-SC01K-E	Serial Converter unit, iron core linear motor	1,534.00	EC002584	354679	4547648907156	#		EB	EBZ	DEU	8501.4020.80
Servolar için Aksesuarlar											
R7A-FIB104-RE	SmartStep 2 RFI filtre (Rasmi), 1~ 200 VAC, 4 A (100 W, 200 W, 400 W)	73.05	EC002564	283801	4547648865869	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK102-RE	G/G5 serisi RFI filtre: 2.4 A, 250 VAC, 100 ve 200 W modeli için	71.50	EC002564	283802	4547648865876	#		EB	EBZ	CHN	8529.9097.90
R88A-FIK102-SE	G/G5 serisi RFI filtre: 2.4 A, 230 VAC, for 100 and 200 W models	57.35	EC002564	668904	4548583963443	#		EB	EBZ	THA	8529.9097.90
R88A-FIK104-RE	G/G5 serisi RFI filtre: 4.1 A, 250 VAC, 400 W modeli için	73.05	EC002564	283803	4547648865883	#		EB	EBZ	CHN	8529.9097.90
R88A-FIK104-SE	G/G5 serisi RFI filtre: 4.1 A, 230 VAC, for 400 W models	59.85	EC002564	668897	4548583963375	#		EB	EBZ	THA	8529.9097.90
R88A-FIK107-RE	G/G5 serisi RFI filtre: 6.6 A, 250 VAC, 750 W modeli için	82.90	EC002564	283804	4547648865890	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK107-SE	G/G5 serisi RFI filtre: 6.6 A, 230 VAC, for 750 W models	68.65	EC002564	668901	4548583963412	#		EB	EBZ	THA	8529.9097.90
R88A-FIK114-RE	G/G5 serisi RFI filtre: 14.2 A, 250 VAC, 1.0 ve 1.5 kW modeli için	104.50	EC002564	283805	4547648865906	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK114-SE	G/G5 serisi RFI filtre: 14.2 A, 230 VAC, for 1.0 and 1.5 kW models	87.30	EC002564	668900	4548583963405	#		EB	EBZ	THA	8529.9097.90
R88A-FIK304-RE	G5 serisi RFI filtre: 4 A, 400 VAC, 600 ila 1.5 kW modelleri arası için	107.30	EC002564	303857	4547648870887	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK304-SE	G5 serisi RFI filtre: 4 A, 400 VAC, for 600 to 1.5 kW models	84.85	EC002564	668899	4548583963399	#		EB	EBZ	THA	8529.9097.90
R88A-FIK306-RE	G5 serisi RFI filtre: 6 A, 400 VAC, 2.0 kW modeli için	114.10	EC002564	303858	4547648870894	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK306-SE	G5 serisi RFI filtre: 6 A, 400 VAC, for 2.0 kW models	92.30	EC002564	668902	4548583963429	#		EB	EBZ	THA	8529.9097.90
R88A-FIK312-RE	G5 serisi RFI filtre: 12 A, 400 VAC, 3.0 ila 5.0 kW modelleri arası için	157.60	EC002564	303859	4547648870900	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK312-SE	G5 serisi RFI filtre: 12 A, 400 VAC, for 3.0 to 5.0 kW models	128.70	EC002564	668898	4548583963382	#		EB	EBZ	THA	8529.9097.90
R88A-FIK330-RE	G5 serisi RFI filtre: 30 A, 400 VAC, 3.0 ila 7.5 kW modelleri arası için	242.00	EC002564	357083	4547648926270	#		EB	EBZ	GBR	8529.9097.90
R88A-FIK330-SE	G5 serisi RFI filtre: 30 A, 400 VAC, for 3.0 to 7.5 kW models	188.70	EC002564	668903	4548583963436	#		EB	EBZ	THA	8529.9097.90
R88A-FIK350-SE	G5 serisi RFI filtre: 50 A, 400 VAC, for 3.0 to 15 kW models	274.30	EC002564	668906	4548583963467	#		EB	EBZ	THA	8529.9097.90
R88A-FIW104F	Smart Step/XtraDrive/Sigma II RFI filter (Rasmi), 1~ 200 VAC, 4 A (30 W ~ 200 W)	118.40	EC002564	147105	4536853862602	#		EB	EBZ	GBR	8529.9097.90
Servolar için Aksesuarlar											
JZSP-CMP9-1-E	Sigma II servo driver CN2 (enkoder) connector kit	60.30	EC002584	365008	4547648934886	#		EB	EBZ	ITA	8544.4290.90
LPRA-06B-FRBN170	Motor power connector (female) for SIGMAH (400 V) and SGMPH (400 V)	49.35	EC002584	138248	4536853871703	#		EB	EBZ	DEU	8503.0099.90
MS3108E18-10S	Military power connector IP67 for 400 V motors SGMGH (05/10/13)D, SGM5H (10/15/20)D, SGMUJH (10/15)D, SGM8H fan	72.20	EC002584	168878	4536853875893	#		EB	EBZ	ITA	8536.9010.00
MS3108E20-4S	güc kablosu konektör G5 motor tarafı	79.45	EC002584	329420	4547648880664	#		EB	EBZ	ITA	8536.9010.00
MS3108E22-22S	Military güç konektör IP67 for 400 V motors SGMGH (20/30/44)D, SGM5H (30/40/50)D, SGMUJH (30/40)D	96.25	EC002584	168879	4536853875909	#		EB	EBZ	ITA	8536.9010.00
MS3108E24-11S	güc kablosu konektör G5 motor tarafı	84.65	EC002584	331799	4547648883078	#		EB	EBZ	ITA	8536.9010.00
MS3108E32-17S	Military güç konektör IP67 for 400 V motors SGMGH (55/75/1 A)/E1D	130.10	EC002584	168880	4536853875916	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK02R	enkoder kablosu konektör, motor tarafı, 750 W'a kadar olan modeller için	40.52	EC002584	294392	4547648720434	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK04F-E	enkoder kablosu konektör, motor tarafı, R88M-K(1K0/1K5)30(H/T)~K(750/1K0/1K5/2K0/3K0/4K0/5K0)30(F/C)~K(400/600/1K0/1K5/2K0/3K0/4K0/5K0)20~K(900/2K0/3K0)10	79.45	EC002584	329419	4547648880657	#		EB	EBZ	ITA	8536.9010.00
R88A-CNK11A	Motor güc kablosu konektör, motor tarafı, modeli 750 W'a kadar	71.10	EC002584	294393	4547648720458	#		EB	EBZ	JPN	8501.4020.80
R88A-CNK11B	konektör for breaking kablosu R88M-K(050/100/200/400/750)30(H/T)-BS2	93.05	EC002584	354777	4547648720465	#		EB	EBZ	JPN	8536.9010.00
R88A-CNU01C	Servo kontrol G / C konektörü	42.57	EC002584	678723	4549734927918	#		EB	EBZ	JPN	8536.9010.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CNU11C	CN1 için konektör, kontrol I / O [analogue / darbeli modeller için]	55.00	EC002584	678727	4549734927956	#		EB	EBZ	JPN	8536.9010.00
R88A-CNW01C	G5 CN1 için ağı / kesim konektör kit, sadece sebecke tipi sürücüler	45.70	EC002584	678729	4549734927970	#		EB	EBZ	JPN	8536.9010.00
SPOC-06K-FSDN169	Motor çıkış konektörü (dişi), SGMMAH (200 V) ve SGMMPH (200 V) SPUC-06K-FSDN169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	41.49	EC002584	137635	4536853874124	#		EB	EBZ	DEU	8536.5015.90
SPOC-17H-FRON169	Motor enkoder konektörü (dişi), SGMMAH ve SGMMPH SPUC-17H-FRON169 ile benzer fakat kablo clamp ölçüsü 5.5mm ile 12mm arası değişebilir	41.48	EC002584	156581	4536853874131	#		EB	EBZ	DEU	8536.5015.90
SRUC-06J-MSCN236	Smart Step IP67 motor çıkış konektörü, erkek (motor tarafından kullanılır)	25.07	EC002584	137636	4536853874155		20	EB	EBZ	DEU	8536.5015.90
SRUC-17G-MRWN087	Smart Step IP67 motor enkoder konektörü, erkek (motor tarafından kullanılır)	31.70	EC002584	175766	4536853883942		20	EB	EBZ	DEU	8536.9010.00
Servolar için Aksesuarlar											
R88A-RR2204751	Servo aksesuar, direnc 220 W, 47 ohm	99.50	EC002615	357773	4547648803557	#		EB	EBZ	JPN	8533.2900.00
Servolar için Aksesuarlar											
R7A-CLB00252	Besleme kablosu (CNA), 2m	34.98	EC002584	298303	4547648868822	#		EB	EBZ	ITA	8544.4999.00
R88A-BATO1G	Absolute enkoder pili	95.95	EC002584	292045	4547648491105	#		EB	EBZ	JPN	8506.5010.90
R88A-CPK0015-E	Genel amaçlı I/O kablosu (CN1), G5 EtherCAT sürücü, 1m	135.50	EC000237	349414	4547648891851	#		EB	EBZ	ITA	8501.4020.80
R88A-CPK0025-E	Genel amaçlı I/O kablosu (CN1), G5 EtherCAT sürücü, 2m	151.00	EC000237	349415	4547648891868	#		EB	EBZ	ITA	8501.4020.80
PLC Tabanlı Hareket Kontrol											
CJ1W-NC281	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 2 eksen, 16 cihaz	1,892.00	EC001422	332458	4547648810418	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC481	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 4 eksen, 16 cihaz	2,641.00	EC001422	332459	4547648810425	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC482	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 4 eksen, 64 cihaz	2,751.00	EC001422	339849	4547648837453	#		EC	ECA	JPN	8471.6070.00
CJ1W-NC882	CJ1 Pozisyon Kontrol ünitesi, EtherCAT, 8 eksen, 64 cihaz	3,279.00	EC001422	339850	4547648837460	#		EC	ECA	JPN	8471.6070.00
CJ1W-NCF82	CJ1 Position Control unit over EtherCAT, 16 axes, 64 nodes	3,760.00	EC001422	354622	4548583044388	#		EC	ECA	JPN	8471.6070.00
PLC Tabanlı Hareket Kontrol											
CJ1W-NC271	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 2 eksen	1,725.00	EC001422	323608	4547648708906	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC471	CJ1 Position control unit with MECHATROLINK II, 4 axes	1,832.00	EC001422	323609	4547648708913	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC671	CJ1 Pozisyon Kontrol ünitesi, MECHATROLINK II, 16 eksen	3,461.00	EC001422	323225	4547648708869	#		EC	ECA	CHN	8471.6070.00
PLC Tabanlı Hareket Kontrol											
CS1W-MC221-V1	Motion control unit, 2 axis	3,479.00	EC001422	171093	4547648074438	#		EC	ECA	JPN	8471.6070.00
CS1W-MC421-V1	4-axis motion control unit	5,680.00	EC001422	171092	4547648074421	#		EC	ECA	JPN	8471.6070.00
PLC Tabanlı Hareket Kontrol											
CJ1W-NC213	Pozisyon Kontrol ünitesi, 2 eksen, NPN open collector pulse çıkışı, 500 KHz	1,971.00	EC001422	323224	4547648708852	#		EC	ECA	CHN	8471.6070.00
CJ1W-NC413	Pozisyon Kontrol ünitesi, 4 eksen, NPN open collector pulse çıkışı, 500 KHz	2,950.00	EC001422	323227	4547648708883	#		EC	ECA	CHN	8471.6070.00
Hareket Kontroleri için Aksesuarlar											
XW2B-20J6-8A	Servo rölesi ünitesi, 1 eksen, CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez)	198.00	EC002584	149077	4536854871849	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-2B	Servo Röle Unit, 2 eksen, CS1W-NC213/233/413/433, CJ1W-NC213/233/413/433, C200HW-NC213/413, C500-NC113/211 ve C200H-NC211	202.10	EC002584	107564	4536854229718	#		EC	ECZ	JPN	8536.9010.00
XW2B-40J6-7	Servo Relay Unit, 2 axis	212.30	EC002584	107562	4536854229688	#		EC	ECZ	JPN	8536.9010.00
XW2B-10J6-9A	Servo rölesi ünitesi, 2 eksen, CJ1M-CPU22/23 (Haberleşme fonksiyonlarını desteklemez)	234.40	EC002584	107567	4536854871856	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A15	Servo kontrol kablosu (CS1W-NC213/413 için)	244.60	EC000237	107528	4536854778186	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100J-A33	Servo kontrol kablosu (CJ1M-CPU21/22/23 için)	170.30	EC000237	281447	4547648521086	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100J-F1	Cable to Servo Driver, 1m	211.70	EC000237	107499	4536854230271	#		EC	ECZ	JPN	8536.9010.00
Hareket Kontroleri için Aksesuarlar											
R88A-CCM002P4-E	Programming cable, 2m (port 0)	65.15	EC001681	321832	4547648872157	#		EC	ECZ	ITA	8544.4290.90
Hareket Kontroleri için Aksesuarlar											
XW2Z-100X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 1 m	73.00	EC000237	300889	4547648236362	#		EC	ECZ	JPN	8536.9010.00
XW2Z-100X-R	I/O connection cable, NX-OD5256-5 and XW2B-P16GD-C3-COM, 1 m	84.60	EC000237	702464	4549734724586	#		EC	ECZ	JPN	8544.4290.90
XW2Z-200X	I/O connection cable, CJ1W-NCx14/x34 to terminal block XW2B-20G4/G5, 2 m	81.60	EC000237	300890	4547648236379	#		EC	ECZ	JPN	8536.9010.00
MX2 Bundle											
3G3MX2-A2007-E-FCT	MX inverter drive, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 3~ input, sensorless vector, with EtherCAT interface	670.50	EC001857	658980	4548583950351	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4004-E-FCT	MX2 inverter sürücü, 0.4/0.75 kW (HD/ND), 1.8/2.1 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	802.50	EC001857	410015	4547648994422	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4004-E-FCT	MX2 inverter sürücü, 0.75/1.5 kW (HD/ND), 3.4/4.1 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	825.00	EC001857	410017	4547648994446	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4015-E-FCT	MX2 inverter sürücü, 1.5/2.2 kW (HD/ND), 4.8/5.4 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	902.00	EC001857	410019	4547648994460	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4022-E-FCT	MX2 inverter sürücü, 2.2/3.0 kW (HD/ND), 5.5/6.9 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	962.50	EC001857	410021	4547648994484	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4030-E-FCT	MX2 inverter sürücü, 3.0/4.0 kW (HD/ND), 7.2/8.8 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	1,041.00	EC001857	410023	4547648994507	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4040-E-FCT	MX2 inverter sürücü, 4.0/5.5 kW (HD/ND), 9.2/11.1 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT opsiyon kartı	1,206.00	EC001857	410025	4547648994521	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4055-E-FCT	MX inverter drive, 5.5/7.5 kW (HD/ND), 14.8/17.5 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT option card	1,307.00	EC001857	670452	4548583971066	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4075-E-FCT	MX inverter drive, 7.5/11 kW (HD/ND), 18/23 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT option card	1,428.00	EC001857	670454	4548583971080	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4110-E-FCT	MX inverter drive, 11/15 kW (HD/ND), 24/31 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT option card	2,446.00	EC001857	668517	4548583961814	#		EZ	EZA	NLD	8504.4090.90
3G3MX2-A4150-E-FCT	MX inverter drive, 15/18.5 kW (HD/ND), 31/38 A (HD/ND), 400 VAC, 3~ sensorless vector + MX2 EtherCAT option card	2,662.00	EC001857	668519	4548583961838	#		EZ	EZA	NLD	8504.4090.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
3G3MX2-AB001-E-FCT	MX2 inverter sürücü, 0.1/0.2 kW (HD/ND), 1.0/1.2 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	545.00	EC001857	410027	4547648994545			EZ	EZA	NLD	8504.4090.90	
3G3MX2-AB002-E-FCT	MX2 inverter sürücü, 0.2/0.4 kW (HD/ND), 1.6/1.9 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	545.00	EC001857	410029	4547648994569	#		EZ	EZA	NLD	8504.4090.90	
3G3MX2-AB004-E-FCT	MX2 inverter sürücü, 0.4/0.55 kW (HD/ND), 3.0/3.5 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	558.50	EC001857	410031	4547648994583	#		EZ	EZA	NLD	8504.4090.90	
3G3MX2-AB007-E-FCT	MX2 inverter sürücü, 0.75/1.1 kW (HD/ND), 5.0/6.0 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	614.00	EC001857	410033	4547648994606	#		EZ	EZA	NLD	8504.4090.90	
3G3MX2-AB015-E-FCT	MX2 inverter sürücü, 1.5/2.2 kW (HD/ND), 8.0/9.6 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	650.00	EC001857	410035	4547648994620	#		EZ	EZA	NLD	8504.4090.90	
3G3MX2-AB022-E-FCT	MX2 inverter sürücü, 2.2/3.0 kW (HD/ND), 11.0/12.0 A (HD/ND), 200 VAC, 1→ giriş, sensorless vector + MX2 EtherCAT opsiyon kartı	827.50	EC001857	410037	4547648994644	#		EZ	EZA	NLD	8504.4090.90	
Emniyet Limit Switchi												
D4N-1120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	15.78	EC000030	170095	4547648033732	#		FA	FAA	JPN	8536.5007.00	
D4N-1122	Limit switch, Roller lever (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	21.13	EC000030	170101	4547648033794			FA	FAA	JPN	8536.5007.00	
D4N-1126	Limit switch, Roller lever (metal lever, bearing roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	45.86	EC000030	170688	4547648050425			FA	FAA	JPN	8536.5007.00	
D4N-1127	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	19.35	EC000030	170140	4547648034180	#		FA	FAA	JPN	8536.5007.00	
D4N-1128	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	24.74	EC000030	170146	4547648034241			FA	FAA	JPN	8536.5007.00	
D4N-1131	Limit switch, Top plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	12.61	EC000030	170114	4547648033923	#		FA	FAA	JPN	8536.5007.00	
D4N-1132	Limit switch, Top roller plunger, 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	13.92	EC000030	170120	4547648033985	#		FA	FAA	JPN	8536.5007.00	
D4N-1162	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (snap-action), 1NC/1NO (snap-action), Pg13.5 (1-conduit)	14.01	EC000030	170126	4547648034043			FA	FAA	JPN	8536.5007.00	
D4N-122H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	22.03	EC000030	170212	4547648034906			FA	FAA	JPN	8536.5007.00	
D4N-1232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), Pg13.5 (1-conduit)	14.41	EC000030	170181	4547648034593			FA	FAA	JPN	8536.5007.00	
D4N-1A20	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	19.35	EC000030	170219	4547648034975			FA	FAA	JPN	8536.5007.00	
D4N-1A2G	Limit switch, Adjustable roller lever, form lock (metal lever, resin roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	19.79	EC000030	170267	4547648035453			FA	FAA	JPN	8536.5007.00	
D4N-1A2H	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	23.82	EC000030	170274	4547648035521			FA	FAA	JPN	8536.5007.00	
D4N-1A31	Limit switch, Top plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170238	4547648035163			FA	FAA	JPN	8536.5007.00	
D4N-1A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170245	4547648035231			FA	FAA	JPN	8536.5007.00	
D4N-1A62	Limit switch, One-way roller arm lever (horizontal), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	15.78	EC000030	170251	4547648035293			FA	FAA	JPN	8536.5007.00	
D4N-1B20	Limit switch, Roller lever (resin lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	18.44	EC000030	170281	4547648035590			FA	FAA	JPN	8536.5007.00	
D4N-1B22	Limit switch, Roller lever (metal lever, resin roller), 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	19.79	EC000030	170289	4547648035675			FA	FAA	JPN	8536.5007.00	
D4N-1B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), Pg13.5 (1-conduit)	13.92	EC000030	170309	4547648035880			FA	FAA	JPN	8536.5007.00	
D4N-2120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	17.06	EC000030	170081	4547648030328			FA	FAA	JPN	8536.5007.00	
D4N-2187	Limit switch, Plastic rod, 1NC/1NO (snap-action), 1NC/1NO (snap-action), G1/2 (1-conduit)	24.64	EC000030	170593	4547648038683			FA	FAA	JPN	8536.5007.00	
D4N-2280	Limit switch, Cat whisker, 2NC (snap-action), 2NC (snap-action), G1/2 (1-conduit)	31.36	EC000030	170598	4547648038737			FA	FAA	JPN	8536.5007.00	
D4N-2B32	Limit switch, Top roller plunger, 2NC (slow-action), 2NC (slow-action), G1/2 (1-conduit)	15.30	EC000030	170310	4547648035897			FA	FAA	JPN	8536.5007.00	
D4N-4120	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), makaralı kol (plastik kol, plastik makara)	14.85	EC000030	168848	4547648030335	#		FA	FAA	JPN	8536.5007.00	
D4N-4122	Güvenlik Limit switchi, makaralı kol (metal kol, plastik makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	19.79	EC000030	170104	4547648033824	#		FA	FAA	JPN	8536.5007.00	
D4N-4125	Güvenlik Limit switchi, makaralı kol (metal kol, metal makara), 1NC/1NO (hızlı kapama), 1NC/1NO (hızlı kapama), M20 (1-kablo yuvası)	23.36	EC000030	170112	4547648033909			FA	FAA	JPN	8536.5007.00	
D4N-4127	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	17.98	EC000030	170142	4547648034203	#		FA	FAA	JPN	8536.5007.00	
D4N-412H	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol (metal kol, kauçuk makara)	25.61	EC000030	170148	4547648034265			FA	FAA	JPN	8536.5007.00	
D4N-4131	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı	12.02	EC000030	170083	4547648030359	#		FA	FAA	JPN	8536.5007.00	
D4N-4132	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), üstten basmalı makaralı	13.02	EC000030	170085	4547648030373	#		FA	FAA	JPN	8536.5007.00	
D4N-4162	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makara kol (yatay)	14.00	EC000030	170087	4547648030397	#		FA	FAA	JPN	8536.5007.00	
D4N-4172	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (hızlı kapama), tek yönlü makara kol (dikey)	17.98	EC000030	170135	4547648034135			FA	FAA	JPN	8536.5007.00	
D4N-4180	Güvenlik Limit switchi, kedi biviği, 1 kablo yuvası, M20	31.45	EC000030	170590	4547648038652			FA	FAA	JPN	8536.5007.00	
D4N-4187	Güvenlik Limit switchi, plastik çubuk, 1 kablo yuvası, M20	24.50	EC000030	170595	4547648038706	#		FA	FAA	JPN	8536.5007.00	
D4N-4220	Güvenlik Limit switchi, D4N, M20 (1-kablo yuvası), 2NC (hızlı kapama), makaralı kol (plastik kol, plastik makara)	16.19	EC000030	170155	4547648034333			FA	FAA	JPN	8536.5007.00	
D4N-4232	Limit switch, Top roller plunger, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	15.96	EC000030	170184	4547648034623			FA	FAA	JPN	8536.5007.00	
D4N-4262	Limit switch, One-way roller arm lever (horizontal), 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	14.41	EC000030	170192	4547648034708			FA	FAA	JPN	8536.5007.00	
D4N-4287	Limit switch, Plastic rod, 2NC (snap-action), 2NC (snap-action), M20 (1-conduit)	24.86	EC000030	170605	4547648038805			FA	FAA	JPN	8536.5007.00	
D4N-4A20	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), makaralı kol (plastik kol, plastik makara)	17.53	EC000030	170089	4547648030410			FA	FAA	JPN	8536.5007.00	
D4N-4A2G	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), ayarlanabilir makaralı kol (metal kol, plastik makara)	18.44	EC000030	170270	4547648035484			FA	FAA	JPN	8536.5007.00	
D4N-4A31	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı	12.61	EC000030	170240	4547648035187			FA	FAA	JPN	8536.5007.00	
D4N-4A32	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), üstten basmalı makaralı	13.13	EC000030	170092	4547648030441			FA	FAA	JPN	8536.5007.00	
D4N-4A62	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), tek yönlü makara arm kol (yatay)	14.85	EC000030	170254	4547648035323			FA	FAA	JPN	8536.5007.00	
D4N-4B32	Güvenlik Limit switchi, D4N, M20 (1 kablo yuvası), 2NC (yavaş kapama), üstten basmalı makaralı	12.98	EC000030	170312	4547648035910			FA	FAA	JPN	8536.5007.00	
D4N-8120	Limit switch, Roller lever (resin lever, resin roller), 1NC/1NO (snap-action), 1NC/1NO (snap-action), M20 (2-conduit)	24.74	EC000030	170100	4547648033787			FA	FAA	JPN	8536.5007.00	
D4N-8131	Limit switch, plunger, 2 conduit, M20	19.40	EC000030	170119	4547648033978	50		FA	FAA	JPN	8536.5007.00	
D4N-8A32	Limit switch, Top roller plunger, 1NC/1NO (slow-action), 1NC/1NO (slow-action), M20 (2-conduit)	20.61	EC000030	170250	4547648035286			FA	FAA	JPN	8536.5007.00	
D4N-9120	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), roller lever (resin lever, resin roller)	43.51	EC000030	170097	4547648033756			FA	FAA	JPN	8536.5007.00	
D4N-912G	Safety Limit switch, D4N, M12 connector (1 conduit), 1NC/1NO (snap-action), adjustable roller lever (metal lever, resin roller)	46.67	EC000030	170143	4547648034210			FA	FAA	JPN	8536.5007.00	
D4N-9R31	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), top plunger	35.74	EC000030	170305	4547648035842			FA	FAA	JPN	8536.5007.00	
D4N-9R62	Safety Limit switch, D4N, M12 connector (1 conduit), 2NC/1NO (slow-action), one-way roller arm lever (horizontal)	41.02	EC000030	170321	4547648036009			FA	FAA	JPN	8536.5007.00	
Emniyet Rölesi												
G7SA-2A2B 12VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 12 VDC	34.96	EC001437	121498	4536854716041	20		FA	FAB	JPN	8536.4900.99	
G7SA-2A2B 24VDC	Güvenlik Rölesi, plug-in, DPST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	34.96	EC001437	146147	4536854579691	#		20	FA	FAB	JPN	8536.4900.99
G7SA-2A2B 48VDC	Safety relay, plug-in, DPST-NO, DPST-NC, 6 A, forcibly-guided contacts, 48 VDC	41.66	EC001437	181321	4547648134071	20		FA	FAB	JPN	8536.4900.99	
G7SA-3A1B 24VDC	Güvenlik Rölesi, plug-in, 3PST-NO, SPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	34.96	EC001437	121590	4536854579752	#	10	FA	FAB	JPN	8536.4900.99	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G7SA-3A3B 12VDC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 12 VDC	39.20	EC001437	202995	4549734669276		40	FA	FAB	CHN	8536.4900.99
G7SA-3A3B 24VDC	Güvenlik Rölesi, plug-in, 3PST-NO, 3PST-NC, 6 A, zorlamalı kontaklar, 24 VDC	39.20	EC001437	202989	4549734669368	#	80	FA	FAB	CHN	8536.4900.99
G7SA-3A3B 48VDC	Safety relay, plug-in, 3PST-NO, 3PST-NC, 6 A, forcibly-guided contacts, 48 VDC	39.20	EC001437	202987	4549734669399		10	FA	FAB	CHN	8536.4900.99
G7SA-4A2B 24VDC	Güvenlik Rölesi, plug-in, 4PST-NO, DPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	39.20	EC001437	202990	4549734669351	#	10	FA	FAB	CHN	8536.4900.99
G7SA-5A1B 12VDC	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcibly-guided contacts, 12 VDC	39.20	EC001437	202996	4549734669252		10	FA	FAB	CHN	8536.4900.99
G7SA-5A1B 24VDC	Güvenlik Rölesi, plug-in, 5PST-NO, SPST-NC, 6 A, zorlamalı kontaklar, 24 VDC	39.20	EC001437	202991	4549734669344	#	10	FA	FAB	CHN	8536.4900.99
G7SA-5A1B 48VDC	Safety relay, plug-in, 5PST-NO, SPST-NC, 6 A, forcible-guided contacts, 48 VDC	39.20	EC001437	202988	4549734669375		10	FA	FAB	CHN	8536.4900.99
Emniyet Rölesi											
P7SA-10F	Socket, DIN rail/surface mounting, 10 pin, screw terminals, for G7SA 4 pole relays	28.70	EC001456	377197	4548583409095	#	10	FA	FAB	CHN	8536.6990.99
P7SA-10F-ND 24VDC	Soket, DIN ray/yüzey montaj, 10 pin, vidalı terminal, G7SA 4 kutuplu röle için, LED indikatörlü	38.18	EC001456	377195	4548583409071	#	10	FA	FAB	CHN	8536.6990.99
P7SA-10F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 10 pin, push-in terminals, for G7SA 4 pole relays, LED indicator	37.21	EC001456	677437	4548583409057		10	FA	FAB	MYS	8536.6990.99
P7SA-10P	Socket, back connecting, PCB terminals, 10 pin, for G7SA 4 pole relays	9.55	EC001456	377193	4548583409057		10	FA	FAB	CHN	8536.6990.99
P7SA-14F	Socket, DIN rail/surface mounting, 14 pin, screw terminals, for G7SA 6 pole relays	26.69	EC001456	377194	4548583409064		10	FA	FAB	CHN	8536.6990.99
P7SA-14F-ND 24VDC	Soket, DIN ray/yüzey montaj, 14 pin, vidalı terminal, G7SA 6 kutuplu röle için, LED indikatörlü	38.18	EC001456	377196	4548583409088	#	10	FA	FAB	CHN	8536.6990.99
P7SA-14F-ND-PU 24VDC	Socket, DIN rail/surface mounting, 14 pin, push in terminals, for G7SA 6 pole relays, LED indicator	37.21	EC001456	677438	4549734136167		10	FA	FAB	MYS	8536.6990.99
P7SA-14P	Socket, back connecting, PCB terminals, 14 pin, for G7SA 6 pole relays	8.41	EC001456	377192	4548583409040		10	FA	FAB	CHN	8536.6990.99
Emniyet Rölesi											
G7S-3A3B-E DC24	Güvenlik Rölesi, soketli, 3PST-NO, 3PST-NC, 10A, zorlamalı kontaklar, 24 VDC	44.19	EC001437	121503	4536854872631	#	20	FA	FAB	JPN	8536.4900.99
G7S-4A2B-E DC24	Güvenlik Rölesi, soketli, 4PST-NO, 2PST-NC, 10A, zorlamalı kontaklar, 24 VDC	44.19	EC001437	121504	4536854872648	#	20	FA	FAB	JPN	8536.4900.99
Emniyet Rölesi											
P7S-14F-EN 24VDC	Soket, DIN ray/yüzey montaj, vidalı terminal, led indikatör, G7S röle için	30.21	EC001456	113493	4536854872655	#	5	FA	FAB	JPN	8536.4900.99
Emniyet Ünitesi G9SA/B											
G9SA-301 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	146.10	EC001449	346855	4547648813945	#		FA	FAC	CHN	8536.4900.99
G9SA-301 AC100-240	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	214.10	EC001449	347788	4547648814058			FA	FAC	CHN	8536.4900.99
G9SA-321-T075 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 0.5 to 7.5sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	265.80	EC001449	346848	4547648813969	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T15 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 1 to 15sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	265.40	EC001449	347783	4547648813976	#		FA	FAC	CHN	8536.4900.99
G9SA-321-T30 AC/DC24	Safety relay unit, 3PST-NO (Category 4), 5 A, SPST-NC aux, DPST-NO 2 to 30sec 'OFF-delay' category 3 outputs, 1 or 2 channel input	264.80	EC001449	347784	4547648813983			FA	FAC	CHN	8536.4900.99
G9SA-501 AC/DC24	Safety relay unit, 5PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input	206.10	EC001449	346847	4547648813952			FA	FAC	CHN	8536.4900.99
G9SA-TH301 AC/DC24	Çift el buylanı, 3PST-NO (Category 4), 5 A, SPST-NC ek, 2 kanal giriş	160.40	EC001449	347785	4547648813990	#		FA	FAC	CHN	8536.4900.99
G9SA-TH301 AC100-240	Two-hand controller, 3PST-NO (category 4), 5 A, SPST-NC aux, 2 channel input	190.60	EC001449	347778	4547648814102	#		FA	FAC	CHN	8536.4900.99
Emniyet Ünitesi G9SA/B											
G9SA-EX301	G9SA için ek ünite, 3PST-NO (kategorisi 4), 5 A, SPST-NC ek	132.90	EC001449	347786	4547648814003			FA	FAC	CHN	8536.4900.99
G9SB-2002-A AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, auto-reset	119.80	EC001449	346849	4547648814195	#		FA	FAC	CHN	8536.4900.99
G9SB-2002-C AC/DC24	Safety relay unit, DPST-NO (Category 4), 5 A, 2 channel input, manual-reset	119.80	EC001449	346850	4547648814218	#		FA	FAC	CHN	8536.4900.99
G9SB-200-B AC/DC24	Safety relay unit, DIN17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, auto-reset (+ common input)	106.40	EC001449	347790	4547648814201	#		FA	FAC	CHN	8536.4900.99
G9SB-200-D AC/DC24	Safety relay unit, DIN 17.5mm, DPST-NO (Category 4), 5 A, 1 or 2 channel input, manual-reset (+ common input)	119.60	EC001449	347791	4547648814225	#		FA	FAC	CHN	8536.4900.99
G9SB-3010 DC24	Safety relay unit, DIN 17.5mm, 3PST-NO (Category 3), SPST-NC aux, 5 A, 2 channel direct breaking input, auto-reset	126.70	EC001449	346851	4547648814232			FA	FAC	CHN	8536.4900.99
G9SB-3012-A AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux, 5 A, 2 channel input, auto-reset	131.60	EC001449	347792	4547648814249	#		FA	FAC	CHN	8536.4900.99
G9SB-3012-C AC/DC24	Safety relay unit, 3PST-NO (Category 4), SPST-NC aux, 5 A, 2 channel input, manual-reset	131.60	EC001449	346852	4547648814263	#		FA	FAC	CHN	8536.4900.99
G9SB-301-B AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, auto-reset (+ common input)	117.10	EC001449	347793	4547648814256	#		FA	FAC	CHN	8536.4900.99
G9SB-301-D AC/DC24	Safety relay unit, DIN 22.5mm, 3PST-NO (Category 4), 5 A, SPST-NC aux, 1 or 2 channel input, manual-reset (+ common input)	131.90	EC001449	347794	4547648814270	#		FA	FAC	CHN	8536.4900.99
Emniyet Ünitesi G9SX											
G9SX-AD322-T15-RC DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, spring mounted terminals	406.90	EC001449	353677	4547648837026			FA	FAD	CHN	8536.4900.99
G9SX-AD322-T15-RT DC24	Advanced unit (to be used with Basic unit), 3 x NO solid state outputs (1 A), 2 x NO off delay solid state outputs (0-15s), 2 x NO solid state auxs, logic AND output, 1 or 2 channel input, screw terminals	419.40	EC001449	353676	4547648837019			FA	FAD	CHN	8536.4900.99
Emniyet Ünitesi G9SX											
G9SX-BC202-RC DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AND outputs, 1 or 2 channel input, spring mounted terminals	335.90	EC001449	353679	4547648837040			FA	FAD	CHN	8536.4900.99
G9SX-BC202-RT DC24	Basic unit, 2 x NO solid state safety outputs (1 A), 2 x NO solid state auxs, 2 logic AND outputs, 1 or 2 channel input, screw terminals	335.90	EC001449	353678	4547648837033			FA	FAD	CHN	8536.4900.99
Emniyet Ünitesi G9SX											
G9SX-NS202-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 Aux, Screw terminals, 24DC	349.90	EC001449	353682	4547648837156			FA	FAD	CHN	8536.4900.99
G9SX-NSA222-T03-RC DC24	Safety relays for D40A non-contact switches, 2 semiconductor outputs without delay, 2 semiconductor outputs with up to 3s delay, 2 auxiliary outputs, spring-cage terminals	534.50	EC001449	353685	4547648837187			FA	FAD	CHN	8536.4900.99
G9SX-NSA222-T03-RT DC24	Non Contact door switch controller for D40A, 2 instantaneous, 2 timed, 2 Aux, Screw terminals, 24DC	534.50	EC001449	353684	4547648837170			FA	FAD	CHN	8536.4900.99
Emniyet Ünitesi G9SX											
G9SX-SM032-RC	Standstill monitoring unit with spring-cage terminals	952.50	EC001449	353669	4547648837262	#		FA	FAD	CHN	8536.4900.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
G95X-SM032-RT	Standstill monitoring unit with screw terminals	952.50	EC001449	353668	4547648837255			FA	FAD	CHN	8536.4900.99
Emniyet Kapı ve Kapı Kilitleme Switchleri											
D4NS-1AF	Güvenlik kapı switchi, 1NC/1NO, 10 A, 1 x PG 13.5 kablo yuvası	30.43	EC002592	163395	4536854963629	#		FA	FAE	JPN	8536.5015.90
D4NS-1BF	Güvenlik kapı switchi, 2NC, 10 A, 1 x PG 13.5 kablo yuvası	30.43	EC002592	163393	4536854963674	#		FA	FAE	JPN	8536.5015.90
D4NS-1CE	Safety interlock switch, 2NC+1NO, 10 A, single PG 13.5 conduit	28.23	EC002592	162281	4536854963728			FA	FAE	JPN	8536.5015.90
D4NS-1DE	Safety interlock switch, 3NC, 10 A, single PG 13.5 conduit	28.66	EC002592	100324	4536854963766			FA	FAE	JPN	8536.5015.90
D4NS-2AF	Safety interlock switch, 1NC/1NO, 10 A, single G1/2 conduit	26.40	EC002592	163779	4536854963636			FA	FAE	JPN	8536.5015.90
D4NS-2BF	Safety interlock switch, 2NC, 10 A, single PG 13.5 conduit	30.00	EC002592	163692	4536854963681			FA	FAE	JPN	8536.5015.90
D4NS-2CF	Safety-door switch, 2NC/1NO (slow action)	30.43	EC002592	162586	4536854963735	#		FA	FAE	JPN	8536.5015.90
D4NS-2DF	Safety interlock switch, 1NO/1NC, 10 A, single G1/2 conduit	28.23	EC002592	162290	4536854963773			FA	FAE	JPN	8536.5015.90
D4NS-4AF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 1NC/1NO (yavaş kapama)	25.08	EC002592	162578	4536854963667	#		FA	FAE	JPN	8536.5015.90
D4NS-4BF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC (yavaş kapama)	25.08	EC002592	163778	4536854963704			FA	FAE	JPN	8536.5015.90
D4NS-4CF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (yavaş kapama)	29.13	EC002592	163875	4536854963759	#		FA	FAE	JPN	8536.5015.90
D4NS-4DF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 3NC (yavaş kapama)	29.13	EC002592	163560	4536854963797			FA	FAE	JPN	8536.5015.90
D4NS-4FF	Güvenlik-kapı switchi, D4NS, M20 (1-kablo yuvası), 2NC/1NO (M8B kontak)	31.31	EC002592	163876	4536854963872	#		FA	FAE	JPN	8536.5015.90
D4NS-5AF	Limit switch	32.06	EC002592	163563	4536854963889			FA	FAE	JPN	8536.5015.90
D4NS-5BF	Limit switch	34.96	EC002592	162295	4536854963919			FA	FAE	JPN	8536.5015.90
D4NS-8BF	Güvenlik kapı switchi, 2NC, 10 A, 2 x M20 kablo yuvası	31.97	EC002592	163693	4536854963957			FA	FAE	JPN	8536.5015.90
D4NS-8CF	Güvenlik kapı switchi, 2NC+1NO, 10 A, 2 x M20 kablo yuvası	34.76	EC002592	100390	4536854963995			FA	FAE	JPN	8536.5015.90
D4NS-9AF	Safety interlock switch, 1NC/1NO, 10 A, M12 connector	62.25	EC002592	163192	4536854964121			FA	FAE	JPN	8536.5015.90
D4NS-9BF	Safety interlock switch, 2NC, 10 A, M12 connector	62.25	EC002592	163874	4536854964138			FA	FAE	JPN	8536.5015.90
Emniyet Kapı ve Kapı Kilitleme Switchleri											
D4NL-1AFA-B	Selenoidli Güvenlik kapı-lock switchi, mekanik kilitlemeli, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli	178.60	EC002593	133792	4536854898341	#		FA	FAE	JPN	8536.5015.90
D4NL-1AFG-B	Selenoidli Güvenlik kapı-lock switchi, selenoid kilitlemeli, 24 VDC, 1NC/1NO + 1NC/1NO, 10 A, PG 13.5 girişli	185.30	EC002593	154667	4536854898587			FA	FAE	JPN	8536.5015.90
D4NL-1BFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO + 2NC, 10 A, PG 13.5 entry	184.00	EC002593	133794	4536854898372			FA	FAE	JPN	8536.5015.90
D4NL-1CFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	177.40	EC002593	133797	4536854898402			FA	FAE	JPN	8536.5015.90
D4NL-1CEG-B	Safety door-lock switch, selenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A, PG 13.5 entry	176.60	EC002593	133813	4536854898648			FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, PG 13.5 entry	185.60	EC002593	144779	4536854898433	#		FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B4	Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC	199.10	EC002593	133736	4536854898914			FA	FAE	JPN	8536.5015.90
D4NL-1DFA-B5	Safety door-lock switch, PG13.5 entry, 2NC + 2NC, mechanical lock, 24 VDC, Front key release	183.00	EC002593	228865	4536854903212			FA	FAE	JPN	8536.5015.90
D4NL-1DFG-B	Safety door-lock switch, selenoid lock, 24 VDC, 2NC + 2NC, PG13.5 entry, Front key release	184.00	EC002593	133816	4536854898679			FA	FAE	JPN	8536.5015.90
D4NL-1EFA-B	Safety door-lock switch, PG13.5 entry, 2NC/1NO + 1NC/1NO, mechanical lock, 24 VDC	176.60	EC002593	133802	4536854898464			FA	FAE	JPN	8536.5015.90
D4NL-1HDG-B	Safety door-lock switch, PG13.5 entry, 3NC + 2NC, metal head, selenoid lock, 24 VDC	183.10	EC002593	363820	4548583138193			FA	FAE	JPN	8536.5007.00
D4NL-2AFA-B4	Safety door-lock switch, G1/2 entry, 1NC/1NO + 1NC/1NO, mechanical lock, 24 VDC	180.90	EC002593	133732	4536854898839			FA	FAE	JPN	8536.5015.90
D4NL-2BFA-B	Safety door-lock switch, G1/2 entry, 1NC/1NO + 2NC, mechanical lock, 24 VDC	179.10	EC002593	133795	4536854898389			FA	FAE	JPN	8536.5015.90
D4NL-2CEG-B	Safety door-lock switch, selenoid lock, 24 VDC, 2NC + 1NC/1NO, 10 A G1/2 entry	179.90	EC002593	133814	4536854898655			FA	FAE	JPN	8536.5015.90
D4NL-2DFA-B	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 2NC, 10 A, G1/2 entry	170.70	EC002593	133800	4536854898440	#		FA	FAE	JPN	8536.5015.90
D4NL-2DFA-B4	Safety door-lock switch, G1/2 entry, 2NC + 2NC, mechanical lock, 24 VDC	185.60	EC002593	145868	4536854898921	#		FA	FAE	JPN	8536.5015.90
D4NL-2DFG-B	Limit switch	161.40	EC002593	133817	4536854898686			FA	FAE	JPN	8536.5015.90
D4NL-2EFA-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, mechanical lock, 24 VDC	203.50	EC002593	133805	4536854898501			FA	FAE	JPN	8536.5015.90
D4NL-2EFA-B45	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, mechanical lock, 24 VDC, Front key release	203.50	EC002593	353628	4547648621021			FA	FAE	JPN	8536.5007.00
D4NL-2FFG-B	Safety door-lock switch, G1/2 entry, 2NC/1NO + 2NC, 24 VDC selenoid lock / mechanical release	197.60	EC002593	133822	4536854898747			FA	FAE	JPN	8536.5015.90
D4NL-2HFG-B	Safety door-lock switch, G1/2 entry, 3NC + 2NC, selenoid lock, 24 VDC	189.80	EC002593	155468	4536854898808			FA	FAE	JPN	8536.5015.90
D4NL-4AFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	181.50	EC002593	133793	4536854898365	#		FA	FAE	JPN	8536.5015.90
D4NL-4AFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 1NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	183.00	EC002593	133810	4536854898600			FA	FAE	JPN	8536.5015.90
D4NL-4CFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	179.10	EC002593	133799	4536854898426	#		FA	FAE	JPN	8536.5015.90
D4NL-4CFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	183.00	EC002593	133815	4536854898662			FA	FAE	JPN	8536.5015.90
D4NL-4DFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	184.00	EC002593	133801	4536854898457			FA	FAE	JPN	8536.5015.90
D4NL-4DFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	184.00	EC002593	151293	4536854898693			FA	FAE	JPN	8536.5015.90
D4NL-4EFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	189.40	EC002593	133803	4536854898488			FA	FAE	JPN	8536.5015.90
D4NL-4FFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	189.40	EC002593	133820	4536854898723			FA	FAE	JPN	8536.5015.90
D4NL-4FFA-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid açma, 10 ila 115 VAC/VDC LED indikatör	189.80	EC002593	142528	4536854898518	#		FA	FAE	JPN	8536.5015.90
D4NL-4FFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 2NC/1NO + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	189.80	EC002593	133823	4536854898754			FA	FAE	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D4NL-4GFA-R	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid acma, 10 ila 115 VAC/VDC LED indikatör	189,80	EC002593	133806	4536854898549	#		FA	FAE	JPN	8536.5015.90
D4NL-4GFG-R	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 1NC/1NO (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	189,80	EC002593	103662	4536854898785	#		FA	FAE	JPN	8536.5015.90
D4NL-4HFA-R	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, mekanik kilitlemeli/24-VDC selenoid acma, 10 ila 115 VAC/VDC LED indikatör	189,80	EC002593	133809	4536854898570			FA	FAE	JPN	8536.5015.90
D4NL-4HFG-B	Selenoidli Güvenlik-kapı switchi, D4NL, M20, 3NC + 2NC (yavaş kapama), kafa: plastik, 24-VDC selenoid kilitlemeli/mekanik açmalı, 10 ila 115 VAC/VDC LED indikatör	189,80	EC002593	133827	4536854898815			FA	FAE	JPN	8536.5015.90
D4SL-N2NEFA-D	Guard lock safety-door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, metal, resin, Mechanical lock/24VDC selenoid release, LED indicator	241,90	EC002593	669102	4548583316171			FA	FAE	JPN	8536.5007.00
D4SL-N2NEFG-DN	Guard lock safety-door switch, G1/2 conduit, 2NC/1NO+2NC/1NO, resin head, selenoid lock, connector	197,30	EC002593	372876	4548583316225			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma	197,30	EC002593	367767	4548583315051			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, konnektör	213,10	EC002593	382531	4548583315068			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 1NC/1NO + 1NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, konnektör	206,20	EC002593	374819	4548583315075			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release	161,40	EC002593	382548	4548583315136			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı	199,60	EC002593	377986	4548583315150			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma	163,80	EC002593	382551	4548583315174			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma	199,60	EC002593	377987	4548583315198			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, D4SL-N, M20, 2NC + 1NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator	161,40	EC002593	382663	4548583315853			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Door locking switch, M20, 2NC/1NO + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator, connector	147,50	EC002593	382553	4548583315860			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 1NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	170,30	EC002593	382555	4548583315891			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, LED indikatör	170,30	EC002593	382664	4548583315938	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	170,30	EC002593	382562	4548583315976	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, Mechanical lock/24VDC selenoid release, LED indicator	191,50	EC002593	382661	4548583316010			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, D4SL-N, M20, 3NC + 1NC/1NO, head: resin, 24VDC selenoid lock/mechanical release, LED indicator	200,50	EC002593	382569	4548583316058			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, Mechanical lock/24VDC selenoid release, LED indicator	174,70	EC002593	382573	4548583316096			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, D4SL-N, M20, 3NC + 2NC, head: resin, 24VDC selenoid lock/mechanical release, LED indicator	170,40	EC002593	382577	4548583316133	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid acma, LED indikatör	230,70	EC002593	373889	4548583317772			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 2NC/1NO+2NC/1NO, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok	228,70	EC002593	373890	4548583317819			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, LED indikatör	216,30	EC002593	371536	4548583316812			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, mekanik kilitlemeli/24VDC selenoid acma, LED indikatör, konnektör	161,40	EC002593	382581	4548583316829			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, D4SL-N, M20, 2NC/1NO + 2NC/1NO, kafa: plastik, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	170,30	EC002593	382584	4548583316850			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Door locking switch, M20, 3NC + 2NC/1NO, head: metal, Mechanical lock/24VDC selenoid release, LED indicator	156,60	EC002593	382622	4548583317932			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, M20, 3NC + 2NC/1NO kafa: metal, 24VDC selenoid kilitlemeli/mekanik açmalı, LED indikatör	199,60	EC002593	377988	4548583317970			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid acma, LED indikatör, terminal blok	230,70	EC002593	373886	4548583318014	#		FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid acma, LED indikatör, konnektör	213,80	EC002593	367248	4548583318021			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Selenoidli Güvenlik-kapı switchi, M20 kablo yuvası, 3NC+3NC, metal kafa, selenoid kilitlemeli, LED indikatör, terminal blok	233,30	EC002593	373887	4548583318052			FA	FAE	JPN	8536.5007.00
D4SL-N4AFA-N	Guard lock safety-door switch, D4SL-N, M20, 2NC + 2NC, head: resin, Mechanical lock/24VDC selenoid release	166,70	EC002593	395860	4548583314696	#		FA	FAE	JPN	8536.5007.00
Emniyet Kapa ve Kapı Kilitleme Switchleri											
D4DS-K1	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, yatay montaj	3,70	EC001487	104525	4536853219956	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K2	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, dikey montaj	3,70	EC001487	134023	4536853219963	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, ayarlanabilir montaj (yatay)	12,99	EC001487	150258	4536853219970	#	10	FA	FAE	JPN	8301.7000.00
D4DS-K5	Selenoidli Güvenlik-kapı switchi aksesuarı, D4NL/DS, anahtar, ayarlanabilir montaj (yatay/dikey)	20,62	EC001487	152522	4536854383878	#	10	FA	FAE	JPN	8301.7000.00
Emniyet Kapı ve Kapı Kilitleme Switchleri											
D4NH-1AAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 1NC/1NO (slow-action)	53,20	EC002591	170730	4547648045322			FA	FAE	JPN	8536.5015.90
D4NH-1BAS	Safety door-hinge switch, Shaft Actuator, PG 13.5 Conduit, 2NC (slow-action)	53,60	EC002591	170746	4547648045483			FA	FAE	JPN	8536.5015.90
D4NH-1BBC	Safety door-hinge switch, Arm lever actuator, PG 13.5 Conduit, 2NC (slow-action)	54,00	EC002591	170754	4547648045568			FA	FAE	JPN	8536.5015.90
D4NH-4AAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama), mil aktüatör	53,20	EC002591	170732	4547648045346			FA	FAE	JPN	8536.5015.90
D4NH-4ABC	Safety Limit switch, D4NH, M20 (1 conduit), 1NC/1NO (slow-action), arm lever actuator	52,30	EC002591	170740	4547648045421			FA	FAE	JPN	8536.5015.90
D4NH-4BAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), mil aktüatör	52,35	EC002591	170748	4547648045506	#		FA	FAE	JPN	8536.5015.90
D4NH-4BBC	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC (yavaş kapama), kol aktüatör	51,20	EC002591	170756	4547648045582			FA	FAE	JPN	8536.5015.90
D4NH-4CAS	Güvenlik Limit switchi, D4NH, M20 (1 kablo yuvası), 2NC/1NO (yavaş kapama), mil aktüatör	63,00	EC002591	170765	4547648045674			FA	FAE	JPN	8536.5015.90
Emniyet Switchleri için Aksesuarlar											
D4BL-K1	Slide operation key for D4BL switch, horizontal mounting	9,61	EC001487	134705	4536853204402	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K2	Slide operation key for D4BL switch, vertical mounting	13,34	EC001487	134706	4536853204419	#	10	FA	FAF	JPN	8301.7000.00
D4BL-K3	Hinge operation key for D4BL switch, vertical mounting (horiz. adjust.)	24,75	EC001487	134707	4536853204426	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K1	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, yatay montaj	6,65	EC001487	134587	4536853207533	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K2	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, dikey montaj	7,60	EC001487	134588	4536853207540	#	10	FA	FAF	JPN	8301.7000.00
D4BS-K3	Güvenlik-kapı switchi aksesuarı, D4BS, anahtar, yatay montaj	23,96	EC001487	148097	4536853207557	#	10	FA	FAF	JPN	8301.7000.00
D4GS-NK1	Anahtar, yatay montaj	8,97	EC001487	133923	4536854688300			FA	FAF	JPN	8536.5015.90
D4GS-NK2	Anahtar, dikey montaj	9,45	EC001487	133828	4536854688317	#	10	FA	FAF	JPN	8536.5015.90
D4GS-NK4	Anahtar, ayarlanabilir	23,76	EC001487	133829	4536854688324	#	10	FA	FAF	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Emniyet Işık Bariyeri											
F3SJ-A0245P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP	2,432.00	EC002549	225437	4547648138352			FA	FAG	JPN	8536.5019.90
F3SJ-A0299P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 299mm yükseklik, PNP	2,831.00	EC002549	246952	4547648138383			FA	FAG	JPN	8536.5019.90
F3SJ-A0623P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 623mm yükseklik, PNP	4,387.00	EC002549	232587	4547648138567			FA	FAG	JPN	8536.5019.90
F3SJ-A0731P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 731mm yükseklik, PNP	4,858.00	EC002549	225440	4547648138598			FA	FAG	JPN	8536.5019.90
F3SJ-A0875P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 875mm yükseklik, PNP	5,500.00	EC002549	289065	4547648138635			FA	FAG	JPN	8536.5019.90
F3SJ-A1055P14	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 14mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 1055mm yükseklik, PNP	6,370.00	EC002549	249991	4547648138666			FA	FAG	JPN	8536.5019.90
Emniyet Işık Bariyeri											
F3SJ-A0245P30	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 245mm yükseklik, PNP	1,005.00	EC002549	188825	4547648137799			FA	FAG	JPN	8536.5019.90
F3SJ-A0470P30	Güvenlik ışık bariyeri, F3SJ gelişmiş, Kategori 4 / Ple. 30mm çözünürlük, 0.2 ... 9.0m tarama mesafesi, 470mm yükseklik, PNP	1,409.00	EC002549	224505	4547648137881			FA	FAG	JPN	8536.5019.90
F3SJ-A0545P20	Safety Light Curtain, F3SJ Advanced, Type 4, 20mm resolution, range 0.2 to 9.0m, height 545mm, PNP	2,104.00	EC002549	225435	4547648136907			FA	FAG	JPN	8536.5019.90
F3SJ-R0185P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 185mm yükseklik, PNP	826.50	EC002549	356723	4548583047402			FA	FAG	JPN	8536.5019.90
F3SJ-R0225P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP	901.50	EC002549	356745	4548583047419		#	FA	FAG	JPN	8536.5019.90
F3SJ-R0305P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik, PNP	985.00	EC002549	356724	4548583047426		#	FA	FAG	JPN	8536.5019.90
F3SJ-R0545P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 545mm, PNP	1,232.00	EC002549	356741	4548583047457		#	FA	FAG	JPN	8536.5019.90
F3SJ-R0625P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik, PNP	1,386.00	EC002549	356738	4548583047464		#	FA	FAG	JPN	8536.5019.90
F3SJ-R0705P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 705mm yükseklik, PNP	1,457.00	EC002549	356726	4548583047471		#	FA	FAG	JPN	8536.5019.90
F3SJ-R0785P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 785mm yükseklik, PNP	1,565.00	EC002549	356739	4548583047488		#	FA	FAG	JPN	8536.5019.90
F3SJ-R0865P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 865mm, PNP	1,651.00	EC002549	356722	4548583047495		#	FA	FAG	JPN	8536.5019.90
F3SJ-R0945P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 945mm yükseklik, PNP	1,743.00	EC002549	356746	4548583047501		#	FA	FAG	JPN	8536.5019.90
F3SJ-R1025P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, standart fonksiyon, 0.2m-7m tarama mesafesi, 1025mm yükseklik, PNP	1,845.00	EC002549	356728	4548583047518		#	FA	FAG	JPN	8536.5019.90
F3SJ-B1105P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1105mm, PNP	1,979.00	EC002549	356743	4548583047525		#	FA	FAG	JPN	8536.5019.90
F3SJ-B1185P25	Safety Light Curtain, F3SJ Basic, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1185mm, PNP	2,112.00	EC002549	356729	4548583047532		#	FA	FAG	JPN	8536.5019.90
F3SJ-B1265P25	Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1265mm yükseklik, 0.2-7m tarama mesafesi, PNP	2,243.00	EC002549	356747	4548583047549		#	FA	FAG	JPN	8536.5019.90
F3SJ-B1505P25	Güvenlik ışık bariyeri, F3SJ-Temel, kategori 4, el koruma (25mm), 1505mm yükseklik, 0.2-7m tarama mesafesi, PNP	2,459.00	EC002549	356742	4548583047570		#	FA	FAG	JPN	8536.5019.90
F3SJ-E0225P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 225mm, PNP	937.50	EC002549	356004	4548583047662		#	FA	FAG	JPN	8536.5019.90
F3SJ-F0305P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 305mm yükseklik	1,037.00	EC002549	356005	4548583047679		#	FA	FAG	JPN	8536.5019.90
F3SJ-F0465P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 465mm yükseklik	1,097.00	EC002549	356006	4548583047693		#	FA	FAG	JPN	8536.5019.90
F3SJ-F0625P25	Güvenlik ışık bariyeri, Kategori 4 / Ple. 25mm çözünürlük, Temel fonksiyon, 0.2m-7m tarama mesafesi, 625mm yükseklik	1,335.00	EC002549	356013	4548583047716		#	FA	FAG	JPN	8536.5019.90
F3SJ-E1025P25	Safety Light Curtain, F3SJ Easy, Type 4, 25mm resolution, range 0.2 to 7.0m, height 1025mm, PNP	1,865.00	EC002549	356012	4548583047761		#	FA	FAG	JPN	8536.5019.90
Emniyet Temassız Switchleri											
F3S-TGR-NBMX-21-05	Güvenlik temassız kapı switchi, ex-proof bölgelecinin, reed, silindirik paslanmaz çelik M30, 2NC+1NO, 5m kablo	417.30	EC002592	387943	4547648977548			FA	FAI	GBR	8536.5005.00
F3S-TGR-NBMX-21-10	Non-contact door switch, ex zone, reed, barrel stainless steel M30, 2NC+1NO, 10m cable	452.10	EC002592	387944	4547648977555			FA	FAI	GBR	8536.5005.00
F3S-TGR-NBPR-21-05	Güvenlik temassız kapı switchi, reed, silindirik plastik M30, 2NC+1NO, 5m kablo	173.20	EC002592	387901	4547648977128			FA	FAI	GBR	8536.5005.00
F3S-TGR-NCPR-21-05	Non-contact door switch, reed, compact sensor 5m, plastic, 2NC+1NO contacts (D40B size equivalent)	157.60	EC002592	330853	4547648882927			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLMR-21-05	Güvenlik temassız kapı switchi, reed, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	259.10	EC002592	387898	4547648977098			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMR-21-10	Non-contact door switch, reed, elongated stainless steel, 2NC+1NO, 10m cable	271.30	EC002592	387899	4547648977104			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMX-21-05	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 5m cable	383.30	EC002592	387941	4547648977524		#	FA	FAI	GBR	8536.5005.00
F3S-TGR-NLMX-21-10	Non-contact door switch, ex zone, reed, elongated stainless steel, 2NC+1NO, 10m cable	423.90	EC002592	387942	4547648977531			FA	FAI	GBR	8536.5005.00
F3S-TGR-NLPR-20-02	Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC kontak	140.00	EC002592	231384	4536853906252			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-20-05	Güvenlik temassız kapı switchi, reed, uzun gövdeli 5m, plastik, 2NC kontak	147.60	EC002592	231385	4536853906269			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-02	Güvenlik temassız kapı switchi, reed, uzun gövdeli 2m, plastik, 2NC+1NO kontak	144.60	EC002592	231388	4536853906290			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-05	Güvenlik temassız kapı switchi, reed, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo	155.10	EC002592	231389	4536853906306			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-10	Non-contact door switch, reed, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	174.70	EC002592	231390	4536853906313			FA	FAI	GBR	8536.5007.00
F3S-TGR-NLPR-21-M1J8	Güvenlik temassız kapı switchi, reed, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konnektörlü kablolu	178.90	EC002592	231391	4536853906283			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMHR-21-05	Güvenlik temassız kapı switchi, reed, minyatür paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	203.40	EC002592	387891	4547648977029			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMHR-21-10	Non-contact door switch, reed, miniature stainless steel hygienic design, 2NC+1NO, 10m cable	216.20	EC002592	387892	4547648977036			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-11-08-L10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sol taraftan	128.40	EC002592	387887	4547648976985			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-11-08-R10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 1NC+1NO, M8 konnektörlü sağ taraftan	128.40	EC002592	387886	4547648976978			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-20-05	Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, 5m kablolu	107.20	EC002592	252048	4547648861397			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-20-08-L10	Güvenlik temassız kapı switchi, reed, minyatür plastik, 2NC, M8 konnektörlü sol taraftan	129.70	EC002592	387885	4547648976961			FA	FAI	GBR	8536.5005.00
F3S-TGR-NMPR-20-M8-WN	Non-contact door switch, reed, miniature plastic, 2NC, M8 connector	61.35	EC002592	295581	4547648868273		#	FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-02	Güvenlik temassız kapı switchi, minyatür, reed, 2m, plastik, 2NC+1NO kontak	109.20	EC002592	252051	4547648861427			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-05	Güvenlik temassız kapı switchi, minyatür, reed, 5m, plastik, 2NC+1NO kontak	118.80	EC002592	252052	4547648861434			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-05-R	Safety Non-Contact Door switch, Reed, Miniature plastic Housing, 2NC/1NO, 5m pre-wired, Cable entry right sided	118.80	EC002592	378088	4547648964975			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-10	Non-contact door switch, Miniature, reed, 10m, plastic, 2NC+1NO contacts	138.20	EC002592	252053	4547648861441			FA	FAI	GBR	8536.5007.00
F3S-TGR-NMPR-21-M1J8	Güvenlik temassız kapı switchi, minyatür, reed, M12 konnektörlü, plastik, 2NC+1NO kontak	143.70	EC002592	252054	4547648861410			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSFR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik gıdaya uygun, 2NC+1NO, 5m kablo	229.90	EC002592	387896	4547648977074			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSHR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablolu	229.90	EC002592	387894	4547648977050			FA	FAI	GBR	8536.5005.00
F3S-TGR-NSMR-20-02	Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC kontak	220.70	EC002592	231392	4536853906412			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-05	Güvenlik temassız kapı switchi, reed, küçük gövdeli 5m, paslanmaz çelik, 2NC kontak	226.50	EC002592	231393	4536853906429			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-20-M1J8	Non-contact door switch, reed, small sensor M12 connector, steel, 2NC contacts	244.70	EC002592	231395	4536853906405			FA	FAI	GBR	8536.5007.00
F3S-TGR-NSMR-21-02	Güvenlik temassız kapı switchi, reed, küçük gövdeli 2m, paslanmaz çelik, 2NC+1NO kontak	223.80	EC002592	231396	4536853906450			FA	FAI	GBR	8536.5007.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-TGR-NSMR-21-05	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	229.90	EC002592	231397	4536853906467			FA	FAI	GBR	8536.5007.00
E3S-TGR-NSMR-21-10	Non-contact door switch, reed, small stainless steel, 2NC+1NO, 10m cable	235.60	EC002592	231398	4536853906474			FA	FAI	GBR	8536.5007.00
E3S-TGR-NSMR-21-M1J8	Güvenlik temassız kapı switchi, reed, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	248.30	EC002592	231399	4536853906443			FA	FAI	GBR	8536.5007.00
E3S-TGR-NSPB-21-05	Güvenlik temassız kapı switchi, reed, küçük plastik, 2NC+1NO, 5m kablo	166.10	EC002592	330847	4547648882866			FA	FAI	GBR	8536.5007.00
E3S-TGR-NSPB-21-10	Non-contact door switch, reed, small plastic, 2NC+1NO, 10m cable	175.90	EC002592	330848	4547648882873			FA	FAI	GBR	8536.5007.00
Emniyet Temassız Switchleri											
E3S-TGR-NLPM-21-05	Güvenlik temassız kapı switchi, RFID master kodlu, uzun plastik, 2NC+1NO, 5m kablo	148.70	EC002592	387923	4547648977340			FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPM-21-10	Non-contact door switch, RFID master coded, elongated plastic, 2NC+1NO, 10m cable	165.30	EC002592	387924	4547648977357			FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPM-21-M1J8	Safety Non-contact Doorswitch, RFID master coded, elongated plastic housing, 2NC/1NO, M12 8pin	167.50	EC002592	378257	4547648965590	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPU-21-05	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, uzun plastik, 2NC+1NO, 5m kablo	148.70	EC002592	387921	4547648977326	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPU-21-10	Non-contact door switch, RFID unique coded, elongated plastic, 2NC+1NO, 10m cable	165.30	EC002592	387922	4547648977333			FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPU-21-M1J8	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, uzun plastik gövdeli, 2NC/1NO, M12 konnektörlü kablolu	169.30	EC002592	378256	4547648965583	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NSPM-21-05	Güvenlik temassız kapı switchi, RFID master kodlu, küçük plastik, 2NC+1NO, 5m kablo	170.10	EC002592	387919	4547648977302			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSPM-21-10	Non-contact door switch, RFID master coded, small plastic, 2NC+1NO, 10m cable	182.60	EC002592	387920	4547648977319			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSPM-21-M1J8	Non-contact door switch, small, RFID master code, M12 pigtail connector, 2NC+1NO contacts	178.90	EC002592	383763	4547648974042			FA	FAI	GBR	8536.5007.00
E3S-TGR-NSPU-21-05	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, küçük plastik, 2NC+1NO, 5m kablo	170.10	EC002592	387916	4547648977272	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NSPU-21-10	Non-contact door switch, RFID unique coded, small plastic, 2NC+1NO, 10m cable	182.60	EC002592	387917	4547648977289			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSPU-21-M1J8	Güvenlik temassız kapı switchi, RFID eşsiz kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	192.00	EC002592	387918	4547648977296	#		FA	FAI	GBR	8536.5005.00
Emniyet Temassız Switchleri											
E3S-TGR-NBPC-21-05	Güvenlik temassız kapı switchi, kodlu, silindirik plastik M30, 2NC+1NO, 5m kablo	123.20	EC002592	387870	4547648976817			FA	FAI	GBR	8536.5005.00
E3S-TGR-NBPC-21-M1J8	Non-contact door switch, coded, barrel plastic M30, 2NC+1NO, M12 connector pigtail	142.80	EC002592	387872	4547648976831			FA	FAI	GBR	8536.5005.00
E3S-TGR-NLMC-21-05	Güvenlik temassız kapı switchi, kodlu, uzun paslanmaz çelik, 2NC+1NO, 5m kablo	211.90	EC002592	387867	4547648976787			FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-21-10	Non-contact door switch, coded, elongated stainless steel, 2NC+1NO, 10m cable	220.00	EC002592	387868	4547648976794			FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-20-02	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC kontak	95.00	EC002592	231368	4536853906177			FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-20-05	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 5m, plastik, 2 NC kontak	97.90	EC002592	231369	4536853906184	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-20-10	Non-contact door switch, coded, elongated sensor 10m, plastic, 2 NC contacts	126.30	EC002592	231370	4536853906191			FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-20-M1J8	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli M12 konnektörlü, plastik, 2 NC kontak	120.20	EC002592	231371	4536853906160	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-21-02	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli 2m, plastik, 2 NC+1 NO kontak	103.60	EC002592	231372	4536853906214	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-21-05	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli plastik, 2 NC+1 NO, 5m kablo	106.40	EC002592	231373	4536853906221	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-21-10	Non-contact door switch, coded, elongated sensor, plastic, 2 NC+1 NO contacts, 10m cable	134.70	EC002592	231374	4536853906238	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NLPC-21-M1J8	Güvenlik temassız kapı switchi, kodlu, uzun gövdeli, plastik, 2 NC+1 NO kontak, M12 konnektörlü kablolu	138.10	EC002592	231375	4536853906207	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NMHC-21-05	Güvenlik temassız kapı switchi, kodlu, minyatür paslanmaz çelik hijyenik ortama uygun, 2NC+1NO, 5m kablo	194.50	EC002592	387858	4547648976695			FA	FAI	GBR	8536.5005.00
E3S-TGR-NMHC-21-M1J8	Non-contact door switch, coded, miniature stainless steel hygienic design, 2NC+1NO, M12 connector pigtail	238.50	EC002592	387860	4547648976718			FA	FAI	GBR	8536.5005.00
E3S-TGR-NMPC-20-02	Non-contact door switch, miniature, coded, 2m, plastic, 2 NC contacts	111.30	EC002592	252056	4547648861304			FA	FAI	GBR	8536.5005.00
E3S-TGR-NMPC-20-05	Güvenlik temassız kapı switchi, minyatür, kodlu, 5m plastik, 2 NC kontak	102.30	EC002592	252057	4547648861311			FA	FAI	GBR	8536.5005.00
E3S-TGR-NMPC-20-M1J8	Güvenlik temassız kapı switchi, minyatür, kodlu, M12 konnektörlü, plastik, 2 NC kontak	121.80	EC002592	252059	4547648861298	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NMPC-21-02	Güvenlik temassız kapı switchi, minyatür, kodlu, 2m, plastik, 2 NC+1 NO kontak	99.90	EC002592	252060	4547648861342			FA	FAI	GBR	8536.5005.00
E3S-TGR-NMPC-21-05	Güvenlik temassız kapı switchi, kodlu, minyatür plastik, 2NC+1NO, 5m kablo	118.80	EC002592	252061	4547648861359	#		FA	FAI	GBR	8536.5005.00
E3S-TGR-NMPC-21-10	Non-contact door switch, coded, miniature plastic, 2NC+1NO, 10m cable	138.20	EC002592	252062	4547648861366			FA	FAI	GBR	8536.5005.00
E3S-TGR-NMPC-21-M1J8	Güvenlik temassız kapı switchi, minyatür, kodlu, M12 konnektörlü, plastik, 2 NC+1 NO kontak	143.70	EC002592	252063	4547648861335			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSFC-21-05	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik çirçaya uygun, 2NC+1NO, 5m kablo	207.60	EC002592	387864	4547648976756			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSMC-20-05	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli 5m, paslanmaz çelik, 2 NC kontak	193.50	EC002592	231377	4536853906344			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSMC-20-M1J8	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli M12 konnektörlü, paslanmaz çelik, 2 NC kontak	231.80	EC002592	231379	4536853906320			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSMC-21-02	Güvenlik temassız kapı switchi, kodlu, küçük gövdeli 2m, paslanmaz çelik, 2 NC+1 NO kontak	197.80	EC002592	231380	4536853906375			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSMC-21-05	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, 5m kablo	210.60	EC002592	231381	4536853906382			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSMC-21-10	Non-contact door switch, coded, small stainless steel, 2NC+1NO, 10m cable	226.80	EC002592	231382	4536853906399			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSMC-21-M1J8	Güvenlik temassız kapı switchi, kodlu, küçük paslanmaz çelik, 2NC+1NO, M12 konnektörlü kablolu	236.10	EC002592	231383	4536853906368			FA	FAI	GBR	8536.5005.00
E3S-TGR-NSPC-21-05	Güvenlik temassız kapı switchi, kodlu, küçük plastik, 2NC+1NO, 5m kablo	107.20	EC002592	330850	4547648882897			FA	FAI	GBR	8536.5007.00
E3S-TGR-NSPC-21-10	Non-contact door switch, coded, small plastic, 2NC+1NO, 10m cable	134.20	EC002592	330851	4547648882903			FA	FAI	GBR	8536.5007.00
E3S-TGR-NSPC-21-M1J8	Güvenlik temassız kapı switchi, kodlu, küçük plastik, 2NC+1NO, M12 konnektörlü kablolu	145.00	EC002592	330852	4547648882910			FA	FAI	GBR	8536.5007.00
Emniyet Temassız Switchleri											
D40ML-M2-U-M12	RFID Magnetic Locking Safety Switch, Die-cast Metal, 900N, Unique Actuator Code, Pigtail w/M12 Connector	526.00	EC002593	669719	4548583967908			FA	FAI	GBR	8536.5007.00
D40ML-P2-B-5M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, 5m Cable	467.90	EC002593	669735	4548583968066			FA	FAI	GBR	8536.5007.00
D40ML-P2-B-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Basic Actuator Code, Pigtail w/M12 Connector	493.70	EC002593	669708	4548583967993	#		FA	FAI	GBR	8536.5007.00
D40ML-P2-U-10M	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, 10m Cable	486.10	EC002593	669722	4548583967939			FA	FAI	GBR	8536.5007.00
D40ML-P2-U-M12	RFID Magnetic Locking Safety Switch, Plastic, 900N, Unique Actuator Code, Pigtail w/M12 Connector	493.70	EC002593	669709	4548583967809	#		FA	FAI	GBR	8536.5007.00
D40ML-S1-U-M12	RFID Magnetic Locking Safety Switch, Stainless Steel, 950N, Unique Actuator Code, Pigtail w/M12 Connector	767.50	EC002593	669703	4548583967748			FA	FAI	GBR	8536.5007.00
D40ML-S2-B-10M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 10m Cable	641.00	EC002593	669698	4548583967694			FA	FAI	GBR	8536.5007.00
D40ML-S2-B-5M	RFID Magnetic Locking Safety Switch, Stainless Steel, 600N, Basic Actuator Code, 5m Cable	623.00	EC002593	669713	4548583967847			FA	FAI	GBR	8536.5007.00
Emniyet Temassız Switchleri											
D40ML-CB-M12-10M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 10 Meter Length	72.45	EC001855	670948	4548583973756			FA	FAI	GBR	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D40ML-CBL-M12-5M	Quick Disconnect Cable, 8-pin M12 to Flying Leads, PVC Jacket, 5 Meter Length	60.25	EC001855	670947	4548583973749			FA	FAI	GBR	8544.4290.90
F39-TGR-NLPC-A	Spare actuator for Coded type, Plastic, Flanged	29.37	EC001487	234166	4536853907402			FA	FAI	GBR	8536.5007.00
F39-TGR-NMPC-A	Accessory F35-TGR-NMPC_actuator	31.51	EC001487	252064	4547648861458			FA	FAI	GBR	8536.5005.00
F39-TGR-NMR-SPACER	Accessory F35-TGR-NMR_spacer	11.25	EC002594	387948	4547648977593			FA	FAI	GBR	8536.5005.00
F39-TGR-N-SCREWS	Safety Torx screws set, M4, 4x30mm+4x20mm+4x10mm, incl. Washers and Torx bit	10.18	EC002594	387947	4547648977586		20	FA	FAI	GBR	8536.5005.00
Emniyet DeviceNet Komponenti											
NE1A-SCPJ01-V1-VER2.0	Safety network controller, 16x PNP inputs, 8x PNP outputs, 4x test outputs	2,523.00	EC001449	231688	4547648303385			FA	FAJ	JPN	8471.4100.00
NE1A-SCPJ02-VER2.0	Safety network controller, 40x PNP inputs, 8x PNP outputs, 8x test outputs	4,437.00	EC001449	231689	4547648303392			FA	FAJ	JPN	8471.4100.00
NE1A-SCPJ02-EIP-VER1.0	Safety network controller, 40x PNP inputs, 8x PNP outputs, 8x test outputs, IP	5,700.00	EC001449	113544	4547648695121			FA	FAJ	JPN	8471.4100.00
Emniyet DeviceNet Komponenti											
DST1-IDI2SI-1	Remote I/O terminal, 12 x PNP inputs, 4 x test outputs	1,025.00	EC001449	353672	4547648836821			FA	FAJ	CHN	8536.4900.99
Emniyet DeviceNet Komponenti											
DST1-MD16SL-1	Remote I/O terminal, 8 x PNP inputs, 8 x PNP outputs, 4 x test outputs	1,185.00	EC001449	353673	4547648836838			FA	FAJ	CHN	8536.4900.99
Emniyet DeviceNet Komponenti											
WS02-CFSC1-EV3	Güvenlik aq konfigüratörü, PC yazılımı	685.00	EC000809	354910	4548583052260			FA	FAJ	JPN	8523.8090.00
Emniyet DeviceNet Komponenti											
GSID1224	Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses)	1,153.00	EC001599	684979	4549734420525			FA	FAJ	CHN	8471.6070.00
Emniyet DeviceNet Komponenti											
GSMD1624	Safety Remote I/O Terminal (CIP-S) with 2 port switching hub and 12 PNP S-Digital Inputs (12 Test Pulses) / 4 PNP S-Digital Output	1,232.00	EC001599	684978	4549734420501			FA	FAJ	CHN	8471.6070.00
Emniyet Limit Switchi D4B											
D4B-2111N	Limit switch, roller lever, 17.5mm dia, SPDB NO/NC, snap action, 10 A	39.44	EC000030	134568	4536853207151	#		FA	FAK	CHN	8536.5007.00
D4B-2115N	Limit switch, roller lever, SPDR NO/NC, snap action, 10 A, G1/2 conduit	52.50	EC000030	104521	4536853205379			FA	FAK	JPN	8536.5007.00
D4B-2116N	Limit switch, adjustable roller lever, SPDR NO/NC, snap action, 10 A	52.25	EC000030	134571	4536853207182	#		FA	FAK	CHN	8536.5007.00
D4B-2121N	Limit switch, roller plunger, SPDR NO/NC, snap action, 10 A	36.31	EC000030	149173	4536853207229			FA	FAK	CHN	8536.5007.00
D4B-2A11N	Limit switch, roller lever, DPDB 2-NC, slow action, 10 A	61.15	EC000030	134688	4536853205584			FA	FAK	JPN	8536.5007.00
D4B-2A71N	Safety Limit switch, G1/2 conduit, DPDB 2-NC (slow-action), top roller plunger	66.60	EC000030	224504	4536853205645			FA	FAK	JPN	8536.5007.00
D4B-4111N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (plastik)	40.39	EC000030	373424	4548583369528	#	10	FA	FAK	CHN	8536.5007.00
D4B-4113N	Limit switch, SPDB NO/NC, snap action, 10 A	67.55	EC000030	251100	4547648598989			FA	FAK	JPN	8536.5007.00
D4B-4115N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), makaralı kol (paslanmaz çelik)	54.90	EC000030	370630	4547648740999			FA	FAK	JPN	8536.5007.00
D4B-4116N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir makaralı kol	42.92	EC000030	373425	4548583369481	#	10	FA	FAK	CHN	8536.5007.00
D4B-4117N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), ayarlanabilir cubuk kol	47.43	EC000030	373233	4548583369498	#	10	FA	FAK	CHN	8536.5007.00
D4B-4170N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı	41.15	EC000030	373246	4548583369504	#		FA	FAK	CHN	8536.5007.00
D4B-4171N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (hızlı kapama), üstten basmalı makaralı	41.90	EC000030	373234	4548583369511	#		FA	FAK	CHN	8536.5007.00
D4B-4511N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), makaralı kol (plastik)	46.48	EC000030	134607	4536854776601			FA	FAK	JPN	8536.5007.00
D4B-4515N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), makaralı kol (paslanmaz çelik)	52.70	EC000030	373626	4547648811835			FA	FAK	JPN	8536.5007.00
D4B-4516N	Safety Limit switch, D4B, M20, 1NC/1NO (slow-action), adjustable roller lever	52.85	EC000030	158135	4536854776618			FA	FAK	JPN	8536.5007.00
D4B-4571N	Güvenlik limit switchi, D4B, M20, 1NC/1NO (yavaş kapama), üstten basmalı makaralı	52.55	EC000030	134609	4536854776632		10	FA	FAK	JPN	8536.5007.00
D4B-4A11N	Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), makaralı kol (plastik)	54.80	EC000030	103702	4536854776649			FA	FAK	JPN	8536.5007.00
D4B-4A16N	Safety Limit switch, D4B, M20, DPDB 2-NC (slow-action), adjustable roller lever	65.35	EC000030	134610	4536854776656			FA	FAK	JPN	8536.5007.00
D4B-4A17N	Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), ayarlanabilir cubuk kol	59.60	EC000030	134613	4536854790966			FA	FAK	JPN	8536.5007.00
D4B-4A70N	Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı	54.90	EC000030	153605	4536854776663			FA	FAK	JPN	8536.5007.00
D4B-4A71N	Güvenlik limit switchi, D4B, M20, DPDB 2-NC (yavaş kapama), üstten basmalı makaralı	58.00	EC000030	134611	4536854776670			FA	FAK	JPN	8536.5007.00
Emniyet Bölgesi											
OS32C-BP-VER2 @ OFE	Güvenlik lazer tarayıcı, Güvenlik mesafesi 3m yan çapı, uyarı bölgesi 10m yan çaplı, Pl d & Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış	5,210.00	EC002550	674732	4548583061118			FA	FAO	USA	8536.5019.90
OS32C-BP-DM	Güvenlik lazer tarayıcı, ölçüm and EtherNet/IP, Güvenlik yan çapı 3m, uyarı bölgesi 10m, Pl d & Kat 3 (ISO 13849-1), Ethernet, 24VDC, arkadan kablo çıkış	5,735.00	EC002550	674735	4548583409217			FA	FAO	USA	8536.5019.90
OS32C-SN-VER2	Accessory safety laser scanner, spare for replacement, sensor block without I/O block, Ver2	4,233.00	EC002550	674727	4548583061132			FA	FAO	USA	8536.5019.90
OS32C-SN-DM	Safety laser scanner with measurement data, replacement sensor block	3,747.00	EC002550	674724	4548583409231	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-VER2	Güvenlik lazer tarayıcı, Güvenlik yan çapı 3m, uyarı bölgesi 10m, Pl d & Kat 3 (ISO 13849-1), Ethernet, 24VDC, vandan kablo çıkış	5,210.00	EC002550	674725	4548583061125	#		FA	FAO	USA	8536.5019.90
OS32C-SP1-DM	Güvenlik lazer tarayıcı, ölçüm and EtherNet/IP, Güvenlik yan çapı 3m, uyarı bölgesi 10m, Pl d & Kat 3 (ISO 13849-1), Ethernet, 24VDC, vandan kablo çıkış	5,735.00	EC002550	674734	4548583409224	#		FA	FAO	USA	8536.5019.90
Emniyet Bölgesi											
OS32C-BP-4M	Güvenlik lazer tarayıcı, Güvenlik yan çapı 4m, uyarı bölgesi 15m, Pl d & Kat 3, 24VDC, arkadan kablo çıkış	6,320.00	EC002550	674731	4548583522183			FA	FAO	USA	8536.5019.90
OS32C-BP-DM-4M	Güvenlik lazer tarayıcı, ölçüm verisi, Güvenlik yan çapı 4m, uyarı bölgesi 10m, Pl d & Kat 3, Ethernet/IP, 24VDC, arkadan kablo çıkış	9,965.00	EC002550	674726	4548583522213			FA	FAO	USA	8536.5019.90
OS32C-SN-4M	Safety laser scanner, safety radius 4m, warning zone 15m, replacement sensor block	4,720.00	EC002550	674730	4548583522190			FA	FAO	USA	8536.5019.90
OS32C-SP1-4M	Güvenlik lazer tarayıcı, Güvenlik yan çapı 4m, uyarı bölgesi 15m, Pl d & Kat 3, 24VDC, vandan kablo çıkış	6,320.00	EC002550	674729	4548583522176			FA	FAO	USA	8536.5019.90
OS32C-SP1-DM-4M	Güvenlik lazer tarayıcı ölçüm verisi ile, Güvenlik yan çapı 4m, uyarı bölgesi 10m, Pl d & Kat 3, Ethernet/IP, 24VDC, vandan kablo çıkış	9,965.00	EC002550	674733	4548583522206			FA	FAO	USA	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Emniyet Bölgesi											
OS32C-BKT1	Alt/kenar montaj braketi + ünite montaj vidalı	127.90	EC003015	349185	4547648823531	#		FA	FAO	USA	8541.4900.00
OS32C-BKT2	Montaj kiti, XY döner montaj, OS32C-BKT1 ile birlikte kullanılmıdır.	140.60	EC003015	349186	4547648823548			FA	FAO	USA	8541.4900.00
OS32C-BKT3	Basit montaj braketi x 2 + montaj vidası	87.15	EC003015	349187	4547648823555			FA	FAO	USA	8541.4900.00
OS32C-BKT4	Güvenlik lazer tarayıcı koruyucu (ekran için)	90.25	EC003015	349188	4547648823562			FA	FAO	USA	8541.4900.00
Emniyet Bölgesi											
OS32C-CBL-03M	Güvenlik lazer tarayıcı güç and I/O kablosu, 3m	141.20	EC001855	349178	4547648823463	#		FA	FAO	MYS	8541.4900.00
OS32C-CBL-10M	Güvenlik lazer tarayıcı güç and I/O kablosu, 10m	187.90	EC001855	349179	4547648823470	#		FA	FAO	MYS	8541.4900.00
OS32C-CBL-20M	Güvenlik lazer tarayıcı güç and I/O kablosu, 20m	275.60	EC001855	349180	4547648823487			FA	FAO	MYS	8541.4900.00
OS32C-ECBL-02M	Ethernet kablosu, konfigürasyon için, 2M	213.70	EC002599	349182	4547648823500			FA	FAO	JPN	8541.4900.00
OS32C-ECBL-05M	Ethernet kablosu, konfigürasyon için, 5M	274.30	EC002599	349183	4547648823517			FA	FAO	JPN	8541.4900.00
OS32C-ECBL-15M	Ethernet cable, for configuration and monitoring, 15M	415.70	EC002599	349184	4547648823524			FA	FAO	JPN	8541.4900.00
Emniyet Bölgesi											
OS32C-CBSP1	Accessory safety laser scanner, spare for replacement, I/O block with cable access from left side	1,079.00	EC003015	349177	4547648823456			FA	FAO	USA	8541.4900.00
OS32C-WIN-KT	Accessory safety laser scanner, spare for replacement, Scan window	163.90	EC003015	349191	4547648823593	#		FA	FAO	USA	8541.4900.00
WIN-CLN-KT	Güvenlik lazer tarayıcı aksesuarı, temizleme kiti	90.25	EC003015	359022	4548583130548			FA	FAO	USA	8541.4900.00
Emniyet Bölgesi											
UMAL	Alüminyum köşe rampası, 2.44m	203.10	EC002888	363812	4547648535298			FA	FAO	USA	8536.5007.00
UMIC	Molded inside corner	69.70	EC002888	363814	4547648579261			FA	FAO	USA	8536.5007.00
UMJ4	Emniyet hasırı, birleştirici döşeme, 1.22 m	250.50	EC002888	679544	4547648535267			FA	FAO	USA	8536.5007.00
Emniyet Controlcüsü											
G9SP-N10D	G9SP Bağımsız Güvenlik kontrolörü, 10 Güvenlik girişi, 16 Güvenlik çıkışı, 6 test çıkışı, PNP	870.00	EC001449	342714	4547648830263			FA	FAP	CHN	8471.4100.00
G9SP-N10S	G9SP Bağımsız Güvenlik kontrolörü, 10 Güvenlik girişi, 4 Güvenlik çıkışı, 4 test çıkışı, 4 standart çıkışı, PNP	718.50	EC001449	342713	4547648830256			FA	FAP	CHN	8471.4100.00
G9SP-N20S	G9SP Bağımsız Güvenlik kontrolörü, 20 Güvenlik girişi, 8 Güvenlik çıkışı, 6 test çıkışı, PNP	751.00	EC001449	342715	4547648830270	#		FA	FAP	CHN	8471.4100.00
Emniyet Controlcüsü											
W502-G9SP01-V2	G9SP konfigüratörü, 1 lisans, WIN-2000/XP/Vista	519.50	EC000809	393620	4548583546318			FA	FAP	JPN	8471.4100.00
Emniyet Komponentleri											
E3ZS-181A	Photoelectric sensor	270.00	EC002716	323229	4547648674355	#		FA	FAX	CHN	8541.4900.00
Emniyet Komponentleri											
A4EG-OP2	Mounting bracket for securing the A4EG	74.75	EC002886	247808	4547648477062			FA	FAX	JPN	8536.5015.90
A4EG-OP3	A4EG Holding Key	63.55	EC002886	247809	4547648477079			FA	FAX	JPN	8536.5015.90
Emniyet Komponentleri											
D48S-15FS	Safety-door switch, D48S, PG13.5 (1 conduit), 1NC/1NO (slow-action)	49.00	EC002592	134578	4536853207366		10	FA	FAX	JPN	8536.5015.90
D48S-1AFS	Safety-door switch, D48S, PG13.5 (1 conduit), 2NC (slow-action)	52.40	EC002592	134589	4536853207564		2	FA	FAX	JPN	8536.5015.90
D48S-25FS	Limit switch	49.83	EC002592	134579	4536853207373			FA	FAX	JPN	8536.5015.90
D48S-2AFS	Safety interlock switch, DPDR 2-NC-10 A	62.55	EC002592	134590	4536853207571			FA	FAX	JPN	8536.5015.90
D48S-4FS	Metal Güvenlik Limit switchi, D48S, M20 (1 kablo yuvası), 1NC/1NO (yavaş kapama)	51.60	EC002592	147019	4536854776724			FA	FAX	JPN	8536.5015.90
D48S-4AFS	Metal Güvenlik Limit switchi, D48S, M20 (1 kablo yuvası), 2NC (yavaş kapama)	55.05	EC002592	148098	4536854776731			FA	FAX	JPN	8536.5015.90
D4GS-N1R	Safety door switch, IP67, 1NC/1NO (slow-action), horizontal key insertion, 1m cable	73.75	EC002592	133907	4536854687976			FA	FAX	JPN	8536.5015.90
D4GS-N2B	Safety door switch, IP67, 2NC (slow-action), horizontal key insertion, 1m cable	75.90	EC002592	133910	4536854688034			FA	FAX	JPN	8536.5015.90
D4GS-N3B	Safety door switch, IP67, 2NC/1NO (slow-action), horizontal key insertion, 1m cable	81.95	EC002592	133916	4536854688171			FA	FAX	JPN	8536.5015.90
F3S-TGR-KM15-21	Safety key switch, plastic body with stainless steel head, M20, 2NC/1NO	77.50	EC002592	419032	4547648999779			FA	FAX	GBR	8536.5005.00
Emniyet Komponentleri											
D41G-1YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	962.50	EC002593	201145	4549734703079			FA	FAX	DEU	8536.5019.90
D41G-1YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection	837.00	EC002593	201146	4549734703062			FA	FAX	DEU	8536.5019.90
D41G-2YDA-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	938.50	EC002593	201143	4549734703109			FA	FAX	DEU	8536.5019.90
D41G-2YDA-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Screw connection, re-teaching enabled	814.00	EC002593	201144	4549734703086			FA	FAX	DEU	8536.5019.90
D41G-2YDG-N2	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	938.50	EC002593	201142	4549734703116			FA	FAX	DEU	8536.5019.90
D41G-2YDG-T1	Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Screw connection, re-teaching enabled	814.00	EC002593	201116	4549734703093			FA	FAX	DEU	8536.5019.90
D41G-2ZDA-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Screw connection	814.00	EC002593	201149	4549734703031			FA	FAX	DEU	8536.5019.90
D41G-2ZDG-N2	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	938.50	EC002593	201147	4549734703055			FA	FAX	DEU	8536.5019.90
D41G-2ZDG-T1	Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Screw connection	814.00	EC002593	201148	4549734703048			FA	FAX	DEU	8536.5019.90
D41L-1YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	780.50	EC002593	201132	4549734703277			FA	FAX	DEU	8536.5019.90
D41L-1YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	780.50	EC002593	201131	4549734703284			FA	FAX	DEU	8536.5019.90
D41L-1ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole	780.50	EC002593	201137	4549734703222			FA	FAX	DEU	8536.5019.90
D41L-1ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole	780.50	EC002593	201136	4549734703239			FA	FAX	DEU	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
D41L-2YDAE-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	872.50	EC002593	201128	4549734703314			FA	FAX	DEU	8536.5019.90
D41L-2YDA-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	756.00	EC002593	201130	4549734703291			FA	FAX	DEU	8536.5019.90
D41L-2YDG-N2	Hygienic Guard locking Switch, RFID High-coded, Solenoid monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	756.00	EC002593	201129	4549734703307			FA	FAX	DEU	8536.5019.90
D41L-2ZDA-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to unlock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	756.00	EC002593	201135	4549734703246			FA	FAX	DEU	8536.5019.90
D41L-2ZDGE-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled, Emergency exit	872.50	EC002593	201133	4549734703260			FA	FAX	DEU	8536.5019.90
D41L-2ZDG-N2	Hygienic Guard locking Switch, RFID High-coded, Actuator monitoring, Power to lock, PNP, Test Pulse, Connector plug M12, 8-pole, re-teaching enabled	756.00	EC002593	201134	4549734703253			FA	FAX	DEU	8536.5019.90
D48L-1CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	342.80	EC002593	134702	4536853204372			FA	FAX	JPN	8536.5015.90
D48L-1CRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 1NC/1NO+1NC, 10 A	412.50	EC002593	158134	4536853204365			FA	FAX	JPN	8536.5015.90
D48L-1DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2 NC/1 NO+1 NC, 10 A	459.70	EC002593	134710	4536853204525			FA	FAX	JPN	8536.5015.90
D48L-2CRA	Safety door-lock switch, mechanical lock, 24 VDC, 1NC+1NC/1NO+1NC, 10 A	337.80	EC002593	134708	4536853204433	#		FA	FAX	JPN	8536.5015.90
D48L-2DRA	Safety door-lock switch, mechanical lock, 24 VDC, 2NC/1NO+1NC, 10 A	397.10	EC002593	134711	4536853204556	#		FA	FAX	JPN	8536.5015.90
D48L-2DRG	Limit switch	368.80	EC002593	134724	4536854404221	#		FA	FAX	JPN	8536.5015.90
D48L-4DRA-A	Safety door-lock switch, mechanical lock, 24 VDC, 2NC + 1NC, 10 A	374.70	EC002593	147015	4536854776526	#		FA	FAX	JPN	8536.5015.90
F3S-TGR-KHL1	Safety interlock key switch, stainless steel housing, 1600N holding force, M20, 2NC/2NO	515.00	EC002593	419040	4547648999854			FA	FAX	GBR	8536.5005.00
F3S-TGR-KHL3	Safety interlock key switch, hygienic stainless steel housing, 2000N holding force, M20, 2NC/2NO	586.50	EC002593	419041	4547648999861			FA	FAX	GBR	8536.5005.00
F3S-TGR-KHL3R	Safety interlock key switch, hygienic stainless steel housing with manual release button, 2000N holding force, M20, 2NC/2NO	791.50	EC002593	419042	4547648999878			FA	FAX	GBR	8536.5005.00
Emniyet Komponentleri											
D40Z-1C2	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G95X-NS or G95P controller for Category 4/Plc, 2M	263.00	EC002592	356424	4547648833752			FA	FAX	CHN	8536.5015.90
D40Z-1C5	Non-contact door switch, compact sensor, LED indicator, 1NO aux, requires G95X-NS or G95P controller for Category 4/Plc, 5M	276.00	EC002592	356425	4547648833677			FA	FAX	CHN	8536.5015.90
D40Z-1C5-S	Safety non-contact door switch, Cat 4/Plc, 5m cable, switch only	228.60	EC002592	356440	4547648833707			FA	FAX	CHN	8536.5015.90
D40Z-1C-A	Safety non-contact door switch, Cat 4/Plc, actuator only	103.80	EC001487	356438	4547648833684			FA	FAX	CHN	8536.5015.90
D41D-1CD-N1	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Connector plug M8	252.30	EC002592	201115	4549734702935			FA	FAX	DEU	8536.5019.90
D41D-2CD-025N2	Non-contact Interlock Switch, RFID High-coded, PNP, Test Pulse, Pigtail with M12 connector 8-pole	278.90	EC002592	201114	4549734702942			FA	FAX	DEU	8536.5019.90
Emniyet Komponentleri											
D40A-1C015-E	Non-contact door switches, Pigtail with M12 connector 4-pole	149.30	EC002592	355125	4547648839068			FA	FAX	CHN	8536.5015.90
D40A-1C2	Non-contact door switches, 2m cable	156.00	EC002592	353674	4547648839044			FA	FAX	CHN	8536.5015.90
D40A-1C5	Non-contact door switches, 5m cable	149.60	EC002592	353675	4547648839051			FA	FAX	CHN	8536.5015.90
Emniyet Komponentleri											
D41D-8P5-CFM8-702M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 2 m	45.52	EC001855	201299	4549734703000			FA	FAX	DEU	8536.5019.90
D41D-8P5-CFM8-705M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 5 m	61.55	EC001855	201298	4549734703017			FA	FAX	DEU	8536.5019.90
D41D-8P5-CFM8-710M	Female cable connector for D41D, straight, screw type M8, 8 poles, PUR, cable length 10 m	86.15	EC001855	201297	4549734703024			FA	FAX	DEU	8536.5019.90
D41D-A1	Actuator for D41D, actuation from side, 2 x M4 screw, 39 x 29.5 x 18 mm	30.76	EC001487	201127	4549734702959			FA	FAX	DEU	8536.5019.90
D41D-A2	Actuator for D41D, frontal actuation, 2 x M5 screw, 60 x 16 x 6.8 mm	30.76	EC001487	201152	4549734702966			FA	FAX	DEU	8536.5019.90
D41D-A3	Actuator for D41D, frontal actuation, 1 x M3 screw, 23 x 9 x 7 mm	30.76	EC001487	201151	4549734702973			FA	FAX	DEU	8536.5019.90
D41D-MS	Mounting Kit for D41D, 2 mounting plates and 4 ferrule plugs	28.30	EC002594	201150	4549734702997			FA	FAX	DEU	8536.5019.90
D41D-SK	Sealing Kit for D41D, 4 flat plugs and 4 plugs with rim for high screw head	9.85	EC002594	201126	4549734702980			FA	FAX	DEU	8536.5019.90
D41G-A1L	Actuator for D41G, compact, left-hand side, without emergency exit	196.90	EC001487	201141	4549734703123			FA	FAX	DEU	8536.5019.90
D41G-A1L-F0	Actuator for D41G, compact, left-hand side, with emergency exit	272.00	EC001487	201140	4549734703130			FA	FAX	DEU	8536.5019.90
D41G-A1R	Actuator for D41G, compact, right-hand side, without emergency exit	196.90	EC001487	201139	4549734703147			FA	FAX	DEU	8536.5019.90
D41G-A1R-F0	Actuator for D41G, compact, right-hand side, with emergency exit	272.00	EC001487	201138	4549734703154			FA	FAX	DEU	8536.5019.90
D41G-A2L	Actuator for D41G, with door handle, left-hand side, without emergency exit	301.60	EC001487	201120	4549734703161			FA	FAX	DEU	8536.5019.90
D41G-A2L-F1	Actuator for D41G, with door handle, left-hand side, with emergency exit	450.30	EC001487	201121	4549734703178			FA	FAX	DEU	8536.5019.90
D41G-A2L-F1T	Actuator for D41G, with door handle, left-hand side, with emergency exit, with lockout tag	539.00	EC001487	201122	4549734703185			FA	FAX	DEU	8536.5019.90
D41G-A2R	Actuator for D41G, with door handle, right-hand side, without emergency exit	301.60	EC001487	201123	4549734703192			FA	FAX	DEU	8536.5019.90
D41G-A2R-F1	Actuator for D41G, with door handle, right-hand side, with emergency exit	450.30	EC001487	201124	4549734703208			FA	FAX	DEU	8536.5019.90
D41G-A2R-F1T	Actuator for D41G, with door handle, right-hand side, with emergency exit, with lockout tag	539.00	EC001487	201125	4549734703215			FA	FAX	DEU	8536.5019.90
D41L-8P5-CFM12-905M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 5 m	79.65	EC001855	201296	4549734703352			FA	FAX	DEU	8536.5019.90
D41L-8P5-CFM12-910M	Female cable connector for D41L, straight, screw type M12, 8 poles, PUR, cable length 10 m	119.50	EC001855	201295	4549734703369			FA	FAX	DEU	8536.5019.90
D41L-A1	Actuator for D41L, straight, 127 x 35 x 46 mm	105.90	EC001487	201119	4549734703321			FA	FAX	DEU	8536.5019.90
D41L-MP	Mounting plate for D41L, Plastic, 101 x 40 x 18.5 mm	25.84	EC002594	201118	4549734703338			FA	FAX	DEU	8536.5019.90
D41L-MS	Mounting Kit for D41L, 1 x Aluminium protective plate, 2x Aluminium threaded head Ø 20 mm with M6 thread, 2x Rubber discs	30.76	EC002594	201117	4549734703345			FA	FAX	DEU	8536.5019.90
Emniyet Komponentleri											
A4E-B200VA	Enabling switch, two outputs, vertical mounting, with rubber seal	74.45	EC002571	140171	4536854780356			FA	FAX	JPN	8536.5080.90
A4E-C211VA	Enabling switch, four contacts, vertical mounting, with rubber seal	94.35	EC002571	150156	4536854780363		10	FA	FAX	JPN	8536.5080.90
A4EG-BF2B041	Acil durdurma switchi, aktiflestirme el switchi, Acil durdurma switchi (2NC)	417.90	EC002571	674137	4548583869417			FA	FAX	JPN	8536.5015.90
A4EG-BM2B041	Acil durdurma switchi, aktiflestirme el switchi, anlik durum switchi (2NO)	431.70	EC002571	247806	4547648521642	#		FA	FAX	JPN	8536.5015.90
A4EG-C00041	Acil durdurma switchi, aktiflestirme el switchi, 1 NC (kavrama cikisi)	339.70	EC002571	247804	4547648477031	#		FA	FAX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Emniyet Komponentleri											
MTKCA-0500-0250	Döşenmiş dış köşeler ve döşeme boyutlarına uygun Döşeme setleri 500 * 250	225.00	EC002888	679658	4549734114066			FA	FAX	USA	9031.4990.00
MTKCA-0500-0400	500 x 400 mm mat boyutlarına sığan kalıplanmış dış köşeler ve döşeme seti	321.10	EC002888	680039	4549734114080			FA	FAX	USA	9031.4990.00
MTKCA-0500-1500	Set of molded outside corners and Trims that fit the mat dimensions 500*1500	550.00	EC002888	677812	4549734114110			FA	FAX	USA	9031.4990.00
MTKCA-0600-0400	Döşenmiş dış köşeler ve döşeme setleri, mat boyutlarına 600 x 400 mm sığan set	370.50	EC002888	680043	4549734114165			FA	FAX	USA	9031.4990.00
MTKCA-0750-0250	Döşenmiş dış köşe takımları ve döşeme boyutlarına 750 x 250 sığan Döşeme takımı seti	345.80	EC002888	679437	4549734114233			FA	FAX	USA	9031.4990.00
MTKCA-0750-0500	Döşenmiş dış köşeler ve döşeme boyutlarına 750 x 500 sığan Döşeme takımı seti	377.80	EC002888	679571	4549734114264			FA	FAX	USA	9031.4990.00
MTKCA-0750-0750	750 x 750 mm mat boyutlarına uygun kalıplanmış dış köşeler ve döşeme takımları	486.00	EC002888	680181	4549734114288			FA	FAX	USA	9031.4990.00
MTKCA-0750-1500	Döşenmiş dış köşe takımları ve döşeme boyutlarına 750 x 1500 mm sığan Döşeme takımları	473.60	EC002888	679543	4549734114301			FA	FAX	USA	9031.4990.00
MTKCA-1000-0500	Set of molded outside corners and Trims that fit the mat dimensions 1000*500	434.50	EC002888	678235	4549734114592			FA	FAX	USA	9031.4990.00
MTKCA-1000-0750	Döşenmiş dış köşeler ve döşeme boyutlarına 1000 x 750 sığan Döşeme takımı seti	451.80	EC002888	679618	4549734114615			FA	FAX	USA	9031.4990.00
MTKCA-1000-1250	Döşenmiş dış köşeler ve mat boyutlarına sığan Döşeme setleri 1000 * 1250 mm	480.90	EC002888	679540	4549734114653			FA	FAX	USA	9031.4990.00
UMMA-0300-0300-1	Safety mat black with 1-cable, 300 x 300 mm dimension	268.80	EC002887	678348	4549734115131			FA	FAX	USA	9031.4990.00
UMMA-0300-0300-2	Safety mat black with 2-cable, 300 x 300 mm dimension	268.80	EC002887	679690	4549734116152			FA	FAX	USA	9031.4990.00
UMMA-0500-0250-1	Emniyet paspası, siyah, 1 kablo, 500 x 250 mm boyut	222.20	EC002887	679659	4549734115254			FA	FAX	USA	9031.4990.00
UMMA-0500-0250-2	Emniyet paspası, siyah, 2 kablolu, 500 x 250 mm boyut	240.70	EC002887	679657	4549734116275			FA	FAX	USA	9031.4990.00
UMMA-0500-0400-1	Emniyet paspası, siyah, 1 kablo, 500 x 400 mm boyut	361.40	EC002887	680041	4549734115278			FA	FAX	USA	9031.4990.00
UMMA-0500-0400-2	Emniyet paspası, siyah, 2 kablolu, 500 x 400 mm boyut	361.40	EC002887	680046	4549734116299			FA	FAX	USA	9031.4990.00
UMMA-0500-0500-1	Safety mat black with 1-cable, 500 x 500 mm dimension	396.00	EC002887	680119	4549734115285			FA	FAX	USA	9031.4990.00
UMMA-0500-0500-2	Safety mat black with 2-cable, 500 x 500 mm dimension	396.00	EC002887	678238	4549734116305			FA	FAX	USA	9031.4990.00
UMMA-0500-1500-1	Safety mat black with 1-cable, 500 x 1500 mm dimension	783.00	EC002887	680366	4549734115308	#		FA	FAX	USA	9031.4990.00
UMMA-0500-1500-2	Safety mat black with 2-cable, 500 x 1500 mm dimension	783.00	EC002887	678239	4549734116329			FA	FAX	USA	9031.4990.00
UMMA-0600-0400-1	Emniyet paspası, siyah, 1 kablo, 600 x 400 mm boyut	376.20	EC002887	680042	4549734115353			FA	FAX	USA	9031.4990.00
UMMA-0600-0400-2	Emniyet paspası, siyah, 2 kablolu, 600 x 400 mm boyut	376.20	EC002887	680040	4549734116374			FA	FAX	USA	9031.4990.00
UMMA-0750-0250-1	Emniyet paspası, siyah, 1 kablo, 750 x 250 mm boyut	345.80	EC002887	679435	4549734115421			FA	FAX	USA	9031.4990.00
UMMA-0750-0500-1	Emniyet paspası, siyah, 1 kablo, 750 x 500 mm boyut	480.90	EC002887	679570	4549734115452			FA	FAX	USA	9031.4990.00
UMMA-0750-0750-1	Emniyet paspası, siyah, 1 kablo, 750 x 750 mm boyut	715.00	EC002887	680179	4549734115476			FA	FAX	USA	9031.4990.00
UMMA-0750-0750-2	Emniyet paspası, siyah, 2 kablolu, 750 x 750 mm boyut	715.00	EC002887	680182	4549734116497			FA	FAX	USA	9031.4990.00
UMMA-1000-0500-2	Safety mat black with 2-cable, 1000 x 500 mm dimension	577.00	EC002887	678240	4549734116800			FA	FAX	USA	9031.4990.00
UMMA-1000-0750-1	Emniyet paspası, siyah, 1 kablo, 1000 x 750 mm boyut	773.50	EC002887	679812	4549734115803	#		FA	FAX	USA	9031.4990.00
UMMA-1000-0750-2	Emniyet paspası, siyah, 2 kablolu, 1000 x 750 mm boyut	773.50	EC002887	679819	4549734116824			FA	FAX	USA	9031.4990.00
UMMA-1000-1000-1	Safety mat black with 1-cable, 1000 x 1000 mm dimension	909.50	EC002887	680368	4549734115834			FA	FAX	USA	9031.4990.00
UMMA-1000-1000-2	Safety mat black with 2-cable, 1000 x 1000 mm dimension	782.50	EC002887	678241	4549734116855			FA	FAX	USA	9031.4990.00
UMMA-1000-1250-1	Emniyet paspası, siyah, 1 kablo, 1000 x 1250 mm boyut	997.50	EC002887	679486	4549734115841			FA	FAX	USA	9031.4990.00
UMMA-1000-1500-1	Safety mat black with 1-cable, 1000 x 1500 mm dimension	1,135.00	EC002887	678350	4549734115858	#		FA	FAX	USA	9031.4990.00
UMMA-1000-1500-2	Safety mat black with 2-cable, 1000 x 1500 mm dimension	1,135.00	EC002887	678351	4549734116879			FA	FAX	USA	9031.4990.00
UMMYA-0500-0400-1	Emniyet paspası, sarı, 1 kablo, 500 x 400 mm boyut	396.00	EC002887	680044	4549734117319			FA	FAX	USA	9031.4990.00
UMMYA-0500-0400-2	Emniyet paspası, sarı, 2 kablolu, 500 x 400 mm boyut	396.00	EC002887	680038	4549734118330			FA	FAX	USA	9031.4990.00
UMMYA-0500-1500-1	Safety mat yellow with 1-cable, 500 x 1500 mm dimension	822.00	EC002887	677813	4549734117340			FA	FAX	USA	9031.4990.00
UMMYA-0600-0400-1	Emniyet paspası, sarı, 1 kablo, 600 x 400 mm boyut	394.90	EC002887	680045	4549734117395			FA	FAX	USA	9031.4990.00
UMMYA-0600-0400-2	Emniyet paspası, sarı, 2 kablo, 600 x 400 mm boyut	394.90	EC002887	680047	4549734118415			FA	FAX	USA	9031.4990.00
UMMYA-0750-0750-2	Emniyet paspası, sarı, 2 kablo, 750 x 750 mm boyut	760.00	EC002887	680180	4549734118538			FA	FAX	USA	9031.4990.00
UMMYA-0750-1500-1	Emniyet paspası, sarı, 1 kablo, 750 x 1500 mm boyut	926.50	EC002887	679542	4549734117531			FA	FAX	USA	9031.4990.00
UMMYA-1000-0750-1	Emniyet paspası, sarı, 1 kablo, 1000 x 750 mm boyut	811.00	EC002887	679816	4549734117845			FA	FAX	USA	9031.4990.00
UMMYA-1000-0750-2	Emniyet paspası, sarı, 2 kablo, 1000 x 750 mm boyut	811.00	EC002887	679815	4549734118866			FA	FAX	USA	9031.4990.00
UMMYA-1000-1000-1	Emniyet paspası, sarı, 1 kablo, 1000 x 1000 mm boyut	839.50	EC002887	679539	4549734117876			FA	FAX	USA	9031.4990.00
UMMYA-1000-1500-1	Emniyet paspası, sarı, 1 kablo, 1000 x 1500 mm boyut	1,118.00	EC002887	679541	4549734117890			FA	FAX	USA	9031.4990.00
UMMYA-1000-1500-2	Emniyet paspası, sarı, 2 kablo, 1000 x 1500 mm boyut	1,121.00	EC002887	679538	4549734118910			FA	FAX	USA	9031.4990.00
UMRT4	Safety Mat/Safety Mat controller, Ramp trim with yellow PVC cover (1.22 m)	157.00	EC002888	393576	4547648535212			FA	FAX	USA	9031.4990.00
Emniyet Komponentleri											
UMA-CBL-3PCF-M8-05M	Single connector 5 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket	40.11	EC001855	678244	4549734113861			FA	FAX	MYS	8544.4290.90
UMA-CBL-3PCF-M8-10M	Single connector 10 m cable to connect a 2-cable Mat (UMMA-2) to a Controller, M8, 3-socket	37.05	EC001855	678245	4549734113878			FA	FAX	MYS	8544.4290.90
UMA-CBL-3PMF-M8-05M	Extension cable 5 m to connect a 2-cable mat (UMMA-2) to a controller, M8, 3Pin	53.90	EC001855	678242	4549734113786			FA	FAX	MYS	8544.4290.90
UMA-CBL-3PMF-M8-015M	M8, 3-pin male to male extension cable, 0.15 m, to connect the connector sockets of 2-cable UMA Safety Mat together.	42.62	EC001855	678243	4549734113830			FA	FAX	MYS	8544.4290.90
UMA-CBL-4PCF-M8-05M	Tek konektör 5 m kablo, bir kablo makarasını (UMMA-1) bir denetleyiciye bağlar, M8, 4 soketi	51.85	EC001855	679436	4549734113892			FA	FAX	MYS	9031.4990.00
UMA-CBL-4PCF-M8-10M	Single connector 10 m cable to connect a 1-cable mat (UMMA-1) to a controller, M8, 4-socket	69.60	EC001855	677814	4549734113908			FA	FAX	MYS	9031.4990.00
Emniyet Komponentleri											
SCC-1224A	Safety Edge Controller	569.50	EC003015	683824	4549734113755			FA	FAX	DEU	8536.5019.90
Emniyet Komponentleri											
A165E-02	DPST-NC contact block for A165E Emergency stop switch	16.60	EC000041	160649	4536854344794	#	50	FA	FAX	JPN	8536.5015.90
A165E-LS-24D-01	Acil durdurma switchi, sıkkı, 30mm.cap, bas.kilit/cevır.resette, SPST-NC, 24.VDC	36.76	EC002034	160652	4536854344824		5	FA	FAX	JPN	8536.5015.90
A165E-LS-24D-02	Acil durdurma switchi, sıkkı, 30mm.cap, bas.kilit/cevır.resette, DPST-NC, 24.VDC	53.85	EC002034	103312	4536854344831		5	FA	FAX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
A165E-M-02	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, DPST-NC	40.85	EC002034	160653	4536854344855		5	FA	FAX	JPN	8536.5015.90	
A165E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock / turn-reset	6.80	EC001038	153220	4536854344770		20	FA	FAX	JPN	8536.5015.90	
A165E-S-01	Acil durdurma switchi, 30mm çap, bas kilitle/çevir resetle, SPST-NC	36.76	EC002034	142199	4536854344862		5	FA	FAX	JPN	8536.5015.90	
A165E-S-02	Acil durdurma switchi, 30mm çap, bas kilitle/çevir resetle, DPST-NC	44.01	EC002034	142200	4536854344879		#	5	FA	FAX	JPN	8536.5015.90
A165E-S-03U	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, TPST-NC	59.50	EC002034	103725	4536854479090		#	10	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	28.46	EC001038	141588	4536854349225		10	FA	FAX	JPN	8536.5015.90	
A22E-M-24A-02	Emergency stop switch, illuminated, 40mm dia, push-lock/turn-reset, IP65	62.05	EC002034	151036	4536854349331		#	30	FA	FAX	JPN	8536.5015.90
A22E-M-24A-11	Acil durdurma switchi, 24 VAC/DC işikli, 40mm çap, bas kilitle/çevir resetle, SPST-NO + SPST-NC, IP65	58.20	EC002034	142271	4536854349348		#	10	FA	FAX	JPN	8536.5015.90
A22E-M	Emergency stop switch, non-illuminated, 40mm dia, push-lock/turn-reset, IP65	17.62	EC001038	153294	4536854349322		10	FA	FAX	JPN	8536.5015.90	
A22E-M-01	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 1NC	33.11	EC002034	141595	4536854349249		20	FA	FAX	JPN	8536.5015.90	
A22E-M-02	Acil durdurma switchi, 40mm çap, bas kilitle/çevir resetle, 2NC	41.93	EC002034	141596	4536854349256		#	20	FA	FAX	JPN	8536.5015.90
A22E-M-02B	Emergency stop switch, 24 VAC / VDC, 40 mm dia, push-lock / turn-reset, DPST-NC, within a control box	95.70	EC002034	264239	4536854860263		#		FA	FAX	JPN	8536.5015.90
A22E-M-11B	Emergency stop switch, 24 VAC/DC, 40 mm dia, push-lock/turn-reset, SPST-NO + SPST-NC, within a control box	94.45	EC002034	264240	4536854860270				FA	FAX	JPN	8536.5015.90
A22E-S	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, IP65	22.30	EC001038	141591	4536854380280		10	FA	FAX	JPN	8536.5015.90	
A22E-S-02	Emergency stop switch, non-illuminated, 30mm dia, push-lock/turn-reset, 2 x SPST-N/C, IP65	33.11	EC002034	141511	4536854380433		20	FA	FAX	JPN	8536.5015.90	
A22NE-M-L	Acil durdurma anahtarı aydınlatılmıs, 40mm çap, basmalı kilit / dönüş-reset, IP65	32.93	EC001038	680136	4549734184649		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-N	Acil durdurma anahtarı aydınlatılmamıs, 40mm çap, itmeli kilit / dönüş-reset, IP65	23.32	EC001038	680134	4549734184588		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P002-C	Acil durdurma anahtarı, 24 VAC / DC aydınlatılmıs, 40 mm çap, push-lock / dönüş-reset, SPST-NC, 1tme	70.05	EC002034	679730	4549734184885		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P002-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40 mm çap, push-lock / dönüş-reset, 1NC	39.80	EC002034	679746	4549734184724		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P002-N-B	E-Dur, 1tme, 1NC 40-diyar, kafa Orta Turn-reset, entegre kontrol kutusu ile	65.95	EC002034	679806	4549734185295				FA	FAX	JPN	8536.5015.90
A22NE-M-P102-C	Acil durdurma anahtarı, Push-in, 24 VAC / DC aydınlatılmıs, 40 mm çap, push-lock / dönüş-reset, NO + NC	75.50	EC002034	679748	4549734184892				FA	FAX	JPN	8536.5015.90
A22NE-M-P102-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40mm çap, push-lock / dönüş-reset, 1NC + YOK	45.28	EC002034	679732	4549734184731		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P102-N-B	E-Stop, push-in, 1NC + 1NO, 40-diyar, kafa Orta Turn-reset, entegre kontrol kutusu ile	76.80	EC002034	679808	4549734185301				FA	FAX	JPN	8536.5015.90
A22NE-M-P202-C	Acil durdurma anahtarı, Push-In, 24 VAC / DC aydınlatılmıs, 40 mm çap, push-lock / dönüş-reset, 2NC	75.50	EC002034	679722	4549734184908		10	FA	FAX	JPN	8536.5015.90	
A22NE-M-P202-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40 mm çap, push-lock / dönüş-reset, 2NC	45.28	EC002034	679734	4549734184748		#	10	FA	FAX	JPN	8536.5015.90
A22NE-M-P202-N-B	E-Stop, push-in, 2NC, 40-dia, kafa Orta Turn-reset, entegre kontrol kutusu ile	75.50	EC002034	679807	4549734185318				FA	FAX	JPN	8536.5015.90
A22NE-M-P212-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40 mm çap, basmalı kilit / dönüş-reset, 2NC + YOK	52.15	EC002034	679745	4549734184755				FA	FAX	JPN	8536.5015.90
A22NE-M-P222-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 40 mm çap, basmalı kilit / dönüş-reset, 3NC	52.15	EC002034	679747	4549734184762		10	FA	FAX	JPN	8536.5007.00	
A22NE-M-PD02-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	55.75	EC002034	687815	4549734441810				FA	FAX	JPN	8536.5015.90
A22NE-M-PD02-N	Emergency stop switch, Push-In, non-illuminated, 40 mm dia, push-lock/turn-reset, 2 NC	48.35	EC002034	687825	4549734442176		#		FA	FAX	JPN	8536.5015.90
A22NE-M-PD12-C	Emergency stop switch, Push-In, 24 VAC/DC illuminated, 40 mm dia, push-lock/turn-reset, 2 NC + 1 NO	62.45	EC002034	687817	4549734441858				FA	FAX	JPN	8536.5015.90
A22NE-S-N	Acil durdurma anahtarı, aydınlatılmamıs, 30 mm çap, basmalı kilit / dönüş-reset, IP65	24.69	EC001038	680135	4549734184571		10	FA	FAX	JPN	8536.5015.90	
A22NE-S-P002-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, push-lock / dönüş-reset, NC	37.08	EC002034	679744	4549734184670				FA	FAX	JPN	8536.5015.90
A22NE-S-P102-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, basmalı kilit / dönüş-reset, 1NC + YOK	42.51	EC002034	679743	4549734184687		5	FA	FAX	JPN	8536.5015.90	
A22NE-S-P202-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, push-lock / dönüş-reset, 2NC	42.51	EC002034	679727	4549734184694		10	FA	FAX	JPN	8536.5015.90	
A22NE-S-P212-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, basmalı kilit / dönüş-reset, 2NC + YOK	49.34	EC002034	679737	4549734184700		5	FA	FAX	JPN	8536.5015.90	
A22NE-S-P222-N	Acil durdurma anahtarı, Push-In aydınlatılmamıs, 30 mm çap, push-lock / dönüş-reset, 3NC	49.34	EC002034	679733	4549734184717		10	FA	FAX	JPN	8536.5015.90	
A22Z-EG1	E-Stop shroud, EMERGENCY OFF legend included.	38.84	EC000624	224501	4536854844058				FA	FAX	JPN	8536.5015.90
A22Z-EG2	E-Stop Shroud yellow	38.84	EC000624	234627	4536854952579				FA	FAX	JPN	8536.5015.90
Emniyet Komponentleri												
44506-4010 FR5018-021M	Safety rope pull E-stop switch, up to 40m, 2NC + 1NO, M20 wiring entry (3x)	153.10	EC002033	406333	4547648564427		#		FA	FAX	GBR	8536.5080.90
44506-4030 FR5018-030M	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	178.60	EC002033	406349	4547648581608				FA	FAX	GBR	8536.5080.90
44506-4110 FR5018-021ME	Güvenlik ipi/e-stop switchi, 40m ye kadar, 2 NC + 1NO, M20 kablo girişli (3x)	208.50	EC002033	406335	4547648564687		#		FA	FAX	GBR	8536.5080.90
44506-4130 FR5018-030ME	Safety rope pull E-stop switch, up to 40m, 3 NC, M20 wiring entry (3x)	226.50	EC002033	406353	4547648579865				FA	FAX	GBR	8536.5080.90
44506-5010 FR6022-021M	Safety rope pull E-stop switch, up to 80m, contact 2 NC+1 NO, wiring 3 x M20	181.10	EC002033	406341	4547648565004		#		FA	FAX	GBR	8536.5080.90
44506-5110 FR6022-021ML	Safety rope pull E-stop switch, up to 80m, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	197.20	EC002033	406358	4547648582018				FA	FAX	GBR	8536.5080.90
44506-5210 FR6022-021ME	Safety rope pull E-stop switch, up to 80m, E-stop, contact 2 NC+1 NO, wiring 3 x M20	205.00	EC002033	406351	4547648579889				FA	FAX	GBR	8536.5080.90
44506-5410 FR6022-021MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 2 NC+1 NO, wiring 3 x M20	277.80	EC002033	406340	4547648565479				FA	FAX	GBR	8536.5080.90
44506-5450 FR6022-031MEL	Safety rope pull E-stop switch, up to 80m, E-stop, indicator beacon, contact 3 NC + 1 NO, wiring 3 x M20	406.80	EC002033	406364	4548583151499				FA	FAX	GBR	8536.5080.90
44506-5810 FR6022-022MSS	Safety rope pull E-stop switch, up to 100m, 2 NC + 2 NO contacts, wiring 3 x M20 stainless	572.00	EC002033	406336	4547648579902				FA	FAX	GBR	8536.5080.90
44506-5970 FR6022-031MELSS	Safety rope pull E-stop switch, up to 100m, E-stop, indicator beacon, 3 NC + 1 NO contacts, wiring 3 x M20 stainless	638.00	EC002033	406368	4547648591232				FA	FAX	GBR	8536.5080.90
44506-6410 FR1022-042MEL	Safety rope pull E-stop switch, up to 125m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, left-sided	324.00	EC002033	406347	4547648579919				FA	FAX	GBR	8536.5080.90
44506-7410 FR1032-042MEL	Safety rope pull E-stop switch, up to 200m, 4NC + 2NO, M20 wiring entry (4x), 24 VDC indicator beacon, both-sided	471.00	EC002033	406334	4547648580694		#		FA	FAX	GBR	8536.5080.90
Emniyet Komponentleri												
44506-2705 RK5	Safety rope pull E-stop switch accessory, rope kit 5m	82.35	EC002026	406346	4547648563192				FA	FAX	GBR	8536.5080.90
44506-2710 RK10	Güvenlik ipi/e-stop switchi aksesuarı, ip kiti 10m	92.10	EC002026	406342	4547648563420		#		FA	FAX	GBR	8536.5080.90
44506-2720 RK20	Safety rope pull E-stop switch accessory, rope kit 20m	111.80	EC002026	406339	4547648563987		#		FA	FAX	GBR	8536.5080.90
44506-2750 RK50	Safety rope pull E-stop switch accessory, rope kit 50m	166.60	EC002026	406338	4547648565387		#		FA	FAX	GBR	8536.5080.90
44506-2780 RK80	Güvenlik ipi/e-stop switchi aksesuarı, ip kiti 80m	231.70	EC002026	406374	4547648566438				FA	FAX	GBR	8536.5080.90
44506-3711 R100M	Safety rope pull E-stop switch accessory, rope only 100m	164.80	EC002026	406350	4547648563888				FA	FAX	GBR	8536.5080.90
44506-4700 SM06-TG00	Safety rope pull E-stop switch accessory, tensioner gripper, stainless steel	69.75	EC002026	406344	4547648562751				FA	FAX	GBR	8536.5080.90
44506-4710 SM06-FR10	Safety rope pull E-stop switch accessory, eye bolt stainless steel, 8 pack	21.06	EC002026	406354	4547648561969				FA	FAX	GBR	8536.5080.90
44506-4720 SM06-DL20	Safety rope pull E-stop switch accessory, double loop clip, stainless steel, 4 pack	14.17	EC002026	406355	4547648561754				FA	FAX	GBR	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
44506-4750 SM06-SP50	Safety rope pull E-stop switch accessory, spring, stainless steel	24.16	EC002026	406345	4547648561990			FA	FAX	GBR	8536.5080.90
44506-4770 SM06-THSS	Safety rope pull E-stop switch accessory, thimble, stainless steel, 4 pack	12.36	EC002026	406356	4547648561693			FA	FAX	GBR	8536.5080.90
44506-4780 SM06-RPSS	Safety rope pull E-stop switch accessory, rope pulley, stainless steel	48.47	EC002026	406343	4547648562331			FA	FAX	GBR	8536.5080.90
Emniyet Komponentleri											
F39-B1P	Control Unit for F3SJ, 3NO + 1NC, (use F39-IC_B double ended cable)	436.20	EC001449	346846	4547648813402	#		FA	FAX	CHN	8536.4900.99
Emniyet Komponentleri											
D4F-102-1R	Small Safety Limit Switch, 1NC/1NO slow-action, roller plunger, 1 m cable, horizontal cable exit	93.20	EC000030	150189	4536854896101	#		FA	FAX	JPN	8536.5007.00
D4F-102-3D	Limit switch	122.80	EC000030	134013	4536854896347			FA	FAX	JPN	8536.5007.00
D4F-102-3R	Limit switch	114.50	EC000030	134008	4536854896262			FA	FAX	JPN	8536.5007.00
D4F-302-5R	Small Safety Limit Switch, 2NC/2NO slow-action, roller plunger, 5 m cable, horizontal cable exit	161.40	EC000030	145878	4536854896446			FA	FAX	JPN	8536.5007.00
D4F-320-3R	Small Safety Limit Switch, 2NC/2NO slow-action, roller lever, 3 m cable, horizontal cable exit	153.80	EC000030	143735	4536854896248			FA	FAX	JPN	8536.5007.00
D4F-320-5D	Safety switch	167.90	EC000030	149121	4536854896484			FA	FAX	JPN	8536.5007.00
D4N-4C32	Safety Limit switch, D4N, M20 (1 conduit), 2NC/1NO (slow-action), top roller plunger	17.53	EC000030	170375	4547648036535			FA	FAX	JPN	8536.5007.00
Emniyet Komponentleri											
D4N-1A2HR	Limit switch, Adjustable roller lever, form lock (metal lever, rubber roller), 1NC/1NO (slow-action), 1NC/1NO (slow-action), Pg13.5 (1-conduit)	41.74	EC000030	170882	4547648039574			FA	FAX	JPN	8536.5007.00
D4N-4A20R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), roller lever (resin lever, resin roller)	26.45	EC000030	170831	4547648039062			FA	FAX	JPN	8536.5007.00
D4N-4A31R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top plunger	26.45	EC000030	170840	4547648039154			FA	FAX	JPN	8536.5007.00
D4N-4A32R	Safety Limit switch, D4N, M20 (1 conduit), 1NC/1NO (slow-action), top roller plunger	29.47	EC000030	170849	4547648039246			FA	FAX	JPN	8536.5007.00
Emniyet Komponentleri için Aksesuarlar											
F39-JBR2W	Series connection cable for extension for F3SJ	185.50	EC001855	357833	4548583047792			FA	FAZ	JPN	8541.4900.00
F39-JD10A	Verici+Alıcı kablo çifti F3SJ-B için 10m	430.30	EC001855	356813	4548583097124	#		FA	FAZ	CHN	8544.4290.90
F39-JD3A	Verici+Alıcı kablo çifti F3SJ-B için 3m	226.50	EC001855	356811	4548583097100			FA	FAZ	CHN	8544.4290.90
F39-JD5B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 5m	197.40	EC001855	374274	4548583097186			FA	FAZ	CHN	8541.4900.00
F39-JD7A	Verici+Alıcı kablo çifti F3SJ-B için 7m	332.40	EC001855	356812	4548583097117			FA	FAZ	CHN	8544.4290.90
F39-JD7B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 7m	291.00	EC001855	374271	4548583097193			FA	FAZ	CHN	8541.4900.00
F39-JDR5B	Safety Light Curtain Accessory, F3SJ Series, emitter + receiver extension cable M12 8-pin, male/female, 0.5m	182.50	EC001855	359019	4548583097155			FA	FAZ	CHN	8544.4290.90
F39-JR15L	Series connection cable for F3SJ, 0.15M (cap both ends)	134.70	EC001855	189901	4547648149631			FA	FAZ	JPN	8541.9000.00
Emniyet Komponentleri için Aksesuarlar											
F39-LJ1I	Güvenlik ışık bariyeri aksesuarı, F3SJ-E/B, üst/alt montaj braketi (4 parça)	45.71	EC003015	355956	4548583033092	#		FA	FAZ	CHN	8541.9000.00
F39-LJ2	Güvenlik ışık bariyeri aksesuarı, F3SJ-E/B, orta-kenar montaj braketi (2 parça)	77.50	EC003015	355957	4548583033108	#		FA	FAZ	CHN	8541.9000.00
F39-LJ5	Safety Light Curtain Accessory, F3SJ-E/B Series, contact mount bracket (4pcs)	51.95	EC003015	355963	4548583083202			FA	FAZ	CHN	8541.9000.00
F39-TGR-CL-LLK	Laser-alignment kit including bracket for F3S-TGR-CL SL/C	765.50	EC003015	377560	4547648962902			FA	FAZ	ITA	8541.4900.00
F39-TRD14	Safety Light Curtain Accessory, test rod, 14mm	53.90	EC003015	397116	4548583561038	#		FA	FAZ	JPN	8541.9000.00
F39-TRD30	Safety Light Curtain Accessory, test rod, 30mm	51.55	EC003015	397119	4548583561069			FA	FAZ	JPN	8541.9000.00
Emniyet Komponentleri için Aksesuarlar											
D4NS-SK30	Güvenlik kapı switchi kapı aparatı, D4NS	576.50	EC001487	227639	4547648183109	#		FA	FAZ	JPN	8536.5015.90
D4SL-CN10	Guard lock safety-door switch accessory, D4SL-N, connector cable 10m	96.70	EC003015	393318	4548583560284	#		FA	FAZ	CHN	8536.5007.00
D4SL-CN3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 3m	47.91	EC003015	357560	4547648782425			FA	FAZ	CHN	8536.5007.00
D4SL-CN5	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, konnektörlü kablo 5m	77.30	EC003015	357561	4547648782432			FA	FAZ	CHN	8536.5007.00
D4SL-NK1	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, yatay montaj	8.07	EC001487	373813	4548583322271	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK1G	Guard lock safety-door switch accessory, D4SL-N, operation key, horizontal mounting, cushion rubber	11.02	EC001487	373815	4548583322318			FA	FAZ	JPN	8536.5007.00
D4SL-NK1S	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, yatay montaj, (kısık tip)	8.07	EC001487	372695	4548583322301			FA	FAZ	JPN	8536.5007.00
D4SL-NK2	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, dikey montaj	8.34	EC001487	373814	4548583322288	#	10	FA	FAZ	JPN	8536.5007.00
D4SL-NK2G	Guard lock safety-door switch accessory, D4SL-N, operation key, vertical mounting, cushion rubber	8.91	EC001487	373816	4548583322325	#		FA	FAZ	JPN	8536.5007.00
D4SL-NK3	Selenoidli Güvenlik-kapı switchi aksesuarı, D4SL-N, anahtar, avarlanabilir montaj (yatay)	25.08	EC001487	367249	4548583322295		10	FA	FAZ	JPN	8536.5007.00
D4SL-NK5	Guard lock safety-door switch accessory, D4SL-N, operation key, adjustable (horizontal/vertical)	22.32	EC001487	412973	4548583560277	#		FA	FAZ	JPN	8536.5007.00
D4SL-NSK10-LK	D4SL N kayar/kilitleme anahtar sistemi, kilitleme kolu dahil değil	235.20	EC001487	373979	454858330122	#		FA	FAZ	JPN	8536.5007.00
D4SL-NSK10-LKH	D4SL N slide/lockout - key system, with inner lever	284.20	EC001487	373978	454858330153			FA	FAZ	JPN	8536.5007.00
F39-TGR-KAM	Key for safety key switch with metal head	7.36	EC001487	419025	4547648999700			FA	FAZ	GBR	8536.5005.00
F39-TGR-KHFH	Key for safety key switch, flexible with hygienic stainless steel body	52.40	EC001487	419029	4547648999748			FA	FAZ	GBR	8536.5005.00
Emniyet Komponentleri için Aksesuarlar											
F39-TGR-NT	T-Connector for F3S-TGR-N C and F3S-TGR-N M(U)	87.00	EC002594	667288	4548583954809			FA	FAZ	ITA	8544.4999.00
Emniyet Komponentleri için Aksesuarlar											
82611-0010 CM-FIP-1	G9SP EthernetIP haberleşme opsiyonu	356.10	EC001449	364929	4548583062429			FA	FAZ	USA	8538.9099.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Emniyet Rölesi G95E											
G95E-201-DC24	Emniyet rölesi ünitesi, 24VDC, 2 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar	107,10	EC001449	679415	4549734169332	#		FB	FBE	CHN	8536.4900.99
G95E-221-T05-DC24	Emniyet röle ünitesi, 24VDC, 4 emniyet çıkışı 5 A maks (2 + 2 5 sn kapalı gecikmeli), yardımcı çıkışlar	135,30	EC001449	679416	4549734169356	#		FB	FBE	CHN	8536.4900.99
G95E-221-T30-DC24	Emniyet röle ünitesi, 24VDC, 4 emniyet çıkışı 5 A maks (2 + 2 30 s kapalı gecikmeli), yardımcı çıkışlar	135,30	EC001449	679413	4549734169363	#		FB	FBE	CHN	8536.4900.99
G95E-401-DC24	Emniyet röle ünitesi, 24VDC, 4 emniyetli çıkışlar 5 A maks. yardımcı çıkışlar	112,60	EC001449	679414	4549734169349	#		FB	FBE	CHN	8536.4900.99
Emniyet Rölesi G95R											
G95R-AD201-BC	Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 5A, ek çıkış	182,10	EC001449	395792	4547648989039			FB	FBR	NLD	8536.4900.99
G95R-BC201-BC	Güvenlik Rölesi ünite, 24VDC, 2 Güvenlik 2A maks. ek çıkış	114,10	EC001449	395791	4547648989022			FB	FBR	NLD	8536.4900.99
G95R-EX021-T90-RC	Güvenlik Rölesi ünite, 24VDC, çıkış genişletme, 90s, 3 Güvenlik 5A, ek çıkış	176,10	EC001449	395793	4547648989046			FB	FBR	NLD	8536.4900.99
Emniyet Işık Bariyeri F35G											
F35G-2RF0160P14	Safety Sensor, F35G-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 160mm, PNP	546,00	EC002549	673577	4549734103695			FC	FCS	NLD	8536.5019.90
F35G-2RF0240P14	Safety Sensor, F35G-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 240mm, PNP	589,50	EC002549	673531	4549734103701			FC	FCS	NLD	8536.5019.90
F35G-2RF0320P14	Safety Sensor, F35G-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 320mm, PNP	848,50	EC002549	673572	4549734103718			FC	FCS	NLD	8536.5019.90
F35G-2RF0400P14	Safety Sensor, F35G-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 400mm, PNP	983,00	EC002549	673552	4549734103725			FC	FCS	NLD	8536.5019.90
F35G-2RF1040P14	Safety Sensor, F35G-R Easy, Type 2, 14mm resolution, range 0.3 to 10.0m, height 1040mm, PNP	1,731,00	EC002549	673516	4549734103800			FC	FCS	NLD	8536.5019.90
F35G-2SRB0160-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	620,00	EC002549	699754	4549734517157			FC	FCS	CHN	8536.5019.90
F35G-2SRB0240-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	704,50	EC002549	699756	4549734517164			FC	FCS	CHN	8536.5019.90
F35G-2SRB0320-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	788,50	EC002549	699759	4549734517171			FC	FCS	CHN	8536.5019.90
F35G-2SRB0400-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	829,50	EC002549	699761	4549734517188			FC	FCS	CHN	8536.5019.90
F35G-2SRB0480-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	914,50	EC002549	699765	4549734517195			FC	FCS	CHN	8536.5019.90
F35G-2SRB0560-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	998,50	EC002549	699767	4549734517201			FC	FCS	CHN	8536.5019.90
F35G-2SRB0640-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,042,00	EC002549	699771	4549734517218			FC	FCS	CHN	8536.5019.90
F35G-2SRB0800-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,212,00	EC002549	699775	4549734517225			FC	FCS	CHN	8536.5019.90
F35G-2SRB1000-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,398,00	EC002549	699780	4549734517232			FC	FCS	CHN	8536.5019.90
F35G-2SRB1200-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,563,00	EC002549	699783	4549734517249			FC	FCS	CHN	8536.5019.90
F35G-2SRB1400-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	1,741,00	EC002549	699788	4549734517256			FC	FCS	CHN	8536.5019.90
F35G-2SRB1600-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	1,927,00	EC002549	699792	4549734517263			FC	FCS	CHN	8536.5019.90
F35G-2SRB1800-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,143,00	EC002549	699796	4549734517270			FC	FCS	CHN	8536.5019.90
F35G-2SRB2000-14	Safety Light Curtain, F35G-SRB Standard, Type 2, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,307,00	EC002549	699799	4549734517287			FC	FCS	CHN	8536.5019.90
Emniyet Işık Bariyeri F35G											
F35G-2RA0350-30	Safety Sensor, F35G-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 350mm, PNP/NPN	865,50	EC002549	674113	4549734102865			FC	FCS	NLD	8536.5019.90
F35G-2RA0910-30	Safety Sensor, F35G-R Advanced, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP/NPN	1,350,00	EC002549	674128	4549734102933			FC	FCS	NLD	8536.5019.90
F35G-2RF0109P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 190mm, PNP	498,60	EC002549	673584	4549734103947			FC	FCS	NLD	8536.5019.90
F35G-2RF0270P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 270mm, PNP	609,50	EC002549	673579	4549734103954			FC	FCS	NLD	8536.5019.90
F35G-2RF0510P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 510mm, PNP	814,50	EC002549	673556	4549734103985			FC	FCS	NLD	8536.5019.90
F35G-2RF0590P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 590mm, PNP	917,00	EC002549	673500	4549734103992			FC	FCS	NLD	8536.5019.90
F35G-2RF0910P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 910mm, PNP	1,214,00	EC002549	673490	4549734104036			FC	FCS	NLD	8536.5019.90
F35G-2RF0990P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 990mm, PNP	1,223,00	EC002549	673591	4549734104043			FC	FCS	NLD	8536.5019.90
F35G-2RF1070P30	Safety Sensor, F35G-R Easy, Type 2, 30mm resolution, range 0.3 to 20.0m, height 1070mm, PNP	1,322,00	EC002549	673489	4549734104050			FC	FCS	NLD	8536.5019.90
F35G-2SRB0160-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	582,50	EC002549	699755	4549734517294			FC	FCS	CHN	8536.5019.90
F35G-2SRB0240-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	649,50	EC002549	699757	4549734517300			FC	FCS	CHN	8536.5019.90
F35G-2SRB0320-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	715,00	EC002549	699760	4549734517317			FC	FCS	CHN	8536.5019.90
F35G-2SRB0400-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	737,50	EC002549	699762	4549734517324			FC	FCS	CHN	8536.5019.90
F35G-2SRB0480-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	804,00	EC002549	699766	4549734517331			FC	FCS	CHN	8536.5019.90
F35G-2SRB0560-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	871,50	EC002549	699768	4549734517348			FC	FCS	CHN	8536.5019.90
F35G-2SRB0640-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	891,00	EC002549	699772	4549734517355			FC	FCS	CHN	8536.5019.90
F35G-2SRB0720-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	958,00	EC002549	699773	4549734517362			FC	FCS	CHN	8536.5019.90
F35G-2SRB0800-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,025,00	EC002549	699776	4549734517379			FC	FCS	CHN	8536.5019.90
F35G-2SRB0880-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,046,00	EC002549	699777	4549734517386			FC	FCS	CHN	8536.5019.90
F35G-2SRB0960-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,128,00	EC002549	699779	4549734517393			FC	FCS	CHN	8536.5019.90
F35G-2SRB1040-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,194,00	EC002549	699781	4549734517400			FC	FCS	CHN	8536.5019.90
F35G-2SRB1040-25-K	Safety Light Curtain, F35G-SRB IP69K version, Type 2, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN	2,941,00	EC002549	702463	4549734514040			FC	FCS	JPN	8536.5019.90
F35G-2SRB1120-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,215,00	EC002549	699782	4549734517416			FC	FCS	CHN	8536.5019.90
F35G-2SRB1200-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,284,00	EC002549	699784	4549734517423			FC	FCS	CHN	8536.5019.90
F35G-2SRB1280-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,354,00	EC002549	699786	4549734517430			FC	FCS	CHN	8536.5019.90
F35G-2SRB1360-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,374,00	EC002549	699787	4549734517447			FC	FCS	CHN	8536.5019.90
F35G-2SRB1440-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,441,00	EC002549	699789	4549734517454			FC	FCS	CHN	8536.5019.90
F35G-2SRB1520-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,531,00	EC002549	699790	4549734517461			FC	FCS	CHN	8536.5019.90
F35G-2SRB1600-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,551,00	EC002549	699793	4549734517478			FC	FCS	CHN	8536.5019.90
F35G-2SRB1680-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,619,00	EC002549	699794	4549734517485			FC	FCS	CHN	8536.5019.90
F35G-2SRB1760-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1,685,00	EC002549	699795	4549734517492			FC	FCS	CHN	8536.5019.90
F35G-2SRB1840-25	Safety Light Curtain, F35G-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1,707,00	EC002549	699797	4549734517508			FC	FCS	CHN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-2SRB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	1,774.00	EC002549	699798	4549734517515			FC	FCS	CHN	8536.5019.90
F3SG-2SRB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	1,862.00	EC002549	699800	4549734517522			FC	FCS	CHN	8536.5019.90
F3SG-2SRB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,076.00	EC002549	699801	4549734517539			FC	FCS	CHN	8536.5019.90
F3SG-2SRB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 2, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,192.00	EC002549	699802	4549734517546			FC	FCS	CHN	8536.5019.90
Emniyet Işık Bariyeri F35G											
F3SG-2SRB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	624.50	EC002549	699758	4549734517553			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	647.00	EC002549	699725	4549734517621			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	696.50	EC002549	699763	4549734517560			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	711.50	EC002549	699764	4549734517638			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	812.50	EC002549	699769	4549734517577			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	819.50	EC002549	699770	4549734517645			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	883.50	EC002549	699774	4549734517584			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	883.50	EC002549	699727	4549734517652			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0880-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	957.00	EC002549	699778	4549734517591			FC	FCS	CHN	8536.5019.90
F3SG-2SRB0920-85	Safety Light Curtain, F3SG-SRB Standard, Type 2, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	964.00	EC002549	699726	4549734517669			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1200-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,161.00	EC002549	699785	4549734517607			FC	FCS	CHN	8536.5019.90
F3SG-2SRB1520-45	Safety Light Curtain, F3SG-SRB Standard, Type 2, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,376.00	EC002549	699791	4549734517614			FC	FCS	CHN	8536.5019.90
Emniyet Işık Bariyeri F33G											
F3SG-4RA0240-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP/NPN	978.00	EC002549	673576	4549734102056			FC	FCS	NLD	8536.5019.90
F3SG-4RA0320-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 320mm, PNP/NPN	1,070.00	EC002549	673491	4549734102063	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0400-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP/NPN	1,161.00	EC002549	673497	4549734102070	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0480-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP/NPN	1,253.00	EC002549	673567	4549734102087	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0560-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP/NPN	1,348.00	EC002549	673542	4549734102094	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0640-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP/NPN	1,438.00	EC002549	673510	4549734102100	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0720-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 720mm, PNP/NPN	1,529.00	EC002549	673518	4549734102117	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0800-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP/NPN	1,622.00	EC002549	673529	4549734102124	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0960-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP/NPN	1,804.00	EC002549	673568	4549734102148	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1040-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP/NPN	1,896.00	EC002549	673550	4549734102155	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1200-14	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP/NPN	2,081.00	EC002549	673580	4549734102179	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1520-14	Safety Sensor, F3SG-R Advanced, Type 4, 14mm resolution, range 0.3 to 10.0m, height 1520mm, PNP/NPN	2,466.00	EC002549	673537	4549734102216	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0160P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 160mm, PNP	730.00	EC002549	673303	4549734103145	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0240P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 240mm, PNP	814.00	EC002549	673276	4549734103152	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0320P14	Emniyet sensörü F3SG-4RA için basamaklı kablo - 25-01TS (verici ve alıcı için set başına iki kablo) M12 (8-pinli) konik konektör	897.50	EC002549	673294	4549734103169	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0400P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 400mm, PNP	981.50	EC002549	673272	4549734103176	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0480P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 480mm, PNP	1,066.00	EC002549	673258	4549734103183	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0560P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 560mm, PNP	1,150.00	EC002549	673298	4549734103190	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0640P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 640mm, PNP	1,235.00	EC002549	673270	4549734103206	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0720P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 720mm, PNP	1,320.00	EC002549	673292	4549734103213	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0800P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 800mm, PNP	1,403.00	EC002549	673290	4549734103220	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0880P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 880mm, PNP	1,487.00	EC002549	673300	4549734103237	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF0960P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 960mm, PNP	1,572.00	EC002549	673283	4549734103244	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF1040P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1040mm, PNP	1,654.00	EC002549	673304	4549734103251	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF1200P14	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1200mm, PNP	1,826.00	EC002549	673262	4549734103275	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF1360P14	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 14mm çözünürlük, mesafe 0.3 - 10.0m, yükseklik 1360mm, PNP	2,017.00	EC002549	673277	4549734103299	#		FC	FCS	NLD	8536.5019.90
F3SG-4RF1840P14	Safety Sensor, F3SG-R Easy, Type 4, 14mm resolution, range 0.3 to 10.0m, height 1840mm, PNP	2,963.00	EC002549	673251	4549734103350	#		FC	FCS	NLD	8536.5019.90
F3SG-4SRA0160-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	637.00	EC002549	699729	4549734515511			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0240-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	729.00	EC002549	699731	4549734515535			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0320-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	829.50	EC002549	699734	4549734515559			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0400-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	1,091.00	EC002549	699736	4549734515573			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0480-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	1,066.00	EC002549	699739	4549734515597			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0560-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,844.00	EC002549	699741	4549734515610			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0600-14F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1,223.00	EC002549	699742	4549734515627			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0640-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,271.00	EC002549	699743	4549734515634			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0800-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,468.00	EC002549	699744	4549734515672			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0920-14F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1,755.00	EC002549	699745	4549734515702			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1000-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,821.00	EC002549	699747	4549734515726			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1200-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	2,028.00	EC002549	699748	4549734515733			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1400-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	2,229.00	EC002549	699749	4549734515740			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1600-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,467.00	EC002549	699750	4549734515757			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1800-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,718.00	EC002549	699751	4549734515764			FC	FCS	CHN	8536.5019.90
F3SG-4SRA2000-14	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,981.00	EC002549	699752	4549734515771			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0160-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 160 mm, PNP/NPN	623.50	EC002549	699803	4549734516396			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0200-14F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 200 mm										

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB0240-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 240 mm, PNP/NPN	706.50	EC002549	699807	4549734516419	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 280 mm, PNP/NPN	755.00	EC002549	699810	4549734516426			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 320 mm, PNP/NPN	802.50	EC002549	699813	4549734516433			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 320 mm, PNP/NPN	2,170.00	EC002549	700911	4549734513531			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0360-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 360 mm, PNP/NPN	845.00	EC002549	699815	4549734516440			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 400 mm, PNP/NPN	886.50	EC002549	699817	4549734516457			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 400 mm, PNP/NPN	2,261.00	EC002549	706947	4549734513548			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0440-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 440 mm, PNP/NPN	934.50	EC002549	699820	4549734516464			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 480 mm, PNP/NPN	982.00	EC002549	699823	4549734516471			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 480 mm, PNP/NPN	2,369.00	EC002549	699826	4549734513555			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0520-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 520 mm, PNP/NPN	1,024.00	EC002549	699829	4549734516488			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 560 mm, PNP/NPN	1,066.00	EC002549	699827	4549734516495			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 560 mm, PNP/NPN	2,440.00	EC002549	700703	4549734513562			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0600-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 600 mm, PNP/NPN	1,114.00	EC002549	699698	4549734516501			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 640 mm, PNP/NPN	1,163.00	EC002549	699832	4549734516518			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 640 mm, PNP/NPN	2,495.00	EC002549	700704	4549734513579			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0680-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 680 mm, PNP/NPN	1,206.00	EC002549	699834	4549734516525			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 720 mm, PNP/NPN	1,247.00	EC002549	699836	4549734516532			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0760-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 760 mm, PNP/NPN	1,294.00	EC002549	699839	4549734516549			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 800 mm, PNP/NPN	1,342.00	EC002549	699842	4549734516556			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0840-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 840 mm, PNP/NPN	1,385.00	EC002549	699844	4549734516563			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 880 mm, PNP/NPN	1,426.00	EC002549	699846	4549734516570			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0920-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 920 mm, PNP/NPN	1,475.00	EC002549	699849	4549734516587			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-14-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 960 mm, PNP/NPN	1,521.00	EC002549	699852	4549734516594			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1000 mm, PNP/NPN	1,653.00	EC002549	699854	4549734516600			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1000 mm, PNP/NPN	3,006.00	EC002549	699291	4549734513593			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1200-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1200 mm, PNP/NPN	1,785.00	EC002549	699858	4549734516617			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1200 mm, PNP/NPN	3,231.00	EC002549	699292	4549734513609			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1400-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1400 mm, PNP/NPN	2,006.00	EC002549	699863	4549734516624			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1400-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1400 mm, PNP/NPN	3,435.00	EC002549	696213	4549734513616			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1600-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1600 mm, PNP/NPN	2,227.00	EC002549	699867	4549734516631			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1800-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 1800 mm, PNP/NPN	2,455.00	EC002549	699871	4549734516648			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1800-14-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 14 mm resolution, range 0.3 to 8.0 m, height 1800 mm, PNP/NPN	3,846.00	EC002549	700977	4549734513630			FC	FCS	JPN	8536.5019.90
F3SG-4SRB2000-14	Safety Light Curtain, F3SG-SRB Standard, Type 4, 14 mm resolution, range 0.3 to 10.0 m, height 2000 mm, PNP/NPN	2,682.00	EC002549	699874	4549734516655			FC	FCS	CHN	8536.5019.90
Emniyet Işık Bariyeri F3SG											
F3SG-4RA0270-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 270mm, PNP/NPN	829.00	EC002549	673533	4549734102551	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0350-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 350mm, PNP/NPN	897.50	EC002549	673564	4549734102568			FC	FCS	NLD	8536.5019.90
F3SG-4RA0430-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 430mm, PNP/NPN	967.00	EC002549	673560	4549734102575	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0510-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 510mm, PNP/NPN	1,034.00	EC002549	673569	4549734102582			FC	FCS	NLD	8536.5019.90
F3SG-4RA0590-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 590mm, PNP/NPN	1,103.00	EC002549	673519	4549734102599	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0670-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 670mm, PNP/NPN	1,172.00	EC002549	673578	4549734102606			FC	FCS	NLD	8536.5019.90
F3SG-4RA0750-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 750mm, PNP/NPN	1,242.00	EC002549	673511	4549734102612	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0830-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 830mm, PNP/NPN	1,312.00	EC002549	673504	4549734102629			FC	FCS	NLD	8536.5019.90
F3SG-4RA0910-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 910mm, PNP/NPN	1,377.00	EC002549	673554	4549734102636	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA0990-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 990mm, PNP/NPN	1,448.00	EC002549	673505	4549734102643			FC	FCS	NLD	8536.5019.90
F3SG-4RA1070-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1070mm, PNP/NPN	1,515.00	EC002549	673553	4549734102650	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1230-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1230mm, PNP/NPN	1,652.00	EC002549	673594	4549734102674	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1310-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1310mm, PNP/NPN	1,723.00	EC002549	673502	4549734102681			FC	FCS	NLD	8536.5019.90
F3SG-4RA1470-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1470mm, PNP/NPN	1,858.00	EC002549	673513	4549734102704	#		FC	FCS	NLD	8536.5019.90
F3SG-4RA1550-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1550mm, PNP/NPN	1,927.00	EC002549	673549	4549734102711			FC	FCS	NLD	8536.5019.90
F3SG-4RA1630-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1630mm, PNP/NPN	1,994.00	EC002549	673523	4549734102728			FC	FCS	NLD	8536.5019.90
F3SG-4RA1790-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1790mm, PNP/NPN	2,132.00	EC002549	673546	4549734102742			FC	FCS	NLD	8536.5019.90
F3SG-4RA1950-30	Güvenlik ışık bariyeri, F3SG-R İleri seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1950mm, PNP/NPN	2,271.00	EC002549	673487	4549734102766			FC	FCS	NLD	8536.5019.90
F3SG-4RE0190P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 190mm, PNP	616.00	EC002549	673285	4549734103398	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0270P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 270mm, PNP	678.00	EC002549	673299	4549734103404	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0350P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 350mm, PNP	741.00	EC002549	673256	4549734103411			FC	FCS	NLD	8536.5019.90
F3SG-4RE0430P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 430mm, PNP	804.00	EC002549	673293	4549734103428	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0510P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 510mm, PNP	866.50	EC002549	673297	4549734103435	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0590P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 590mm, PNP	929.00	EC002549	673278	4549734103442	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE0670P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 670mm, PNP	993.50	EC002549	673279							

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4RE11070P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1070mm, PNP	1,312.00	EC002549	673269	4549734103503	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11230P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1230mm, PNP	1,436.00	EC002549	673271	4549734103527	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11310P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1310mm, PNP	1,498.00	EC002549	673257	4549734103534	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11470P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1470mm, PNP	1,625.00	EC002549	673275	4549734103558	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11550P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1550mm, PNP	1,687.00	EC002549	673273	4549734103565	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11630P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1630mm, PNP	1,751.00	EC002549	673274	4549734103572	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11710P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1710mm, PNP	1,816.00	EC002549	673259	4549734103589	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11790P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1790mm, PNP	1,879.00	EC002549	673264	4549734103596	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11870P30	Güvenlik ışık bariyeri, F3SG-R Kolay, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1870mm, PNP	1,939.00	EC002549	673266	4549734103602	#		FC	FCS	NLD	8536.5019.90
F3SG-4RE11950P30	Güvenlik ışık bariyeri, F3SG-R Temel seviye, Tip 4, 30mm çözünürlük, mesafe 0.3 - 20.0m, yükseklik 1950mm, PNP	1,982.00	EC002549	673288	4549734103619	#		FC	FCS	NLD	8536.5019.90
F3SG-4SRA0160-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	563.50	EC002549	699730	4549734515788	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0240-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	633.00	EC002549	699732	4549734515801	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0280-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	676.50	EC002549	699733	4549734515818	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0320-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	695.00	EC002549	699735	4549734515825	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0400-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	755.50	EC002549	699737	4549734515849	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0440-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	802.50	EC002549	699738	4549734515856	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0480-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	843.50	EC002549	699740	4549734515863	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0560-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	942.50	EC002549	699724	4549734515887	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0600-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	1,061.00	EC002549	699723	4549734515894	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0640-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	970.00	EC002549	699722	4549734515900	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0720-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,044.00	EC002549	699721	4549734515924	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0800-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,111.00	EC002549	699720	4549734515948	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0880-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,201.00	EC002549	699719	4549734515962	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA0960-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,371.00	EC002549	699718	4549734515986	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1000-25-F	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN	1,342.00	EC002549	699717	4549734515993	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1040-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,360.00	EC002549	699716	4549734516006	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1120-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,451.00	EC002549	699715	4549734516013	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1200-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,583.00	EC002549	699714	4549734516020	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1280-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,617.00	EC002549	699713	4549734516037	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1360-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,649.00	EC002549	699712	4549734516044	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1440-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,766.00	EC002549	699711	4549734516051	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1520-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,899.00	EC002549	699710	4549734516068	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1600-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,924.00	EC002549	699709	4549734516075	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1680-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,975.00	EC002549	699708	4549734516082	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1840-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	2,087.00	EC002549	699706	4549734516105	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA1920-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	2,141.00	EC002549	699705	4549734516112	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA2080-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	2,285.00	EC002549	699704	4549734516129	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA2280-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,542.00	EC002549	699703	4549734516136	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRA2480-25	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,682.00	EC002549	699702	4549734516143	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0160-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 160 mm, PNP/NPN	515.00	EC002549	699804	4549734516662	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0200-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 200 mm, PNP/NPN	571.00	EC002549	699806	4549734516679	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0240-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	515.00	EC002549	699808	4549734516686	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	611.50	EC002549	699811	4549734516693	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 320 mm, PNP/NPN	630.50	EC002549	699814	4549734516709	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0320-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 320 mm, PNP/NPN	2,659.00	EC002549	696345	4549734513647	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0360-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 360 mm, PNP/NPN	665.50	EC002549	699816	4549734516716	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	695.00	EC002549	699818	4549734516723	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 400 mm, PNP/NPN	2,716.00	EC002549	707098	4549734513654	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0440-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	731.00	EC002549	699821	4549734516730	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 480 mm, PNP/NPN	766.50	EC002549	699824	4549734516747	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0480-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 480 mm, PNP/NPN	2,494.00	EC002549	700917	4549734513661	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0520-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 520 mm, PNP/NPN	802.50	EC002549	699826	4549734516754	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	833.00	EC002549	699828	4549734516761	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 560 mm, PNP/NPN	2,608.00	EC002549	699491	4549734513678	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0600-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	862.50	EC002549	699830	4549734516778	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 640 mm, PNP/NPN	898.50	EC002549	699833	4549734516785	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0640-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 640 mm, PNP/NPN	2,649.00	EC002549	696356	4549734513685	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0680-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 680 mm, PNP/NPN	934.50	EC002549	699835	4549734516792	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	964.00	EC002549	699837	4549734516808	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 720 mm, PNP/NPN	3,076.00	EC002549	696346	4549734513692	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0760-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	994.50	EC002549	699840	4549734516815	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 800 mm, PNP/NPN	1,031.00	EC002549	699843	4549734516822	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0800-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 800 mm, PNP/NPN	2,824.00	EC002549	696552	4549734513708	#		FC	FCS	JPN	8536.5019.90
F3SG-4SRB0840-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 840 mm, PNP/NPN	1,066.00	EC002549	699845	4549734516839	#		FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,102.00	EC002549	699847	4549734516846	#		FC	FCS	CHN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F3SG-4SRB0880-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 880 mm, PNP/NPN	2,775.00	EC002549	707689	4549734513715			FC	FCS	JPN	8536.5019.90
F3SG-4SRB0920-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,138.00	EC002549	699850	4549734516853			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 960 mm, PNP/NPN	1,168.00	EC002549	699853	4549734516860			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0960-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 960 mm, PNP/NPN	3,053.00	EC002549	695799	4549734513722			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1000-25-F	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1000 mm, PNP/NPN	1,198.00	EC002549	699855	4549734516877			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1000-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1000 mm, PNP/NPN	3,102.00	EC002549	699189	4549734610353			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1040-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1040 mm, PNP/NPN	1,271.00	EC002549	699856	4549734516884			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1040-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1040 mm, PNP/NPN	3,121.00	EC002549	700925	4549734513739			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1120-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1120 mm, PNP/NPN	1,342.00	EC002549	699857	4549734516891			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,402.00	EC002549	699859	4549734516907			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1200 mm, PNP/NPN	2,943.00	EC002549	700894	4549734513753			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1280 mm, PNP/NPN	1,475.00	EC002549	699861	4549734516914			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1360-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1360 mm, PNP/NPN	1,546.00	EC002549	699862	4549734516921			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1360-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1360 mm, PNP/NPN	3,088.00	EC002549	699293	4549734513777			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1440-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1440 mm, PNP/NPN	1,605.00	EC002549	699864	4549734516938			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,677.00	EC002549	699865	4549734516945			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1520 mm, PNP/NPN	3,616.00	EC002549	695029	4549734513791			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1600-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1600 mm, PNP/NPN	1,749.00	EC002549	699868	4549734516952			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1600-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1600 mm, PNP/NPN	3,654.00	EC002549	699490	4549734513807			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1680-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1680 mm, PNP/NPN	1,809.00	EC002549	699869	4549734516969			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1760-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1760 mm, PNP/NPN	1,881.00	EC002549	699870	4549734516976			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1840-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1840 mm, PNP/NPN	1,953.00	EC002549	699872	4549734516983			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1840-25-K	Safety Light Curtain, F3SG-SRB IP69K version, Type 4, 25 mm resolution, range 0.3 to 16.0 m, height 1840 mm, PNP/NPN	3,876.00	EC002549	699489	4549734513838			FC	FCS	JPN	8536.5019.90
F3SG-4SRB1920-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 1920 mm, PNP/NPN	2,011.00	EC002549	699873	4549734516990			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2080-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2080 mm, PNP/NPN	2,084.00	EC002549	699875	4549734517003			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2280-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2280 mm, PNP/NPN	2,217.00	EC002549	699728	4549734517010			FC	FCS	CHN	8536.5019.90
F3SG-4SRB2480-25	Safety Light Curtain, F3SG-SRB Standard, Type 4, 25 mm resolution, range 0.3 to 20.0 m, height 2480 mm, PNP/NPN	2,347.00	EC002549	699753	4549734517027			FC	FCS	CHN	8536.5019.90
Emniyet Işık Bariyeri F3SG											
F3SG-4PGA0670-2A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 20.0 m, product length 670 mm, Active/active	888.50	EC001832	695671	4549734453486			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0670-2C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 5 m, product length 670 mm, Active/passive	795.50	EC001832	695715	4549734453523			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0670-2L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 2 beams, range 0.5 to 70 m, product length 670 mm, Active/active	912.50	EC001832	695718	4549734453561			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0970-3A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 20.0 m, product length 970 mm, Active/active	1,104.00	EC001832	695664	4549734453493			FC	FCS	JPN	8536.5019.90
F3SG-4PGA0970-3B	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 3 beams, range 0.5 to 70 m, product length 970 mm, Active/active	1,134.00	EC001832	695719	4549734453578			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1070 mm, Active/active	1,419.00	EC001832	695711	4549734453509			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1070 mm, Active/passive	1,272.00	EC001832	695716	4549734453547			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1070-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1070 mm, Active/active	1,425.00	EC001832	695720	4549734453585			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4A	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 20 m, product length 1370 mm, Active/passive	1,482.00	EC001832	695710	4549734453516			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4C	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 5 m, product length 1370 mm, Active/passive	1,332.00	EC001832	695717	4549734453554			FC	FCS	JPN	8536.5019.90
F3SG-4PGA1370-4L	Safety Multi-Light Beam, F3SG-PG Perimeter Guarding, Type 4, 4 beams, range 0.5 to 70 m, product length 1370 mm, Active/active	1,490.00	EC001832	695721	4549734453592			FC	FCS	JPN	8536.5019.90
F3SG-4SRA0560-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	794.50	EC002549	699701	4549734516174			FC	FCS	CHN	8536.5019.90
F3SG-4SRA0920-85	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,408.00	EC002549	699699	4549734516266			FC	FCS	CHN	8536.5019.90
F3SG-4SRA1520-45	Safety Light Curtain, F3SG-SRA Advanced, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,886.00	EC002549	699700	4549734516211			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0240-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 240 mm, PNP/NPN	748.50	EC002549	699809	4549734517034			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0280-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 280 mm, PNP/NPN	776.00	EC002549	699812	4549734517102			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0400-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 400 mm, PNP/NPN	835.00	EC002549	699819	4549734517041			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0440-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 440 mm, PNP/NPN	853.50	EC002549	699822	4549734517119			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0560-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 560 mm, PNP/NPN	974.50	EC002549	699820	4549734517058			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0600-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 600 mm, PNP/NPN	982.00	EC002549	699831	4549734517126			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0720-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 720 mm, PNP/NPN	1,061.00	EC002549	699838	4549734517065			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0760-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 760 mm, PNP/NPN	1,061.00	EC002549	699841	4549734517133			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0880-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 880 mm, PNP/NPN	1,149.00	EC002549	699848	4549734517072			FC	FCS	CHN	8536.5019.90
F3SG-4SRB0920-85	Safety Light Curtain, F3SG-SRB Standard, Type 4, 85 mm resolution, range 0.3 to 20.0 m, height 920 mm, PNP/NPN	1,158.00	EC002549	699851	4549734517140			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1200-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1200 mm, PNP/NPN	1,393.00	EC002549	699860	4549734517089			FC	FCS	CHN	8536.5019.90
F3SG-4SRB1520-45	Safety Light Curtain, F3SG-SRB Standard, Type 4, 45 mm resolution, range 0.3 to 20.0 m, height 1520 mm, PNP/NPN	1,651.00	EC002549	699866	4549734517096			FC	FCS	CHN	8536.5019.90
Emniyet Işık Bariyeri F3SG											
F3W-MA0100P	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 100mm ışın boşluğu	440.90	EC003015	667382	4548583571150			FC	FCS	JPN	8541.4900.00
F3W-MA0300P	Güvenlik ışık bariyeri aksesuarı, F3W-MA Akıllı Muting Aktüatörü, 300mm ışın boşluğu	552.00	EC003015	667381	4548583571167			FC	FCS	JPN	8541.4900.00
Emniyet Işık Bariyeri Aksesuar											
F39-BT	Güvenlik ışık bariyeri aksesuarı, F3SG-R İleri seviye bluetooth ünitesi	112.70	EC003015	667386	4548583564350			FC	FCZ	JPN	8541.4900.00
F39-BT-P	Güvenlik ışık bariyeri aksesuarı, F3SG-R İleri seviye bluetooth ve lamba ünitesi	101.70	EC003015	667384	4548583564367	#		FC	FCZ	JPN	8541.4900.00
F39-FMA150R	Muting sensor arm mounter for retroreflective sensor; length 150 mm (2 mounters per set)	82.65	EC003015	695791	4549734523134			FC	FCZ	CHN	8541.4900.00
F39-FMA150T	Muting sensor arm mounter for through-beam sensor; length 150 mm (2 mounters per set)	67.10	EC003015	695793	4549734523110			FC	FCZ	CHN	8541.4900.00
F39-FMA400R	Muting sensor arm mounter for retroreflective sensor; length 400 mm (2 mounters per set)	92.25	EC003015	695790	4549734523141			FC	FCZ	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F39-FMA400T	Muting sensor arm mounter for through-beam sensor,length 400 mm (2 mounters per set)	76.65	EC003015	695792	4549734523127			FC	FCZ	CHN	8541.4900.00
F39-GC4	Güvenlik ışık bariyeri aksesuar, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü set (1 alıcı için +1 verici için)	160.90	EC003015	667378	4548583594197			FC	FCZ	JPN	8541.4900.00
F39-GC4-D	Güvenlik ışık bariyeri aksesuar, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü, alıcı için	90.25	EC003015	667380	4548583594210			FC	FCZ	JPN	8541.4900.00
F39-GC4-L	Güvenlik ışık bariyeri aksesuar, F3W-MA Akıllı Muting Aktüatörü, 4 bağlantı konnektörü, verici için	70.55	EC003015	667379	4548583594203			FC	FCZ	JPN	8541.4900.00
F39-GCN5	Muting Sensor Connection Box for F3SG-SR/PG series	218.10	EC003015	695767	4549734458177			FC	FCZ	JPN	8541.4900.00
F39-GCNY1	Safety Sensor Accessory, F3SG-R Easy, M12 Y-joint connector, 0.5m	29.50	EC003015	667638	4548583568013			FC	FCZ	JPN	8541.4900.00
F39-GCNY2	Safety Sensor Accessory, F3SG-R Advanced, M12 Y-joint connector, 0.5m	50.30	EC003015	667643	4548583568020			FC	FCZ	JPN	8541.4900.00
F39-IG10A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 10m	62.20	EC001855	667628	4548583567856			FC	FCZ	JPN	8544.4290.90
F39-IG10A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 10m	45.79	EC001855	667630	4548583567672			FC	FCZ	JPN	8544.4290.90
F39-IG10B-D	Safety Sensor Accessory, F3SG-R Advanced, receiver extension cable M12 8-pin, male/female, 10m	79.40	EC001855	667635	4548583567986			FC	FCZ	JPN	8544.4290.90
F39-IG10B-L	Safety Sensor Accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 10m	57.50	EC001855	667645	4548583567801			FC	FCZ	JPN	8544.4290.90
F39-IG10C-D	Root-straight cable 10 m for F3SG-SR (cable for receiver with dedicated connector - Black)	49.08	EC001855	690360	4549734458009			FC	FCZ	JPN	8544.4290.90
F39-IG10C-L	Root-straight cable 10 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	37.10	EC001855	690359	4549734457996			FC	FCZ	JPN	8544.4290.90
F39-IG15A-D	Safety Sensor Accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 15m	83.85	EC001855	667600	4548583567863			FC	FCZ	JPN	8544.4290.90
F39-IG15A-L	Safety Sensor Accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 15m	60.30	EC001855	667626	4548583567689			FC	FCZ	JPN	8544.4290.90
F39-IG18-D	F3SG-R İleri seviye, receiver extension cable M12 8-pin, male/1m	34.18	EC001855	667634	4548583567948		5	FC	FCZ	JPN	8544.4290.90
F39-IG18-L	F3SG-R İleri seviye, emitter extension cable M12 5-pin, male/1m	25.61	EC001855	667631	4548583567764		5	FC	FCZ	JPN	8544.4290.90
F39-IG20A-D	Safety Sensor Accessory, F3SG-R Advanced, receiver cable M12 8-pin, female, 20m	104.90	EC001855	667633	4548583567870			FC	FCZ	JPN	8544.4290.90
F39-IG20A-L	Safety Sensor Accessory, F3SG-R Advanced, emitter cable M12 5-pin, female, 20m	75.70	EC001855	667644	4548583567696			FC	FCZ	JPN	8544.4290.90
F39-IG3A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 3m	31.04	EC001855	667599	4548583567832		5	FC	FCZ	JPN	8544.4290.90
F39-IG3A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 3m	23.27	EC001855	667598	4548583567658		5	FC	FCZ	JPN	8544.4290.90
F39-IG3B-L	Safety Sensor Accessory, F3SG-R Advanced, emitter extension cable M12 5-pin, male/female, 3m	31.99	EC001855	667639	4548583567771		5	FC	FCZ	JPN	8544.4290.90
F39-IG3C-D	Root-straight cable 3 m for F3SG-SR (cable for receiver with dedicated connector - Black)	27.53	EC001855	690027	4549734457941			FC	FCZ	JPN	8544.4290.90
F39-IG3C-L	Root-straight cable 3 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	22.75	EC001855	690033	4549734457934			FC	FCZ	JPN	8544.4290.90
F39-IG7A-D	F3SG-R İleri seviye, alıcı kablosu M12 8-pin, 7m	48.49	EC001855	667627	4548583567849			FC	FCZ	JPN	8544.4290.90
F39-IG7A-L	F3SG-R İleri seviye, gönderici kablosu M12 5-pin, 7m	35.72	EC001855	667625	4548583567665			FC	FCZ	JPN	8544.4290.90
F39-IG7C-D	Root-straight cable 7 m for F3SG-SR (cable for receiver with dedicated connector - Black)	37.10	EC001855	690358	4549734457972			FC	FCZ	JPN	8544.4290.90
F39-IG7C-L	Root-straight cable 7 m for F3SG-SR (cable for emitter with dedicated connector - Gray)	31.12	EC001855	690357	4549734457965		5	FC	FCZ	JPN	8544.4290.90
F39-IGB12L	Side-by-side Cascading Cable set 0.12 m for F3SG-4SR (2 cables per set, for emitter and receiver)	103.40	EC001855	688922	4549734458061			FC	FCZ	JPN	8544.4290.90
F39-IGR2W	Güvenlik ışık bariyeri aksesuar, F3SG-R İleri seviye, seri bağlama kablosu seti (2 adet)	51.15	EC001855	667568	4548583564398			FC	FCZ	JPN	8544.4290.90
F39-IGR2WTS	Cascading cable for Safety sensor F3SG-4RA, 25-01TS (two cables per set, for emitter and receiver) M12 (8-pin) to cap connector	115.30	EC001855	679503	4548583865013			FC	FCZ	JPN	8544.4290.90
F39-IGR3K-D	Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for receiver - black)	29.93	EC001855	690029	4549734458030			FC	FCZ	JPN	8544.4290.90
F39-IGR3K-L	Root-Plug cable for extended set 0.3 m for F3SG-4SR (cable for emitter - gray)	25.15	EC001855	690028	4549734458023			FC	FCZ	JPN	8544.4290.90
F39-IGR3W	Cascading cable for extended set 0.3 m for F3SG-4SR (2 cables per set, for emitter and receiver)	103.40	EC001855	688669	4549734458054			FC	FCZ	JPN	8544.4290.90
F39-IMAF1	Bracket for muting sensor arm mounter (2 units per set)	33.52	EC003015	695794	4549734523714			FC	FCZ	CHN	8541.4900.00
Emniyet Işık Bariyeri Aksesuar											
F39-PML0990-2	Mirror column 990 mm for multibeam safety sensor F3SG-PG, A/L (2 beams)	269.50	EC003015	695785	4549734523264			FC	FCZ	CHN	8541.9000.00
F39-PML1310-3	Mirror column 1310 mm for multibeam safety sensor F3SG-PG, A/L (3 beams)	330.40	EC003015	695784	4549734523271			FC	FCZ	CHN	8541.9000.00
F39-PML1310-4	Mirror column 1310 mm for multibeam safety sensor F3SG-PG, A/L (4 beams)	388.00	EC003015	695783	4549734523288			FC	FCZ	CHN	8541.9000.00
F39-PML1630-4	Mirror column 1630 mm for multibeam safety sensor F3SG-PG, A/L (4 beams)	396.30	EC003015	695782	4549734523295			FC	FCZ	CHN	8541.9000.00
F39-SML0990	Mirror column 990 mm for Safety Light Curtain F3SG-SR/PG up to 800 mm	484.80	EC003015	695789	4549734523219			FC	FCZ	CHN	8541.9000.00
F39-SML1310	Mirror column 1310 mm for Safety Light Curtain F3SG-SR/PG up to 1120 mm	549.00	EC003015	695788	4549734523226			FC	FCZ	CHN	8541.9000.00
F39-SML1630	Mirror column 1630 mm for Safety Light Curtain F3SG-SR/PG up to 1440 mm	724.00	EC003015	695787	4549734523233			FC	FCZ	CHN	8541.9000.00
F39-SML1950	Mirror column 1950 mm for Safety Light Curtain F3SG-SR/PG up to 1760 mm	757.00	EC003015	695786	4549734523240			FC	FCZ	CHN	8541.9000.00
F39-ST0990	Floor mount column of 990 mm for F3SG-SR/PG, Protective Height up to 880 mm	157.00	EC003015	695770	4549734523165			FC	FCZ	CHN	8541.9000.00
F39-ST1310	Floor mount column of 1310 mm for F3SG-SR/PG, protective height up to 1280 mm	184.50	EC003015	695771	4549734523172			FC	FCZ	CHN	8541.9000.00
F39-ST1630	Floor mount column of 1630 mm for F3SG-SR/PG, protective height up to 1520 mm	239.50	EC003015	695772	4549734523189			FC	FCZ	CHN	8541.9000.00
F39-ST1950	Floor mount column of 1950 mm for F3SG-SR/PG, protective height up to 1840 mm	245.50	EC003015	695773	4549734523196			FC	FCZ	CHN	8541.9000.00
F39-STB	Mount-column adjustable base for F3SG-SR/PG	127.10	EC003015	695769	4549734523158			FC	FCZ	CHN	8541.9000.00
Emniyet Işık Bariyeri Aksesuar											
F39-IGF	Güvenlik ışık bariyeri aksesuar, F3SG-R İleri seviye, arayüz ünitesi	217.90	EC003015	667567	4548583564381			FC	FCZ	JPN	8541.4900.00
F39-IGA	Güvenlik ışık bariyeri aksesuar, F3SG-R Serisi, ayarlanabilir braket seti (2 adet), ayarlama +/- 15°	28.04	EC003015	667566	4548583564121			FC	FCZ	JPN	8541.4900.00
F39-IGF	Güvenlik ışık bariyeri aksesuar, F3SG-R Serisi, sabit braket seti (2 adet)	18.20	EC003015	667565	4548583564114			FC	FCZ	JPN	8541.4900.00
F39-IGMAL	Safety Sensor Accessory, F3W-MA Smart Muting Actuator, L-Shape Muting Bracket (2pcs.)	96.70	EC003015	669119	4548583571174			FC	FCZ	JPN	8541.4900.00
F39-IGTB	Güvenlik ışık bariyeri aksesuar, F3SG-R Serisi, üst/alt ayarlama braket seti (4 adet), ayarlama +/- 22.5°	95.55	EC003015	667385	4548583564329	#		FC	FCZ	JPN	7326.9098.90
F39-LP	Güvenlik ışık bariyeri aksesuar, F3SG-R İleri seviye, lamba ünitesi	47.41	EC003015	667337	4548583564343			FC	FCZ	JPN	8541.4900.00
F39-LSGA	Adjustable Side-Mount Bracket (2 brackets per set)	35.35	EC003015	690252	4549734523684			FC	FCZ	CHN	8544.4290.90
F39-LSGF	Fixed Side-Mount Bracket (2 brackets per set)	32.74	EC003015	694903	4549734457804		#	FC	FCZ	JPN	8544.4290.90
F39-LSGTB-K	Mounting bracket for F3SG-SRB JP69K Model (set of 2 brackets)	63.55	EC003015	695798	4549734457903			FC	FCZ	JPN	8541.4900.00
F39-LSGTB-SJ	Adjustable top/bottom bracket set (2 pcs.) for F3SJ/SN series	22.26	EC003015	690268	4549734523042			FC	FCZ	CHN	8541.4900.00
F39-PTG	Safety Sensor Accessory, F3SG-R Series, Laser-alignment kit	389.90	EC003015	688894	4548583577707			FC	FCZ	JPN	8541.4900.00
F39-PTS	Laser-alignment kit for F3SG-SR/PG Series	687.50	EC003015	201636	4549734712286			FC	FCZ	JPN	8541.4900.00
F39-SGLP	Safety sensor accessory, F3SG-SR/PG, lamp unit	22.26	EC003015	695768	4549734523103			FC	FCZ	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Emniyet Işık Bariyeri Aksesuar											
F39-SGBT	Bluetooth Communication Unit for F39-SGIT-IL3	79.50	EC003015	688699	4549734523097			FC	FCZ	CHN	8541.4900.00
F39-SGIT-IL3	Intelligent Tap unit for F35G-SR/PG	227.20	EC003015	688700	4549734523080			FC	FCZ	CHN	8541.4900.00
Lazer Ölçüm Sistemi ZG											
ZG2-WDC41A	ZG Profile sensor controller, PNP, 24 VDC, includes Smart Monitor ZG Software.	5,750.00	EC001825	257544	4547648621687			GA	GAB	JPN	8541.4900.00
Lazer Ölçüm Sistemi ZS											
ZS-HLDC41	ZS-H controller, analog output and PNP digital outputs	1,778.00	EC001825	223618	4547648218634			GA	GAC	JPN	8541.4900.00
Lazer Ölçüm Sistemi ZS											
ZS-LD200 2M	Sensor head, diffuse, 200+/-50mm sensing range, 5um resolution	2,698.00	EC001825	180553	4547648084543			GA	GAC	JPN	8541.4900.00
Akıllı Sensörler ZX											
ZX-LDA11-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor NPN outputs	1,399.00	EC003015	169183	4547648027342			GA	GAD	JPN	9031.9000.00
ZX-LDA41-N 2M	Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor PNP outputs	1,424.00	EC003015	169184	4547648027359			GA	GAD	JPN	9031.9000.00
Akıllı Sensörler ZX											
ZX-LD100L	Laser displacement sensor head, 100+/-40mm, line beam (requires amplifier)	1,575.00	EC001825	106270	4536854772399			GA	GAD	JPN	9031.9000.00
ZX-LD40L 2M	Laser displacement sensor head, 40+/-10mm, line beam (requires amplifier)	1,568.00	EC001825	237554	4547648342186			GA	GAD	JPN	9031.9000.00
Akıllı Sensörler ZX											
ZX-GT2840541	Sensor head integrated type, measuring width 28mm, distance 40mm, PNP (for use with ZG-GTC)	3,544.00	EC002716	238019	4547648424424			GA	GAD	JPN	8541.4900.00
ZX-GT28541	Sensor head separate type, measuring width 28mm, distance 500mm, PNP (for use with ZG-GTC)	3,456.00	EC002716	238017	4547648424400			GA	GAD	JPN	8541.4900.00
Akıllı Sensörler ZX											
ZX-LD100	Laser displacement sensor head, 100+/-40mm, spot focus (requires amplifier)	1,354.00	EC001825	154718	4536854772306			GA	GAD	JPN	9031.9000.00
ZX-LD40	Laser displacement sensor head, 40+/-10mm, spot focus (requires amplifier)	1,354.00	EC001825	150241	4536854772290			GA	GAD	JPN	9031.9000.00
Akıllı Sensörler ZX											
ZX-L-T005	Laser sensor head, through-beam, 5mm beam width (requires amplifier)	1,399.00	EC002716	106277	4536854810121			GA	GAD	JPN	9031.4990.00
ZX-L-T010	Laser sensor head, through-beam, 10mm beam width (requires amplifier)	1,407.00	EC002716	106279	4536854823633			GA	GAD	JPN	9031.4990.00
Akıllı Sensörler ZX											
ZX-XC4A 4M	Extension cable (amplifier to head), 4m	318.20	EC003015	267630	4547648597081			GA	GAD	CHN	8544.4290.90
Akıllı Sensörler ZX											
ZX-EDA1 2M	Proximity Smart Sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	1,124.00	EC003015	147926	4536854864063			GA	GAD	JPN	8542.3390.00
Akıllı Sensörler ZX											
ZX-FM02HT	Inductive proximity sensor head, 12mm dia., Heat resistant, 2mm sensing distance (requires ZX-EDA amplifier)	1,320.00	EC002714	162403	4547648007979			GA	GAD	JPN	9031.4990.00
ZX-FM02T	Inductive proximity sensor head, 10mm dia., Shielded type, 2mm sensing distance (requires ZX-EDA amplifier)	765.50	EC002714	106190	4536854895777			GA	GAD	JPN	9031.4990.00
ZX-FM07MT	Inductive proximity sensor head, 18mm dia., Shielded type, 7mm sensing distance (requires ZX-EDA amplifier)	1,276.00	EC002714	106191	4536854895784			GA	GAD	JPN	9031.4990.00
Akıllı Sensörler ZX											
ZX-FDR5T	Inductive proximity sensor head, 3mm dia., Shielded type, 0.5 mm sensing distance (requires ZX-EDA amplifier)	788.50	EC002714	143642	4536854895746			GA	GAD	JPN	9031.4990.00
ZX-FV04T	Inductive proximity sensor head, 30 x 14 x 4.8 mm, flat type, 4mm sensing distance (requires ZX-EDA amplifier)	962.50	EC002714	162899	4547648007962			GA	GAD	JPN	9031.4990.00
Akıllı Sensörler ZX											
E9NC-TA0	Contact sensor amplifier, Smart tuning, fieldbus communication	292.60	EC003015	393087	4548583519046			GA	GAD	JPN	8541.4900.00
ZX-TDA41 2M	Contact smart sensor amplifier and display, selectable voltage/current output, high/pass/low transistor, PNP output model	1,413.00	EC003015	175666	4547648095488			GA	GAD	JPN	8541.4900.00
Akıllı Sensörler ZX											
ZX-TDS04T	Sensor head, standard type, Ø6mm, distance 4mm (for use with ZX-TDA)	2,315.00	EC003015	168125	4547648006071			GA	GAD	JPN	8541.4900.00
Akıllı Sensörler ZX											
E9NC-TH12LE 2M	Contact sensor, right-angle air type, M9 flange, 12 mm detection range, 0.1um resolution	2,136.00	EC003015	393082	4548583414419	#		GA	GAD	JPN	8541.4900.00
Akıllı Sensörler ZX											
E9NC-TXCS	Accessory contact sensor, E9NC, connection cable for contact sensor, 5 m	117.20	EC003015	393084	4548583414488	#		GA	GAD	JPN	9031.9000.00
Akıllı Sensörler ZX											
ZX2-LDA11 2M	lazer mesafe sensörü, CMOS tip, amplifikatör, NPN	661.50	EC001825	351515	4548583005860			GA	GAD	JPN	9031.9000.00
ZX2-LDA41 2M	lazer mesafe sensörü, CMOS tip, amplifikatör, PNP	661.50	EC001825	351516	4548583005877	#		GA	GAD	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Akıllı Sensörler ZX											
ZX2-LD100 0.5M	Lazer mesafe sensörü, CMOS tip, sensör kafası, nokta için, 100mm +/-35mm, 5µm çözünürlük, 0.5m kablolu	861.00	EC001825	351521	4548583005938	#		GA	GAD	JPN	9031.9000.00
ZX2-LD100L 0.5M	Lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi için, 100mm +/-35mm, 5µm çözünürlük, 0.5m kablolu	820.50	EC001825	351522	4548583005945	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50 0.5M	Lazer mesafe sensörü, CMOS tip, sensör kafası, nokta için, 50mm +/-10mm, 1.5µm çözünürlük, 0.5m kablolu	794.50	EC001825	351519	4548583005914	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50L 0.5M	Lazer mesafe sensörü, CMOS tip, sensör kafası, çizgi için, 50mm +/-10mm, 1.5µm çözünürlük, 0.5m kablolu	816.50	EC001825	351520	4548583005921	#		GA	GAD	JPN	9031.9000.00
ZX2-LD50V 0.5M	Lazer displacement sensor head, 48 +/- 5mm, spot focus (requires amplifier), glass-mirror-wafer applications	1,514.00	EC001825	355135	4548583074019			GA	GAD	JPN	9031.9000.00
Akıllı Sensörler ZX											
ZX2-XC4R	Extension cable (amplifier to head), 1m	125.90	EC003015	351517	4548583005891			GA	GAD	CHN	9031.9000.00
ZX2-XC4R	Extension cable (amplifier to head), 4m	198.70	EC003015	351518	4548583005907	#		GA	GAD	CHN	9031.9000.00
ZX2-XC9R	Extension cable (amplifier to head), 9m	312.10	EC003015	351523	4548583005952			GA	GAD	CHN	9031.9000.00
Akıllı Sensörler ZX											
ZX2-CAL	hesaplama ünitesi	257.30	EC003015	352349	4548583005884			GA	GAD	JPN	9031.9000.00
Akıllı Sensörler ZX											
ZX1-LD100A61 2M	Lazer mesafe sensörü, 100 +/- 50mm, NPN, 2m kablolu	1,046.00	EC001825	358734	4548583105836			GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 2M	Lazer mesafe sensörü, 100 +/- 50mm, PNP, 2m kablolu	1,046.00	EC001825	358735	4548583105843	#		GA	GAD	JPN	9031.9000.00
ZX1-LD100A81 5M	Lazer displacement sensor, 100 +/- 50 mm, PNP, 5m cable	1,095.00	EC001825	358743	4548583105935			GA	GAD	JPN	9031.9000.00
ZX1-LD100A86 0.5M	Lazer displacement sensor, 100 +/- 50 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358751	4548583106048			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 2M	Lazer mesafe sensörü, 300 +/- 150mm, NPN, 2m kablolu	1,046.00	EC001825	358736	4548583105867			GA	GAD	JPN	9031.9000.00
ZX1-LD300A61 5M	Lazer displacement sensor, 300 +/- 150 mm, NPN, 5m cable	1,095.00	EC001825	358744	4548583105942			GA	GAD	JPN	9031.9000.00
ZX1-LD300A66 0.5M	Lazer displacement sensor, 300 +/- 150 mm, NPN, 0.5m pigtail connector	1,194.00	EC001825	358752	4548583106055			GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 2M	Lazer mesafe sensörü, 300 +/- 150mm, PNP, 2m kablolu	1,046.00	EC001825	358737	4548583105874	#		GA	GAD	JPN	9031.9000.00
ZX1-LD300A81 5M	Lazer displacement sensor, 300 +/- 150 mm, PNP, 5m cable	1,095.00	EC001825	358745	4548583105959			GA	GAD	JPN	9031.9000.00
ZX1-LD300A86 0.5M	Lazer displacement sensor, 300 +/- 150 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358753	4548583106062			GA	GAD	JPN	9031.9000.00
ZX1-LD50A61 2M	Lazer mesafe sensörü, 50 +/- 10mm, NPN, 2m kablolu	1,046.00	EC001825	358732	4548583105812			GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 2M	Lazer mesafe sensörü, 50 +/- 10mm, PNP, 2m kablolu	1,046.00	EC001825	358733	4548583105829	#		GA	GAD	JPN	9031.9000.00
ZX1-LD50A81 5M	Lazer displacement sensor, 50 +/- 10 mm, PNP, 5m cable	1,095.00	EC001825	358741	4548583105911			GA	GAD	JPN	9031.9000.00
ZX1-LD50A86 0.5M	Lazer displacement sensor, 50 +/- 10 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358749	4548583106024			GA	GAD	JPN	9031.9000.00
ZX1-LD600A61 2M	Lazer mesafe sensörü, 600 +/- 400mm, NPN, 2m kablolu	1,046.00	EC001825	358738	4548583105881			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 2M	Lazer mesafe sensörü, 600 +/- 400mm, PNP, 2m kablolu	1,046.00	EC001825	358739	4548583105898	#		GA	GAD	JPN	9031.9000.00
ZX1-LD600A81 5M	Lazer displacement sensor, 600 +/- 400 mm, PNP, 5m cable	1,095.00	EC001825	358747	4548583105980			GA	GAD	JPN	9031.9000.00
ZX1-LD600A81L 2M	Lazer displacement sensor, 600 +/- 400 mm, PNP, 2m cable, laser class 1	1,042.00	EC001825	668927	4548583314054			GA	GAD	JPN	9031.9000.00
ZX1-LD600A86 0.5M	Lazer displacement sensor, 600 +/- 400 mm, PNP, 0.5m pigtail connector	1,194.00	EC001825	358755	4548583106086			GA	GAD	JPN	9031.9000.00
Profil Ölçüm Sistemi											
F8PC-010T-E	Pressure sensor, liquid and gas, -0.1 to 1 MPa, PNP, IO-Link COM3, analog	712.50	EC001190	684394	4549734213240	#		GA	GAF	JPN	9026.2020.00
F8PC-100T-E	Pressure sensor, liquid, 0 to 10 MPa, PNP, IO-Link COM3, analog	712.50	EC001190	684395	4549734213257	#		GA	GAF	JPN	9026.2020.00
Profil Ölçüm Sistemi											
F8FC-25T	Flow sensor, liquid, PNP, IO-Link COM3, analog	916.00	EC001190	684371	4549734213011	#		GA	GAF	JPN	9026.1021.00
Sensör Harici Yükseltici N-Sma											
E3NC-LA21 2M	Photoelectric sensor, Laser amplifier, Smart tuning, NPN, double output, external input, 2m cable	249.50	EC003015	375078	4548583374980			GA	GAN	CHN	8536.5019.90
E3NC-LA51 2M	Photoelectric sensor, Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	249.50	EC003015	375079	4548583374997			GA	GAN	CHN	8536.5019.90
E3NC-LH01 2M	Lazer sensor head, 55-85mm, 0.1 mm spot	323.50	EC002719	375086	4548583376144			GA	GAN	JPN	8541.4900.00
E3NC-LH02 2M	Lazer sensor head, 1200mm, 0.8 mm spot adjustable	323.50	EC001821	375085	4548583376137			GA	GAN	JPN	8541.4900.00
E3NC-LH03 2M	Lazer sensor head, retro-reflective, 8m, 2mm spot	272.00	EC002717	392637	4548583489318			GA	GAN	JPN	8541.4900.00
E3NC-SA51 2M	Photoelectric sensor, CMOS1 Laser amplifier, Smart tuning, PNP, double output, external input, 2m cable	249.50	EC003015	375071	4548583376090			GA	GAN	JPN	8536.5019.90
E3NC-SA54	Photoelectric Sensor, Laser amplifier, Smart tuning, PNP, single output, external input, M8 connector	249.50	EC003015	379286	4548583425743			GA	GAN	JPN	8536.5019.90
E3NC-SH100 2M	CMOS Laser sensor head, 35-100mm, 1 mm spot	457.40	EC002719	375074	4548583376151			GA	GAN	JPN	8541.4900.00
E3NC-SH250 2M	CMOS Laser sensor head, 35-250mm, 0.5 mm spot	457.40	EC002719	375077	4548583376168			GA	GAN	JPN	8541.4900.00
E3NC-SH250H 2M	CMOS Laser head, 35-250mm, 1mm spot, Class 2 Laser	457.40	EC002719	379290	4548583442061			GA	GAN	JPN	8541.4900.00
Sensör Harici Yükseltici N-Sma											
E3NX-CA11 2M	Fiber amplifier, standard model, color mark detection white LED, NPN output, smart tuning, 2m cable	245.40	EC001820	671056	4548583802582	#		GA	GAN	JPN	8536.5019.90
E3NX-CA21 2M	Fiber amplifier, advanced model, color mark detection white LED, NPN output, smart tuning, 2m cable	299.40	EC001820	671057	4548583802599			GA	GAN	JPN	8536.5019.90
E3NX-CA41 2M	Fiber amplifier, standart model, renk markası algılayıcı beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	249.20	EC001820	671058	4548583802605	#		GA	GAN	JPN	8536.5019.90
E3NX-CA51 2M	Fiber amplifier, gelişmiş model, renk işareti algılayıcı beyaz LED, PNP çıkışı, akıllı ayarlama, 2m kablo	299.40	EC001820	671059	4548583802612	#		GA	GAN	JPN	8536.5019.90
E3NX-FA0	Fiber amplifier, red LED, twin digital display, smart tuning, Fieldbus communication	237.20	EC002651	375783	4548583375222			GA	GAN	CHN	8536.5019.90
E3NX-FA11 2M	Fiber amplifier, twin digital display, smart tuning, NPN, single output, 2m cable	218.30	EC002651	375081	4548583375123			GA	GAN	CHN	8536.5019.90
E3NX-FA11AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, NPN output, 2 m cable	274.40	EC002651	681543	4549734190442	#		GA	GAN	CHN	8536.5019.90
E3NX-FA21 2M	Fiber amplifier, twin digital display, smart tuning, NPN, double output, external input, 2m cable	237.20	EC002651	375076	4548583375130			GA	GAN	CHN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3NX-FA41 2M	Fiber amplifier, twin digital display, smart tuning, PNP, single output, 2m cable	218.30	EC002651	375075	4548583375147	#		GA	GAN	CHN	8536.5019.90
E3NX-FA41AN 2M	Fiber amplifier, red LED, twin digital display, smart tuning, analog output, PNP output, 2 m cable	274.40	EC002651	681545	4549734190459			GA	GAN	CHN	8536.5019.90
E3NX-FA51 2M	Fiber amplifier, twin digital display, smart tuning, PNP, double output, external input, 2m cable	237.20	EC002651	375073	4548583375154			GA	GAN	CHN	8536.5019.90
E3NX-FA54	Fiber amplifier, twin digital display, smart tuning, PNP, single output, external input, M8 connector	237.20	EC002651	378463	4548583424210			GA	GAN	CHN	8536.5019.90
E3NX-FA54TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, M8 connector	237.20	EC002651	382424	4548583424227			GA	GAN	CHN	8536.5019.90
E3NX-FA6	Fiber amplifier, twin digital display, smart tuning, NPN, single output, system connector	218.30	EC002651	375072	4548583375161			GA	GAN	CHN	8536.5019.90
E3NX-FA8	Fiber amplifier, twin digital display, smart tuning, PNP, single output, system connector	218.30	EC002651	375065	4548583375185			GA	GAN	CHN	8536.5019.90
E3NX-FA9TW	Fiber amplifier, twin digital display, smart tuning, PNP, double output, system connector	237.20	EC002651	375068	4548583375215			GA	GAN	CHN	8536.5019.90
E3NX-FAH41 2M	Fiber amplifier, infrared LED, twin digital display, smart tuning, PNP, single output, 2 m cable	194.40	EC002651	681542	4549734190404			GA	GAN	CHN	8536.5019.90
E3NX-MA11 2M	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 NPN output, 2 m cable	285.60	EC002651	681533	4548583514690			GA	GAN	CHN	8536.5019.90
E3NX-MA41 2M	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, 2 m cable	285.60	EC002651	681532	4548583514713	#		GA	GAN	CHN	8536.5019.90
E3NX-MAR	Fiber amplifier, 2 fiber input, twin digital display, smart tuning, multiple functions, 2 PNP output, system connector	280.10	EC002651	681535	4548583514744			GA	GAN	CHN	8536.5019.90
Sensör Harici Yükseltici N-5ma											
E3NW-FC1	EtherCat communication unit for N-Smart sensors	507.50	EC001603	375785	4548583375093			GA	GAN	CHN	8541.4900.00
Diğer Algılama Komponentleri											
E3E-06-T6	Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin connector, detection area 200mm	344.00	EC001832	235624	4536853911218			GA	GAX	DEU	8536.5019.90
E3E-12-T6	Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, detection area 1320mm, M8-4pin connector	549.50	EC001832	253472	4547648861588			GA	GAX	DEU	8536.5019.90
E3E-16-T6	Light curtain, through-beam, 5m, pitch 120mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm	598.50	EC001832	231744	4536853908485			GA	GAX	DEU	8536.5019.90
E3E-46-T6	Light curtain, through-beam, 5m, pitch 40mm, potentialfree output, M8 4-pin plug-in, detection area 1800mm	841.00	EC001832	231748	4536853908522			GA	GAX	DEU	8536.5019.90
Diğer Algılama Komponentleri											
E3W-D052C 5M	Picking Sensor, Through Beam, sensing distance 3 m, PNP output, 5 m cable	529.00	EC001832	677791	4549734111539			GA	GAX	JPN	8536.5019.90
E3W-D052D 1M	Picking Sensor, Through Beam, Sensing distance 3m, NPN output	902.50	EC001832	676805	4549734111522	#		GA	GAX	JPN	8536.5019.90
Diğer Algılama Komponentleri											
E3W-E032A8 2M	https://industrial.omron.com.tr/tr/home	372.20	EC001832	242184	4547648454902			GA	GAX	CHN	8541.4900.00
Diğer Algılama Komponentleri											
Z1-BA5074	High performance bar type ioniser, 740mm	2,235.00	EC000000	250525	4547648514460			GA	GAX	JPN	8543.7090.99
Sensör Sistemleri için Aksesuarlar											
E39-L12	Protective Bracket, One each for emitter & Reciver, (mounting screws included)	42.42	EC003015	127294	4536854487347			GA	GAZ	JPN	8541.4900.00
Sensör Sistemleri için Aksesuarlar											
E39-R22	Reflektör, 40x55mm	42.05	EC002467	392638	4548583489332			GA	GAZ	JPN	8541.4900.00
Sensör Sistemleri için Aksesuarlar											
E39-P52	Line beam lens attachment for E3NC-LH02	30.42	EC003015	392640	4548583489370			GA	GAZ	JPN	8541.4900.00
Sensör Sistemleri için Aksesuarlar											
ZX-XC1A 1M	Extension cable (amplifier to head), 1m	230.40	EC003015	106271	4536854776465			GA	GAZ	JPN	8544.4290.90
ZX-XC8A 8M	Extension cable (amplifier to head), 8m	431.20	EC003015	106274	4536854810169			GA	GAZ	JPN	8544.4290.90
ZX-XGC2A	ZX-GT - receiver-controller extension cable 2m	377.90	EC003015	238032	4547648424455			GA	GAZ	JPN	8541.4900.00
Sensör Sistemleri için Aksesuarlar											
E39-L180	Mounting bracket for ZX1-LD50/LD100 sensor	38.78	EC003015	364865	4548583104938			GA	GAZ	JPN	9031.9000.00
E39-L181	Mounting bracket for ZX1-LD300/LD600 sensor	38.78	EC003015	364866	4548583104945			GA	GAZ	JPN	9031.9000.00
ZX0-XC10R	Extension cable ZX1 (for pre-wired connector models), 10m	184.90	EC001855	359063	4548583104914			GA	GAZ	CHN	8544.4290.90
ZX0-XC20R	Extension cable ZX1 (for pre-wired connector models), 20m	247.20	EC001855	359064	4548583104921			GA	GAZ	CHN	8544.4290.90
Sensör Sistemleri için Aksesuarlar											
ZS-XC5BR	Extension Robot cable (amplifier to head), 5m	794.50	EC003015	180561	4547648103589			GA	GAZ	JPN	8536.5015.90
ZS-XRS3	RS-232C cable, 2m cable length, for PC connection	182.10	EC001681	680914	4549734168717			GA	GAZ	JPN	8544.4210.00
Sensör Sistemleri için Aksesuarlar											
ZW-XF5005R	Extension fiber optic cable 5 m for family ZW-5000. Fiber adapter ZW-XFC2 is included	463.50	EC003015	684077	4549734122375			GA	GAZ	JPN	8544.7000.90
ZW-XF7005R	Extension fiber optic cable 5 m for family ZW-7000. Fiber adapter ZW-XFCM is included	752.50	EC003015	676438	4548583796102			GA	GAZ	JPN	8544.7000.90
Sensör Sistemleri için Aksesuarlar											
E39-B13	Reflector, E3C-LDA sensor, 7x7mm effective area	29.50	EC002467	163377	4536854958311	#		GA	GAZ	JPN	8541.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Döner Enkoder E6A2											
E6A2-CS5C 100P/R 2M	Rotary Encoder	204.40	EC001486	128496	4536853366698			GC	GCA	JPN	9032.9000.90
E6A2-CS5C 360P/R 2M	Encoder,incremental, 360ppr, 12-24 VDC, 2-phase, NPN, 2 m cable	204.40	EC001486	147610	4536853366728			GC	GCA	JPN	9032.9000.90
E6A2-CW5C 100P/R 0.5M	Enkoder,artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu	190.60	EC001486	128484	4536853366490			GC	GCA	JPN	9032.9000.90
E6A2-CW5C 100P/R 2M	Enkoder,artımlı, 100puls, 12-24 VDC, NPN açık kollektör, 2m kablolu	206.00	EC001486	128501	4536853366810			GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 0.5M	Enkoder,artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 0.5m kablolu	190.60	EC001486	128485	4536853366506			GC	GCA	JPN	9032.9000.90
E6A2-CW5C 200P/R 2M	Enkoder,artımlı, 200puls, 12-24 VDC, 2-faz, NPN açık kollektör, 2m kablolu	205.80	EC001486	128502	4536853366827			GC	GCA	JPN	9032.9000.90
E6A2-CWZ5C 200P/R 0.5M	Enkoder,artımlı, 200puls, 12-24 VDC, NPN açık kollektör, 0.5m kablolu	196.70	EC001486	128414	4536854494055			GC	GCA	JPN	9032.9000.90
Döner Enkoder E6B2											
E6B2-CWZ1X 1000P/R 0.5M	Enkoder,artımlı, 1000puls, 5 VDC, Line driver, 0.5m kablolu	250.30	EC001486	236008	4547648295543			GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 1000P/R 2M	Enkoder,artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu	269.30	EC001486	235972	4547648295642			GC	GCB	CHN	9032.9000.90
E6B2-CWZ1X 2000P/R 0.5M	Enkoder,artımlı, 2000puls, 5 VDC, Line driver, 0.5m kablolu	276.10	EC001486	236009	4547648295581			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 1000P/R 0.5M	Enkoder,artımlı, 1000puls, 12-24 VDC, PNP, 0.5m kablolu	254.80	EC001486	235986	4547648296212			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 100P/R 0.5M	Enkoder,artımlı, 100puls, 12-24 VDC, PNP, 0.5m kablolu	264.20	EC001486	235982	4547648296168			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 2000P/R 0.5M	Enkoder,artımlı, 2000puls, 12-24 VDC, PNP, 0.5m kablolu	280.80	EC001486	235987	4547648296229	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 200P/R 0.5M	Encoder, incremental, 200ppr, 12-24 VDC, PNP output, 0.5m cable	273.10	EC001486	235983	4547648296175			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 360P/R 0.5M	Enkoder,artımlı, 360puls, 12-24 VDC, PNP, 0.5m kablolu	315.30	EC001486	235984	4547648296182			GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 360P/R 2M	Encoder, incremental, 360ppr, 12-24 VDC, PNP output, 0.5m cable	252.60	EC001486	361819	4547648462907	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ5B 500P/R 0.5M	Enkoder,artımlı, 500puls, 12-24 VDC, PNP, 0.5m kablolu	281.70	EC001486	235985	4547648296199			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1000P/R 0.5M	Enkoder,artımlı, 1000puls, 5-24 VDC, 3-faz, NPN, 0.5m kablolu	252.60	EC001486	236001	4547648295185			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1000P/R 2M	Enkoder,artımlı, 1000puls, 5-24 VDC, 3-faz, NPN	264.50	EC001486	236012	4547648295611	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 100P/R 2M	Enkoder,artımlı, 100puls, 5-24 VDC, 3-faz, NPN	268.00	EC001486	236010	4547648295598			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 1024P/R 0.5M	Encoder, incremental, 1024ppr, 5-24 VDC, NPN output, 0.5m cable	317.10	EC001486	351619	4547648296304			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 2000P/R 0.5M	Enkoder,artımlı, 2000puls, 5-24 VDC, NPN, 0.5m kablolu	329.10	EC001486	236005	4547648295222			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 2000P/R 2M	Enkoder,artımlı, 2000puls, 5-24 VDC, 3-faz, NPN, 2m kablolu	290.10	EC001486	235979	4547648295949			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 200P/R 2M	Enkoder,artımlı, 200puls, 5-24 VDC, 3-faz, NPN	229.30	EC001486	236015	4547648295703			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 360P/R 0.5M	Encoder, incremental, 360ppr, 5-24 VDC, NPN output, 0.5m cable	252.60	EC001486	235997	4547648295147			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 360P/R 2M	Enkoder,artımlı, 360puls, 5-24 VDC, 3-faz, NPN	264.50	EC001486	236014	4547648295697			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 500P/R 0.5M	Encoder, incremental, 500ppr, 5-24 VDC, NPN output, 0.5m cable	252.60	EC001486	235999	4547648295161			GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 500P/R 2M	Enkoder,artımlı, 500puls, 5-24 VDC, 3-faz, NPN	247.90	EC001486	236011	4547648296054	#		GC	GCB	CHN	9032.9000.90
E6B2-CWZ6C 600P/R 2M	Encoder, incremental, 600ppr, 5-24VDC, 3-phase, NPN output	257.40	EC001486	236013	4547648295659	#		GC	GCB	CHN	9032.9000.90
Döner Enkoder E6C2-C											
E6C2-CWZ1X 1000P/R 2M	Enkoder,artımlı, 1000puls, 5 VDC, Line driver, 2m kablolu	357.90	EC001486	257299	4547648528559	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 1000P/R 5M	Enkoder,artımlı, 1000puls, 5 VDC, Line driver, 5m kablolu	403.30	EC001486	257319	4547648528856	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 1024P/R 2M	Enkoder,artımlı, 1024puls, 5 VDC, Line driver, 2m kablolu	306.80	EC001486	257311	4547648528696			GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 2000P/R 2M	Enkoder,artımlı, 2000puls, 5 VDC, Line driver, 2m kablolu	381.50	EC001486	257303	4547648528597	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ1X 360P/R 2M	Encoder, incremental, 360ppr, 5 VDC, Line driver output, 2m cable	285.40	EC001486	257297	4547648528535			GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 1000P/R 2M	Enkoder,artımlı, 1000puls, 12-24 VDC, PNP, 2m kablolu	302.40	EC001486	257309	4547648528658	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 100P/R 2M	Enkoder,artımlı, 100puls, 12-24 VDC, PNP, 2m kablolu	268.30	EC001486	257304	4547648528603	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 2000P/R 2M	Enkoder,artımlı, 2000puls, 12-24 VDC, PNP, 2m kablolu	323.80	EC001486	257310	4547648528665			GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 200P/R 2M	Enkoder,artımlı, 200puls, 12-24 VDC, PNP, 2m kablolu	268.30	EC001486	257305	4547648528610	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 360P/R 2M	Enkoder,artımlı, 360puls, 12-24 VDC, PNP, 2m kablolu	282.90	EC001486	257306	4547648528627	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ5B 500P/R 2M	Enkoder,artımlı, 500puls, 12-24 VDC, PNP, 2m kablolu	285.40	EC001486	257307	4547648528634	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 1000P/R 2M	Enkoder,artımlı, 1000puls, 5-24 VDC, NPN, 2m kablolu	352.00	EC001486	257263	4547648528191	#		GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 100P/R 2M	Enkoder,artımlı, 100puls, 5-24 VDC, NPN, 2m kablolu	265.90	EC001486	257256	4547648528122			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 10P/R 2M	Encoder, incremental, 10ppr, 5-24 VDC, NPN output, 2m cable	265.90	EC001486	257250	4547648528061			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 1800P/R 2M	Encoder, incremental, 1800ppr, 5-24 VDC, NPN output, 2m cable	423.80	EC001486	257266	4547648528221			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 2000P/R 2M	Enkoder,artımlı, 2000puls, 5-24 VDC, NPN, 2m kablolu	376.30	EC001486	257267	4547648528238			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 200P/R 2M	Enkoder,artımlı, 200puls, 5-24 VDC, NPN, 2m kablolu	265.90	EC001486	257257	4547648528139			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 360P/R 2M	Enkoder,artımlı, 360puls, 5-24 VDC, NPN, 2m kablolu	281.00	EC001486	257259	4547648528153			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 500P/R 2M	Enkoder,artımlı, 500puls, 5-24 VDC, NPN, 2m kablolu	282.90	EC001486	257261	4547648528177			GC	GCC	CHN	9032.9000.90
E6C2-CWZ6C 60P/R 2M	Enkoder,artımlı, 60puls, 5-24 VDC, NPN, 2m kablolu	311.70	EC001486	257255	4547648528115			GC	GCC	CHN	9032.9000.90
Döner Enkoder E6CP											
E6CP-AG5C-C 256 2M	Enkoder,mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	298.20	EC001486	106174	4536854588532	#		GC	GCE	CHN	9032.9000.90
Döner Enkoder E6F											
E6F-CWZ5G 1000P/R 2M	Enkoder,artımlı, 1000puls, 12-24VDC, PNP/NPN, 2m kablolu	644.00	EC001486	128114	4536854740435			GC	GCF	JPN	9032.9000.90
Döner Enkoder E6E											
E6E-AB3C-C 360 2M	Enkoder,mutlak, 360puls, 10-bit, 5-12 VDC, 2m kablolu, H8PR konnektör	804.00	EC001486	154208	4536853371975			GC	GCF	JPN	9032.9000.90
E6E-AG5B 360 2M	Encoder, absolute, 360ppr, 8-bit, 12-24 VDC, gray code output, 2m cable	706.00	EC001486	128108	4536854687877			GC	GCF	JPN	9032.9000.90
E6E-AG5C-C 256 2M	Enkoder,mutlak, 256puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	705.50	EC001486	145524	4536853372033			GC	GCF	JPN	9032.9000.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E6F-AG5C-C 360/2M	Enkoder, mutlak, 360puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	721.50	EC001486	168882	4547648048132			GC	GCF	JPN	9032.9000.90
E6F-AG5C-C 720/2M	Enkoder, mutlak, 720puls, 8-bit, 12-24 VDC, 2m kablolu, H8PS konnektör	754.00	EC001486	168883	4547648048149			GC	GCF	JPN	9032.9000.90
Döner Enkoder E6C3-C											
E6C3-CWZ3XH 3600P/R 1M	Encoder incremental 8 dia rugged housing, line driver output, 3600 ppr	479.50	EC001486	150186	4536854873553			GC	GCG	JPN	9032.9000.90
E6C3-CWZ3XH 3600P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, line driver, 3600 puls, 2m kablolu	519.00	EC001486	149118	4536854871825			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 1000P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, 1000puls, 12-24 VDC, PNP/NPN, 2m kablolu	479.50	EC001486	143733	4536854871399			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 100P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, 100puls, 12-24 VDC, PNP/NPN, 2m kablolu	432.00	EC001486	151300	4536854871313			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 1024P/R 2M	Encoder incremental, 8 dia tough model, 1024ppr, 12-24 VDC, Complimentary output, 2m cable	479.50	EC001486	154670	4536854871405			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 2000P/R 2M	Rotary Encoder	479.50	EC001486	128257	4536854871443			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 200P/R 1M	Encoder incremental 8 dia rugged housing, complimentary output, 200 ppr	392.80	EC001486	128190	4536854873065			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 300P/R 2M	Encoder incremental, 8 dia, shaft, rugged housing, complementary output, 300 ppr, 2 m cable	432.00	EC001486	149115	4536854871337			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 360P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, PNP/NPN, 360 puls, 2m kablolu	519.00	EC001486	128260	4536854871474			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 360P/R 2M	Encoder incremental 8 dia rugged housing, complimentary output 360 ppr, 2m cable	432.00	EC001486	143732	4536854871344			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 500P/R 2M	Enkoder artımlı 8 çap dayanıklı gövde, PNP/NPN, 500 puls, 2m kablolu	479.50	EC001486	146939	4536854871351			GC	GCG	JPN	9032.9000.90
E6C3-CWZ5GH 720P/R 2M	Encoder incremental, 8mm dia, shaft, rugged housing, 720ppr, 12-24 VDC, complementary output, 2m cable	479.50	EC001486	128252	4536854871375			GC	GCG	JPN	9032.9000.90
Döner Enkoder E6C3-A											
E6C3-AG5B 1024P/R 2M	Encoder, absolute, 1024ppr, 9-bit, 12-24 VDC, gray code output, 2m cable	631.50	EC001486	128235	4536854871221			GC	GCH	JPN	9032.9000.90
E6C3-AG5B 360P/R 2M	Enkoder, mutlak, 360puls, 9-bit, 12-24 VDC, PNP açık kollektör, 2m kablolu	631.50	EC001486	156885	4536854871207			GC	GCH	JPN	9032.9000.90
E6C3-AG5B 720P/R 2M	Encoder, absolute, 720ppr, 9-bit, 12-24 VDC, PNP open collector, gray code output, 2m cable	631.50	EC001486	128234	4536854871214			GC	GCH	JPN	9032.9000.90
E6C3-AG5C 1024P/R 2M	Enkoder, mutlak, 1024puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	589.50	EC001486	128227	4536854870989			GC	GCH	JPN	9032.9000.90
E6C3-AG5C 360P/R 2M	Enkoder, mutlak, 360 puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	615.50	EC001486	128225	4536854870965			GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 256P/R 2M	Encoder, absolute, 256ppr, 9-bit, 12-24 VDC, NPN open collector, gray code output, 2m cable	631.50	EC001486	145873	4536854871061	#		GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 360P/R 2M	Enkoder, mutlak, 360puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	631.50	EC001486	103666	4536854871078			GC	GCH	JPN	9032.9000.90
E6C3-AG5C-C 720P/R 2M	Enkoder, mutlak, 720puls, 9-bit, 12-24 VDC, NPN açık kollektör, 2m kablolu	631.50	EC001486	168881	4547648048125			GC	GCH	JPN	9032.9000.90
Döner Enkoderler için Aksesuarlar											
E69-C04B	Accessory encoder, shaft coupling dia. 4mm	19.91	EC003015	128545	4536853373498	#		GC	GCZ	JPN	9029.9000.90
E69-C06B	Accessory encoder, shaft coupling for E6B2/E6C2-C/E6CP/E6D encoder	20.35	EC003015	128543	4536853373467	#		GC	GCZ	JPN	9029.9000.90
E69-C08M	Accessory encoder, shaft coupling dia. 6mm, metal	88.90	EC003015	144309	4536853373634			GC	GCZ	USA	9029.9000.90
E69-C08B	Accessory encoder, shaft coupling for E6C3-A encoder	28.51	EC003015	150821	4536853373689			GC	GCZ	JPN	9029.9000.90
E69-C10B	Accessory encoder, shaft coupling for E6F encoder	32.06	EC003015	156411	4536853373504			GC	GCZ	JPN	9029.9000.90
E69-C10M	Accessory encoder, shaft coupling dia. 10mm, metal	120.00	EC003015	224046	4536853373641			GC	GCZ	USA	9029.9000.90
E69-C610B	Shaft coupling for E6F-C encoder, Different end diameter	38.61	EC003015	128458	4536853373610			GC	GCZ	JPN	9029.9000.90
E69-C68B	Accessory encoder, shaft coupling dia. 6mm and 8mm	34.12	EC003015	105487	4536853373603	#		GC	GCZ	JPN	9029.9000.90
E69-DF10	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 10m	241.40	EC001855	357358	4548583064980			GC	GCZ	CHN	9029.9000.90
E69-DF20	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 20m	366.70	EC001855	357361	4536853373573			GC	GCZ	CHN	9029.9000.90
E69-DF5	Extension cable for E6C2-A/E6C3-A/E6CP/E6F encoders, 5m	172.40	EC001855	357364	4536853373542			GC	GCZ	CHN	9029.9000.90
E69-FC A	Flange for E6C2-C encoder	11.93	EC003015	143272	4536853373481			GC	GCZ	JPN	9029.9000.90
Fiber Alqılama Kafası E32											
E32-D11N 2M	Fiberoptik sensör, cisimden yansımali, M6, 2m kablolu	157.40	EC002651	374494	4548583336124			GD	GDA	CHN	8541.4900.00
E32-D11R 2M	Photoelectric sensor, fiber sensor head, diffuse, M6, high flex, 2m cable	43.33	EC002651	412734	4548583049208			GD	GDA	CHN	8541.4900.00
E32-D14L 2M	Fiberoptik sensör, cisimden yansımali, 6mm çap, 2m kablolu	129.00	EC002651	182524	4547648094924			GD	GDA	CHN	8541.4900.00
E32-D211 2M	Fiber optic sensor, diffuse, M4 head, standard R10 fiber, 2m cable	40.56	EC002651	379167	4548583413863			GD	GDA	CHN	8541.4900.00
E32-D211R 2M	Fiberoptik sensör, cisimden yansımali, M4, yüksek esneklik R1, 2m kablolu	101.20	EC002651	379168	4548583413870			GD	GDA	CHN	8541.4900.00
E32-D21N 2M	Fiber optic sensor, diffuse, M4 hex right-angled head, high-flex R2 fiber, 2m cable	98.00	EC002651	383729	4548583487833			GD	GDA	CHN	8541.4900.00
E32-D21R 2M	Fiber optic sensor, diffuse, M3, high flex, 2m cable	135.20	EC002651	416699	4548583049215			GD	GDA	CHN	8541.4900.00
E32-DC200	Fiberoptik sensör, cisimden yansımali, M6, 2m kablolu	33.14	EC002651	182959	4547648094986	#		GD	GDA	CHN	8541.4900.00
E32-DC200E 2M	Fiberoptik sensör, cisimden yansımali, M3, 2m kablolu	43.70	EC002651	182804	4547648094993			GD	GDA	CHN	8541.4900.00
E32-DC500 5M	Fiberoptik sensör, cisimden yansımali, M6, 5m	72.75	EC002651	182799	4547648094764	#		GD	GDA	CHN	8541.4900.00
E32-LR1 INP 2M	Fiber optic sensor, retro-reflective, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	69.00	EC002651	383734	4548583487871			GD	GDA	CHN	8541.4900.00
E32-R21 2M	Fiberoptik sensör, reflektörülü, M6, R10 fiber, 2m kablolu	183.20	EC002651	357347	4548583049130			GD	GDA	CHN	8541.4900.00
E32-T11N 2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	122.30	EC002651	374495	4548583336117	#		GD	GDA	CHN	8541.4900.00
E32-T11R 2M	Fiber optic sensor, through-beam, M4 head, high flex R1 fibre, 2m cable	63.70	EC002651	356136	4548583049147		10	GD	GDA	CHN	8541.4900.00
E32-T21R 2M	Fiber optic sensing head, through-beam, M3, high-flex R1 fiber, 2m	107.80	EC002651	411349	4548583049185			GD	GDA	CHN	8541.4900.00
E32-TC200 2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	38.53	EC002651	182801	4547648094870	#		GD	GDA	CHN	8541.4900.00
E32-TC200E 2M	Fiberoptik sensör, karşılıklı, M3, 2m kablolu	54.30	EC002651	182803	4547648094894			GD	GDA	CHN	8541.4900.00
E32-TC500 5M	Fiber optic sensor, through-beam, M4, 5m cable	83.85	EC002651	182793	4547648094702			GD	GDA	CHN	8541.4900.00
Fiber Alqılama Kafası E32											
E32-D15Y 2M	Fiberoptik sensör, cisimden yansımali, kare gövde, standart R25 fiber, 2m kablolu	128.50	EC002651	172129	4547648018081			GD	GDA	JPN	8541.4900.00
E32-D15YB 2M	Fiber optic sensor, diffuse, square side view, high flex R1 fiber, 2m cable	103.20	EC002651	379165	4548583413832			GD	GDA	CHN	8541.4900.00
E32-FC41-1 1M	Fiber optic sensor, diffuse co-axial, M3 head, high-flex fiber R1, 1m cable	132.70	EC002651	656830	4548583373624			GD	GDA	NLD	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-ET15YR-1.2M	Fiber optic sensor, through-beam, square shape, long hole mounting, high-flex R1 fiber, 2m cable	265.90	EC002651	656856	4548583737860			GD	GDA	NLD	8541.4900.00
E32-ET14R.2M	Fiber optic sensor, through-beam, rectangular body, side view, high flex, 2m cable	186.00	EC002651	656843	4548583737969			GD	GDA	NLD	8541.4900.00
E32-T15Z.2M	Fiber optic sensor head, through-beam, square, flat-view, integrated lens, R1 flexible fiber, 2m cable	218.90	EC002651	690947	4548583783232			GD	GDA	CHN	8541.4900.00
E32-T15Y.2M	Fiber optic sensor, through-beam, square right angle head, standard R25 fiber, 2m cable	142.60	EC002651	379183	4548583414167			GD	GDA	CHN	8541.4900.00
E32-T15YR.2M	Fiberoptik sensör, karşılıklı, kare, yüksek esneklik R1 fiber, 2m kablolu	190.60	EC002651	379197	4548583414174			GD	GDA	CHN	8541.4900.00
E32-T15ZR.2M	Fibre optic sensor, thru-beam, square flat form head, high flex R1 fibre, 2m cable	198.90	EC002651	379196	4548583414198			GD	GDA	CHN	8541.4900.00
Fiber Algılama Kafası E32											
E32-D22R.2M	Fiberoptik sensör, cisimden yansımali, minyatür ölçüde, çap 3mm, yüksek esneklik R1 fiber, 2m kablolu	89.85	EC002651	357351	4548583049222			GD	GDA	CHN	8541.4900.00
E32-D24.2M	Fiberoptik sensör, cisimden yansımali, 3mm çap, 2m kablolu	97.10	EC002651	374487	4548583336148			GD	GDA	CHN	8541.4900.00
E32-D32.2M	Fiberoptik sensör, cisimden yansımali, 2mm çap, 2m kablolu	73.65	EC002651	182528	4547648094979			GD	GDA	CHN	8541.4900.00
E32-D33.2M	Fiberoptik sensör, cisimden yansımali, 3mm çap, 2m kablolu	77.25	EC002651	182796	4547648094733			GD	GDA	CHN	8541.4900.00
E32-DC200R.2M	Fiberoptik sensör, cisimden yansımali, M6	56.80	EC002651	182797	4547648094740			GD	GDA	CHN	8541.4900.00
E32-DC200R4.2M	Fiberoptik sensör, cisimden yansımali, çap 2,5mm, standart R25 fiber, 2m kablolu	69.50	EC002651	182798	4547648094757			GD	GDA	CHN	8541.4900.00
E32-DC200F	Fiber optic sensor, diffuse, M3 head with 1.2mm dia sleeve, standard R10 fiber, 2m cable	38.69	EC002651	379175	4548583413986			GD	GDA	CHN	8541.4900.00
E32-DC200F.4	Fiberoptik sensör, cisimden yansımali, M3, R10, 2m kablolu	84.20	EC002651	379176	4548583413993			GD	GDA	CHN	8541.4900.00
E32-T12R.2M	Fiber optic sensor, through-beam, miniature shape, dia 3mm, high-flex fiber R1, 2m cable	65.30	EC002651	356130	4548583049178			GD	GDA	CHN	8541.4900.00
E32-T14L.2M	Fiberoptik sensör, karşılıklı, uzun mesafe, 2m kablolu	136.90	EC002651	182517	4547648094818			GD	GDA	CHN	8541.4900.00
E32-T14R.2M	Fiber optic sensor, through-beam, 3mm side view, high flex R1 fiber, 2m cable	261.60	EC002651	374490	4548583336193			GD	GDA	CHN	8541.4900.00
E32-T22.2M	Fiberoptik sensör, karşılıklı, 2mm çap, standart R10 fiber, 2m kablolu	69.85	EC002651	182520	4547648094849			GD	GDA	CHN	8541.4900.00
E32-T24.2M	Fiberoptik sensör, karşılıklı, 1mm, 2m kablolu	130.90	EC002651	374488	4548583336155			GD	GDA	CHN	8541.4900.00
E32-TC200R	Fiber optic sensor, through-beam, M4 head with 1.2mm sleeve, standard R25 fiber, 2m cable	77.25	EC002651	379191	4548583414303			GD	GDA	CHN	8541.4900.00
Fiber Algılama Kafası E32											
E32-D11L.2M	Fiberoptik sensör, cisimden yansımali, M6, uzun mesafe, 2m kablolu	102.90	EC002651	182523	4547648094917			GD	GDA	CHN	8541.4900.00
E32-D11L.5M	Fiber optic sensor, diffuse, M6 head, long distance, standard R25 fibre, 5m cable	156.30	EC002651	131621	4536853293673			GD	GDA	JPN	8541.4900.00
E32-D21L.2M	Fiberoptik sensör, cisimden yansımali, M4, uzun mesafe, 2m kablolu	110.70	EC002651	182526	4547648094955			GD	GDA	CHN	8541.4900.00
E32-D22L.2M	Fiberoptik sensör, cisimden yansımali, 3mm çap, uzun mesafe, 2m kablolu	104.50	EC002651	182527	4547648094962			GD	GDA	CHN	8541.4900.00
E32-D11.2M	Fiberoptik sensör, cisimden yansımali, M6, uzun mesafe, standart R25 fiber, 2m kablolu	53.50	EC002651	374457	4548583363458			GD	GDA	CHN	8541.4900.00
E32-D11N.2M	Fiber optic sensor, diffuse, M6 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	114.00	EC002651	383723	4548583485716			GD	GDA	CHN	8541.4900.00
E32-D11R.2M	Fiber optic sensor, diffuse, M6 head, long distance, high flex R1 fiber, 2m cable	114.00	EC002651	374454	4548583363472			GD	GDA	CHN	8541.4900.00
E32-LT11.2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, standart R25 fiber, 2m kablolu	60.15	EC002651	374449	4548583336551			GD	GDA	CHN	8541.4900.00
E32-LT11N.2M	Fiber optic sensor, through-beam, M4 hex right-angled head, integrated lens, high-flex R2 fiber, 2m cable	100.50	EC002651	383735	4548583485686			GD	GDA	CHN	8541.4900.00
E32-LT11R.2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, yüksek esneklik R1 fiber, 2m kablolu	120.60	EC002651	374450	4548583336568			GD	GDA	CHN	8541.4900.00
E32-R16.2M	Fiber optic sensor, retro-reflective, long-distance, 2m cable	147.00	EC002651	392257	4548583414075			GD	GDA	CHN	8541.4900.00
E32-T11L.2M	Fiberoptik sensör, karşılıklı, M4, uzun mesafe, 2m kablolu	80.80	EC002651	182515	4547648094795			GD	GDA	CHN	8541.4900.00
E32-T12L.2M	Fiberoptik sensör, karşılıklı, çap 3mm, uzun mesafe, standart R25 fiber, 2m kablolu	106.60	EC002651	182516	4547648094801			GD	GDA	CHN	8541.4900.00
E32-T14.2M	Fiberoptik sensör, karşılıklı, 2m kablolu	110.00	EC002651	356129	4548583049123			GD	GDA	CHN	8541.4900.00
E32-T14.5M	Fiberoptik sensör, karşılıklı, uzun mesafe, standart R25 fiber, 5m kablolu	172.20	EC002651	131622	4536853293680			GD	GDA	JPN	8541.4900.00
E32-T21L.2M	Fiberoptik sensör, karşılıklı, 2m kablolu	87.00	EC002651	182519	4547648094832			GD	GDA	CHN	8541.4900.00
E32-T22L.2M	Fiber optic sensor, through-beam, dia 2mm head with lens, long distance, standard R25 fiber, 2m cable	121.30	EC002651	182521	4547648094863			GD	GDA	CHN	8541.4900.00
E32-TC200A.2M	Fiberoptik sensör, karşılıklı, M3, 2m kablolu	37.57	EC002651	182802	4547648094887			GD	GDA	CHN	8541.4900.00
Fiber Algılama Kafası E32											
E32-D11.2M	Fiberoptik sensör, cisimden yansımali, M6, robotik fiber R4, 2m kablolu	58.30	EC002651	182522	4547648094900			GD	GDA	CHN	8541.4900.00
E32-D21.2M	Fiberoptik sensör, cisimden yansımali, M3, robotik fiber R4, 2m kablolu	85.20	EC002651	182525	4547648094931			GD	GDA	CHN	8541.4900.00
E32-D21R.2M	Fiberoptik sensör, cisimden yansımali, M4, robotik fiber R4, 2m kablolu	108.30	EC002651	182958	4547648094948			GD	GDA	CHN	8541.4900.00
E32-D22R.2M	Fiberoptik sensör, cisimden yansımali, çap 1,5mm, yüksek-esneklik fiber R1, 2m kablolu	163.00	EC002651	182795	4547648094726			GD	GDA	CHN	8541.4900.00
E32-DC200C	Photoelectric sensor optical fibre, diffuse, M6, 2m spiral flex cable (requires E3X amplifier)	61.75	EC002651	103780	4536853293871			GD	GDA	JPN	8541.4900.00
E32-T11.2M	Fiberoptik sensör, karşılıklı, M4, 2m kablolu	57.45	EC002651	182514	4547648094788			GD	GDA	CHN	8541.4900.00
E32-T21.2M	Fiber optic sensor, through-beam, M3, robotik fiber R4, 2m cable	95.80	EC002651	182518	4547648094825			GD	GDA	CHN	8541.4900.00
E32-T22R.2M	Fiberoptik sensör, karşılıklı, çap 1,5mm, robotik fiber R4, 2m kablolu	97.30	EC002651	182957	4547648094856			GD	GDA	CHN	8541.4900.00
Fiber Algılama Kafası E32											
E32-A04.2M	Fiber optic sensor, through-beam, 2mm dia side view head, standard R10 fiber, 2m cable	694.00	EC002651	379194	4548583414334			GD	GDA	CHN	8541.4900.00
E32-A09.2M	Fiber optic sensor, limited reflective, 15 to 38mm, 2m cable	489.60	EC002651	172351	4547648093569			GD	GDA	JPN	8541.4900.00
E32-C21N.2M	Fiber optic sensor, diffuse, M3 hex right-angled head, co-axial, high-flex R2 fiber, 2m cable	136.00	EC002651	383726	4548583485747			GD	GDA	CHN	8541.4900.00
E32-C31.2M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 2m cable	79.60	EC002651	411347	4547648095006		#	GD	GDA	CHN	8541.4900.00
E32-C31N.2M	Fiber optic sensor, diffuse, coaxial, M3, side view, high flex R4 fiber, 2m cable	142.60	EC002651	379159	4548583413771			GD	GDA	CHN	8541.4900.00
E32-C41.1M	Fiber optic sensor, diffuse, coaxial, M3, R25 fiber, 1m cable	106.20	EC002651	411346	4547648094771			GD	GDA	CHN	8541.4900.00
E32-C42.1M	Fiber optic sensor, diffuse, coaxial, 2mm, standard R25 fiber, 1m cable	161.40	EC002651	379160	4548583413788			GD	GDA	CHN	8541.4900.00
E32-CC200.2M	Fiber optic sensor, diffuse, coaxial, M6, standard fiber R25, 2m cable	44.92	EC002651	182805	4547648095013			GD	GDA	CHN	8541.4900.00
E32-CC200R	Fiber optic sensor, diffuse, coaxial, M6, high flex R4 fiber, 2m cable	70.65	EC002651	379161	4548583413795			GD	GDA	CHN	8541.4900.00
E32-D32L.2M	Fiber optic sensor, diffuse, 3mm dia head, co-axial type, standard R25 fiber, 2m cable	73.55	EC002651	379199	4548583413931			GD	GDA	CHN	8541.4900.00
E32-FC31.6M	Fibre optic sensor, diffuse, M3 head, co-axial type, standard R25 fibre, 6m cable	112.80	EC002651	656864	4548583737600			GD	GDA	NLD	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E32-L15-2M	Diffuse fibre, 50mm stand-off, 6mm beamspot, can be used with E3X-DAC, 2m cable	219.60	EC002651	392260	4548583414020			GD	GDA	CHN	8541.4900.00
E32-L25	Fiber optic sensor, limited reflective, 2m cable	94.00	EC002651	392254	4548583414044			GD	GDA	CHN	8541.4900.00
E32-L25L-2M	Fiber optic sensor, limited reflective, label detection, 7mm, R10 fiber, 2m cable	153.70	EC002651	357349	4548583049093			GD	GDA	CHN	8541.4900.00
E32-T22S-2M	Fiberoptik sensör, karşılıklı, 3mm çap., standart R10 fiber, 2m kablolu	136.90	EC002651	374492	4548583336216			GD	GDA	CHN	8541.4900.00
Fiber Algılama Kafası E32											
E32-D36P1-2M	Fiber optic sensor, diffuse, square head, area sensing, 11mm, robot application, break resistant, R4, 2m cable	423.80	EC003015	379173	4548583413955			GD	GDA	CHN	8541.4900.00
E32-ET16WR-1-2M	Fiber optic sensor, through-beam, 70mm curtain, 2m cable	808.00	EC003015	656858	4548583737891			GD	GDA	NLD	8541.4900.00
E32-ET16WR-2-2M	Fiber optic sensor, through-beam, 50mm curtain, 2m cable	831.00	EC003015	656836	4548583737907			GD	GDA	NLD	8541.4900.00
E32-T16-2M	Fiber optic sensor, through-beam, area detection, 10mm area, R25 fiber, 2m cable	196.30	EC003015	357343	4548583049062			GD	GDA	CHN	8541.4900.00
E32-T16-5M	Fiber optic sensor, through-beam, square right angle head, area detection (10mm), standard R25 fibre, 5m cable	201.00	EC003015	357342	4548583049079			GD	GDA	CHN	8541.4900.00
E32-T16P-2M	Fiber optic sensor, through-beam, area detection, 11mm area, R10 fiber, 2m cable	242.70	EC003015	356124	4548583048980			GD	GDA	CHN	8541.4900.00
E32-T16PR-2M	Fiber optic sensor, through-beam, area detection, 11mm area, high-flex fiber R1, 2m cable	338.80	EC003015	356126	4548583049017			GD	GDA	CHN	8541.4900.00
E32-T16W-2M	Fiber optic sensor, through-beam, area detection, 30mm area, R10 fiber, 2m cable	559.00	EC003015	357346	4548583048997			GD	GDA	CHN	8541.4900.00
E32-T16WR-2M	Fiber optic sensor, through-beam, area detection, 30mm area, high-flex fiber R1, 2m cable	645.00	EC003015	357348	4548583049055			GD	GDA	CHN	8541.4900.00
Fiber Algılama Kafası E32											
E32-C91N-2M	Fiber optic sensor, diffuse, M6 hex right-angled head, flexible R4 fiber, 2m cable	137.40	EC002651	671062	4548583802643	#		GD	GDA	CHN	8541.4900.00
E32-D11U-2M	Fiber optic sensor, diffuse, M6 head, chemical resistant coating, R4 fiber, 2m cable	91.35	EC002651	379162	4548583413801			GD	GDA	CHN	8541.4900.00
E32-D51-2M	Fibre optic sensor, diffuse, M6 head, temperature resistant (150 degC), R35 fibre, 2m cable	160.60	EC002651	131592	4536853292904			GD	GDA	JPN	8541.4900.00
E32-D61-2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable, for E3X-NA/SD amp only	379.00	EC002651	365161	4548583080454			GD	GDA	CHN	8541.4900.00
E32-D61-S-2M	Fiber optic sensor, diffuse, M6 head, heat resistant 350°C, R25 fiber, 2m cable	293.50	EC002651	369327	4548583080478			GD	GDA	CHN	8541.4900.00
E32-ED34-2M	Fiber optic sensor, diffuse, side view, dia 6mm head, R5 fiber, 2m cable	122.70	EC002651	656813	4548583737754			GD	GDA	NLD	8541.4900.00
E32-G14	Fiber optic sensor, through-beam, 10mm slot, 2m cable	200.30	EC002651	356128	4548583049260			GD	GDA	CHN	8541.4900.00
E32-T11U-2M	Fiber optic sensor, through-beam, M4 head, chemical resistant, R4 fiber, 2m cable	122.30	EC002651	374491	4548583336209			GD	GDA	CHN	8541.4900.00
E32-T24S-2M	Fiber optic sensor, through-beam, 3mm dia side view, standard R10 fiber, 2m cable	383.70	EC002651	374493	4548583336223			GD	GDA	CHN	8541.4900.00
E32-T61-S-2M	Fiber optic sensor, through-beam, M4 head, heat resistant 350°C, R25 fiber, 2m cable	373.60	EC002651	355403	4548583034495			GD	GDA	CHN	8541.4900.00
E32-T61-S-5M	Fiber optic sensor, through-beam, M4 head, temperature resistant (350 degC), R25 fibre, 5m cable	1,044.00	EC002651	355405	4548583034518			GD	GDA	CHN	8541.4900.00
Fiber Algılama Kafası E32											
E39-EE51	Sideview lens 90 deg for E32fibre	175.90	EC003015	656850	4548583738010			GD	GDA	NLD	8541.9000.00
Fiber Algılama Kafası E32											
E32-E01-100M	Optical fiber, 100m roll, R10, 2.2mm dia, monococe	910.50	EC003015	656829	4548583737501			GD	GDA	NLD	8541.4900.00
Fotoelektrik Sensör E3JM											
E3JM-10M4-G-NN	Fotoelektrik sensör, kare gövde, karşılıklı, 10m, röle çıkışlı, sıkıstırmalı konektör	157.90	EC002716	680474	4549734172912			GD	GDG	CHN	8541.4900.00
E3JM-10M4-NN	Photoelectric sensor, square shape, through-beam, 10m, relay output, connector clamps, PFI/2 conduit	169.50	EC002716	680483	4549734172875			GD	GDG	CHN	8541.4900.00
E3JM-10M4T-G-NN	Fotoelektrik sensör, kare gövde, karşılıklı, 10m, zamanlayıcı fonksiyonlu, röle çıkışlı, sıkıstırmalı konektör	170.30	EC002716	680478	4549734172943			GD	GDG	CHN	8541.4900.00
E3JM-DS70M4-G	Fotoelektrik sensör, cisimden vansimli, 700mm, AC/DC, röle	110.70	EC001821	232860	4536854779107	#		GD	GDG	CHN	8541.4900.00
E3JM-DS70M4T-G	Fotoelektrik sensör, cisimden vansimli, 700mm, AC/DC, röle, zamanlayıcı 5s	122.80	EC001821	232861	4536854779114	#		GD	GDG	CHN	8541.4900.00
E3JM-DS70R4-G	Photoelectric sensor, diffuse, 300mm AC/DC, Transistor output, PNP	163.50	EC001821	232895	4536854779466			GD	GDG	CHN	8541.4900.00
E3JM-R4M4	Photoelectric sensor, retro-reflective, 4m, AC/DC, relay, conduit PF 1/2	116.30	EC002717	232821	4536854779213			GD	GDG	CHN	8541.4900.00
E3JM-R4M4-G	Fotoelektrik sensör, reflektörlü, 4m, AC/DC, röle	111.20	EC002717	232862	4536854779121	#		GD	GDG	CHN	8541.4900.00
E3JM-R4M4T-G	Fotoelektrik sensör, reflektörlü, 4m, AC/DC, röle, zamanlayıcı 5s	125.00	EC002717	232863	4536854779138	#		GD	GDG	CHN	8541.4900.00
E3JM-R4R4-G	Fotoelektrik sensör, polarize reflektörlü, 4m, AC/DC, transistör çıkış, PNP	149.60	EC002717	232892	4536854779435			GD	GDG	CHN	8541.4900.00
E3JM-R4R4T-G-33	Photoelectric sensor, Polarized retroreflective, 4m, AC/DC, Transistor output PNP, timer	173.10	EC002717	232904	4536854779923			GD	GDG	CHN	8541.4900.00
Fotoelektrik Sensör E3AS											
E3AS-F1000IMN-2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	162.70	EC002719	690973	4549734512510			GD	GDH	CHN	8541.4900.00
E3AS-F1000IMN-M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	157.00	EC002719	690206	4549734512534			GD	GDH	CHN	8541.4900.00
E3AS-F1000IMN-M1TJ-0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	191.90	EC002719	690972	4549734512558			GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT-2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	162.70	EC002719	690969	4549734512619			GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT-M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	157.00	EC002719	690208	4549734512633	#		GD	GDH	CHN	8541.4900.00
E3AS-F1000IMT-M1TJ-0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	191.90	EC002719	690968	4549734512657			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPN-2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, 2 m cable	122.10	EC002719	690967	4549734512664			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPN-M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	110.40	EC002719	690209	4549734512688			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPN-M1TJ-0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	151.10	EC002719	690966	4549734512701			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPT-2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	122.10	EC002719	690963	4549734512763			GD	GDH	CHN	8541.4900.00
E3AS-F1000IPT-M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	110.40	EC002719	690211	4549734512787	#		GD	GDH	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3AS-F1000PT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	151.10	EC002719	690961	4549734512800			GD	GDH	CHN	8541.4900.00
E3AS-F1000PT-M3J 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1000 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 pigtail connector 4-pin, 0.3 m	151.10	EC002719	690962	4549734512794			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMD M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM2, M8 4-pin connector	157.00	EC002719	690201	4549734512282			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	162.70	EC002719	690948	4549734512213			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	157.00	EC002719	690200	4549734512237			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	191.90	EC002719	690985	4549734512251			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT 2M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	162.70	EC002719	690982	4549734512312			GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT M3	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	157.00	EC002719	690202	4549734512336	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	191.90	EC002719	690981	4549734512350			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, 2 m cable	122.10	EC002719	690980	4549734512367			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	110.40	EC002719	690203	4549734512381			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	151.10	EC002719	690979	4549734512404			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT 2M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	122.10	EC002719	690976	4549734512466			GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT M3	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 4-pin connector	110.40	EC002719	690205	4549734512480	#		GD	GDH	CHN	8541.4900.00
E3AS-F1500IPT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, plastic body, infrared laser class 1, time-of-flight, 1500 mm, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	151.10	EC002719	690974	4549734512503			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	412.60	EC002719	696057	4549734663854			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector, 4-pin	412.60	EC002719	696056	4549734663878			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	429.90	EC002719	696075	4549734663380			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	412.60	EC002719	696055	4549734663939			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	412.60	EC002719	696053	4549734663953			GD	GDH	CHN	8541.4900.00
E3AS-HL150LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	429.90	EC002719	696074	4549734663403			GD	GDH	CHN	8541.4900.00
E3AS-HL150QMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	400.90	EC002719	696063	4549734663731			GD	GDH	CHN	8541.4900.00
E3AS-HL150QMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector 4-pin	400.90	EC002719	696062	4549734663755			GD	GDH	CHN	8541.4900.00
E3AS-HL150QMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	418.30	EC002719	696077	4549734663359			GD	GDH	CHN	8541.4900.00
E3AS-HL150MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	400.90	EC002719	696061	4549734663816			GD	GDH	CHN	8541.4900.00
E3AS-HL150MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	400.90	EC002719	696059	4549734663830	#		GD	GDH	CHN	8541.4900.00
E3AS-HL150MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-150 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	418.30	EC002719	696076	4549734663373			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	412.60	EC002719	696069	4549734663618			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8 connector, 4-pin	412.60	EC002719	696068	4549734663632			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m	429.90	EC002719	696079	4549734663328			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 2 m cable	412.60	EC002719	696067	4549734663694			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT 5M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, 5 m cable	424.20	EC002719	696066	4549734663700			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M8 connector 4-pin	412.60	EC002719	696065	4549734663717			GD	GDH	CHN	8541.4900.00
E3AS-HL500LMT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, line beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	429.90	EC002719	696078	4549734663342			GD	GDH	CHN	8541.4900.00
E3AS-HL500MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, 2 m cable	400.90	EC002719	696040	4549734663250			GD	GDH	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code	
E3AS-HL500MN M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M8, connector 4-pin	400.90	EC002719	696038	4549734663274			GD	GDH	CHN	8541.4900.00	
E3AS-HL500MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, NPN, Light-ON/Dark-ON, M12 pigtail, Smartclick connector, 0.3 m	418.30	EC002719	696081	4549734663298			GD	GDH	CHN	8541.4900.00	
E3AS-HL500MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable	400.90	EC002719	696073	4549734663571			GD	GDH	CHN	8541.4900.00	
E3AS-HL500MT M3	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 connector 4-pin	400.90	EC002719	696071	4549734663595	#		GD	GDH	CHN	8541.4900.00	
E3AS-HL500MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red laser class 1, background suppression, spot beam, 35-500 mm, 10-30 VDC, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail, Smartclick connector, 0.3 m	418.30	EC002719	696080	4549734663311			GD	GDH	CHN	8541.4900.00	
E3AS-L200MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, 2 m cable	197.60	EC002719	690960	4549734512817			GD	GDH	CHN	8541.4900.00	
E3AS-L200MN M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	191.90	EC002719	690212	4549734512831			GD	GDH	CHN	8541.4900.00	
E3AS-L200MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, NPN, Light-ON/Dark-ON, M12 pigtail, Smartclick connector, 0.3 m	226.70	EC002719	690959	4549734512855			GD	GDH	CHN	8541.4900.00	
E3AS-L200MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable	197.60	EC002719	690956	4549734512916			GD	GDH	CHN	8541.4900.00	
E3AS-L200MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 4-pin connector	191.90	EC002719	690214	4549734512930	#		GD	GDH	CHN	8541.4900.00	
E3AS-L200MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 200 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail, Smartclick connector, 0.3 m	226.70	EC002719	690955	4549734512954			GD	GDH	CHN	8541.4900.00	
E3AS-L80MN 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, 2 m cable	197.60	EC002719	690954	4549734512961			GD	GDH	CHN	8541.4900.00	
E3AS-L80MN M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M8 4-pin connector	191.90	EC002719	690215	4549734512985	2		GD	GDH	CHN	8541.4900.00	
E3AS-L80MN-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, NPN, Light-ON/Dark-ON, M12 pigtail, Smartclick connector, 0.3 m	226.70	EC002719	690953	4549734513005			GD	GDH	CHN	8541.4900.00	
E3AS-L80MT 2M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, 2 m cable	197.60	EC002719	690950	4549734513067			GD	GDH	CHN	8541.4900.00	
E3AS-L80MT M3	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M8 4-pin connector	191.90	EC002719	690217	4549734513081	#		GD	GDH	CHN	8541.4900.00	
E3AS-L80MT-M1TJ 0.3M	Photoelectric sensor, rectangular housing, stainless steel, red LED, background suppression, 80 mm, PNP, Light-ON/Dark-ON, IO-Link, COM3, M12 pigtail, Smartclick connector, 0.3 m	226.70	EC002719	690949	4549734513104			GD	GDH	CHN	8541.4900.00	
Fotoelektrik Sensör E3Z												
E3Z-B61 2M	Fotoelektrik sensör, seffaf nesne reflektörlü, 500mm, DC, 3 kablolü, NPN, 2m kablolü	160.00	EC002717	323118	4547648676632			GD	GDI	CHN	8541.4900.00	
E3Z-B66	Fotoelektrik sensör, seffaf nesne reflektörlü, 500mm, DC, 3 kablolü, NPN, M8 konnektör	147.00	EC002717	323120	4547648676656			GD	GDI	CHN	8541.4900.00	
E3Z-B67	Fotoelektrik sensör, seffaf nesne reflektörlü, 2m, DC, 3 kablolü, NPN, M8 konnektör	147.00	EC002717	323123	4547648676724			GD	GDI	CHN	8541.4900.00	
E3Z-B81 2M	Fotoelektrik sensör, seffaf nesne reflektörlü, 500mm, DC, 3 kablolü, PNP, 2m kablolü	160.00	EC002717	323119	4547648676649			GD	GDI	CHN	8541.4900.00	
E3Z-B82 2M	Fotoelektrik sensör, seffaf nesne reflektörlü, 2m, DC, 3 kablolü, PNP, 2m kablolü	160.00	EC002717	323124	4547648676762	#		GD	GDI	CHN	8541.4900.00	
E3Z-B86	Fotoelektrik sensör, seffaf nesne reflektörlü, 500mm, DC, 3 kablolü, PNP, M8 konnektör	147.00	EC002717	323121	4547648676663	#		GD	GDI	CHN	8541.4900.00	
E3Z-B87	Fotoelektrik sensör, seffaf nesne reflektörlü, 2m, DC, 3 kablolü, PNP, M8 konnektör	147.00	EC002717	323125	4547648676786	#		GD	GDI	CHN	8541.4900.00	
E3Z-D61 2M	Fotoelektrik sensör, cisimden vansimalı, 100mm, DC, 3 kablolü, NPN, 2m kablolü	94.10	EC001821	685917	4549734446600	#		GD	GDI	IDN	8541.4900.00	
E3Z-D62 2M	Fotoelektrik sensör, cisimden vansimalı, 1m, DC, 3 kablolü, NPN, 2m kablolü	94.40	EC001821	685920	4549734446648	#		GD	GDI	IDN	8541.4900.00	
E3Z-D62 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, NPN, 5m cable (requires bracket)	94.85	EC001821	241530	4547648287180			GD	GDI	CHN	8541.4900.00	
E3Z-D66	Fotoelektrik sensör, cisimden vansimalı, 100mm, DC, 3 kablolü, NPN, M8 konnektör	98.85	EC001821	685918	4549734446624	50		GD	GDI	IDN	8541.4900.00	
E3Z-D67	Fotoelektrik sensör, cisimden vansimalı, 1m, DC, 3 kablolü, NPN, M8 konnektör	98.85	EC001821	685921	4549734446662			GD	GDI	IDN	8541.4900.00	
E3Z-D81 2M	Fotoelektrik sensör, cisimden vansimalı, 100mm, DC, 3 kablolü, PNP, 2m kablolü	94.15	EC001821	685614	4549734446617	#		GD	GDI	IDN	8541.4900.00	
E3Z-D81 5M	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, 5m cable (requires bracket)	97.65	EC001821	241516	4547648287173			GD	GDI	CHN	8541.4900.00	
E3Z-D81-M1J 0.3M	Photoelectric sensor, diffuse, compact square, infrared LED, 100mm, PNP, L-on/D-on selectable, M12 pig-tail connector	96.10	EC001821	338387	4547648676212			GD	GDI	CHN	8541.4900.00	
E3Z-D82 2M	Fotoelektrik sensör, cisimden vansimalı, 1m, DC, 3 kablolü, PNP, 2m kablolü	94.40	EC001821	685613	4549734446655	#		GD	GDI	IDN	8541.4900.00	
E3Z-D82 5M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, 5m cable (requires bracket)	97.65	EC001821	241531	4547648287197			GD	GDI	CHN	8541.4900.00	
E3Z-D82-II 3 2M	Fotoelektrik sensör, cisimden vansimalı, 1m, DC, PNP, 2m kablolü, IO-link, COM 3	99.20	EC001821	671105	4548583793255			GD	GDI	CHN	8541.4900.00	
E3Z-D82-II 3 5M	Fotoelektrik sensör, cisimden vansimalı, 1m, DC, PNP, 5m kablolü, IO-link, COM 3	107.30	EC001821	671100	4548583793262			GD	GDI	CHN	8541.4900.00	
E3Z-D82-M1J 0.3M	Photoelectric sensor, diffuse, 1m, DC, 3-wire, PNP, M12 pigtail (requires bracket)	109.10	EC001821	338388	4547648676229			GD	GDI	CHN	8541.4900.00	
E3Z-D82-M1TJ-II 3 0.3M	Fotoelektrik sensör, cisimden vansimalı, 1m, DC, PNP, M12 kablolü, IO-link, COM 3	99.20	EC001821	671122	4548583793279			GD	GDI	CHN	8541.4900.00	
E3Z-D86	Fotoelektrik sensör, cisimden vansimalı, 100mm, DC, 3 kablolü, PNP, M8 konnektör	98.85	EC001821	685919	4549734446631	#		GD	GDI	IDN	8541.4900.00	
E3Z-D87	Fotoelektrik sensör, cisimden vansimalı, 1m, DC, 3 kablolü, PNP, M8 konnektör	98.85	EC001821	685922	4549734446679	#		GD	GDI	IDN	8541.4900.00	
E3Z-D87-II 3	Fotoelektrik sensör, cisimden vansimalı, 1m, DC, PNP, M8 konnektör, IO-link, COM 3	99.20	EC001821	671102	4548583793309			GD	GDI	CHN	8541.4900.00	
E3Z-G61 2M	Fotoelektrik sensör, tek ışınlı, boşluk 25mm, DC, 3 kablolü, NPN, 2m kablolü	124.00	EC002720	332056	4547648676519			GD	GDI	CHN	8541.4900.00	
E3Z-G61-M3J	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, NPN, M8 pigtail connector	128.60	EC002720	332057	4547648676533	10		GD	GDI	CHN	8541.4900.00	
E3Z-G62 2M	Fotoelektrik sensör, çift ışınlı, boşluk 25mm, DC, 3 kablolü, NPN, 2m kablolü	151.00	EC002720	332058	4547648676540			GD	GDI	CHN	8541.4900.00	
E3Z-G62-M3J	Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, NPN, M8 pigtail connector	145.50	EC002720	332033	4547648676564	10		GD	GDI	CHN	8541.4900.00	
E3Z-G81 2M	Fotoelektrik sensör, tek ışınlı, boşluk 25mm, DC, 3 kablolü, PNP, 2m kablolü	124.00	EC002720	332059	4547648676908	#		10	GD	GDI	CHN	8541.4900.00
E3Z-G81-M3J	Photoelectric sensor, single-beam, slot, 25mm, DC, 3-wire, PNP, M8 pigtail connector	161.30	EC002720	332060	4547648676915	10		GD	GDI	CHN	8541.4900.00	
E3Z-G82 2M	Fotoelektrik sensör, çift ışınlı, boşluk 25mm, DC, 3 kablolü, PNP, 2m kablolü	151.00	EC002720	332061	4547648676939			GD	GDI	CHN	8541.4900.00	
E3Z-G82-M3J	Photoelectric sensor, twin-beam, slot, 25mm, DC, 4-wire, PNP, M8 pigtail connector	190.00	EC002720	332062	4547648676946	#		GD	GDI	CHN	8541.4900.00	
E3Z-L61 2M	Fotoelektrik sensör, dar ışın, cisimden vansimalı, 90+30mm, DC, 3 kablolü, NPN, 2m kablolü	134.30	EC001821	323114	4547648676250			GD	GDI	CHN	8541.4900.00	
E3Z-L81 2M	Fotoelektrik sensör, dar ışın, cisimden vansimalı, 90+30mm, DC, 3 kablolü, PNP, 2m kablolü	149.60	EC001821	323115	4547648676274			GD	GDI	CHN	8541.4900.00	
E3Z-L81-II 3 2M	Fotoelektrik sensör, cisimden vansimalı, 90mm, dar ışın, DC, PNP, 2m kablolü, IO-link, COM 3	99.20	EC001821	671107	4548583793354			GD	GDI	CHN	8541.4900.00	

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-L81-IL3.5M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar isin, DC, PNP, 5m kablolu, IO-link, COM 3	107.30	EC001821	671104	4548583793361			GD	GDI	CHN	8541.4900.00
E3Z-L81-M1J-1.0.3M	Photoelectric sensor, rectangular housing, red LED, diffuse, narrow beam, 90 + 30 mm, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	131.40	EC001821	323131	4547648677301	#		GD	GDI	CHN	8541.4900.00
E3Z-L81-M1T-IL3-1.0.3M	Fotoelektrik sensör, cisimden yansımali, 90mm, dar isin, DC, PNP, M12 kablolu, IO-link, COM 3	112.00	EC001821	671090	4548583793385			GD	GDI	CHN	8541.4900.00
E3Z-L86	Fotoelektrik sensör, dar isin, cisimden yansımali, 90+30mm, DC, 3 kablolu, PNP, M8 konnektör	149.60	EC001821	323117	4547648676298			GD	GDI	CHN	8541.4900.00
E3Z-L86-IL3	Fotoelektrik sensör, cisimden yansımali, 90mm, dar isin, DC, PNP, M8 konnektör, IO-link, COM 3	99.20	EC001821	671112	4548583793408			GD	GDI	CHN	8541.4900.00
E3Z-L161.2M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, NPN, 2m kablolu	205.80	EC002719	323137	4547648678735	#		GD	GDI	CHN	8541.4900.00
E3Z-L166	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, M8, 4-pin konnektör, NPN	200.90	EC002719	323138	4547648678742	#		GD	GDI	CHN	8541.4900.00
E3Z-L168	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, NPN, L-ON/D-ON seçilebilir, M8 konnektör	242.10	EC002719	323142	4547648678780			GD	GDI	CHN	8541.4900.00
E3Z-L161.2M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, PNP	205.80	EC002719	323139	4547648678759	#		GD	GDI	CHN	8541.4900.00
E3Z-L181.5M	Photoelectric sensor, BGS Laser Sensor, 20-300mm, Pre-wired, PNP Output	209.00	EC002719	323067	4547648679749			GD	GDI	CHN	8541.4900.00
E3Z-L181-M1J.0.3M	Photoelectric sensor, BGS laser, 20-300mm, M12 pigtail, PNP	243.80	EC002719	323041	4547648678926			GD	GDI	CHN	8541.4900.00
E3Z-L181-M3I.0.3M	Photoelectric sensor, BGS laser, 20-300mm, M8 pigtail 4-pin, PNP	206.40	EC002719	323064	4547648679282	#		GD	GDI	CHN	8541.4900.00
E3Z-L183.2M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8 konnektör	205.80	EC002719	323143	4547648678797			GD	GDI	CHN	8541.4900.00
E3Z-L183-M1J.0.3M	Photoelectric sensor, BGS laser, 25-300mm, M12 pigtail, PNP, High Speed Version	243.80	EC002719	323045	4547648678964			GD	GDI	CHN	8541.4900.00
E3Z-L183-M1I.0.3M	Fotoelektrik sensör, arka plan bastırılmalı lazer, 20-300mm, M8, 4-pin konnektör, PNP	201.90	EC002719	323140	4547648678766	#		GD	GDI	CHN	8541.4900.00
E3Z-L188	Fotoelektrik sensör, arka plan bastırılmalı lazer, 300mm, PNP, L-ON/D-ON seçilebilir, M8 4-pin konnektör	204.80	EC002719	323144	4547648678803	#		GD	GDI	CHN	8541.4900.00
E3Z-LR61.2M	Fotoelektrik sensör, reflektörlü lazer, 15m, NPN, 2m kablolu	161.60	EC002717	323145	4547648678810			GD	GDI	CHN	8541.4900.00
E3Z-LR66	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konnektör, NPN	163.50	EC002717	323146	4547648678827			GD	GDI	CHN	8541.4900.00
E3Z-LR81.2M	Fotoelektrik sensör, reflektörlü lazer, 15m, PNP, 2m kablolu	161.60	EC002717	323147	4547648678834	#		GD	GDI	CHN	8541.4900.00
E3Z-LR81-M1J.0.3M	Photoelectric sensor, retro-reflective laser, 15m, M12 pigtail, PNP	147.90	EC002717	323049	4547648679008			GD	GDI	CHN	8541.4900.00
E3Z-LR86	Fotoelektrik sensör, reflektörlü lazer, 15m, M8, 4-pin konnektör, PNP	160.00	EC002717	323148	4547648678841	#		GD	GDI	CHN	8541.4900.00
E3Z-LS61.2M	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, NPN, 2m kablolu	130.60	EC002719	323126	4547648677011	#		GD	GDI	CHN	8541.4900.00
E3Z-LS63.2M	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	164.70	EC002719	323153	4547648680592			GD	GDI	CHN	8541.4900.00
E3Z-LS66	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 40-200mm, DC, 3 kablolu, NPN, M8 konnektör	134.30	EC002719	323128	4547648677035	#		GD	GDI	CHN	8541.4900.00
E3Z-LS68	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, 80mm, NPN, L-ON/D-ON seçilebilir, M8-4pin konnektör	138.00	EC002719	323154	4547648680615			GD	GDI	CHN	8541.4900.00
E3Z-LS81.2M	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, PNP, 2m kablolu	130.60	EC002719	323129	4547648677059	#		GD	GDI	CHN	8541.4900.00
E3Z-LS81.5M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, 5m cable (requires bracket)	152.10	EC002719	323034	4547648677080			GD	GDI	CHN	8541.4900.00
E3Z-LS81-M1J.0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M12 pigtail (requires bracket)	189.20	EC002719	323136	4547648678674			GD	GDI	CHN	8541.4900.00
E3Z-LS81-M3I.0.3M	Photoelectric sensor, diffuse background suppression, 40-200mm, DC, 3-wire, PNP, M8 pigtail 4-pin (requires bracket)	106.10	EC002719	323113	4547648677912			GD	GDI	CHN	8541.4900.00
E3Z-LS83.2M	Fotoelektrik sensör, arka plan bastırılmalı, 2-80mm, DC, 3 kablolu, PNP, 2m kablolu	163.60	EC002719	323134	4547648678339			GD	GDI	CHN	8541.4900.00
E3Z-LS86	Fotoelektrik sensör, arka plan bastırılmalı, 40-200mm, DC, 3 kablolu, PNP, M8 konnektör	134.30	EC002719	323130	4547648677066	#		GD	GDI	CHN	8541.4900.00
E3Z-LS88	Fotoelektrik sensör, arka plan bastırılmalı, kompakt kare, kırmızı LED, PNP, L-ON/D-ON seçilebilir, M8 konnektör	165.80	EC002719	323135	4547648678353			GD	GDI	CHN	8541.4900.00
E3Z-LT61.2M	Fotoelektrik sensör, karşılıklı lazer, 60m, kablolu, NPN, 2m kablolu	205.80	EC002716	323149	4547648678858	#		GD	GDI	CHN	8541.4900.00
E3Z-LT66	Fotoelektrik sensör, karşılıklı lazer, 60m, M8, 4-pin konnektör, NPN	201.90	EC002716	323150	4547648678865			GD	GDI	CHN	8541.4900.00
E3Z-LT81.2M	Fotoelektrik sensör, karşılıklı lazer, 60m, PNP, 2m kablolu	205.80	EC002716	323151	4547648678872			GD	GDI	CHN	8541.4900.00
E3Z-LT81-M1J.0.3M	Photoelectric sensor, through-beam laser, 60m, M12 pigtail, PNP	226.50	EC002716	323053	4547648679046			GD	GDI	CHN	8541.4900.00
E3Z-LT86	Fotoelektrik sensör, karşılıklı lazer, 60m, M8, 4-pin konnektör, PNP	205.80	EC002716	323152	4547648678889	#		GD	GDI	CHN	8541.4900.00
E3Z-LT86-D	Photoelectric sensor, through-beam laser receiver, 60m, M8 4-pin connector, PNP	79.75	EC002716	333179	4547648679695	#		GD	GDI	CHN	8541.4900.00
E3Z-LT86-L	Photoelectric sensor, through-beam laser emitter, 60m, M8 4-pin connector	147.90	EC002716	323058	4547648679091			GD	GDI	CHN	8541.4900.00
E3Z-R61.2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, 2m kablolu	100.40	EC002717	685914	4549734446563			GD	GDI	IDN	8541.4900.00
E3Z-R61-C.5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, NPN, 5m cable, including reflector E39-R1	149.60	EC002717	372328	4547648676748			GD	GDI	CHN	8541.4900.00
E3Z-R66	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, NPN, M8 konnektör	105.20	EC002717	685915	4549734446587	#		GD	GDI	IDN	8541.4900.00
E3Z-R81.2M	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, 2m kablolu	100.50	EC002717	685615	4549734446570	#		GD	GDI	IDN	8541.4900.00
E3Z-R81.5M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP, 5m cable (requires reflector & bracket)	100.50	EC002717	241528	4547648287159			GD	GDI	CHN	8541.4900.00
E3Z-R81-IL3.5M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 2m kablolu, IO-link, COM 3	98.50	EC002717	671110	4548583793156			GD	GDI	CHN	8541.4900.00
E3Z-R81-IL3.5M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, 5m kablolu, IO-link, COM 3	107.30	EC002717	671106	4548583793163			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1J.0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M12 pigtail (requires reflector & bracket)	75.05	EC002717	338386	4547648676205			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1J.0.8M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	91.55	EC002717	339281	4547648678179			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1T.0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	96.50	EC002717	339301	4547648680844			GD	GDI	CHN	8541.4900.00
E3Z-R81-M1T-IL3.0.3M	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M12 kablolu, IO-link, COM 3	98.50	EC002717	671094	4548583793170			GD	GDI	CHN	8541.4900.00
E3Z-R81-M3I.0.3M	Photoelectric sensor, retro-reflective, 4m, DC, 3-wire, PNP, M8 pigtail 4-pin (requires reflector & bracket)	96.50	EC002717	339271	4547648676694			GD	GDI	CHN	8541.4900.00
E3Z-R81-M5J.0.3M	Photoelectric sensor, retroreflective, 4m, DC, 3-wire, PNP (requires reflector & bracket)	112.90	EC002717	338405	4547648678131			GD	GDI	CHN	8541.4900.00
E3Z-R86	Fotoelektrik sensör, reflektörlü, 4m, DC, 3 kablolu, PNP, M8 konnektör	105.20	EC002717	685916	4549734446594	#		GD	GDI	IDN	8541.4900.00
E3Z-R86-2	Photoelectric sensor, rectangular housing with mounting hole ø3.2, red LED, retro-reflective, 4 m, PNP, Light-ON/Dark-ON, M8 4-pin connector	105.20	EC002717	339273	4547648676984			GD	GDI	CHN	8541.4900.00
E3Z-R86-4	Photoelectric sensor, retro-reflective, compact square, infrared LED, 5m, PNP, L-on/D-on selectable, M8-4pin connector	94.40	EC002717	339294	4547648680011			GD	GDI	CHN	8541.4900.00
E3Z-R86H	Retro-reflective with M.S.R. 4m, without sensitivity adjusters, PNP, M8 plug-in 4-pins	80.70	EC002717	658924	4548583583818			GD	GDI	CHN	8541.4900.00
E3Z-R86-IL3	Fotoelektrik sensör, reflektörlü, 4m, DC, PNP, M8 konnektör, IO-link, COM 3	98.50	EC002717	671109	4548583793200			GD	GDI	CHN	8541.4900.00
E3Z-T61.2M	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, NPN, 2m kablolu	127.80	EC002716	685902	4549734446440	#		GD	GDI	IDN	8541.4900.00
E3Z-T61A.2M	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, NPN, 2m kablolu	121.30	EC002716	685906	4549734446488		20	GD	GDI	IDN	8541.4900.00
E3Z-T66	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, NPN, M8 konnektör	132.50	EC002716	685904	4549734446464	#		GD	GDI	IDN	8541.4900.00
E3Z-T66A	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, NPN, M8 konnektör	132.10	EC002716	685908	4549734446501			GD	GDI	IDN	8541.4900.00
E3Z-T66-D	Photoelectric sensor, through-beam receiver, 15m, infrared LED, NPN, M8-4pin connector	106.40	EC002716	685926	4549734446730			GD	GDI	IDN	8541.4900.00
E3Z-T81.2M	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, PNP, 2m kablolu	128.80	EC002716	685903	4549734446457	#		GD	GDI	IDN	8541.4900.00
E3Z-T81.5M	Photoelectric sensor, through-beam, 15m, DC, 3-wire, PNP, 5m cable (requires 2 brackets)	52.85	EC002716	241526	4547648287135			GD	GDI	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3Z-T81A 2M	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, PNP, 2m kablolu	43.15	EC002716	685907	4549734446495			GD	GDI	IDN	8541.4900.00
E3Z-T81A 6M	Photoelectric sensor, through-beam, 10m, DC, 3-wire, PNP, 6m cable (requires 2 brackets)	148.20	EC002716	339274	4547648677073			GD	GDI	CHN	8541.4900.00
E3Z-T81A-D 2M	Photoelectric sensor, rectangular housing, red LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, 2 m cable	91.30	EC002716	685932	4549734446792			GD	GDI	IDN	8541.4900.00
E3Z-T81A-L 2M	Photoelectric sensor, through-beam emitter, 10m, DC, 3-wire, PNP, 2m cable (requires 2 brackets)	91.30	EC002716	685931	4549734446785			GD	GDI	IDN	8541.4900.00
E3Z-T81A-M11J 0.3M	Photoelectric sensor, rectangular housing, red LED, through-beam, 10 m, PNP, Light-ON/Dark-ON, M12 pigtail connector, 0.3 m	186.10	EC002716	339279	4547648677653			GD	GDI	CHN	8541.4900.00
E3Z-T81C-G05RD-CN	Photoelectric sensor, through-beam receiver, 15m, DC, 3-wire, PNP, Dark-ON, without adjuster, M8 4-pin connector	99.20	EC002716	323111	4547648683081			GD	GDI	CHN	8541.4900.00
E3Z-T81C-G05RL-CN	Photoelectric sensor, through-beam emitter, 15m, DC, 3-wire, PNP, M8 4-pin connector	58.65	EC002716	323110	4547648683074			GD	GDI	CHN	8541.4900.00
E3Z-T81-D-M11J-0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, receiver unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	84.25	EC002716	339296	4547648680059			GD	GDI	CHN	8541.4900.00
E3Z-T81-IL3 2M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, 2m kablolu, IO-link, COM 3	130.60	EC002716	671108	4548583793057			GD	GDI	CHN	8541.4900.00
E3Z-T81-IL3 5M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, 5m kablolu, IO-link, COM 3	141.70	EC002716	671101	4548583793064			GD	GDI	CHN	8541.4900.00
E3Z-T81-L-M11-0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, emitter unit, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	56.65	EC002716	339295	4547648680042			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J 0.3M	Photoelectric sensor, through-beam, S _n =15m, PNP, plastic, red LED, 0.3m PVC cable with M12 4-pin	173.10	EC002716	338385	4547648676199			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1J-0.3M	Photoelectric sensor, rectangular housing, infrared LED, through-beam, 15 m, PNP, Light-ON/Dark-ON, M12 pigtail connector with protective tube, 0.3 m	128.00	EC002716	338391	4547648677288			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1TJH2 0.3M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M12 kablolu, IO-link, COM 2	147.90	EC002716	671086	4548583793033			GD	GDI	CHN	8541.4900.00
E3Z-T81-M1TJH3 0.3M	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M12 kablolu, IO-link, COM 3	147.90	EC002716	671103	4548583793071			GD	GDI	CHN	8541.4900.00
E3Z-T82 2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, PNP, 2m kablolu	133.60	EC002716	685911	4549734446532		40	GD	GDI	IDN	8541.4900.00
E3Z-T86	Fotoelektrik sensör, karşılıklı, 15m, DC, 3 kablolu, PNP, M8 konnektör	132.50	EC002716	685905	4549734446471	#		GD	GDI	IDN	8541.4900.00
E3Z-T86A	Fotoelektrik sensör, karşılıklı, 10m, DC, 3 kablolu, PNP, M8 konnektör	128.00	EC002716	685909	4549734446518			GD	GDI	IDN	8541.4900.00
E3Z-T86A-D	Photoelectric sensor, through-beam receiver, 10m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	96.50	EC002716	685900	4549734446839	#		GD	GDI	IDN	8541.4900.00
E3Z-T86A-L	Photoelectric sensor, through-beam emitter, 10m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	73.30	EC002716	685901	4549734446822			GD	GDI	IDN	8541.4900.00
E3Z-T86-D	Photoelectric sensor, through-beam receiver, 15m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	70.55	EC002716	685928	4549734446754			GD	GDI	IDN	8541.4900.00
E3Z-T86-IL3	Fotoelektrik sensör, karşılıklı, 15m, DC, PNP, M8 konnektör, IO-link, COM 3	130.60	EC002716	671113	4548583793101			GD	GDI	CHN	8541.4900.00
E3Z-T86-L	Photoelectric sensor, through-beam emitter, 15m, DC, 3-wire, PNP, M8 plug-in (requires bracket)	73.00	EC002716	685927	4549734446747			GD	GDI	IDN	8541.4900.00
E3Z-T87	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolu, PNP, M8 konnektör	131.60	EC002716	685913	4549734446556			GD	GDI	IDN	8541.4900.00
Fotoelektrik Sensör E3Z											
E3ZM-B61 2M	Fotoelektrik sensör, seffaf PFT sişe, reflektörlü, metal gövde, IP69K, 500mm, NPN, 2m kablolu	204.10	EC002717	332040	4547648689250			GD	GDI	CHN	8541.4900.00
E3ZM-B66	Fotoelektrik sensör, seffaf PFT sişe, reflektörlü, metal gövde, IP69K, 500mm, NPN, M8, 4-pin konnektör	201.00	EC002717	332044	4547648689298			GD	GDI	CHN	8541.4900.00
E3ZM-B67	Fotoelektrik sensör, seffaf alüminyum reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, NPN, M8, 4-pin konnektör	215.20	EC002717	323655	4547648797306			GD	GDI	JPN	8541.4900.00
E3ZM-B81 2M	Fotoelektrik sensör, seffaf PFT sişe, reflektörlü, metal gövde, IP69K, 500mm, PNP, 2m kablolu	204.10	EC002717	332042	4547648689274			GD	GDI	CHN	8541.4900.00
E3ZM-B81T 2M	Fotoelektrik sensör, seffaf alüminyum reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, PNP, 2m kablolu	207.60	EC002717	323656	4547648797313			GD	GDI	JPN	8541.4900.00
E3ZM-B86	Fotoelektrik sensör, seffaf PFT sişe, reflektörlü, metal gövde, IP69K, 500mm, M8, 4-pin konnektör, PNP	201.00	EC002717	332045	4547648689304			GD	GDI	CHN	8541.4900.00
E3ZM-B86-1	Photoelectric sensor, transparent, retro-reflective, metal body, IP69K, 500mm, M8 4-pin connector, PNP, reflector not included	201.00	EC002717	323054	4547648728706			GD	GDI	CHN	8541.4900.00
E3ZM-B86-C	Photoelectric sensor, transparent PFT bottle, retro-reflective, metal body, IP69K, 500mm, M8 4-pin connector, PNP, reflector included	260.80	EC002717	326598	4547648689427			GD	GDI	CHN	8541.4900.00
E3ZM-B87	Fotoelektrik sensör, seffaf alüminyum reflektörlü 500mm ayarlanabilir, metal gövde, IP69K, PNP, M8, 4-pin konnektör	197.00	EC002717	323657	4547648797320	#		GD	GDI	JPN	8541.4900.00
E3ZM-CR1 2M	Photoelectric sensor, through-beam, compact square, stainless steel body, IP69K, 15m, infrared LED, PNP, 2m cable	271.50	EC002716	232309	4547648315814			GD	GDI	JPN	8541.4900.00
E3ZM-D82 2M	Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, PNP, 2m kablolu	179.30	EC001821	232467	4547648235600			GD	GDI	JPN	8541.4900.00
E3ZM-D82-S1J 0.3M	Photoelectric sensor, diffuse, metal body, IP69K, 1m, M12 4-pin stainless steel pigtail, 0.3m, PNP	241.60	EC001821	249464	4547648593304			GD	GDI	JPN	8541.4900.00
E3ZM-D87	Fotoelektrik sensör, cisimden yansımali, metal gövde, IP69K, 1m, M8, 4-pin, PNP	178.50	EC001821	223468	4547648235617			GD	GDI	JPN	8541.4900.00
E3ZM-L-S81H 2M	Fotoelektrik sensör, sabit arka plan bastırmalı, metal gövde, IP69K, 0.1m, PNP, 2m kablolu	180.10	EC002719	223473	4547648235686			GD	GDI	JPN	8541.4900.00
E3ZM-L-S82H 2M	Fotoelektrik sensör, sabit arka plan bastırmalı, metal gövde, IP69K, 0.15m, PNP	179.30	EC002719	223474	4547648235693			GD	GDI	JPN	8541.4900.00
E3ZM-L-S84H 2M	Fotoelektrik sensör, sabit arka plan bastırmalı, metal gövde, IP69K, 0.2m, PNP, 2m kablolu	179.30	EC002719	223475	4547648235709			GD	GDI	JPN	8541.4900.00
E3ZM-L-S86H	Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.1m, M8 4-pin, PNP output	154.60	EC002719	223476	4547648235716			GD	GDI	JPN	8541.4900.00
E3ZM-L-S89H	Photoelectric sensor, fixed background suppression, metal body, IP69K, 0.2m, M8 4-pin, PNP	153.10	EC002719	223478	4547648235730			GD	GDI	JPN	8541.4900.00
E3ZM-B61 2M	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, NPN, 2m kablolu	175.50	EC002717	223479	4547648235747			GD	GDI	JPN	8541.4900.00
E3ZM-B66	Photoelectric sensor, retro-reflective, metal body, IP69K, 4m, M8 4-pin, NPN output	204.00	EC002717	223480	4547648235754			GD	GDI	JPN	8541.4900.00
E3ZM-B81 2M	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, PNP, 2m kablolu	175.50	EC002717	223481	4547648235761			GD	GDI	JPN	8541.4900.00
E3ZM-B86	Fotoelektrik sensör, reflektörlü, metal gövde, IP69K, 4m, M8, 4-pin, PNP	179.30	EC002717	223482	4547648235778			GD	GDI	JPN	8541.4900.00
E3ZM-T81 2M	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, PNP, 2m kablolu	281.70	EC002716	223485	4547648235808			GD	GDI	JPN	8541.4900.00
E3ZM-T81 5M	Photoelectric sensor, Through Beam, metal body, IP69K, 15m, Pre-wired, PNP Output	331.40	EC002716	226037	4547648217190			GD	GDI	JPN	8541.4900.00
E3ZM-T81H-5M	Photoelectric sensor, rectangular, SUS body, IR LED, thru-beam emitter, 15m, PNP, L-ON/D-ON selectable, 5m cable	153.60	EC002716	292361	4547648719148			GD	GDI	JPN	8541.4900.00
E3ZM-T83 5M	Photoelectric sensor, through-beam, 0.8m, compact square, stainless steel, infrared LED, internal slit, IP69K, PNP, 5m cable	283.80	EC002716	227530	4547648289375			GD	GDI	JPN	8541.4900.00
E3ZM-T86	Fotoelektrik sensör, karşılıklı, metal gövde, IP69K, 15m, M8, 4-pin, PNP	282.30	EC002716	223486	4547648235815			GD	GDI	JPN	8541.4900.00
E3ZM-T88	Fotoelektrik sensör, karşılıklı, 0.8m, kompakt kare, paslanmaz çelik, infrared LED, IP69K, PNP, M8-4pin konnektör	296.80	EC002716	227532	4547648289399			GD	GDI	JPN	8541.4900.00
E3ZM-V61 2M	Fotoelektrik sensör, benek/renek, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, 2m kablolu	241.60	EC001820	332046	4547648689311			GD	GDI	CHN	8541.4900.00
E3ZM-V66	Fotoelektrik sensör, benek/renek, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, NPN, M8, 4-pin konnektör	238.70	EC001820	332048	4547648689359	#		GD	GDI	CHN	8541.4900.00
E3ZM-V81 2M	Fotoelektrik sensör, benek/renek, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, 2m kablolu	240.60	EC001820	326595	4547648689335			GD	GDI	CHN	8541.4900.00
E3ZM-V81 5M	Colour mark sensor, diffuse, 12 +/- 2mm, 50µs response time, stainless steel body, IP69K, PNP	250.30	EC001820	326596	4547648689342			GD	GDI	CHN	8541.4900.00
E3ZM-V86	Fotoelektrik sensör, benek/renek, cisimden yansımali, 12 +/- 2mm, 50µs cevap verme süresi, paslanmaz çelik gövde, IP69K, PNP, M8, 4-pin konnektör	237.60	EC001820	332049	4547648689366	#		GD	GDI	CHN	8541.4900.00
Fotoelektrik Sensör E3S											
E3S-AD11	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, horizontal, 2m cable	123.20	EC001821	130510	4536853282233			GD	GDI	JPN	8541.4900.00
E3S-AD12	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN, horizontal, 2m cable	122.40	EC001821	143232	4536853282257			GD	GDI	JPN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-AD13	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, horizontal, 2m cable	130.00	EC001821	142140	4536853283872			GD	GDJ	JPN	8541.4900.00
E3S-AD31	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, 2m cable	124.70	EC001821	155083	4536853282493			GD	GDJ	JPN	8541.4900.00
E3S-AD32	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, 2m cable	122.80	EC001821	149804	4536853282516			GD	GDJ	JPN	8541.4900.00
E3S-AD33	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, 2m cable	142.90	EC001821	147715	4536853283858			GD	GDJ	JPN	8541.4900.00
E3S-AD36	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, horizontal, M12 plug-in	130.00	EC001821	130433	4536853282578	#		GD	GDJ	JPN	8541.4900.00
E3S-AD37	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, horizontal, M12 plug-in	131.60	EC001821	104096	4536853282585			GD	GDJ	JPN	8541.4900.00
E3S-AD38	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, horizontal, M12 plug-in	136.90	EC001821	104101	4536853283780			GD	GDJ	JPN	8541.4900.00
E3S-AD61	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, NPN, vertical, 2m cable	123.20	EC001821	130445	4536853282752			GD	GDJ	JPN	8541.4900.00
E3S-AD63	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, NPN, vertical, 2m cable	132.70	EC001821	144400	4536853283698			GD	GDJ	JPN	8541.4900.00
E3S-AD81	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, 2m cable	126.60	EC001821	130456	4536853283018			GD	GDJ	JPN	8541.4900.00
E3S-AD82	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, 2m cable	122.80	EC001821	142136	4536853283032			GD	GDJ	JPN	8541.4900.00
E3S-AD83	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, 2m cable	130.30	EC001821	130404	4536853283827			GD	GDJ	JPN	8541.4900.00
E3S-AD86	Photoelectric sensor, diffuse, 200mm, DC, 3-wire, PNP, vertical, M12 plug-in	130.00	EC001821	130461	4536853283094			GD	GDJ	JPN	8541.4900.00
E3S-AD87	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, PNP, vertical, M12 plug-in	129.00	EC001821	130462	4536853283100	#		GD	GDJ	JPN	8541.4900.00
E3S-AD88	Photoelectric sensor, diffuse, 100mm, DC, 3-wire, PNP, vertical, M12 plug-in	136.60	EC001821	130402	4536853283773			GD	GDJ	JPN	8541.4900.00
E3S-AR11	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, 2m cable	137.60	EC002717	142134	4536853282219			GD	GDJ	JPN	8541.4900.00
E3S-AR16	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, horizontal, M12 plug-in	145.00	EC002717	154284	4536853282301			GD	GDJ	JPN	8541.4900.00
E3S-AR31	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, 2m cable	137.60	EC002717	130428	4536853282479			GD	GDJ	JPN	8541.4900.00
E3S-AR36	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, horizontal, M12 plug-in	142.30	EC002717	130432	4536853282561			GD	GDJ	JPN	8541.4900.00
E3S-AR61	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, 2m cable	137.20	EC002717	152076	4536853282738			GD	GDJ	JPN	8541.4900.00
E3S-AR66	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, NPN, vertical, M12 plug-in	145.00	EC002717	105534	4536853282820			GD	GDJ	JPN	8541.4900.00
E3S-AR81	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, 2m cable	137.60	EC002717	130455	4536853282998			GD	GDJ	JPN	8541.4900.00
E3S-AR86	Photoelectric sensor, retroreflective, 2m, DC, 3-wire, PNP, vertical, M12 plug-in	142.30	EC002717	130460	4536853283087			GD	GDJ	JPN	8541.4900.00
E3S-AT11	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, horizontal, 2m cable	167.00	EC002716	130506	4536853282172			GD	GDJ	JPN	8541.4900.00
E3S-AT31	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, 2m cable	169.20	EC002716	130521	4536853282431			GD	GDJ	JPN	8541.4900.00
E3S-AT36	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, horizontal, M12 plug-in	179.30	EC002716	130430	4536853282530	#		GD	GDJ	JPN	8541.4900.00
E3S-AT61	Photoelectric sensor, through-beam emitter, 7 m, DC, 3-wire, PNP, horizontal, M12 plug-in	78.40	EC002716	156494	4536853282547			GD	GDJ	JPN	8541.4900.00
E3S-AT66	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, 2m cable	167.00	EC002716	154285	4536853282691			GD	GDJ	JPN	8541.4900.00
E3S-AT66	Photoelectric sensor, through-beam, 7m, DC, 3-wire, NPN, vertical, M12 plug-in	179.10	EC002716	130448	4536853282790			GD	GDJ	JPN	8541.4900.00
E3S-AT81	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, 2m cable	169.20	EC002716	130454	4536853282950			GD	GDJ	JPN	8541.4900.00
E3S-AT86	Photoelectric sensor, through-beam, 7m, DC, 3-wire, PNP, vertical, M12 plug-in	179.30	EC002716	130458	4536853283056			GD	GDJ	JPN	8541.4900.00
E3S-CD11-2M	Fotoelektrik sensör, cisimden vansimalı, 700mm, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	180.90	EC001821	239839	4547648357180			GD	GDJ	CHN	8541.4900.00
E3S-CD11-M11 0.3M	Photoelectric sensor, Diffuse, 700mm range, Horizontal, NPN/PNP, M12 connector	206.80	EC001821	239819	4547648357357			GD	GDJ	CHN	8541.4900.00
E3S-CD12-2M	Fotoelektrik sensör, cisimden vansimalı, 2m, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	191.30	EC001821	239840	4547648357197			GD	GDJ	CHN	8541.4900.00
E3S-CD16	Fotoelektrik sensör, cisimden vansimalı, 700mm, DC, 3 kablolü, NPN/PNP, yatay, M12 konektör	206.80	EC001821	239827	4547648357593			GD	GDJ	CHN	8541.4900.00
E3S-CD17	Fotoelektrik sensör, cisimden vansimalı, 2m, DC, 3 kablolü, NPN/PNP, yatay, M12 konektör	204.90	EC001821	239828	4547648357609			GD	GDJ	CHN	8541.4900.00
E3S-CD61-2M	Fotoelektrik sensör, cisimden vansimalı, 700mm, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	175.70	EC001821	239811	4547648357227			GD	GDJ	CHN	8541.4900.00
E3S-CD61-M11 0.3M	Photoelectric sensor, diffuse, 700mm, DC, 3-wire, NPN/PNP, vertical, 0.3m cable with M12 connector	185.80	EC001821	239806	4547648357395			GD	GDJ	CHN	8541.4900.00
E3S-CD62-2M	Fotoelektrik sensör, cisimden vansimalı, 2m, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	193.50	EC001821	239812	4547648357234			GD	GDJ	CHN	8541.4900.00
E3S-CD66	Fotoelektrik sensör, cisimden vansimalı, 700mm, DC, 3 kablolü, NPN/PNP, dişey, M12 konektör	215.00	EC001821	239829	4547648357616			GD	GDJ	CHN	8541.4900.00
E3S-CD67	Photoelectric sensor, diffuse, 2m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	215.00	EC001821	239830	4547648357623			GD	GDJ	CHN	8541.4900.00
E3S-CL1-2M	Fotoelektrik sensör, mesafe ayarlanabilir arka plan bastırılmalı, 5-200mm, NPN/PNP, 2m kablolü	229.30	EC002719	239843	4547648357418	#		GD	GDJ	CHN	8541.4900.00
E3S-CL1-5M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, 5m cable	217.20	EC002719	239821	4547648357425			GD	GDJ	CHN	8541.4900.00
E3S-CL1-M11 0.3M	Photoelectric sensor distance setting BGS, 5-200mm, NPN/PNP, M12 pigtail	218.40	EC002719	239808	4547648357517			GD	GDJ	CHN	8541.4900.00
E3S-CL2-2M	Fotoelektrik sensör, mesafe ayarlanabilir arka plan bastırılmalı, 5-500mm, NPN/PNP, 2m kablolü	210.40	EC002719	239844	4547648357432	#		GD	GDJ	CHN	8541.4900.00
E3S-CL2-5M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, 5m cable	235.60	EC002719	239822	4547648357449			GD	GDJ	CHN	8541.4900.00
E3S-CL2-M11 0.3M	Photoelectric sensor distance setting BGS, 5-500mm, NPN/PNP, M12 pigtail	232.70	EC002719	239809	4547648357524			GD	GDJ	CHN	8541.4900.00
E3S-CL11-2M	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	179.30	EC002717	239838	4547648357173			GD	GDJ	CHN	8541.4900.00
E3S-CL16	Photoelectric sensor, retro-reflective, 3m, DC, 3-wire, NPN/PNP, horizontal, M12 plug-in	259.80	EC002717	239831	4547648357630			GD	GDJ	CHN	8541.4900.00
E3S-CL61-2M	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	176.80	EC002717	239842	4547648357210			GD	GDJ	CHN	8541.4900.00
E3S-CL61-5M	Photoelectric sensor, retroreflective, 3m, DC, 3-wire, NPN/PNP, vertical, 5m cable	202.80	EC002717	239815	4547648357289			GD	GDJ	CHN	8541.4900.00
E3S-CL61-M11 0.3M	Photoelectric sensor, retroreflective	209.70	EC002717	239805	4547648357388			GD	GDJ	CHN	8541.4900.00
E3S-CL66	Fotoelektrik sensör, reflektörlü, 3m, DC, 3 kablolü, NPN/PNP, dişey, M12 konektör	187.00	EC002717	239845	4547648357494			GD	GDJ	CHN	8541.4900.00
E3S-CL11-2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, yatay, 2m kablolü	239.30	EC002716	239837	4547648357166			GD	GDJ	CHN	8541.4900.00
E3S-CL11-5M	Photoelectric sensor, through beam	271.10	EC002716	239816	4547648357296			GD	GDJ	CHN	8541.4900.00
E3S-CL11-D-2M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 2 m cable	156.50	EC002716	239802	4547648357326			GD	GDJ	CHN	8541.4900.00
E3S-CL11-D-5M	Photoelectric sensor, through-beam receiver, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	179.10	EC002716	239823	4547648357463			GD	GDJ	CHN	8541.4900.00
E3S-CL11-L-5M	Photoelectric sensor, through-beam emitter, 30 m range, Oil-resistant, DC, 3-wire, PNP/NPN, 5 m cable	139.40	EC002716	239790	4547648357456			GD	GDJ	CHN	8541.4900.00
E3S-CL16	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, yatay, M12 konektör	275.10	EC002716	239846	4547648357531			GD	GDJ	CHN	8541.4900.00
E3S-CL61-2M	Fotoelektrik sensör, karşılıklı, 30m, DC, 3 kablolü, NPN/PNP, dişey, 2m kablolü	254.80	EC002716	239841	4547648357203			GD	GDJ	CHN	8541.4900.00
E3S-CL61-5M	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, 5m cable	271.50	EC002716	239817	4547648357302			GD	GDJ	CHN	8541.4900.00
E3S-CL61-D-5M	Photoelectric sensor, through-beam receiver, Sn=12m, NPN/PNP, zinc diecast, 5m PVC cable	179.10	EC002716	239825	4547648357487	#		GD	GDJ	CHN	8541.4900.00
E3S-CL61-L-5M	Photoelectric sensor, through-beam emitter, Sn=12m, zinc diecast, 5m PVC cable	124.40	EC002716	239824	4547648357470			GD	GDJ	CHN	8541.4900.00
E3S-CL61-L-5 5M	Through-beam, emitter 5 m range, oil-resistant, DC, 5 m cable output	122.40	EC002716	239835	4547648357739			GD	GDJ	CHN	8541.4900.00
E3S-CL66	Photoelectric sensor, through-beam, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	233.80	EC002716	239847	4547648357562			GD	GDJ	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3S-CT66-D	Photoelectric sensor, through-beam receiver, 30m, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	206.00	EC002716	239826	4547648357586			GD	GDJ	CHN	8541.4900.00
E3S-CT66-L	Photoelectric sensor, through-beam (emitter only), 30 m, DC, vertical, M12 plug-in	152.70	EC002716	239793	4547648357579			GD	GDJ	CHN	8541.4900.00
E3S-CT66-L-5	Photoelectric sensor, through-beam emitter, 5m, customized emission power, DC, 3-wire, NPN/PNP, vertical, M12 plug-in	130.30	EC002716	409500	4548583535930			GD	GDJ	CHN	8541.4900.00
E3S-R17	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, NPN, yatay, M12 konnektör	162.60	EC002717	130422	4536853284244			GD	GDJ	JPN	8541.4900.00
E3S-R32	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, yatay, 2m kablolu	162.60	EC002717	130354	4536853284701			GD	GDJ	JPN	8541.4900.00
E3S-R36	Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolu, PNP, yatay, M12 konnektör	159.20	EC002717	130355	4536853284718			GD	GDJ	JPN	8541.4900.00
E3S-R37	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, yatay, M12 konnektör	152.70	EC002717	130356	4536853284725			GD	GDJ	JPN	8541.4900.00
E3S-R67	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, NPN, dişey, M12 konnektör	159.20	EC002717	130423	4536853284251			GD	GDJ	JPN	8541.4900.00
E3S-R86	Fotoelektrik sensör, reflektörlü, 1m, DC, 3 kablolu, PNP, dişey, M12 konnektör	155.10	EC002717	130359	4536853284756			GD	GDJ	JPN	8541.4900.00
E3S-R87	Fotoelektrik sensör, reflektörlü, 300mm, DC, 3 kablolu, PNP, dişey, M12 konnektör	156.50	EC002717	130360	4536853284763			GD	GDJ	JPN	8541.4900.00
Fiberoptik Amplifikatör E3X											
E3X-ECT	E3X communication unit, EtherCAT	563.00	EC003015	357104	4548583057661			GD	GDK	CHN	8541.4900.00
E3X-HD11 2M	Fiberoptik amplifikatörü, kolay kullanım, NPN, 2M	185.30	EC002651	691084	4549734551069	#		GD	GDK	CHN	8536.5019.90
E3X-HD14	Fiberoptik amplifikatörü, kolay kullanım, NPN, M8 (4pin) konnektör	213.20	EC002651	691082	4549734551090			GD	GDK	CHN	8536.5019.90
E3X-HD41 2M	Fiberoptik amplifikatörü, kolay kullanım, PNP, 2M	185.30	EC002651	691076	4549734551106	#		GD	GDK	CHN	8536.5019.90
E3X-HD41 5M	Fiber amplifier, Stable and Easy operation, Giga Bay II LED, PNP, 5 M	205.50	EC002651	691081	4549734551113			GD	GDK	CHN	8536.5019.90
E3X-HD44	Fiberoptik amplifikatörü, kolay kullanım, M8 (4pin) konnektör	213.20	EC002651	691079	4549734551144			GD	GDK	CHN	8536.5019.90
E3X-HD6	Fiberoptik amplifikatörü, kolay kullanım, NPN, CN-konnektör	185.30	EC002651	691078	4549734551151			GD	GDK	CHN	8536.5019.90
E3X-HD8	Fiberoptik amplifikatörü, kolay kullanım, PNP, CN-konnektör	185.30	EC002651	691077	4549734551168			GD	GDK	CHN	8536.5019.90
E3X-NA11 2M	Fiberoptik amplifikatörü, IP50, NPN, 2m kablolu	136.00	EC002651	239265	4547648358750	#		GD	GDK	CHN	8536.5019.90
E3X-NA11F 2M	Fiber amplifier with potentiometer, fast respons time, NPN output, 2m cable	232.90	EC002651	239272	4547648358828			GD	GDK	CHN	8536.5019.90
E3X-NA11V 2M	Fiberoptik amplifikatörü, IP66, NPN, 2m kablolu	204.70	EC002651	239773	4547648358842			GD	GDK	CHN	8536.5019.90
E3X-NA14V	Amplifier with potentiometer, IP66, NPN output, M8 plug-in	200.90	EC002651	239774	4547648358866			GD	GDK	CHN	8536.5019.90
E3X-NA41 2M	Fiberoptik amplifikatörü, IP50, PNP, 2m kablolu	136.00	EC002651	239766	4547648358767	#		GD	GDK	CHN	8536.5019.90
E3X-NA41F 2M	Fiber amplifier with potentiometer, fast respons time, PNP output, 2m cable	232.90	EC002651	239775	4547648358835			GD	GDK	CHN	8536.5019.90
E3X-NA41V 2M	Fiberoptik amplifikatörü, IP66, PNP, 2m kablolu	200.90	EC002651	239760	4547648358859			GD	GDK	CHN	8536.5019.90
E3X-NA44V	Fiberoptik amplifikatörü, IP66, PNP, M8 konnektör	200.90	EC002651	239771	4547648358811			GD	GDK	CHN	8536.5019.90
E3X-NA51 2M	Fiberoptik amplifikatörü, cubuk LED gösterge, DC, 3 kablolu, PNP, 2m kablolu	222.60	EC002651	239777	4547648358927			GD	GDK	CHN	8536.5019.90
E3X-NA8	Fiberoptik amplifikatörü, IP50, PNP, konnektör	116.70	EC002651	239770	4547648358804			GD	GDK	CHN	8536.5019.90
E3X-NAG11 2M	Fiberoptik amplifikatörü, benek algılama, NPN, 2m kablolu	151.00	EC002651	239767	4547648358774			GD	GDK	CHN	8536.5019.90
E3X-NAG41 2M	Amplifier, with potentiometer, mark detection, green LED, PNP output, 2m cable	136.50	EC002651	239768	4547648358781			GD	GDK	CHN	8536.5019.90
E3X-SD21 2M	Fiberoptik amplifikatörü, NPN, 2M	136.00	EC002651	340860	4547648809221			GD	GDK	CHN	8536.5019.90
E3X-SD51 2M	Fiberoptik amplifikatörü, PNP, 2M	136.00	EC002651	340861	4547648809238	#		GD	GDK	CHN	8536.5019.90
E3X-SD9	Fiberoptik amplifikatörü, PNP, konnektör	144.70	EC002651	340863	4547648809252			GD	GDK	CHN	8536.5019.90
Fiberoptik Amplifikatör E3X											
E3X-CN11	Connector, 3-wire cable for master amplifier, 2m cable	17.92	EC003015	336330	4547648647717			GD	GDK	CHN	8541.4900.00
E3X-CN11 5M	Connector, 3-wire, cable for master amplifier, 5m cable	25.50	EC003015	336334	4547648647755			GD	GDK	CHN	8541.4900.00
E3X-CN12	Connector, 1-wire cable for slave amplifier, 2m cable	16.31	EC003015	336331	4547648647724			GD	GDK	CHN	8541.4900.00
E3X-CN12 5M	Connector, 1-wire cable for slave amplifier, 5m cable	18.73	EC003015	336335	4547648647762			GD	GDK	CHN	8541.4900.00
E3X-CN21	Accessory fiber amplifier, system connector for master amplifier, standard, 2M cables	25.06	EC003015	336332	4547648647731			GD	GDK	CHN	8541.4900.00
Fotoelektrik Sensör E3T											
E3T-CD11 2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, cisimden yansimalı, 50mm, L-ON, NPN, 2m kablolu	149.30	EC001821	351567	4547648838542	#		GD	GDO	JPN	8541.4900.00
E3T-CD13 2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, cisimden yansimalı, 50mm, L-ON, PNP, 2m kablolu	218.50	EC001821	351568	4547648838559	#		GD	GDO	JPN	8541.4900.00
E3T-CT14 2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, karşılıklı, 1m, D-ON, PNP, 2m kablolu	173.80	EC002716	351564	4547648838511			GD	GDO	JPN	8541.4900.00
E3T-CT45 2M	Fotoelektrik sensör, M6 paslanmaz çelik gövde, karşılıklı, 500mm, D-ON, PNP, 2m kablolu	173.80	EC002716	351566	4547648838535			GD	GDO	JPN	8541.4900.00
E3T-FD11 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolu, NPN, L-ON, yassı, 2m kablolu	109.10	EC001821	130184	4536853289881			GD	GDO	JPN	8541.4900.00
E3T-FD13 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu	106.30	EC001821	156504	4536854366437			GD	GDO	JPN	8541.4900.00
E3T-FD13M 2M	Photoelectric sensor, flat, diffuse 5-30mm, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	78.70	EC001821	351549	4548583011144			GD	GDO	JPN	8541.4900.00
E3T-FD14 2M	Fotoelektrik sensör, cisimden yansimalı, 30mm, DC, 3 kablolu, PNP, D-ON, yassı, 2m kablolu	109.50	EC001821	142150	4536854366451			GD	GDO	JPN	8541.4900.00
E3T-FL11 2M	Fotoelektrik sensör, background suppression, 1-15mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	134.00	EC002719	224243	4547648223607			GD	GDO	JPN	8541.4900.00
E3T-FL13 2M	Fotoelektrik sensör, arka plan bastırılmalı, 1-15mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu	178.90	EC002719	224245	4547648223621			GD	GDO	JPN	8541.4900.00
E3T-FL21 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, NPN, light-on, flat, 2m cable (requires bracket)	151.00	EC002719	224247	4547648223645			GD	GDO	JPN	8541.4900.00
E3T-FL23 2M	Fotoelektrik sensör, arka plan bastırılmalı, 1-30mm, DC, 3 kablolu, PNP, L-ON, yassı, 2m kablolu	146.40	EC002719	224249	4547648223669			GD	GDO	JPN	8541.4900.00
E3T-FL24 2M	Photoelectric sensor, background suppression, 1-30mm, DC, 3-wire, PNP, dark-on, flat, 2m cable (requires bracket)	151.00	EC002719	224250	4547648223676			GD	GDO	JPN	8541.4900.00
E3T-FT11 2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, NPN, L-ON, yassı, 2m kablolu	145.40	EC002716	149691	4536853289867			GD	GDO	JPN	8541.4900.00
E3T-FT12 2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, NPN, D-ON, yassı, 2m kablolu	142.10	EC002716	130183	4536853289874			GD	GDO	JPN	8541.4900.00
E3T-FT13 2M	Fotoelektrik sensör, karşılıklı, minyatür, yassı, 500mm, L-ON, PNP, 2m kablolu	145.40	EC002716	130100	4536854366345	#		GD	GDO	JPN	8541.4900.00
E3T-FT14 2M	Fotoelektrik sensör, karşılıklı, 500mm, DC, 3 kablolu, PNP, D-ON, yassı, 2m kablolu	142.10	EC002716	130101	4536854366352			GD	GDO	JPN	8541.4900.00
E3T-FT21 2M	Photoelectric sensor, through-beam, miniature, flat-shape, 300mm, PNP, light-on, 2m cable, M2 mounting	179.70	EC002716	224644	4536854914102			GD	GDO	JPN	8541.4900.00
E3T-FT24 2M	Photoelectric sensor, through-beam, miniature, 300mm, DC, 3-wire, PNP, dark-on, flat-view, 2m cable	183.40	EC002716	224652	4536854914065			GD	GDO	JPN	8541.4900.00
E3T-SL11 2M	Fotoelektrik sensör, cisimden yansimalı, 15mm, DC, 3 kablolu, NPN, L-ON, 2m kablolu	110.60	EC002719	156503	4536853289836			GD	GDO	JPN	8541.4900.00
E3T-SL13 2M	Fotoelektrik sensör, cisimden yansimalı, 15mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu	104.70	EC002719	145481	4536854366383			GD	GDO	JPN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3T-SL13M 2M	Photoelectric sensor, side view, limited 5-15mm, Light-ON, PNP, 2m cable (requires M3 screw & bracket)	117.40	EC002719	351546	4548583011069			GD	GDO	JPN	8541.4900.00
E3T-SL13M51.0.3M	Photo-electric sensor	106.60	EC002719	100408	4547648016551	5		GD	GDO	JPN	8541.4900.00
E3T-SL14 2M	Fotoelektrik sensör, cisimden vansimalı, minyatür, 5-15mm, D-ON, PNP, 2m kablolu	97.65	EC002719	149692	4536854366406			GD	GDO	JPN	8541.4900.00
E3T-SL21 2M	Fotoelektrik sensör, cisimden vansimalı, 30mm, DC, 3 kablolu, NPN, L-ON, 2m kablolu	106.30	EC002719	147720	4536853289904			GD	GDO	JPN	8541.4900.00
E3T-SL23 2M	Fotoelektrik sensör, cisimden vansimalı, 30mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu	108.30	EC002719	130103	4536854366413	#		GD	GDO	JPN	8541.4900.00
E3T-SL23M51.0.3M	Photoelectric sensor, diffuse, 30mm, DC, 3-wire, PNP, light-on, side-view, M8 connector (requires bracket)	136.50	EC002719	163556	4547648016575			GD	GDO	JPN	8541.4900.00
E3T-SL24 2M	Fotoelektrik sensör, cisimden vansimalı, minyatür, 5-30mm, D-ON, PNP, 2m kablolu	106.30	EC002719	130104	4536854366420	#		GD	GDO	JPN	8541.4900.00
E3T-SR22 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, NPN, D-ON, 2m kablolu	117.40	EC002717	224199	4547648222884			GD	GDO	JPN	8541.4900.00
E3T-SR23 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, PNP, L-ON, 2m kablolu	115.80	EC002717	224201	4547648222952			GD	GDO	JPN	8541.4900.00
E3T-SR23-M51.0.3M	Photoelectric sensor, retroreflective (reflector supplied), 200mm, DC, 3-wire, PNP, light-on, side-view, pigtail connector, M8, 3 pin (requires bracket)	140.00	EC002717	224237	4547648223430			GD	GDO	JPN	8541.4900.00
E3T-SR24 2M	Fotoelektrik sensör, reflektörlü, 200mm, DC, 3 kablolu, PNP, D-ON, 2m kablolu	115.80	EC002717	224204	4547648222983			GD	GDO	JPN	8541.4900.00
E3T-SR41-C 2M	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, NPN, L-ON, 2m kablolu	147.90	EC002717	249831	4547648590389			GD	GDO	JPN	8541.4900.00
E3T-SR43-C 2M	Fotoelektrik sensör, reflektörlü, minyatür, 200mm, PNP, L-ON, 2m kablolu	95.30	EC002717	249833	4547648590402			GD	GDO	JPN	8541.4900.00
E3T-SR44 2M	Fotoelektrik sensör	126.00	EC002717	249830	4547648590372			GD	GDO	JPN	8541.4900.00
E3T-SR44-C 2M	Photoelectric sensor, retro-reflective, miniature, side-view, 200mm, PNP, D-on, 2m cable, M2 mounting	107.30	EC002717	249834	4547648590419			GD	GDO	JPN	8541.4900.00
E3T-ST11 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, NPN, L-ON, 2m kablolu	145.40	EC002716	156502	4536853289805			GD	GDO	JPN	8541.4900.00
E3T-ST12 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, NPN, D-ON, 2m kablolu	142.60	EC002716	130180	4536853289812			GD	GDO	JPN	8541.4900.00
E3T-ST13 2M	Fotoelektrik sensör, karşılıklı, minyatür, 1m, L-ON, PNP, 2m kablolu	142.10	EC002716	130098	4536854366321			GD	GDO	JPN	8541.4900.00
E3T-ST14 2M	Fotoelektrik sensör, karşılıklı, 1m, DC, 3 kablolu, PNP, D-ON, 2m kablolu	141.00	EC002716	130099	4536854366338	#		GD	GDO	JPN	8541.4900.00
E3T-ST23 2M	Fotoelektrik sensör, karşılıklı, minyatür, 300mm, PNP, L-ON, 2m kablolu	161.30	EC002716	224653	4536854914126			GD	GDO	JPN	8541.4900.00
E3T-ST24 2M	Fotoelektrik sensör, karşılıklı, minyatür, 300mm, PNP, D-ON, 2m kablolu	148.20	EC002716	224649	4536854914096			GD	GDO	JPN	8541.4900.00
E3T-ST33F 2M	Photoelectric sensor, through-beam, miniature, side-view, IRLLED, 2m, PNP, L-on, 2m cable, M2 mounting	115.00	EC002716	393228	4548583516472			GD	GDO	JPN	8541.4900.00
Fotoelektrik Sensör E3C-LDA											
E3C-LD11N 2M	Laser sensor head, diffuse reflective, 1 m, spot beam, 2 m cable	440.00	EC001821	707114	4549734741347			GD	GDQ	JPN	8536.5019.90
Fotomikro Sensör Dahili Amplifikatör											
EE-SX472	Photo micro sensor, slot type, T-shaped, L-ON, NPN, connector	9.12	EC002720	392303	4548583476011	#	100	GD	GDR	JPN	8536.5019.90
EE-SX473	Photo micro sensor, slot type, Close-mounting, L-ON, NPN, connector	12.94	EC002720	392304	4548583476028	20		GD	GDR	JPN	8536.5019.90
EE-SX670	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	12.04	EC002720	392306	4548583476042	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670A	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	392307	4548583476059	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670P	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	20.64	EC002720	392308	4548583476080	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670P-WR 1M	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, 1m robotic cable	25.87	EC002720	237964	4547648354639	#		GD	GDR	CHN	8536.5019.90
EE-SX670R	Photo micro sensor, slot type, standard shape, L-ON/D-ON selectable, PNP, connector	16.70	EC002720	392309	4548583476097	#	100	GD	GDR	JPN	8536.5019.90
EE-SX670-WR 1M	Photomicro sensor	18.93	EC002720	237956	4547648354554	#	20	GD	GDR	CHN	8536.5019.90
EE-SX671	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	11.44	EC002720	392310	4548583476073	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671A	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	392311	4548583476103	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671P	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	20.23	EC002720	392312	4548583476110	#	50	GD	GDR	JPN	8536.5019.90
EE-SX671P-WR 1M	Photomicro sensor	44.61	EC002720	237965	4547648354660	#	20	GD	GDR	CHN	8536.5019.90
EE-SX671R	Photo micro sensor, slot type, L-shaped, L-ON/D-ON selectable, PNP, connector	16.70	EC002720	392313	4548583476127	50		GD	GDR	JPN	8536.5019.90
EE-SX671-WR 1M	Photomicro sensor	42.76	EC002720	237957	4547648354561	20		GD	GDR	CHN	8536.5019.90
EE-SX672	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	12.47	EC002720	392314	4548583476134	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672A	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	11.85	EC002720	392315	4548583476141	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672P	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	17.16	EC002720	392316	4548583476158	#	50	GD	GDR	JPN	8536.5019.90
EE-SX672P-WR 1M	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, 1m robotic cable	20.51	EC002720	237966	4547648354677	50		GD	GDR	CHN	8536.5019.90
EE-SX672R	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, PNP, connector	17.38	EC002720	392317	4548583476165	50		GD	GDR	JPN	8536.5019.90
EE-SX672-WR 1M	Photomicro sensor	21.60	EC002720	237958	4547648354578	20		GD	GDR	CHN	8536.5019.90
EE-SX673	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	9.70	EC002720	392318	4548583476172	100		GD	GDR	JPN	8536.5019.90
EE-SX673A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	12.32	EC002720	392319	4548583476189	50		GD	GDR	JPN	8536.5019.90
EE-SX673P	Photo micro sensor, slot type, close-mounting, L-ON/D-ON selectable, incident light indicator, PNP, connector	27.65	EC002720	393162	4548583476196	20		GD	GDR	JPN	8536.5019.90
EE-SX673R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	19.79	EC002720	392320	4548583476202	10		GD	GDR	JPN	8536.5019.90
EE-SX673-WR 1M	Photomicro sensor	37.10	EC002720	237959	4547648354585			GD	GDR	CHN	8536.5019.90
EE-SX674	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	15.34	EC002720	392321	4548583476219	#	50	GD	GDR	JPN	8536.5019.90
EE-SX674A	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, NPN, connector	17.25	EC002720	392322	4548583476226	50		GD	GDR	JPN	8536.5019.90
EE-SX674P	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	25.04	EC002720	392323	4548583476233	50		GD	GDR	JPN	8536.5019.90
EE-SX674P-WR 1M	Photomicro sensor, close mounting, PNP, Dark ON indicator, pre-wired 2M	21.96	EC002720	237968	4547648354691			GD	GDR	CHN	8536.5019.90
EE-SX674R	Photo micro sensor, slot type, Close-mounting, L-ON/D-ON selectable, PNP, connector	14.27	EC002720	392324	4548583476240	10		GD	GDR	JPN	8536.5019.90
EE-SX674-WR 1M	Photomicro sensor	16.55	EC002720	237960	4547648354592			GD	GDR	CHN	8536.5019.90
EE-SX675	Photo micro sensor, slot type, T-shaped, L-ON/D-ON selectable, NPN, connector	13.66	EC002720	392325	4548583476257	50		GD	GDR	JPN	8536.5019.90
EE-SX770 2M	Photomicro sensor, slim, 5mm slot, D-on, NPN, 2m cable	53.70	EC002720	127668	4536854355509			GD	GDR	JPN	8536.5019.90
EE-SX770P	Photomicro sensor, slim, 5mm slot, D-on, PNP, 2m cable	35.42	EC002720	127688	4536854402371	10		GD	GDR	JPN	8536.5019.90
EE-SX771 2M	Photomicro sensor, slim, L-shape, D-on, NPN, 2m cable	38.28	EC002720	127672	4536854355547	10		GD	GDR	JPN	8536.5019.90
EE-SX771A 2M	Photomicro sensor	36.41	EC002720	127673	4536854355554			GD	GDR	JPN	8536.5019.90
EE-SX771P	Photomicro sensor, slim, 5mm slot, L-shaped, D-on, PNP, 2m cable	34.72	EC002720	127689	4536854402388	10		GD	GDR	JPN	8536.5019.90
EE-SX771R	Photomicro sensor	34.96	EC002720	127592	4536854402456			GD	GDR	JPN	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EE-SX772-2M	Photomicro sensor, slot type, slim, T-shaped, NPN, 2m cable	35.93	EC002720	127675	4536854356728			GD	GDR	JPN	8536.5019.90
EE-SX772A-2M	Photomicro sensor, slim, 5mm slot, T-shaped, without incident light indicator, D-ON, NPN, 2m cable	36.41	EC002720	151458	4536854356735			GD	GDR	JPN	8536.5019.90
EE-SX772P	Photomicro sensor, slim, 5mm slot, T-shaped, D-on, PNP, 2m cable	33.50	EC002720	127594	4536854402395	10		GD	GDR	JPN	8536.5019.90
EE-SX772R	Photomicro sensor	34.50	EC002720	127598	4536854402463	100		GD	GDR	JPN	8536.5019.90
EE-SX870-2M	Photomicro sensor, slim, Standard shape, L-on, NPN, 2m cable	46.25	EC002720	127670	4536854355523			GD	GDR	JPN	8536.5019.90
EE-SX870P	Photomicro sensor, slim, 5mm slot, L-on, PNP, 2m cable	34.72	EC002720	142714	4536854402401	10		GD	GDR	JPN	8536.5019.90
EE-SX871-2M	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, NPN, 2M	36.41	EC002720	127674	4536854355561			GD	GDR	JPN	8536.5019.90
EE-SX871P	Photomicro sensor, L-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, PNP, 2M	31.59	EC002720	127595	4536854402418	10		GD	GDR	JPN	8536.5019.90
EE-SX872-2M	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, NPN, 2M	38.28	EC002720	127676	4536854356742			GD	GDR	JPN	8536.5019.90
EE-SX872A-2M	Photomicro sensor, T-shaped 5mm slot with, L-ON, No incident light, 5-24 Vdc, NPN, 2M	38.28	EC002720	104676	4536854356759	10		GD	GDR	JPN	8536.5019.90
EE-SX872P	Photomicro sensor, T-shaped 5mm slot with, L-ON, Incident light, 5-24 Vdc, PNP, 2M	34.72	EC002720	103843	4536854402425	10		GD	GDR	JPN	8536.5019.90
EE-SX950P-W-1M	Photo micro sensor, slot type, PNP, 1m cable	18.04	EC002720	378484	4548583416734	5		GD	GDR	JPN	8536.5019.90
EE-SX951P-R-1M	Photo micro sensor, slot type, PNP, 1m robotic cable	19.06	EC002720	378495	4548583416796	10		GD	GDR	JPN	8536.5019.90
EE-SX951P-W-1M	Photo micro sensor, slot type, PNP, 1m cable	18.04	EC002720	378485	4548583416741	5		GD	GDR	JPN	8536.5019.90
EE-SX951-R-1M	Photo micro sensor, slot type, NPN, 1m robotic cable	22.89	EC002720	378492	4548583416697	10		GD	GDR	JPN	8536.5019.90
EE-SX951-W-1M	Photo micro sensor, slot type, NPN, 1m cable	18.30	EC002720	378480	4548583416642	5		GD	GDR	JPN	8536.5019.90
EE-SX952P-R-1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.22	EC002720	378496	4548583416802	10		GD	GDR	JPN	8536.5019.90
EE-SX952P-W-1M	Photo micro sensor, slot type, PNP, 1m cable	15.77	EC002720	378486	4548583416758	5		GD	GDR	JPN	8536.5019.90
EE-SX952-R-1M	Photo micro sensor, slot type, NPN, 1m robotic cable	13.13	EC002720	378489	4548583416703	10		GD	GDR	JPN	8536.5019.90
EE-SX952-W-1M	Photo micro sensor, slot type, NPN, 1m cable	15.77	EC002720	378481	4548583416659	5		GD	GDR	JPN	8536.5019.90
EE-SX953P-R-1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.57	EC002720	378497	4548583416819	10		GD	GDR	JPN	8536.5019.90
EE-SX953-R-1M	Photo micro sensor, slot type, NPN, 1m robotic cable	19.79	EC002720	378490	4548583416710	10		GD	GDR	JPN	8536.5019.90
EE-SX954P-R-1M	Photo micro sensor, slot type, PNP, 1m robotic cable	23.22	EC002720	378498	4548583416826	10		GD	GDR	JPN	8536.5019.90
EE-SX954P-W-1M	Photo micro sensor, slot type, PNP, 1m cable	21.50	EC002720	378488	4548583416772	5		GD	GDR	JPN	8536.5019.90
EE-SX954-R-1M	Photo micro sensor, slot type, NPN, 1m robotic cable	24.92	EC002720	378493	4548583416727	10		GD	GDR	JPN	8536.5019.90
EE-SX970P-C1	Photomicro sensor, slot type, standard shape, 5mm, PNP, connector	28.25	EC002720	335080	4547648822312			GD	GDR	CHN	8536.5019.90
EE-SX972-C1	Photomicro sensor, slot type, T-shape, 5mm, NPN, connector	25.87	EC002720	335087	4547648822275	50		GD	GDR	CHN	8536.5019.90
EE-SX974P-C1	Photomicro sensor, slot type, 5mm, close-mounting, PNP, connector	25.87	EC002720	335083	4547648822343			GD	GDR	CHN	8536.5019.90
Fotomikro Sensör Dahili Amplifikatör											
EE-SPX302-W2A-1M	Photomicro sensor, slot type, 3.6mm, D-ON, NPN, 1m cable	39.28	EC002720	127753	4536854778513	5		GD	GDR	CHN	8536.5019.90
EE-SPX302-W2A-2M	Photo micro sensor	32.96	EC002720	225408	4536854778735			GD	GDR	CHN	8536.5019.90
EE-SPX303N	Photomicro sensor, slot type, 13mm, D-on, NPN, connector	30.63	EC002720	324057	4547648766548	50		GD	GDR	JPN	8536.5019.90
EE-SPX401	Photo micro sensor	26.36	EC002720	103759	4536854776458	50		GD	GDR	CHN	8536.5019.90
EE-SPX403N	Photomicro sensor, slot type, 13mm, NPN, connector	27.77	EC002720	324058	4547648766555			GD	GDR	JPN	8536.5019.90
EE-SPX613-1M	Photomicro sensor, tube type, liquid level detection, L-ON/D-ON selectable, NPN, 1m cable	80.70	EC002720	127750	4536853234195			GD	GDR	JPN	8536.5019.90
EE-SPX841	Photomicro sensor	31.41	EC002720	164206	4536854518294			GD	GDR	JPN	8536.5019.90
Fotomikro Sensör Dahili Amplifikatör											
EE-SPY302	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, D-ON, NPN, connector	31.59	EC001821	144819	4536854778094	100		GD	GDR	CHN	8536.5019.90
EE-SPY401	Photomicro sensor, reflective type, horizontal (radial), Sn=5mm, L-ON, NPN, connector	25.87	EC001821	127752	4536854778087	100		GD	GDR	CHN	8536.5019.90
EE-SPY402	Photomicro sensor, reflective type, vertical (axial), Sn=5mm, L-ON, NPN, connector	24.92	EC001821	158099	4536854778100	50		GD	GDR	CHN	8536.5019.90
EE-SPY411	Photomicro sensor, convergent reflective type, horizontal (radial), Sn=2.5mm, L-ON, NPN, connector	51.40	EC001821	127758	4536854778599	#	20	GD	GDR	CHN	8536.5019.90
EE-SPY412	Photomicro sensor, convergent reflective type, vertical (axial), Sn=2.5mm, L-ON, NPN, connector	39.99	EC001821	148065	4536854778605	#	20	GD	GDR	CHN	8536.5019.90
Fotomikro Sensör Dahili Amplifikatör											
EE-SY672	Photomicro sensor, reflective type, vertical (axial), Sn=1.5mm (adjustable), L-ON/D-ON selectable, NPN, connector	24.92	EC001821	127547	4536853238797	20		GD	GDR	JPN	8536.5019.90
Fotomikro Sensör Dahili Amplifikatör											
EE-1017-3M	Connector with cable for photomicrosensor EE-SX97 series, 3M	23.22	EC001855	335077	4547648822398			GD	GDR	CHN	8541.4900.00
Fotoelektrik Sensör E3FA / E3RA											
E3FA-BN11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378858	4548583440623			GD	GDS	IDN	8536.9095.00
E3FA-BN12-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378859	4548583440630			GD	GDS	IDN	8536.9095.00
E3FA-BN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378868	4548583440739			GD	GDS	IDN	8536.9095.00
E3FA-BN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378869	4548583440746			GD	GDS	IDN	8536.9095.00
E3FA-BP11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378878	4548583440845			GD	GDS	IDN	8536.9095.00
E3FA-BP12-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	56.80	EC002717	378879	4548583440852			GD	GDS	IDN	8536.9095.00
E3FA-BP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378888	4548583440951			GD	GDS	IDN	8536.9095.00
E3FA-BP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, şeffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konektör	56.80	EC002717	378889	4548583440968	#		GD	GDS	IDN	8536.9095.00
E3FA-DN11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378852	4548583440562	#		GD	GDS	IDN	8536.9095.00
E3FA-DN12-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378853	4548583440579	#		GD	GDS	IDN	8536.9095.00
E3FA-DN13-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC001821	378854	4548583440586	#		GD	GDS	IDN	8536.9095.00
E3FA-DN14-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381318	4548583468498			GD	GDS	CHN	8541.4900.00
E3FA-DN15-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381322	4548583468535			GD	GDS	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FA-DN16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	46.42	EC001821	381326	4548583468573			GD	GDS	CHN	8541.4900.00
E3FA-DN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378862	4548583440678	#		GD	GDS	IDN	8536.9095.00
E3FA-DN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378863	4548583440685			GD	GDS	IDN	8536.9095.00
E3FA-DN23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC001821	378864	4548583440692	#		GD	GDS	IDN	8536.9095.00
E3FA-DN24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381319	4548583468504			GD	GDS	CHN	8541.4900.00
E3FA-DN25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381323	4548583468542			GD	GDS	CHN	8541.4900.00
E3FA-DN26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	46.42	EC001821	381327	4548583468580			GD	GDS	CHN	8541.4900.00
E3FA-DP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378872	4548583440784	#		GD	GDS	IDN	8536.9095.00
E3FA-DP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC001821	378873	4548583440791	#		GD	GDS	IDN	8536.9095.00
E3FA-DP13 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC001821	378874	4548583440807	#		GD	GDS	IDN	8536.9095.00
E3FA-DP14 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381320	4548583468511			GD	GDS	CHN	8541.4900.00
E3FA-DP14-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	43.67	EC001821	382773	4548583499947			GD	GDS	CHN	8541.4900.00
E3FA-DP15 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	43.67	EC001821	381324	4548583468559			GD	GDS	CHN	8541.4900.00
E3FA-DP15-F2 2M	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, 2m cable	43.67	EC001821	382774	45485834999454			GD	GDS	CHN	8541.4900.00
E3FA-DP16 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	46.42	EC001821	381328	4548583468597			GD	GDS	CHN	8541.4900.00
E3FA-DP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378882	4548583440890	#		GD	GDS	IDN	8536.9095.00
E3FA-DP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC001821	378883	4548583440906	#		GD	GDS	IDN	8536.9095.00
E3FA-DP23	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansimalı, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC001821	378884	4548583440913	#		GD	GDS	IDN	8536.9095.00
E3FA-DP24	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381321	4548583468528			GD	GDS	CHN	8541.4900.00
E3FA-DP24-F016	Photoelectric sensor, M18 axial, plastic body, infrared LED, diffuse reflective, 150mm fixed, PNP, L-ON/D-ON selectable, M12 connector	34.54	EC001821	659020	4548583731110			GD	GDS	CHN	8541.4900.00
E3FA-DP24-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	33.82	EC001821	382777	45485834999485			GD	GDS	CHN	8541.4900.00
E3FA-DP25	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	43.67	EC001821	381325	4548583468566	#		GD	GDS	CHN	8541.4900.00
E3FA-DP25-1	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, low hysteresis, PNP, L-ON/D-ON selectable, M12 connector	43.67	EC001821	409501	4548583584655			GD	GDS	CHN	8541.4900.00
E3FA-DP25-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	33.77	EC001821	382778	45485834999492			GD	GDS	CHN	8541.4900.00
E3FA-DP26	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, cisimden yansimalı, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	46.42	EC001821	381329	4548583468603			GD	GDS	CHN	8541.4900.00
E3FA-DP26-F2	Photoelectric sensor, M18 axial, plastic body, IR LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	36.60	EC001821	382779	45485834999508			GD	GDS	CHN	8541.4900.00
E3FA-LN1 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.10	EC002719	378855	4548583440593			GD	GDS	IDN	8536.9095.00
E3FA-LN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.10	EC002719	378856	4548583440609			GD	GDS	IDN	8536.9095.00
E3FA-LN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	52.65	EC002719	378865	4548583440708			GD	GDS	IDN	8536.9095.00
E3FA-LN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	52.65	EC002719	378866	4548583440715			GD	GDS	IDN	8536.9095.00
E3FA-LP1 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	52.90	EC002719	378875	4548583440814			GD	GDS	IDN	8536.9095.00
E3FA-LP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	52.65	EC002719	378876	4548583440821			GD	GDS	IDN	8536.9095.00
E3FA-LP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	52.25	EC002719	378885	4548583440920	#		GD	GDS	IDN	8536.9095.00
E3FA-LP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BG5, 100mm, PNP, L-ON/D-ON selectable/inverted logic, M12 connector	52.30	EC002719	382780	45485834999515			GD	GDS	CHN	8541.4900.00
E3FA-LP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	52.05	EC002719	378886	4548583440937	#		GD	GDS	IDN	8536.9095.00
E3FA-LP22-F2	Photoelectric sensor, M18 axial, plastic body, red LED, BG5, 200mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.20	EC002719	659592	4548583731158			GD	GDS	CHN	8536.9095.00
E3FA-RN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC002717	378850	4548583440548	#		GD	GDS	IDN	8536.9095.00
E3FA-RN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşeksensiz reflektörlü, 0-500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC002717	378851	4548583440555			GD	GDS	IDN	8536.9095.00
E3FA-RN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC002717	378860	4548583440654			GD	GDS	IDN	8536.9095.00
E3FA-RN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşeksensiz reflektörlü, 0-500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC002717	378861	4548583440661			GD	GDS	IDN	8536.9095.00
E3FA-RP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.89	EC002717	378870	4548583440760	#		GD	GDS	IDN	8536.9095.00
E3FA-RP11 5M	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 5m cable	46.01	EC002717	419143	4548583595576			GD	GDS	CHN	8541.4900.00
E3FA-RP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşeksensiz reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	47.31	EC002717	378871	4548583440777			GD	GDS	IDN	8536.9095.00
E3FA-RP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	44.89	EC002717	378880	4548583440876	#		GD	GDS	IDN	8536.9095.00
E3FA-RP21-F2	Photoelectric sensor, M18 axial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.50	EC002717	659017	4548583731196			GD	GDS	CHN	8536.9095.00
E3FA-RP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, eşeksensiz reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	47.31	EC002717	378881	4548583440883			GD	GDS	IDN	8536.9095.00
E3FA-TN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	61.25	EC002716	386962	4548583440531			GD	GDS	IDN	8536.9095.00
E3FA-TN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.50	EC002716	381314	4548583468450			GD	GDS	CHN	8541.4900.00
E3FA-TN21	Fotoelektrik sensör, M18 eksenel, plastik, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	61.25	EC002716	404483	4548583440647	#		GD	GDS	IDN	8541.4900.00
E3FA-TN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, NPN, L-ON/D-ON seçilebilir, M12 konektör	62.50	EC002716	381315	4548583468467			GD	GDS	CHN	8541.4900.00
E3FA-TP11 2M	Fotoelektrik sensör, M18 eksenel, plastik, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m PVC kablolu	61.25	EC002716	404484	4548583440753	#		GD	GDS	IDN	8541.4900.00
E3FA-TP11 5M	Photoelectric sensor, M18 axial, plastic, red LED, through-beam, 20m, PNP, L-ON/D-ON selectable, 5m PVC cable	51.20	EC002716	416701	4548583569201			GD	GDS	CHN	8541.4900.00
E3FA-TP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.50	EC002716	381316	4548583468474			GD	GDS	CHN	8541.4900.00
E3FA-TP21	Fotoelektrik sensör, M18 eksenel, plastik, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	61.25	EC002716	404485	4548583440869	#		GD	GDS	IDN	8541.4900.00
E3FA-TP21-D	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	40.93	EC002716	415553	4548583547308			GD	GDS	CHN	8541.4900.00
E3FA-TP21-E011	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam, 20m, PNP, L-ON fixed, M12 connector	57.25	EC002716	382535	4548583502208			GD	GDS	CHN	8541.4900.00
E3FA-TP21-L	Photoelectric sensor, M18 axial, plastic body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	28.87	EC002716	415552	4548583547292			GD	GDS	CHN	8541.4900.00
E3FA-TP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, infrared LED, karşılıklı, 15m, PNP, L-ON/D-ON seçilebilir, M12 konektör	62.50	EC002716	381317	4548583468481			GD	GDS	CHN	8541.4900.00
E3FA-VN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	54.85	EC002719	378857	4548583440616			GD	GDS	IDN	8536.9095.00
E3FA-VN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	54.85	EC002719	378867	4548583440722			GD	GDS	IDN	8536.9095.00
E3FA-VP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	54.85	EC002719	378877	4548583440838			GD	GDS	IDN	8536.9095.00
E3FA-VP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	54.85	EC002719	378887	4548583440944			GD	GDS	IDN	8536.9095.00
E3FB-BN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378899	4548583441064			GD	GDS	IDN	8536.9095.00
E3FB-BN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378900	4548583441071			GD	GDS	IDN	8536.9095.00
E3FB-BN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 500mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378910	4548583441170			GD	GDS	IDN	8536.9095.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FB-BN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, NPN, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378911	4548583441187			GD	GDS	IDN	8536.9095.00
E3FB-BP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378921	4548583441286			GD	GDS	IDN	8536.9095.00
E3FB-BP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	62.85	EC002717	378922	4548583441293			GD	GDS	IDN	8536.9095.00
E3FB-BP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378932	4548583441392			GD	GDS	IDN	8536.9095.00
E3FB-BP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, M12 konektör	62.85	EC002717	378933	4548583441408			GD	GDS	IDN	8536.9095.00
E3FB-DN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378893	4548583441002			GD	GDS	IDN	8536.9095.00
E3FB-DN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	46.89	EC001821	378894	4548583441019			GD	GDS	IDN	8536.9095.00
E3FB-DN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.60	EC001821	378895	4548583441026			GD	GDS	IDN	8536.9095.00
E3FB-DN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC001821	378904	4548583441118			GD	GDS	IDN	8536.9095.00
E3FB-DN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC001821	378905	4548583441125			GD	GDS	IDN	8536.9095.00
E3FB-DN23	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	53.60	EC001821	378906	4548583441132			GD	GDS	IDN	8536.9095.00
E3FB-DP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378915	4548583441224	#		GD	GDS	IDN	8536.9095.00
E3FB-DP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC001821	378916	4548583441231	#		GD	GDS	IDN	8536.9095.00
E3FB-DP13 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	53.60	EC001821	378917	4548583441248	#		GD	GDS	IDN	8536.9095.00
E3FB-DP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC001821	378926	4548583441330	#		GD	GDS	IDN	8536.9095.00
E3FB-DP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC001821	378927	4548583441347	#		GD	GDS	IDN	8536.9095.00
E3FB-DP23	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	53.60	EC001821	378928	4548583441354	#		GD	GDS	IDN	8536.9095.00
E3FB-DP25-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 300mm, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	49.66	EC001821	387806	4548583518926			GD	GDS	CHN	8541.4900.00
E3FB-DP26-F2	Photoelectric sensor, M18 axial, metal body, infrared LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	52.05	EC001821	659014	4548583731295			GD	GDS	CHN	9031.9000.00
E3FB-LN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	57.80	EC002719	378896	4548583441033			GD	GDS	IDN	8536.9095.00
E3FB-LN12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	57.80	EC002719	378897	4548583441040			GD	GDS	IDN	8536.9095.00
E3FB-LN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	59.25	EC002719	378907	4548583441149			GD	GDS	IDN	8536.9095.00
E3FB-LN22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	59.70	EC002719	378908	4548583441156			GD	GDS	IDN	8536.9095.00
E3FB-LP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	57.70	EC002719	378918	4548583441255			GD	GDS	IDN	8536.9095.00
E3FB-LP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	57.90	EC002719	378919	4548583441262			GD	GDS	IDN	8536.9095.00
E3FB-LP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	58.90	EC002719	378929	4548583441361	#		GD	GDS	IDN	8536.9095.00
E3FB-LP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	59.10	EC002719	378930	4548583441378	#		GD	GDS	IDN	8536.9095.00
E3FB-RN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC002717	378891	4548583440982			GD	GDS	IDN	8536.9095.00
E3FB-RN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC002717	378902	4548583441095			GD	GDS	IDN	8536.9095.00
E3FB-RP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	51.20	EC002717	378913	4548583441200	#		GD	GDS	IDN	8536.9095.00
E3FB-RP12 2M	Photoelectric sensor, M18 axial, metal body, red LED, coaxial retro-reflective, 0-500mm, PNP, L-ON/D-ON selectable, 2m cable	41.62	EC002717	378914	4548583441217			GD	GDS	IDN	8536.9095.00
E3FB-RP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	51.20	EC002717	378924	4548583441316	#		GD	GDS	IDN	8536.9095.00
E3FB-RP21-E2	Photoelectric sensor, M18 axial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, inverted logic, M12 connector	48.42	EC002717	659019	4548583731325			GD	GDS	CHN	8536.9095.00
E3FB-RP22	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, eksenel reflektörlü, 0-500mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	53.60	EC002717	378925	4548583441323			GD	GDS	IDN	8536.9095.00
E3FB-TN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73.20	EC002716	378890	4548583440975			GD	GDS	IDN	8536.9095.00
E3FB-TN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.20	EC002716	378901	4548583441088			GD	GDS	IDN	8536.9095.00
E3FB-TP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.20	EC002716	378912	4548583441194			GD	GDS	IDN	8536.9095.00
E3FB-TP12 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73.20	EC002716	378923	4548583441309			GD	GDS	IDN	8536.9095.00
E3FB-TP21-D	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam receiver, 20m, PNP, L-ON/D-ON selectable, M12 connector	47.65	EC002716	415550	4548583593671			GD	GDS	CHN	8541.4900.00
E3FB-TP21-L	Photoelectric sensor, M18 axial, metal body, red LED, thru-beam emitter, 20m, PNP, L-ON/D-ON selectable, M12 connector	33.39	EC002716	415551	4548583593688			GD	GDS	CHN	8541.4900.00
E3FB-VN11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	53.20	EC002719	378898	4548583441057			GD	GDS	IDN	8536.9095.00
E3FB-VN21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	53.20	EC002719	378909	4548583441163			GD	GDS	IDN	8536.9095.00
E3FB-VP11 2M	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	53.20	EC002719	378920	4548583441279			GD	GDS	IDN	8536.9095.00
E3FB-VP21	Fotoelektrik sensör, M18 eksenel, metal gövde, kırmızı LED, sınırlı mesafe, 10-50mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	53.20	EC002719	378931	4548583441385			GD	GDS	IDN	8536.9095.00
E3FC-BN21	Photoelectric sensor, M18 axial, SUS body, red LED, transparent object detection, 500mm, NPN, L-ON/D-ON selectable, M12 connector	97.35	EC002717	670301	4548583732698			GD	GDS	CHN	8541.4900.00
E3FC-BP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, seffaf nesne algılama, 500mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	87.15	EC002717	659444	4548583732667			GD	GDS	CHN	8541.4900.00
E3FC-BP21 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, seffaf nesne algılama, 0.1-2m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	94.45	EC002717	659450	4548583732674			GD	GDS	CHN	8541.4900.00
E3FC-DN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659451	4548583732704			GD	GDS	CHN	8541.4900.00
E3FC-DN13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659438	4548583732711			GD	GDS	CHN	8541.4900.00
E3FC-DN15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659458	4548583732728			GD	GDS	CHN	8541.4900.00
E3FC-DN16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659432	4548583732735			GD	GDS	CHN	8541.4900.00
E3FC-DN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.40	EC001821	659435	4548583732742			GD	GDS	CHN	8541.4900.00
E3FC-DN23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.95	EC001821	659422	4548583732759			GD	GDS	CHN	8541.4900.00
E3FC-DN25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.95	EC001821	659441	4548583732766			GD	GDS	CHN	8541.4900.00
E3FC-DN26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73.40	EC001821	659431	4548583732773			GD	GDS	CHN	8541.4900.00
E3FC-DP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	72.75	EC001821	659430	4548583732780			GD	GDS	CHN	8541.4900.00
E3FC-DP13 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659436	4548583732797			GD	GDS	CHN	8541.4900.00
E3FC-DP13 5M	Photoelectric sensor, M18 axial, SUS body, red LED, diffuse reflective, 1m, PNP, L-ON/D-ON selectable, 5m cable	84.20	EC001821	659437	4548583732803			GD	GDS	CHN	8541.4900.00
E3FC-DP15 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659429	4548583732810			GD	GDS	CHN	8541.4900.00
E3FC-DP16 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.95	EC001821	659449	4548583732827			GD	GDS	CHN	8541.4900.00
E3FC-DP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	72.75	EC001821	659445	4548583732834			GD	GDS	CHN	8541.4900.00
E3FC-DP23	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73.95	EC001821	659439	4548583732841			GD	GDS	CHN	8541.4900.00
E3FC-DP25	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	72.75	EC001821	659448	4548583732858			GD	GDS	CHN	8541.4900.00
E3FC-DP26	Fotoelektrik sensör, M18 eksenel, SUS gövde, infrared LED, cisimden yansımali, 1m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73.95	EC001821	659462	4548583732872			GD	GDS	CHN	8541.4900.00
E3FC-LN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	104.90	EC002719	659456	4548583732889			GD	GDS	CHN	8541.4900.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3FC-LN12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	105,90	EC002719	659460	4548583732896			GD	GDS	CHN	8541.4900.00
E3FC-LN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	105,90	EC002719	659447	4548583732902			GD	GDS	CHN	8541.4900.00
E3FC-LN22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 200mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	104,90	EC002719	659459	4548583732919			GD	GDS	CHN	8541.4900.00
E3FC-LP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105,90	EC002719	659428	4548583732926			GD	GDS	CHN	8541.4900.00
E3FC-LP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, BG5, 100mm, PNP, L-ON/D-ON selectable, 5m cable	117,00	EC002719	659440	4548583732933			GD	GDS	CHN	8541.4900.00
E3FC-LP12 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105,40	EC002719	659424	4548583732940			GD	GDS	CHN	8541.4900.00
E3FC-LP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	104,90	EC002719	659426	4548583732964			GD	GDS	CHN	8541.4900.00
E3FC-LP22	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, arka plan bastırılmalı, 200mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	105,90	EC002719	659454	4548583732971			GD	GDS	CHN	8541.4900.00
E3FC-RN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	73,40	EC002717	659427	4548583732988			GD	GDS	CHN	8541.4900.00
E3FC-RN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, NPN, L-ON/D-ON seçilebilir, M12 konektör	73,40	EC002717	659425	4548583732995			GD	GDS	CHN	8541.4900.00
E3FC-RP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73,95	EC002717	659446	4548583733008			GD	GDS	CHN	8541.4900.00
E3FC-RP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 5m cable	84,75	EC002717	659453	4548583733015			GD	GDS	CHN	8541.4900.00
E3FC-RP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, reflektörlü, 0.1-4m, PNP, L-ON/D-ON seçilebilir, M12 konektör	73,40	EC002717	659455	4548583733022			GD	GDS	CHN	8541.4900.00
E3FC-TN11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	122,30	EC002716	659457	4548583733039			GD	GDS	CHN	8541.4900.00
E3FC-TN21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, NPN, L-ON/D-ON seçilebilir, M12 konektör	128,50	EC002716	659452	4548583733046			GD	GDS	CHN	8541.4900.00
E3FC-DP11 2M	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	119,30	EC002716	659443	4548583733053			GD	GDS	CHN	8541.4900.00
E3FC-TP11 5M	Photoelectric sensor, M18 axial, SUS body, red LED, thru-beam, 20m, PNP, L-ON/D-ON selectable, 5m cable	145,70	EC002716	659423	4548583733060			GD	GDS	CHN	8541.4900.00
E3FC-TP21	Fotoelektrik sensör, M18 eksenel, SUS gövde, kırmızı LED, karşılıklı, 20m, PNP, L-ON/D-ON seçilebilir, M12 konektör	123,80	EC002716	659433	4548583733084			GD	GDS	CHN	8541.4900.00
E3RA-DN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, 2m cable	50,05	EC001821	378952	4548583441590			GD	GDS	IDN	8536.9095.00
E3RA-DN12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, 2m cable	51,20	EC001821	378953	4548583441606			GD	GDS	IDN	8536.9095.00
E3RA-DN13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, 2m cable	53,60	EC001821	378954	4548583441613			GD	GDS	IDN	8536.9095.00
E3RA-DN21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, NPN, L-ON/D-ON selectable, M12 connector	50,05	EC001821	378957	4548583441644			GD	GDS	IDN	8536.9095.00
E3RA-DN22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	51,20	EC001821	378958	4548583441651			GD	GDS	IDN	8536.9095.00
E3RA-DN23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, NPN, L-ON/D-ON selectable, M12 connector	53,60	EC001821	378959	4548583441668			GD	GDS	IDN	8536.9095.00
E3RA-DP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, 2m cable	50,05	EC001821	378962	4548583441699			GD	GDS	IDN	8536.9095.00
E3RA-DP12 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	51,20	EC001821	378963	4548583441705			GD	GDS	IDN	8536.9095.00
E3RA-DP13 2M	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, 2m cable	53,60	EC001821	378964	4548583441712			GD	GDS	IDN	8536.9095.00
E3RA-DP21	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	50,05	EC001821	378967	4548583441743	40		GD	GDS	IDN	8536.9095.00
E3RA-DP22	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	51,20	EC001821	378968	4548583441750			GD	GDS	IDN	8536.9095.00
E3RA-DP23	Photoelectric sensor, M18 radial, plastic body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	53,60	EC001821	378969	4548583441767			GD	GDS	IDN	8536.9095.00
E3RA-RN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	50,05	EC002717	378951	4548583441583			GD	GDS	IDN	8536.9095.00
E3RA-RN21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	50,05	EC002717	378956	4548583441637			GD	GDS	IDN	8536.9095.00
E3RA-RP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	50,05	EC002717	378961	4548583441682			GD	GDS	IDN	8536.9095.00
E3RA-RP21	Photoelectric sensor, M18 radial, plastic body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	50,05	EC002717	378966	4548583441736			GD	GDS	IDN	8536.9095.00
E3RA-TN11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, 2m cable	66,45	EC002716	378950	4548583441576			GD	GDS	IDN	8536.9095.00
E3RA-TN21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, NPN, L-ON/D-ON selectable, M12 connector	66,45	EC002716	378955	4548583441620			GD	GDS	IDN	8536.9095.00
E3RA-TP11 2M	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	66,45	EC002716	378960	4548583441675			GD	GDS	IDN	8536.9095.00
E3RA-TP21	Photoelectric sensor, M18 radial, plastic body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	66,45	EC002716	378965	4548583441729			GD	GDS	IDN	8536.9095.00
E3RB-DN22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, NPN, L-ON/D-ON selectable, M12 connector	57,70	EC001821	378978	4548583441859			GD	GDS	IDN	8536.9095.00
E3RB-DP12 2M	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, 2m cable	57,70	EC001821	378983	4548583441903			GD	GDS	IDN	8536.9095.00
E3RB-DP21	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 100mm, PNP, L-ON/D-ON selectable, M12 connector	56,80	EC001821	378987	4548583441941			GD	GDS	IDN	8536.9095.00
E3RB-DP21-F2	Photoelectric sensor, M18 threaded barrel, radial type, metal, red LED, diffuse, 100 mm, PNP, Light-ON/Dark-ON, inverted logic, M12 connector	86,00	EC001821	683197	4549734276993			GD	GDS	CHN	8536.9095.00
E3RB-DP22	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 300mm, PNP, L-ON/D-ON selectable, M12 connector	48,17	EC001821	378988	4548583441958			GD	GDS	IDN	8536.9095.00
E3RB-DP23	Photoelectric sensor, M18 radial, metal body, red LED, diffuse, 700mm, PNP, L-ON/D-ON selectable, M12 connector	59,70	EC001821	378989	4548583441965			GD	GDS	IDN	8536.9095.00
E3RB-RN11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, NPN, L-ON/D-ON selectable, 2m cable	51,65	EC002717	378971	4548583441781			GD	GDS	IDN	8536.9095.00
E3RB-RN21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	51,65	EC002717	378976	4548583441835			GD	GDS	IDN	8536.9095.00
E3RB-RP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, 2m cable	47,31	EC002717	378981	4548583441880			GD	GDS	IDN	8536.9095.00
E3RB-RP21	Photoelectric sensor, M18 radial, metal body, red LED, retro-reflective, 0.1-4m, PNP, L-ON/D-ON selectable, M12 connector	56,80	EC002717	378986	4548583441934			GD	GDS	IDN	8536.9095.00
E3RB-TP11 2M	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, 2m cable	77,35	EC002716	378980	4548583441873			GD	GDS	IDN	8536.9095.00
E3RB-TP21	Photoelectric sensor, M18 radial, metal body, red LED, through-beam, 15m, PNP, L-ON/D-ON selectable, M12 connector	77,50	EC002716	378985	4548583441927			GD	GDS	IDN	8536.9095.00
Fotoelektrik Sensör E3F1											
E3F1-DN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	31,29	EC001821	378936	4548583441439			GD	GDT	IDN	8536.9095.00
E3F1-DN12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	32,21	EC001821	378937	4548583441446			GD	GDT	IDN	8536.9095.00
E3F1-DN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	31,29	EC001821	378940	4548583441477			GD	GDT	IDN	8536.9095.00
E3F1-DN22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	32,21	EC001821	378941	4548583441484			GD	GDT	IDN	8536.9095.00
E3F1-DP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	31,29	EC001821	378944	4548583441514			GD	GDT	IDN	8536.9095.00
E3F1-DP12 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	32,21	EC001821	378945	4548583441521			GD	GDT	IDN	8536.9095.00
E3F1-DP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 100mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	31,29	EC001821	378948	4548583441552	#		GD	GDT	IDN	8536.9095.00
E3F1-DP22	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	32,21	EC001821	378949	4548583441569	#		GD	GDT	IDN	8536.9095.00
E3F1-DP22-10	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, M12 konektör, (10'lü paket)	291,30	EC001821	401859	4548583571617			GD	GDT	CHN	8536.9095.00
E3F1-RN11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	31,29	EC002717	378935	4548583441422			GD	GDT	IDN	8536.9095.00
E3F1-RN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, NPN, L-ON/D-ON seçilebilir, M12 konektör	31,29	EC002717	378939	4548583441460			GD	GDT	IDN	8536.9095.00
E3F1-RP11 2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	31,29	EC002717	378943	4548583441507			GD	GDT	IDN	8536.9095.00
E3F1-RP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 0.1-3m, PNP, L-ON/D-ON seçilebilir, M12 konektör	31,29	EC002717	378947	4548583441545	#	20	GD	GDT	IDN	8536.9095.00
E3F1-RP21-10	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, reflektörlü, 3m, PNP, L-ON/D-ON seçilebilir, M12 konektör, (10'lü paket)	282,50	EC002717	401861	4548583571631			GD	GDT	CHN	8536.9095.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E3F1-TN11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15mm, NPN, L-ON/D-ON seçilebilir, 2m kablolu	43.87	EC002716	378934	4548583441415			GD	GDT	IDN	8536.9095.00
E3F1-TN21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15mm, NPN, L-ON/D-ON seçilebilir, M12 konektör	42.50	EC002716	378938	4548583441453			GD	GDT	IDN	8536.9095.00
E3F1-TP11-2M	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	44.92	EC002716	378942	4548583441491			GD	GDT	IDN	8536.9095.00
E3F1-TP21	Fotoelektrik sensör, M18 eksenel, plastik gövde, kırmızı LED, karşılıklı, 15mm, PNP, L-ON/D-ON seçilebilir, M12 konektör	42.50	EC002716	378946	4548583441538	#		GD	GDT	IDN	8536.9095.00
Fotoelektrik Sensör E3JK-Lite											
E3JK-DP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2.5m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC001821	668839	4548583746589	#		GD	GDU	IDN	8541.4900.00
E3JK-DP12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 300mm, PNP, L-ON/D-ON seçilebilir, 2m kablolu	73.25	EC001821	668840	4548583746602			GD	GDU	IDN	8541.4900.00
E3JK-DP13-2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, PNP, L-ON/D-ON selectable, 2m cable	66.10	EC001821	669198	4548583580862			GD	GDU	CHN	8541.4900.00
E3JK-DR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 2.5m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	82.95	EC001821	668835	4548583746480	#		GD	GDU	IDN	8541.4900.00
E3JK-DR12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, cisimden yansımali, 300mm, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	79.15	EC001821	668843	4548583746510	#		GD	GDU	IDN	8541.4900.00
E3JK-DR13-2M	Photoelectric sensor, square body, IR LED, diffuse, 2.5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	71.15	EC001821	669192	4548583580763	#		GD	GDU	CHN	8541.4900.00
E3JK-RN12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, NPN, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	668831	4548583746701			GD	GDU	IDN	8541.4900.00
E3JK-RP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonsuz, 7m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	668833	4548583746664			GD	GDU	IDN	8541.4900.00
E3JK-RP12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	70.75	EC002717	668836	4548583746725	#		GD	GDU	IDN	8541.4900.00
E3JK-RP11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonsuz, 7m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	76.70	EC002717	668844	4548583746626	#		GD	GDU	IDN	8541.4900.00
E3JK-RB12-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, reflektörlü, polarizasyonlu, 6m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	76.70	EC002717	668829	4548583746688	#		GD	GDU	IDN	8541.4900.00
E3JK-RR12-5M	Photoelectric sensor, square body, red LED, retro-reflective (polarized), 6m, AC/DC, Relay, 5m cable	76.35	EC002717	379009	4548583484023			GD	GDU	CHN	8541.4900.00
E3JK-TR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, PNP, L-ON/D-ON seçilebilir, 2m kablolu	105.70	EC002716	668830	4548583746442			GD	GDU	IDN	8541.4900.00
E3JK-TR11-2M	Fotoelektrik sensör, kare gövde, kırmızı LED, karşılıklı, 40m, AC/DC, röle, L-ON/D-ON seçilebilir, 2m kablolu	112.70	EC002716	668838	4548583746343	#		GD	GDU	IDN	8541.4900.00
E3JK-TR11-5M	Photoelectric sensor, square body, red LED, through-beam, 40m, AC/DC, relay, L-ON/D-ON selectable, 5m cable	115.60	EC002716	668841	4548583746350			GD	GDU	IDN	8541.4900.00
E3JK-TR12-2M	Photoelectric sensor, square body, red LED, through-beam, 5m, AC/DC, relay, L-ON/D-ON selectable, 2m cable	112.70	EC002716	688662	4548583746374			GD	GDU	IDN	8541.4900.00
Fotoelektrik Sensör E3S-D											
E3S-DBN21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, SmartTeach, 4.5m, NPN, M12 konektör	137.10	EC002717	393258	4548583518339			GD	GDV	CHN	8541.4900.00
E3S-DBP21	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, SmartTeach, 4.5m, PNP, M12 konektör	121.30	EC002717	388939	4548583518292	#		GD	GDV	CHN	8541.4900.00
E3S-DBP21T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, potansiyometreli, 4.5m, PNP, M12 konektör	107.90	EC002717	388938	4548583518285			GD	GDV	CHN	8541.4900.00
E3S-DBP22	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, dar ışın, SmartTeach, 0.7m, PNP, M12 konektör	123.20	EC002717	388941	4548583518315	#		GD	GDV	CHN	8541.4900.00
E3S-DBP22T	Fotoelektrik sensör, dikdörtgen gövde, kırmızı LED, seffaf nesne algılamaya, dar ışın, potansiyometreli, 0.7m, PNP, M12 konektör	113.40	EC002717	388940	4548583518308			GD	GDV	CHN	8541.4900.00
E3S-DCN21	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, NPN, M12 konektör	240.60	EC001820	670883	4548583819047			GD	GDV	CHN	8541.4900.00
E3S-DCP21-IL2	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-Link V1.1 haberleşme COM2 (38.4kbps), M12 konektör	285.40	EC001820	670884	4548583819054			GD	GDV	CHN	8541.4900.00
E3S-DCP21-IL3	Renk sensörü, cisimden yansımali, kare gövde, IP67, 10 +/- 3mm, 50µs cevap verme süresi, Push-Pull, IO-Link V1.1 haberleşme COM3 (230.4kbps), M12 konektör	285.40	EC001820	670885	4548583819061	#		GD	GDV	CHN	8541.4900.00
Diğer Fotoelektrik Sensörler											
E3S-GS3B4	Fotoelektrik sensör, boşluk, 30mm, DC, 3 kablolu, PNP, 2m kablolu	195.30	EC002720	130258	4536853286194	#		GD	GDX	JPN	8541.4900.00
E3S-GS3B4-5M	Photoelectric sensor, slot, 30mm, DC, 3-wire, PNP, 5m cable	219.60	EC002720	130268	4536853286514			GD	GDX	JPN	8541.4900.00
E3S-GS3F4	Fotoelektrik sensör, boşluk, 30mm, DC, 3 kablolu, NPN, 2m kablolu	174.10	EC002720	130246	4536853285937	#		GD	GDX	JPN	8541.4900.00
E3S-L10XB4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, PNP, 2m kablolu	220.80	EC002719	130256	4536853286132			GD	GDX	JPN	8541.4900.00
E3S-L10XF4	Fotoelektrik sensör, belirli, 30-100mm, DC, 3 kablolu, NPN, 2m kablolu	220.80	EC002719	130243	4536853285876			GD	GDX	JPN	8541.4900.00
E3S-L52XB4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, PNP, 2m kablolu	220.80	EC002719	130257	4536853286156			GD	GDX	JPN	8541.4900.00
E3S-L52XF4	Fotoelektrik sensör, belirli, 50-250mm, DC, 3 kablolu, NPN, 2m kablolu	220.80	EC002719	130244	4536853285890			GD	GDX	JPN	8541.4900.00
E3S-LS3NW-2M	Fotoelektrik sensör, cisimden yansımali, 10-60mm, DC, 3 kablolu, NPN, düzey, 2m kablolu	131.20	EC002719	154808	4536854810060			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-2M	Fotoelektrik sensör, sinirli mesafe, cisimden yansımali, 10-60mm, PNP, 2m kablolu	141.70	EC002719	130314	4536854917318			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-M3J-0.3M	Photoelectric sensor, limited reflective, compact square, 10 to 60mm range, PNP, red LED, M8-4pin pig-tail connector	110.30	EC002719	130317	4536854917387			GD	GDX	JPN	8541.4900.00
E3S-LS3PW-M5J-0.3M	Photoelectric sensor, limited-reflective, diffuse, wide beam for structured-shiny-irregularly objects, 10-60mm, PNP, pigtail 0.3m with M8 3-pin connector	110.30	EC002719	155478	4536854917424			GD	GDX	JPN	8541.4900.00
E3S-RS30B42-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, vertical, 2m cable	379.20	EC002717	130213	4536853287924			GD	GDX	JPN	8541.4900.00
E3S-RS30B4-30	Photoelectric sensor, retroreflective, 300mm, DC, 3-wire, PNP, horizontal, 2m cable	382.80	EC002717	130211	4536853287900			GD	GDX	JPN	8541.4900.00
Diğer Fotoelektrik Sensörler											
E3H2-DS10B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, cisimden yansımali, 100mm sabit, PNP, 2m kablolu	87.35	EC001821	323686	4547648873017			GD	GDX	ITA	8541.4900.00
E3H2-DS10B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, cisimden yansımali, 100mm sabit, PNP, M12, 4-pin	100.20	EC001821	323687	4547648873024			GD	GDX	ITA	8541.4900.00
E3H2-DS30B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, cisimden yansımali, 300mm öğretilmeli, PNP, 2m kablolu	155.20	EC001821	323682	4547648872973			GD	GDX	ITA	8541.4900.00
E3H2-DS30B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, cisimden yansımali, 300mm öğretilmeli, M12, 4-pin	101.60	EC001821	323683	4547648872980	#		GD	GDX	ITA	8541.4900.00
E3H2-R2B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, polarizasyonlu reflektörlü, 2m öğretilmeli, PNP, M12, 4-pin	108.00	EC002717	323679	4547648872942			GD	GDX	ITA	8541.4900.00
E3H2-T4B4M-2M	Fotoelektrik sensör, M12 pirinç gövde, karşılıklı, 4m ayarlanabilir, PNP, 2m kablolu	147.00	EC002716	323674	4547648872898			GD	GDX	ITA	8541.4900.00
E3H2-T4B4M-M1	Fotoelektrik sensör, M12 pirinç gövde, karşılıklı, 4m ayarlanabilir, PNP, M12, 4-pin	196.30	EC002716	323675	4547648872904	#		GD	GDX	ITA	8541.4900.00
Diğer Fotoelektrik Sensörler											
E3T2-005-150	Light curtain, 5mm resolution, 150mm height, NPN/PNP output	1,269.00	EC001832	365856	4548583326828			GD	GDX	ITA	8536.5019.90
E3T2-005-300	Light curtain, 5mm resolution, 300mm height, NPN/PNP output	1,907.00	EC001832	365858	4548583326842			GD	GDX	ITA	8536.5019.90
E3T2-018-150	Light curtain, 18mm resolution, 150mm height, NPN/PNP output	847.00	EC001832	365857	4548583326835			GD	GDX	ITA	8536.5019.90
E3T2-018-300	Light curtain, 18mm resolution, 300mm height, NPN/PNP output	1,062.00	EC001832	365859	4548583326859			GD	GDX	ITA	8536.5019.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Diğer Fotoelektrik Sensörler											
F3M2-005-300-AV	Measuring light curtain, 5mm resolution, 300mm height, analog output	1,907.00	EC001832	365875	4548583327016			GD	GDX	ITA	8536.5019.90
F3M2-005-450-AV	Measuring light curtain, 5mm resolution, 450mm height, analog output	2,548.00	EC001832	365877	4548583327030			GD	GDX	ITA	8536.5019.90
F3M2-005-600-AV	Measuring light curtain, 5mm resolution, 600mm height, analog output	3,181.00	EC001832	365879	4548583327054			GD	GDX	ITA	8536.5019.90
F3M2-005-900-AV	Measuring light curtain, 5mm resolution, 900mm height, analog output	4,470.00	EC001832	365881	4548583327078			GD	GDX	ITA	8536.5019.90
Fotoelektrik Sensörler için Aksesuarlar											
E39-F9	Fine fiber attachment for E3X amplifiers	7.08	EC003015	146998	4536853297251	100		GD	GDZ	JPN	8541.9000.00
Fotoelektrik Sensörler için Aksesuarlar											
E39-L143	Sensor mounting Bracket, for E3X-NA, E3C-LDA, E2C-FDA	10.11	EC003015	130028	4536854537578	50		GD	GDZ	JPN	8541.9000.00
Fotoelektrik Sensörler için Aksesuarlar											
E39-F1	Long-distance lens unit for E32 through-beam fibers	55.00	EC003015	323182	4547648667876	#		GD	GDZ	CHN	8541.4900.00
E39-F16	Long-distance lens unit for E32 through-beam fibers	314.80	EC003015	305600	4547648266178			GD	GDZ	JPN	8541.4900.00
E39-F18	Focal lens for E32-CC200 / E32-C11N, 50mm range	230.40	EC003015	305601	4547648651134			GD	GDZ	CHN	8541.4900.00
E39-F2	Focal lens, side view unit for E32 through-beam optical fibers	89.90	EC003015	323183	4547648667883			GD	GDZ	CHN	8541.4900.00
E39-F3A	Small spot lens unit for E32-D32 optical fiber	128.60	EC003015	323185	4547648667937			GD	GDZ	CHN	8541.4900.00
E39-F3A-5	Focus lens for E32-FC41 fiber sensor head, 7mm focus length, 0.1mm spot	102.90	EC003015	323188	4547648667968			GD	GDZ	CHN	8541.4900.00
E39-F3B	Focus lens for E32-FC31 fiber sensor head, 17mm focus length, 0.5mm spot	106.40	EC003015	323189	4547648667975			GD	GDZ	CHN	8541.4900.00
E39-F3C	Focus lens for E32-EC31 fibre sensor head, 20mm focus length, 4mm spot	248.90	EC003015	323190	4547648667982			GD	GDZ	CHN	8541.4900.00
Fotoelektrik Sensörler için Aksesuarlar											
E39-F10	Connector for E32 optical fiber cable	13.43	EC003015	155530	4536853297268			GD	GDZ	JPN	8541.9000.00
E39-F32A 1M	Spiral protective tube for E32, M3, diffuse, optical fibers, 1m	49.35	EC003015	131355	4536853297367			GD	GDZ	JPN	8541.9000.00
E39-F32C 1M	Spiral protective tube for E32, M4, through-beam, optical fibers, 1m	67.70	EC003015	106026	4536853297381			GD	GDZ	JPN	8541.9000.00
E39-F32C 0.5M	Spiral protective tube for E32, M4, through-beam, optical fibers, 0.5m	66.10	EC003015	131359	4536853297442			GD	GDZ	JPN	8541.9000.00
E39-F32D 1M	Spiral protective tube for E32, M6, diffuse, optical fibers, 1m	46.25	EC003015	131357	4536853297398			GD	GDZ	JPN	8541.9000.00
E39-F32D 0.5M	Spiral protective tube for E32, M6, diffuse, optical fibers, 0.5m	37.10	EC003015	144836	4536853297459			GD	GDZ	JPN	8541.9000.00
E39-F4	Cutter for all E32 optical fibers	4.30	EC003015	131351	4536853297169			GD	GDZ	JPN	8541.9000.00
Fotoelektrik Sensörler için Aksesuarlar											
EE-1001	Accessory Connector for Photomicrosensors, 4-pin, solder terminals	2.04	EC003015	379735	4548583379572	100		GD	GDZ	CHN	8544.4290.90
EE-1001-L	Connector for Photomicrosensors, 4-pin, solder terminals, bridge between L and +	4.30	EC003015	379736	4548583379589	100		GD	GDZ	CHN	8541.4900.00
EE-1003	Accessory Photomicrosensor connector	3.93	EC001855	154581	4536854886485	50		GD	GDZ	JPN	8541.4900.00
EE-1006 1M	Accessory Photomicrosensor connector with cable 1m	4.15	EC001855	158029	4536854831942	50		GD	GDZ	CHN	8541.4900.00
EE-1006 2M	Accessory Photomicrosensor connector with cable 2m	5.73	EC001855	149189	4536854831935	#		GD	GDZ	CHN	8541.4900.00
EE-1006 3M	Accessory Photomicrosensor connector with cable 3m	6.12	EC001855	127851	4536854831959			GD	GDZ	CHN	8544.4290.90
EE-1010 2M	Accessory Photomicro sensor EE-SPX_03, cable connector, PVC, 2m	6.63	EC001855	127848	4536853231057	#		GD	GDZ	CHN	8541.4900.00
EE-1010-R 2M	Accessory Photomicro sensor EE-SPX_03, cable connector, robotic PVC, 2m	18.69	EC001855	127849	4536853231071			GD	GDZ	CHN	8541.4900.00
EE-2002	Accessory Photomicro sensor EE-SPX_03, NPN/PNP converter and cable connector, 0.5m	22.06	EC003015	127846	4536853230944	20		GD	GDZ	JPN	8541.4900.00
Fotoelektrik Sensörler için Aksesuarlar											
E39-R1	Reflektör, 40x60x7.5mm	16.31	EC002467	358211	4548583065079	130		GD	GDZ	CHN	8541.9000.00
E39-R10	Reflektör, 52x62x8mm	18.21	EC002467	131424	4536854515217			GD	GDZ	JPN	8541.9000.00
E39-R1K	Reflektör, 40x60x7.5mm	39.28	EC002467	372980	4548583128873	15		GD	GDZ	CHN	8541.9000.00
E39-R1S	Reflektör, 40x60x7.5mm	9.12	EC002467	372803	4548583128910	#	5	GD	GDZ	CHN	8541.9000.00
E39-R2	Reflektör, 80.8x60x7.5mm	22.06	EC002467	372981	4548583128859	#	10	GD	GDZ	CHN	8541.9000.00
E39-R21	Reflektör, 30x35mm	20.84	EC002467	386286	4548583489325	#		GD	GDZ	JPN	8541.9000.00
E39-R3	Reflektör, 42x22mm	24.92	EC002467	131460	4536853295950			GD	GDZ	JPN	8541.9000.00
E39-R37-CA	Sensor reflector, high precision type, 14mm x 23mm	11.50	EC002467	249845	4547648595193			GD	GDZ	JPN	8541.9000.00
E39-R4	Reflektör, 23x14mm	25.40	EC002467	131468	4536853296193			GD	GDZ	JPN	8541.9000.00
E39-R40	Reflektör, 84.5x84.5x8.7mm	20.94	EC002467	356162	4547648923460	100		GD	GDZ	DEU	8541.4900.00
E39-R42	Reflektör, 51x60mm	2.75	EC002467	699561	4549734893008	#		GD	GDZ	DEU	8541.9000.00
E39-R49	Sensor reflector, snap fitting, 30mm dia	8.54	EC002467	356167	4547648923514			GD	GDZ	DEU	8541.4900.00
E39-R50	Reflektör, 40x60mm, IP69K, deterjana dayanıklılık	39.28	EC002467	699563	4549734893022			GD	GDZ	DEU	8541.9000.00
E39-R51	Reflektör, 20x40mm, IP69K, deterjana dayanıklılık	23.99	EC002467	699564	4549734893039			GD	GDZ	DEU	8541.9000.00
E39-R6	Reflektör, 52x40mm	11.14	EC002467	356168	4547648923521			GD	GDZ	DEU	8541.4900.00
E39-R7	Reflektör, 84mm cap	9.12	EC002467	356169	4547648923538	#		GD	GDZ	DEU	8541.4900.00
E39-R8	Reflektör, 100x100mm	16.84	EC002467	356170	4547648923545	#		GD	GDZ	DEU	8541.4900.00
E39-R9	Reflektör, 35x42mm	16.31	EC002467	154931	4536854515200			GD	GDZ	JPN	8541.9000.00
E39-RP1	Reflektör, polarize, 44mm x 64mm	24.07	EC002467	235857	4547648395526			GD	GDZ	JPN	8541.9000.00
E39-RS1	Reflektör, 35mm x 10mm	9.58	EC002467	131412	4536854386329			GD	GDZ	JPN	8541.9000.00
E39-RS2	Reflektör, 40 x 35 x 0.6mm	15.84	EC002467	145484	4536854386336			GD	GDZ	JPN	8541.9000.00
E39-RS25 SM	Reflektör, 25mm x 5mm	111.50	EC002467	356172	4547648923569			GD	GDZ	DEU	9001.2000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E39-R53	Reflektör, 70x80mm	31.14	EC002467	131413	4536854386343			GD	GDZ	JPN	8541.9000.00
E39-R550 1M	Accessory photoelectric sensor, reflective tape, 50mm x 1m	35.44	EC002467	357623	4547648926843			GD	GDZ	DEU	8541.9000.00
E39-R550 22.8M	Accessory photoelectric sensor, reflective tape, 50mm x 22.8m	550.50	EC002467	356173	4547648923576			GD	GDZ	USA	9001.2000.00
E39-R550 5M	Reflektör, 50mm x 5m	228.90	EC002467	356174	4547648923583			GD	GDZ	DEU	9001.2000.00
Fotoelektrik Sensörler için Aksesuarlar											
E39-L104	Mounting bracket for E3Z sensor, standard, vertical mounting	6.86	EC003015	131393	4536853296643			GD	GDZ	JPN	8541.9000.00
E39-L117	Mounting bracket for E3T-S* sensor, rear mounting	8.63	EC003015	103300	4536853296810			GD	GDZ	JPN	8541.9000.00
E39-L142	Mounting Bracket, protective side wall, for E3Z	11.04	EC003015	155635	4536854552557			GD	GDZ	JPN	8541.9000.00
E39-L144	Sensor mounting Bracket, Protective bracket for E3Z, pre-wired	14.37	EC003015	354104	4548583009004	50		GD	GDZ	CHN	8541.4900.00
E39-L150	Sensor mounting Bracket for E3Z, 100mm high post	55.10	EC003015	131426	4536854806674			GD	GDZ	JPN	8541.9000.00
E39-L151	Sensor mounting Bracket, for E3Z, 200mm high post	28.25	EC003015	142623	4536854806681			GD	GDZ	JPN	8541.9000.00
E39-L153	Mounting bracket for E3Z sensor, L-shape, for prewired	6.34	EC003015	131427	4536854817274			GD	GDZ	JPN	8541.9000.00
E39-L182	E3FA/R flush mounting bracket	7.50	EC003015	370092	4548583328075			GD	GDZ	CHN	8541.9000.00
E39-L183	M18 L-type mounting bracket, stainless steel (SUS304)	7.50	EC003015	370093	4548583328082			GD	GDZ	CHN	8541.9000.00
E39-L201	Mounting bracket for E3AS sensor, L-shaped	7.20	EC003015	694038	4549734513111			GD	GDZ	CHN	8541.9000.00
E39-L202	Protective mounting bracket for E3AS, vertical mounting	9.60	EC003015	694039	4549734513128			GD	GDZ	CHN	8541.9000.00
E39-L203	Mounting bracket for E3AS sensor, rear mounting	7.20	EC003015	694040	4549734513135			GD	GDZ	CHN	8541.9000.00
E39-L204	Protective metal cover for E3AS, horizontal surface mounting	11.00	EC003015	694041	4549734513142			GD	GDZ	CHN	8541.9000.00
E39-L211	Mounting bracket for E3AS sensor, L-shaped	7.32	EC003015	690762	4549734513159	20		GD	GDZ	CHN	8541.9000.00
E39-L212	Protective mounting bracket for E3AS, vertical mounting	9.74	EC003015	690765	4549734513166	28		GD	GDZ	CHN	8541.9000.00
E39-L214	Protective metal cover for E3AS, horizontal surface mounting	15.83	EC003015	690766	4549734513173	20		GD	GDZ	CHN	8541.4900.00
E39-L221	L-shaped mounting bracket	10.14	EC003015	696039	4549734663410			GD	GDZ	CHN	8541.9000.00
E39-L222	Horizontal protective cover bracket	13.49	EC003015	696051	4549734663427			GD	GDZ	CHN	8541.9000.00
E39-L223	Rear mounting bracket	11.51	EC003015	696050	4549734663434			GD	GDZ	CHN	8541.9000.00
E39-L224	Robust mounting bracket	14.31	EC003015	696049	4549734663441			GD	GDZ	CHN	8541.9000.00
E39-L231	L-shaped mounting bracket	12.88	EC003015	696048	4549734663458			GD	GDZ	CHN	8541.9000.00
E39-L232	Horizontal protective cover bracket	17.91	EC003015	696047	4549734663465			GD	GDZ	CHN	8541.9000.00
E39-L234	Robust mounting bracket	18.51	EC003015	696046	4549734663472			GD	GDZ	CHN	8541.9000.00
E39-L261	Flexible mounting bracket	47.58	EC003015	696045	4549734663489			GD	GDZ	CHN	8541.9000.00
E39-L262	50mm post for flexible mounting bracket E39-L261	21.81	EC003015	696044	4549734663496			GD	GDZ	CHN	8541.9000.00
E39-L263	100mm post for flexible mounting bracket E39-L261	26.95	EC003015	696043	4549734663502			GD	GDZ	CHN	8541.9000.00
E39-L40	Accessory photosensor E3JK, mounting bracket	2.67	EC003015	348111	4547648825344	#		GD	GDZ	CHN	8541.4900.00
E39-L43	Mounting bracket for E3Z sensor, side mounting	7.29	EC003015	131444	4536853295721			GD	GDZ	JPN	8541.9000.00
E39-L44	Mounting bracket for E3Z sensor, rear mounting	6.52	EC003015	150902	4536853295714			GD	GDZ	JPN	8541.9000.00
E39-L93FH	Mounting bracket for E3Z, 3D telescope mounting	34.00	EC003015	131429	4536854907517			GD	GDZ	JPN	8541.9000.00
E39-L93V	Adjustable Pillar bracket for E3Z, E3SA, Vertical mount fixings	33.50	EC003015	131431	4536854907548			GD	GDZ	JPN	8541.9000.00
E39-L93XY	2 positioning rods and horizontal mounting bracket for E3Z, E3S-A, E3S-R1, E39-R1, E39-B3	25.40	EC003015	131432	4536854907555			GD	GDZ	JPN	8541.9000.00
E39-L96	Optional reflector bracket for photoelectric sensor	14.50	EC003015	131397	4536853296681			GD	GDZ	JPN	8541.9000.00
E39-L98	Protective metal cover for E3S-A/E3Z, vertical sensor	18.70	EC003015	354103	4548583008991			GD	GDZ	CHN	8541.4900.00
Fotoelektrik Sensörler için Aksesuarlar											
E39-E11	Mutual interference filters for the E3Z-TA models	24.95	EC003015	143880	4536854555923			GD	GDZ	JPN	8541.9000.00
E39-S63	Slits for E3T-ST1* types, 0.5mm & 1mm dia pairs supplied	8.62	EC003015	156507	4536853296834			GD	GDZ	JPN	8541.9000.00
E39-S64	Slits for E3T-F1* types, 0.5mm & 1mm dia pairs supplied	8.63	EC003015	131404	4536853296858			GD	GDZ	JPN	8541.9000.00
E39-S65A	Slit for E3Z-T, 0.5mm diameter	8.45	EC003015	145485	4536854499104			GD	GDZ	JPN	8541.9000.00
E39-S65B	Slit for E3Z-T, 1mm diameter	9.30	EC003015	143240	4536854499111			GD	GDZ	JPN	8541.9000.00
E39-S65C	Slit for E3Z-T, 2mm diameter	10.89	EC003015	131420	4536854499128	50		GD	GDZ	JPN	8541.9000.00
E39-S65D	Slit for E3Z-T, 0.5x10mm diameter	10.21	EC003015	131421	4536854499135			GD	GDZ	JPN	8541.9000.00
E39-S65E	Slit for E3Z-T, 1x10mm diameter	11.04	EC003015	131422	4536854499142			GD	GDZ	JPN	8541.9000.00
E39-S65F	Slit for E3Z-T, 2x10mm diameter	12.04	EC003015	131423	4536854499159			GD	GDZ	JPN	8541.9000.00
Fotoelektrik Sensörler için Aksesuarlar											
E39-E16	Air blow unit	40.89	EC003015	696042	4549734663519			GD	GDZ	CHN	8541.9000.00
E39-E19	Front protection cover for E3AS/HL	33.29	EC003015	696041	4549734663526			GD	GDZ	CHN	8541.9000.00
E39-VA	Sensor test unit, hand-held, battery-powered	88.25	EC003015	131364	4536853297497			GD	GDZ	JPN	8541.9000.00
Fotoelektrik Sensörler için Aksesuarlar											
E39-R12	Reflector, E3C-LDA sensor, 23x23mm effective area	42.35	EC002467	163867	4536854958304			GD	GDZ	JPN	8541.9000.00
E39-R16	Reflector, E3C-LDA, highest detergent resistance, SUS316L, 43x30x5 mm	177.70	EC002467	659474	4548583750814			GD	GDZ	NLD	8541.9000.00
E39-R54	Reflective tape, high precision microtropical, self adhesive, 195mm x 22mm	139.70	EC002467	165090	4536854958335	#		GD	GDZ	JPN	8541.9000.00
E39-R55	Reflective tape, high precision microtropical, self adhesive, 108mm x 46mm	158.40	EC002467	165091	4536854958342			GD	GDZ	JPN	8541.9000.00
İndüktif Proximity Sensör E2EG											
E2E-X10B1130-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.70	EC002714	698907	4549734480567			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EZE-X10B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.70	EC002714	696110	4549734480741			GE	GEA	CHN	8536.5080.90
EZE-X10B1TL30-2M	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m prewired	62.20	EC002714	700024	4549734481540			GE	GEA	CHN	8536.5080.90
EZE-X10B1TL30-M1	Proximity sensor, inductive, nickel-brass long body, M30, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	699975	4549734481632			GE	GEA	CHN	8536.5080.90
EZE-X10MB1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	53.85	EC002714	688012	4549734469838			GE	GEA	CHN	8536.5080.90
EZE-X10MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.85	EC002714	687517	4549734470018			GE	GEA	CHN	8536.5080.90
EZE-X10MB1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	699525	4549734475594			GE	GEA	CHN	8536.5080.90
EZE-X10MB1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	698861	4549734475778			GE	GEA	CHN	8536.5080.90
EZE-X10MB1TL12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	53.85	EC002714	688002	4549734470865			GE	GEA	CHN	8536.5080.90
EZE-X10MB1TL12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	53.85	EC002714	687829	4549734470957			GE	GEA	CHN	8536.5080.90
EZE-X10MB1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	700033	4549734476454			GE	GEA	CHN	8536.5080.90
EZE-X10MB1TL18-M1	Proximity sensor, inductive, nickel-brass long body, M18, unshielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	699983	4549734476546			GE	GEA	CHN	8536.5080.90
EZE-X10MC112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	53.85	EC002714	687893	4549734467599			GE	GEA	CHN	8536.5080.90
EZE-X10MC118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	699320	4549734473378			GE	GEA	CHN	8536.5080.90
EZE-X10MC118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	699989	4549734473552			GE	GEA	CHN	8536.5080.90
EZE-X10MC118-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 10 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	699322	4549734474238			GE	GEA	CHN	8536.5080.90
EZE-X10MD112-2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire	57.30	EC002714	681829	4549734182393			GE	GEA	CHN	8536.5080.90
EZE-X10MD112-5M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 5 m cable, DC 2-wire	59.90	EC002714	681763	4549734182416			GE	GEA	CHN	8536.5080.90
EZE-X10MD112-MITG-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	61.65	EC002714	681799	4549734182577			GE	GEA	CHN	8536.5080.90
EZE-X10MD112-T-2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NO, 2 m cable, DC 2-wire, no polarity	57.30	EC002714	681863	4549734182492			GE	GEA	CHN	8536.5080.90
EZE-X10MD212-MITGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire	61.65	EC002714	681709	4549734182485			GE	GEA	CHN	8536.5080.90
EZE-X10MD212-MITGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	61.65	EC002714	681801	4549734182584			GE	GEA	CHN	8536.5080.90
EZE-X10MD212-T-2M	Proximity sensor, inductive, brass-nickel, M12, non-shielded, 10 mm, NC, 2 m cable, DC 2-wire, no polarity	57.30	EC002714	681814	4549734182508			GE	GEA	CHN	8536.5080.90
EZE-X11D118-2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	57.30	EC002714	681749	4549734182638			GE	GEA	CHN	8536.5080.90
EZE-X11D118-MITGJ 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire	61.65	EC002714	681827	4549734182713			GE	GEA	CHN	8536.5080.90
EZE-X11D118-MITGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	61.65	EC002714	681715	4549734182812			GE	GEA	CHN	8536.5080.90
EZE-X11D118-T-2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	57.30	EC002714	681767	4549734182737			GE	GEA	CHN	8536.5080.90
EZE-X11D118-T-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable, DC 2-wire, no polarity	59.90	EC002714	681786	4549734182751			GE	GEA	CHN	8536.5080.90
EZE-X11D118-TR-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NO, 5 m cable robotic, DC 2-wire, no polarity	73.30	EC002714	681782	4549734182799			GE	GEA	CHN	8536.5080.90
EZE-X11D218-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire	59.90	EC002714	681718	4549734182669			GE	GEA	CHN	8536.5080.90
EZE-X11D218-T-2M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	57.30	EC002714	681659	4549734182744			GE	GEA	CHN	8536.5080.90
EZE-X11D218-T-5M	Proximity sensor, inductive, brass-nickel, M18, shielded, 11 mm, NC, 5 m cable, DC 2-wire, no polarity	59.90	EC002714	681736	4549734182768			GE	GEA	CHN	8536.5080.90
EZE-X12B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.85	EC002714	687511	4549734475242			GE	GEA	CHN	8536.5080.90
EZE-X12B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.85	EC002714	687510	4549734475426			GE	GEA	CHN	8536.5080.90
EZE-X12B1T18-MITJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	69.40	EC002714	687871	4549734475365	20		GE	GEA	CHN	8536.5080.90
EZE-X12B1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	53.85	EC002714	687868	4549734476256	10		GE	GEA	CHN	8536.5080.90
EZE-X12B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	53.85	EC002714	687866	4549734476348			GE	GEA	CHN	8536.5080.90
EZE-X12B3D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	687858	4549734477451			GE	GEA	CHN	8536.5080.90
EZE-X12B3D18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 12 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	687854	4549734478045			GE	GEA	CHN	8536.5080.90
EZE-X12C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 12 mm, DC, 3-wire, NPN NO, M12 connector	53.85	EC002714	687874	4549734473200			GE	GEA	CHN	8536.5080.90
EZE-X14B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687509	4549734475457			GE	GEA	CHN	8536.5080.90
EZE-X14B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687507	4549734475570			GE	GEA	CHN	8536.5080.90
EZE-X14B1T18-MITJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687508	4549734475532			GE	GEA	CHN	8536.5080.90
EZE-X14B1T18-MITJR 0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	90.10	EC002714	687870	4549734475556			GE	GEA	CHN	8536.5080.90
EZE-X14B1TL18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687865	4549734476379	10		GE	GEA	CHN	8536.5080.90
EZE-X14B1TL18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 14 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687863	4549734476430			GE	GEA	CHN	8536.5080.90
EZE-X14B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, M12 connector	59.05	EC002714	689616	4549734475587			GE	GEA	CHN	8536.5080.90
EZE-X14C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NO, M12 connector	59.05	EC002714	687514	4549734473354			GE	GEA	CHN	8536.5080.90
EZE-X14B218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	689615	4549734473248			GE	GEA	CHN	8536.5080.90
EZE-X14C218-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 14 mm, DC, 3-wire, NPN NC, 5 m cable	62.20	EC002714	690489	4549734473262			GE	GEA	CHN	8536.5080.90
EZE-X15B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	49.70	EC002714	687502	4549734480772			GE	GEA	CHN	8536.5080.90
EZE-X15B1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	52.85	EC002714	696122	4549734480802			GE	GEA	CHN	8536.5080.90
EZE-X15B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	49.70	EC002714	687501	4549734480956			GE	GEA	CHN	8536.5080.90
EZE-X15B1T30-MITJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	65.25	EC002714	687901	4549734480895			GE	GEA	CHN	8536.5080.90
EZE-X15B1TL30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687977	4549734481663			GE	GEA	CHN	8536.5080.90
EZE-X15B1TL30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	65.25	EC002714	696119	4549734481694			GE	GEA	CHN	8536.5080.90
EZE-X15B1TL30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687975	4549734481755			GE	GEA	CHN	8536.5080.90
EZE-X15B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, 2 m cable	49.70	EC002714	694058	4549734480789			GE	GEA	CHN	8536.5080.90
EZE-X15B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NC, M12 connector	49.70	EC002714	694057	4549734480963			GE	GEA	CHN	8536.5080.90
EZE-X15B3D30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	49.70	EC002714	694068	4549734482813			GE	GEA	CHN	8536.5080.90
EZE-X15B3D30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	49.70	EC002714	687849	4549734482936			GE	GEA	CHN	8536.5080.90
EZE-X15B3D30-5M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 15 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 5 m cable	63.20	EC002714	696226	4549734483407			GE	GEA	CHN	8536.5080.90
EZE-X15B3DL30-M1 </											

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X16M81T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	688009	4549734470049			GE	GEA	CHN	8536.5080.90
E2E-X16M81T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687516	4549734470162			GE	GEA	CHN	8536.5080.90
E2E-X16M81T12-M1T1-0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	74.60	EC002714	687887	4549734470124		10	GE	GEA	CHN	8536.5080.90
E2E-X16M81T12-R-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m robotic cable	62.20	EC002714	688008	4549734470087			GE	GEA	CHN	8536.5080.90
E2E-X16M81T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	687506	4549734475808			GE	GEA	CHN	8536.5080.90
E2E-X16M81T18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	46.60	EC002714	696126	4549734475839			GE	GEA	CHN	8536.5080.90
E2E-X16M81T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	687505	4549734475983			GE	GEA	CHN	8536.5080.90
E2E-X16M81T18-M1T1-0.3M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687869	4549734475921		10	GE	GEA	CHN	8536.5080.90
E2E-X16M81T12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	688000	4549734470988			GE	GEA	CHN	8536.5080.90
E2E-X16M81T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687878	4549734471046			GE	GEA	CHN	8536.5080.90
E2E-X16M81T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687991	4549734476577			GE	GEA	CHN	8536.5080.90
E2E-X16M81T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	687989	4549734476669			GE	GEA	CHN	8536.5080.90
E2E-X16M8212-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	698690	4549734470056			GE	GEA	CHN	8536.5080.90
E2E-X16M8212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	59.05	EC002714	689613	4549734470179			GE	GEA	CHN	8536.5080.90
E2E-X16M8218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	694060	4549734475815			GE	GEA	CHN	8536.5080.90
E2E-X16M8218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	694059	4549734475990			GE	GEA	CHN	8536.5080.90
E2E-X16M83D18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	694153	4549734477680			GE	GEA	CHN	8536.5080.90
E2E-X16M83D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	687856	4549734477802		10	GE	GEA	CHN	8536.5080.90
E2E-X16M1C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 16 mm, DC, 3-wire, NPN NO, M12 connector	59.05	EC002714	687892	4549734467742		5	GE	GEA	CHN	8536.5080.90
E2E-X16M1C118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	694854	4549734473583			GE	GEA	CHN	8536.5080.90
E2E-X16M1C118-M1	Proximity sensor, inductive, nickel-brass, short body, M18, unshielded, 16 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	687873	4549734473767		15	GE	GEA	CHN	8536.5080.90
E2E-X18M81T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	60.05	EC002714	699440	4549734481335			GE	GEA	CHN	8536.5080.90
E2E-X18M81T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	696323	4549734481519			GE	GEA	CHN	8536.5080.90
E2E-X18M8230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, unshielded, 18 mm, DC, 3-wire, PNP NC, M12 connector	60.05	EC002714	699969	4549734481526			GE	GEA	CHN	8536.5080.90
E2E-X18M1C30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 18 mm, DC, 3-wire, NPN NO, 2 m cable	60.05	EC002714	699506	4549734479233			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-2M	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	696140	4549734462549			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	39.35	EC002714	692763	4549734462662			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M3	Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	46.60	EC002714	698867	4549734462686			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M5	Proximity sensor, inductive, SUS short body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	698869	4549734462709			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-L-2M	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.80	EC002714	698877	4549734463980			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M1	Proximity sensor, inductive, SUS body, long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	698847	4549734464048			GE	GEA	CHN	8536.5080.90
E2E-X1R5B1T8-M5	Proximity sensor, inductive, SUS long body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	51.80	EC002714	698870	4549734464093			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28-2M	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	698874	4549734462556			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	698845	4549734462679			GE	GEA	CHN	8536.5080.90
E2E-X1R5B28-M3	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	46.60	EC002714	699963	4549734462693			GE	GEA	CHN	8536.5080.90
E2E-X1R5C18-2M	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	698871	4549734460101			GE	GEA	CHN	8536.5080.90
E2E-X1R5C18-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 1.5 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	696228	4549734460224			GE	GEA	CHN	8536.5080.90
E2E-X1R5D1-N-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 1.5 mm, NO, 2 m cable, DC 2-wire	43.39	EC002714	681795	4549734183918			GE	GEA	CHN	8536.5080.90
E2E-X20D130-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire	60.75	EC002714	681883	4549734183031			GE	GEA	CHN	8536.5080.90
E2E-X20D130-M1TGT-0.3M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	72.35	EC002714	681732	4549734183215			GE	GEA	CHN	8536.5080.90
E2E-X20D130-R-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, robotic, DC 2-wire	65.15	EC002714	681750	4549734183079			GE	GEA	CHN	8536.5080.90
E2E-X20D130-T-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	60.75	EC002714	681768	4549734183130			GE	GEA	CHN	8536.5080.90
E2E-X20D230-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire	60.75	EC002714	681692	4549734183048			GE	GEA	CHN	8536.5080.90
E2E-X20D230-T-2M	Proximity sensor, inductive, brass-nickel, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	60.75	EC002714	681874	4549734183147			GE	GEA	CHN	8536.5080.90
E2E-X20M81T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	53.85	EC002714	699323	4549734474474			GE	GEA	CHN	8536.5080.90
E2E-X20M118-2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 20 mm, DC, 3-wire, PNP NO, 2 m cable	59.05	EC002714	681879	4549734182836			GE	GEA	CHN	8536.5080.90
E2E-X20MD118-M1TGT-0.3M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	63.35	EC002714	681677	4549734183017			GE	GEA	CHN	8536.5080.90
E2E-X20M118-T-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	59.05	EC002714	681784	4549734182935			GE	GEA	CHN	8536.5080.90
E2E-X20MD218-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire	59.05	EC002714	681714	4549734182843			GE	GEA	CHN	8536.5080.90
E2E-X20MD218-T-2M	Proximity sensor, inductive, brass-nickel, M18, non-shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	59.05	EC002714	681815	4549734182942			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	60.05	EC002714	687500	4549734480987			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-5M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	63.55	EC002714	700809	4549734481014			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	60.05	EC002714	687499	4549734481168			GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1T1-0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	82.85	EC002714	687853	4549734481106		10	GE	GEA	CHN	8536.5080.90
E2E-X22B1T30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.35	EC002714	687851	4549734481878		5	GE	GEA	CHN	8536.5080.90
E2E-X22B230-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	691086	4549734480994			GE	GEA	CHN	8536.5080.90
E2E-X22B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	691085	4549734481175			GE	GEA	CHN	8536.5080.90
E2E-X22B30-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	62.20	EC002714	687848	4549734483070			GE	GEA	CHN	8536.5080.90
E2E-X22B3D30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 22 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	62.20	EC002714	687846	4549734483520			GE	GEA	CHN	8536.5080.90
E2E-X22C130-2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, NPN NO, 2 m cable	60.05	EC002714	687504	4549734478885			GE	GEA	CHN	8536.5080.90
E2E-X22C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 22 mm, DC, 3-wire, NPN NO, M12 connector	60.05	EC002714	687503	4549734479066			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X23B1T30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	88.05	EC002714	687852	4549734481274		15	GE	GEA	CHN	8536.5080.90
E2E-X23B1T1 30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	72.50	EC002714	687850	4549734481960	#	5	GE	GEA	CHN	8536.5080.90
E2E-X23B1T1 30-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	88.05	EC002714	687971	4549734481946			GE	GEA	CHN	8536.5080.90
E2E-X23B230 2M	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, 2 m cable	67.35	EC002714	698657	4549734481205			GE	GEA	CHN	8536.5080.90
E2E-X23B230-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NC, M12 connector	67.35	EC002714	698656	4549734481328			GE	GEA	CHN	8536.5080.90
E2E-X23C130-M1	Proximity sensor, inductive, nickel-brass, short body, M30, shielded, 23 mm, DC, 3-wire, PNP NO, M12 connector	67.35	EC002714	689361	4549734479219			GE	GEA	CHN	8536.5080.90
E2E-X2B1D8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector 4 pins	46.60	EC002714	694064	4549734465137			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	698886	4549734468640			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	698848	4549734468824			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 2M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687537	4549734462723			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 5M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696139	4549734462747			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	687536	4549734462846			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M3	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	46.60	EC002714	688108	4549734462860			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	687535	4549734462884		20	GE	GEA	CHN	8536.5080.90
E2E-X2B1T12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	700045	4549734470186			GE	GEA	CHN	8536.5080.90
E2E-X2B1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	698851	4549734470278			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8 2M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.80	EC002714	688085	4549734464116			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	687897	4549734464178			GE	GEA	CHN	8536.5080.90
E2E-X2B1T8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	51.80	EC002714	688083	4549734464222			GE	GEA	CHN	8536.5080.90
E2E-X2B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	698849	4549734468831			GE	GEA	CHN	8536.5080.90
E2E-X2B28 2M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	693989	4549734462730			GE	GEA	CHN	8536.5080.90
E2E-X2B28 5M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 5 m cable	49.70	EC002714	696138	4549734462754			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	693951	4549734462853			GE	GEA	CHN	8536.5080.90
E2E-X2B28-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	46.60	EC002714	694114	4549734462891			GE	GEA	CHN	8536.5080.90
E2E-X2B2L12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	700044	4549734470193			GE	GEA	CHN	8536.5080.90
E2E-X2B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	699993	4549734470285			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8 2M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	51.80	EC002714	696217	4549734464123			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	51.80	EC002714	694115	4549734464185			GE	GEA	CHN	8536.5080.90
E2E-X2B2L8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, M8 connector 3 pins	51.80	EC002714	695866	4549734464239			GE	GEA	CHN	8536.5080.90
E2E-X2B3D18-M1	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector 4 pins	51.80	EC002714	695084	4549734465816			GE	GEA	CHN	8536.5080.90
E2E-X2C112 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	43.49	EC002714	698881	4549734466226			GE	GEA	CHN	8536.5080.90
E2E-X2C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	43.49	EC002714	699998	4549734466400			GE	GEA	CHN	8536.5080.90
E2E-X2C18 2M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	46.60	EC002714	694862	4549734460286			GE	GEA	CHN	8536.5080.90
E2E-X2C18-M1	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, M12 connector	46.60	EC002714	687496	4549734460408			GE	GEA	CHN	8536.5080.90
E2E-X2C18-M5	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	46.60	EC002714	696145	4549734460446			GE	GEA	CHN	8536.5080.90
E2E-X2C1L8 2M	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, 2 m cable	51.80	EC002714	695086	4549734461672			GE	GEA	CHN	8536.5080.90
E2E-X2C1L8-M5	Proximity sensor, inductive, long SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NO, M8 connector 3 pins	51.80	EC002714	696228	4549734461788			GE	GEA	CHN	8536.5080.90
E2E-X2C28 2M	Proximity sensor, inductive, short SUS body, M8, shielded, 2 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	696231	4549734460293			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8 2M	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	698876	4549734463263			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M1	Proximity sensor, inductive, SUS short body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	698846	4549734463386			GE	GEA	CHN	8536.5080.90
E2E-X2MB1T8-M5	Proximity sensor, inductive, short SUS body, M8, unshielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	699524	4549734463423			GE	GEA	CHN	8536.5080.90
E2E-X2MB28-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 2 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	699991	4549734463393			GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire	42.54	EC002714	681723	4549734182157			GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-T-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NO, 2 m cable, DC 2-wire, no polarity	42.54	EC002714	681845	4549734184175			GE	GEA	CHN	8536.5080.90
E2E-X2R5D1-N 2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 2 mm, NC, 2 m cable, DC 2-wire	46.86	EC002714	681808	4549734482164			GE	GEA	CHN	8536.5080.90
E2E-X30MB1DI 30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	60.05	EC002714	690007	4549734483773			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687984	4549734476904			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687981	4549734477024		5	GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687970	4549734482103			GE	GEA	CHN	8536.5080.90
E2E-X30MB1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687967	4549734482288			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	698683	4549734476911			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	59.05	EC002714	698658	4549734477031			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	696214	4549734482110			GE	GEA	CHN	8536.5080.90
E2E-X30MB2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NC, M12 connector	60.05	EC002714	696109	4549734482295			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, 2 m cable	59.05	EC002714	699318	4549734474689			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, unshielded, 30 mm, DC, 3-wire, PNP NO, M12 connector	59.05	EC002714	689098	4549734474801			GE	GEA	CHN	8536.5080.90
E2E-X30MC1L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 30 mm, DC, 3-wire, PNP NO, M12 connector	62.20	EC002714	694850	4549734480185			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8 2M	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.00	EC002714	688107	4549734462907			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M1	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	687534	4549734463027			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M3	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	57.00	EC002714	688104	4549734463041			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M5	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	57.00	EC002714	687533	4549734463065			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8 2M	Proximity sensor, inductive, SUS body, long body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.00	EC002714	688082	4549734464246			GE	GEA	CHN	8536.5080.90
E2E-X3B1T8-M1	Proximity sensor, inductive, long brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	688080	4549734464307			GE	GEA	CHN	8536.5080.90
E2E-X3B28 2M	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	57.00	EC002714	691090	4549734462914			GE	GEA	CHN	8536.5080.90
E2E-X3B28-M1	Proximity sensor, inductive, short brass body, M8, shielded, 3 mm, DC, 3-wire, PNP NC, M12 connector	57.00	EC002714	691089	4549734463034			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X3B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	57.00	EC002714	698682	4549734463058			GE	GEA	CHN	8536.5080.90
E2E-X3B2L8-2M	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, 2 m cable	57.00	EC002714	698676	4549734464253			GE	GEA	CHN	8536.5080.90
E2E-X3B2L8-M3	Proximity sensor, inductive, long brass body M8, shielded, 3 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	57.00	EC002714	698674	4549734464338			GE	GEA	CHN	8536.5080.90
E2E-X3C18-2M	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NO, 2 m cable	57.00	EC002714	691139	4549734460460			GE	GEA	CHN	8536.5080.90
E2E-X3C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NO, M12 connector	57.00	EC002714	691137	4549734460583			GE	GEA	CHN	8536.5080.90
E2E-X3C28-M1	Proximity sensor, inductive, short brass body M8, shielded, 3 mm, DC, 3-wire, NPN NC, M12 connector	57.00	EC002714	691137	4549734460590			GE	GEA	CHN	8536.5080.90
E2E-X3D18-2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	56.40	EC002714	681665	4549734181754			GE	GEA	CHN	8536.5080.90
E2E-X3D18-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire	60.75	EC002714	681676	4549734181839			GE	GEA	CHN	8536.5080.90
E2E-X3D18-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	60.75	EC002714	681848	4549734181938			GE	GEA	CHN	8536.5080.90
E2E-X3D18-T 2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	56.40	EC002714	681658	4549734181853			GE	GEA	CHN	8536.5080.90
E2E-X3D28-T 2M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	56.40	EC002714	681741	4549734181860			GE	GEA	CHN	8536.5080.90
E2E-X3D28-TR 5M	Proximity sensor, inductive, brass-nickel, M8, shielded, 3 mm, NC, 5 m cable robotic, DC 2-wire, no polarity	63.35	EC002714	681652	4549734181921			GE	GEA	CHN	8536.5080.90
E2E-X40MB1T1 30 2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	67.35	EC002714	687966	4549734482318			GE	GEA	CHN	8536.5080.90
E2E-X40MB1T1 30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 40 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	67.35	EC002714	687963	4549734482493	10		GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire	74.20	EC002714	681813	4549734183314			GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	75.20	EC002714	681853	4549734183413			GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-R 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire	66.00	EC002714	681660	4549734183277			GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-T 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable, DC 2-wire, no polarity	62.55	EC002714	681841	4549734183338			GE	GEA	CHN	8536.5080.90
E2E-X40MD11 30-TR 2M	Proximity sensor, inductive, brass-nickel, M30, non-shielded, 40 mm, NO, 2 m cable robotic, DC 2-wire, no polarity	72.35	EC002714	681811	4549734183376			GE	GEA	CHN	8536.5080.90
E2E-X40MD2L 30-T 2M	Proximity sensor, inductive, nickel-brass, long body, M30, non-shielded, 40 mm, NC, 2 m cable, DC 2-wire, no polarity	62.55	EC002714	681822	4549734183345			GE	GEA	CHN	8536.5080.90
E2E-X4B1D1 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	43.49	EC002714	690433	4549734471329			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	687525	4549734468855			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	46.60	EC002714	695836	4549734468886			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	687524	4549734469036			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687891	4549734468978	10		GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M1TJR 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	74.60	EC002714	687890	4549734469005	5		GE	GEA	CHN	8536.5080.90
E2E-X4B1T8 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687532	4549734463089			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687530	4549734463201			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M1TJ 0.3M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	62.20	EC002714	687531	4549734463164			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	62.20	EC002714	688102	4549734463225			GE	GEA	CHN	8536.5080.90
E2E-X4B1T8-M5	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pin	62.20	EC002714	687529	4549734463249	20		GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687886	4549734470308	5		GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696131	4549734470339			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688007	4549734470391			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 2-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	62.20	EC002714	687885	4549734470360			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 8-2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	687896	4549734464369			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 8-M1	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687895	4549734464420			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 8-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	62.20	EC002714	688076	4549734464444			GE	GEA	CHN	8536.5080.90
E2E-X4B1T1 8-M5	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.20	EC002714	688075	4549734464468			GE	GEA	CHN	8536.5080.90
E2E-X4B21 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	694063	4549734468862			GE	GEA	CHN	8536.5080.90
E2E-X4B21 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 5 m cable	46.60	EC002714	696232	4549734468893			GE	GEA	CHN	8536.5080.90
E2E-X4B21 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	694062	4549734469043			GE	GEA	CHN	8536.5080.90
E2E-X4B28 2M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	693106	4549734463096			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	696681	4549734463218			GE	GEA	CHN	8536.5080.90
E2E-X4B28-M3	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	62.20	EC002714	696680	4549734463232			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	694117	4549734470315			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	690432	4549734470407			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 12-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NC, M12 pigtail Smartclick connector, 0.3 m	49.70	EC002714	691007	4549734470377			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 18 2M	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	62.20	EC002714	698672	4549734464376			GE	GEA	CHN	8536.5080.90
E2E-X4B2L 18-M3	Proximity sensor, inductive, long brass body M8, shielded, 4 mm, DC, 3-wire, PNP NC, M8 connector 4 pins	62.20	EC002714	698670	4549734464451			GE	GEA	CHN	8536.5080.90
E2E-X4B3D1 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	687877	4549734471213			GE	GEA	CHN	8536.5080.90
E2E-X4B3D1 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	694160	4549734471336			GE	GEA	CHN	8536.5080.90
E2E-X4B3D1 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	46.60	EC002714	695083	4549734472135			GE	GEA	CHN	8536.5080.90
E2E-X4B3D1 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.60	EC002714	687875	4549734472197			GE	GEA	CHN	8536.5080.90
E2E-X4C11 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	694859	4549734466431			GE	GEA	CHN	8536.5080.90
E2E-X4C11 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 5 m cable	46.60	EC002714	696135	4549734466462			GE	GEA	CHN	8536.5080.90
E2E-X4C11 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	687527	4549734466615			GE	GEA	CHN	8536.5080.90
E2E-X4C18 2-M	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	51.80	EC002714	690190	4549734460644			GE	GEA	CHN	8536.5080.90
E2E-X4C18-M1	Proximity sensor, inductive, short brass body M8, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	62.20	EC002714	687538	4549734460767			GE	GEA	CHN	8536.5080.90
E2E-X4C1C1 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	39.35	EC002714	695801	4549734467889			GE	GEA	CHN	8536.5080.90
E2E-X4C1C1 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	39.35	EC002714	695803	4549734467971			GE	GEA	CHN	8536.5080.90
E2E-X4C21 2-M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, 2 m cable	36.24	EC002714	695800	4549734466448			GE	GEA	CHN	8536.5080.90
E2E-X4C21 2-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 4 mm, DC, 3-wire, NPN NC, M12 connector	43.49	EC002714	694116	4549734466622			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8 2M	Proximity sensor, inductive, short SJS body M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	688101	4549734463447			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X4MB1T8-5M	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696136	4549734463461			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688098	4549734463560			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M3	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	46.60	EC002714	688097	4549734463584			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M5	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	46.60	EC002714	688096	4549734463607			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-2M	Proximity sensor, inductive, long SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	51.80	EC002714	688074	4549734464611			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-M1	Proximity sensor, inductive, long SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	51.80	EC002714	688072	4549734464673			GE	GEA	CHN	8536.5080.90
E2E-X4MB1T8-2M5	Proximity sensor, inductive, long SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	51.80	EC002714	688070	4549734464727			GE	GEA	CHN	8536.5080.90
E2E-X4MB28-2M	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	694067	4549734463454			GE	GEA	CHN	8536.5080.90
E2E-X4MB28-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	694066	4549734463577			GE	GEA	CHN	8536.5080.90
E2E-X4MB2L8-2M	Proximity sensor, inductive, long SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NC, 2 m cable	51.80	EC002714	696216	4549734464628			GE	GEA	CHN	8536.5080.90
E2E-X4MC18-2M	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	694861	4549734461009			GE	GEA	CHN	8536.5080.90
E2E-X4MC18-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	694860	4549734461122			GE	GEA	CHN	8536.5080.90
E2E-X50MB1T1.30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	72.50	EC002714	687962	4549734482523			GE	GEA	CHN	8536.5080.90
E2E-X50MB2L30-2M	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, 2 m cable	72.50	EC002714	698653	4549734482530			GE	GEA	CHN	8536.5080.90
E2E-X50MB2L30-M1	Proximity sensor, inductive, nickel-brass, long body, M30, unshielded, 50 mm, DC, 3-wire, PNP NC, M12 connector	67.35	EC002714	698619	4549734482653			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	698902	4549734474825			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	698860	4549734475006			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	700053	4549734476010			GE	GEA	CHN	8536.5080.90
E2E-X5B1T18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	698862	4549734476102			GE	GEA	CHN	8536.5080.90
E2E-X5B218-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	700055	4549734474832			GE	GEA	CHN	8536.5080.90
E2E-X5B218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	700001	4549734475013			GE	GEA	CHN	8536.5080.90
E2E-X5C118-2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	699319	4549734472609			GE	GEA	CHN	8536.5080.90
E2E-X5C118-2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	699321	4549734473798			GE	GEA	CHN	8536.5080.90
E2E-X5C218-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 5 mm, DC, 3-wire, NPN NC, M12 connector	43.49	EC002714	700006	4549734472791			GE	GEA	CHN	8536.5080.90
E2E-X5D1-M1TGJ-T0.3M	Proximity sensor, inductive, brass-nickel, M18, shielded, 5 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	57.90	EC002714	681785	4549734184410			GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	698888	4549734469418			GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	698850	4549734469593			GE	GEA	CHN	8536.5080.90
E2E-X5MB1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	698852	4549734470711			GE	GEA	CHN	8536.5080.90
E2E-X5MB212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	700008	4549734469609			GE	GEA	CHN	8536.5080.90
E2E-X5MB3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	698854	4549734471688			GE	GEA	CHN	8536.5080.90
E2E-X5MC112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	699526	4549734466998			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	52.85	EC002714	687523	4549734469067			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	52.85	EC002714	687522	4549734469241			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12-2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	53.85	EC002714	688006	4549734470421			GE	GEA	CHN	8536.5080.90
E2E-X6B1T12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	53.85	EC002714	687883	4549734470513			GE	GEA	CHN	8536.5080.90
E2E-X6B212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	53.85	EC002714	690781	4549734469258			GE	GEA	CHN	8536.5080.90
E2E-X6B2L12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	53.85	EC002714	698666	4549734470520			GE	GEA	CHN	8536.5080.90
E2E-X6B3D12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	687876	4549734471473		20	GE	GEA	CHN	8536.5080.90
E2E-X6C112-2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, 2 m cable	53.85	EC002714	691133	4549734466646			GE	GEA	CHN	8536.5080.90
E2E-X6C112-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NO, M12 connector	53.85	EC002714	691131	4549734466820			GE	GEA	CHN	8536.5080.90
E2E-X6C212-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 6 mm, DC, 3-wire, NPN NC, M12 connector	53.85	EC002714	691130	4549734466837			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	688092	4549734463744			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M3	Proximity sensor, inductive, short SUS body, M8, unshielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 4 pins	57.00	EC002714	688091	4549734463768			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M5	Proximity sensor, inductive, short SUS body, M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	57.00	EC002714	688090	4549734463782			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-2M	Proximity sensor, inductive, long SUS body, M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	57.00	EC002714	688069	4549734464741			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M1	Proximity sensor, inductive, long SUS body, M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	57.00	EC002714	688067	4549734464802			GE	GEA	CHN	8536.5080.90
E2E-X6MB1T8-M5	Proximity sensor, inductive, long SUS body, M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	57.00	EC002714	687994	4549734464840			GE	GEA	CHN	8536.5080.90
E2E-X6MB28-M1	Proximity sensor, inductive, short SUS body, M8, unshielded, 6 mm, DC, 3-wire, PNP NC, M12 connector	57.00	EC002714	698701	4549734463751			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-5M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 5 m cable, DC 2-wire	60.75	EC002714	681672	4549734181976			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-M1TGJ 0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire	62.55	EC002714	681876	4549734182034			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-M1TGJ-T0.3M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	62.55	EC002714	681844	4549734182133			GE	GEA	CHN	8536.5080.90
E2E-X6MD18-T-2M	Proximity sensor, inductive, stainless steel, M8, non-shielded, 6 mm, NO, 2 m cable, DC 2-wire, no polarity	58.20	EC002714	681798	4549734182058			GE	GEA	CHN	8536.5080.90
E2E-X7D112-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire	55.60	EC002714	681730	4549734182195			GE	GEA	CHN	8536.5080.90
E2E-X7D112-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire	59.90	EC002714	681887	4549734182270			GE	GEA	CHN	8536.5080.90
E2E-X7D112-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	59.90	EC002714	681693	4549734182379			GE	GEA	CHN	8536.5080.90
E2E-X7D112-T-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	55.60	EC002714	681843	4549734182294			GE	GEA	CHN	8536.5080.90
E2E-X7D12-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire	55.60	EC002714	681640	4549734182201			GE	GEA	CHN	8536.5080.90
E2E-X7D12-M1TGJ 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire	59.90	EC002714	681873	4549734182287			GE	GEA	CHN	8536.5080.90
E2E-X7D12-M1TGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	59.90	EC002714	681846	4549734182386			GE	GEA	CHN	8536.5080.90
E2E-X7D12-T-2M	Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	55.60	EC002714	681780	4549734182300			GE	GEA	CHN	8536.5080.90
E2E-X8B1D18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	43.49	EC002714	694155	4549734477307			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	687513	4549734475037			GE	GEA	CHN	8536.5080.90
E2E-X8B1T18-5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link										

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X8B1T1L 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	687959	4549734476133			GE	GEA	CHN	8536.5080.90
E2E-X8B1T1 18 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696124	4549734476164			GE	GEA	CHN	8536.5080.90
E2E-X8B1T1 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	687992	4549734476225			GE	GEA	CHN	8536.5080.90
E2E-X8B21 18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	693988	4549734475044			GE	GEA	CHN	8536.5080.90
E2E-X8B21 18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	693987	4549734475228			GE	GEA	CHN	8536.5080.90
E2E-X8B2L 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	46.60	EC002714	696125	4549734476140			GE	GEA	CHN	8536.5080.90
E2E-X8B2L 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	694120	4549734476232			GE	GEA	CHN	8536.5080.90
E2E-X8B3D1 18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	687862	4549734477192		5	GE	GEA	CHN	8536.5080.90
E2E-X8B3D1 18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	43.49	EC002714	687860	4549734477314		10	GE	GEA	CHN	8536.5080.90
E2E-X8B3D1 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	46.60	EC002714	695082	4549734477901			GE	GEA	CHN	8536.5080.90
E2E-X8B3D1 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	46.60	EC002714	687855	4549734477963			GE	GEA	CHN	8536.5080.90
E2E-X8C11 18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	694855	4549734472814			GE	GEA	CHN	8536.5080.90
E2E-X8C11 18 5M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 5 m cable	46.60	EC002714	696129	4549734472845			GE	GEA	CHN	8536.5080.90
E2E-X8C11 18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	687515	4549734472999			GE	GEA	CHN	8536.5080.90
E2E-X8C1L 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	696128	4549734473910			GE	GEA	CHN	8536.5080.90
E2E-X8C1L 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	696114	4549734474009			GE	GEA	CHN	8536.5080.90
E2E-X8C21 18 2M	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, 2 m cable	43.49	EC002714	696130	4549734472821			GE	GEA	CHN	8536.5080.90
E2E-X8C21 18-M1	Proximity sensor, inductive, nickel-brass, short body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, M12 connector	43.49	EC002714	694118	4549734473002			GE	GEA	CHN	8536.5080.90
E2E-X8C2L 18 2M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, 2 m cable	46.60	EC002714	698896	4549734473927			GE	GEA	CHN	8536.5080.90
E2E-X8C2L 18-M1	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8 mm, DC, 3-wire, NPN NC, M12 connector	46.60	EC002714	698857	4549734474016			GE	GEA	CHN	8536.5080.90
E2E-X8MB1D1 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM2, M12 connector	43.49	EC002714	690434	4549734471817			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	43.49	EC002714	688015	4549734469623			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1 12 5M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	46.60	EC002714	696132	4549734469654			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	43.49	EC002714	687518	4549734469807			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T 18 2M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	688089	4549734463805			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T 18-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	687528	4549734463928			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T 18-M1T10.3M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	77.70	EC002714	687847	4549734463881			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T 18 5M	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M8 connector 3 pins	62.20	EC002714	688086	4549734463966	#		GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	46.60	EC002714	688005	4549734470742			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1 12 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, 5 m cable	49.70	EC002714	696189	4549734470773			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	46.60	EC002714	688003	4549734470834			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1L 12-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	62.20	EC002714	688024	4549734464864			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1L 18 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	688022	4549734464925			GE	GEA	CHN	8536.5080.90
E2E-X8MB1T1L 18-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	62.20	EC002714	688020	4549734464963			GE	GEA	CHN	8536.5080.90
E2E-X8MB21 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, 2 m cable	43.49	EC002714	694061	4549734469630			GE	GEA	CHN	8536.5080.90
E2E-X8MB21 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	43.49	EC002714	690431	4549734469814			GE	GEA	CHN	8536.5080.90
E2E-X8MB2 18-M1	Proximity sensor, inductive, short SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	698698	4549734463935			GE	GEA	CHN	8536.5080.90
E2E-X8MB2L 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	46.60	EC002714	695049	4549734470841			GE	GEA	CHN	8536.5080.90
E2E-X8MB2L 18-M1	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, PNP NC, M12 connector	62.20	EC002714	698692	4549734464932			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D1 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, 2 m cable	43.49	EC002714	694158	4549734471701			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D1 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	51.80	EC002714	689263	4549734471824			GE	GEA	CHN	8536.5080.90
E2E-X8MB3D1L 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, PNP NO+NC, IO-Link COM2, M12 connector	53.85	EC002714	689262	4549734472470			GE	GEA	CHN	8536.5080.90
E2E-X8MC11 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	43.49	EC002714	694858	4549734467209			GE	GEA	CHN	8536.5080.90
E2E-X8MC11 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	43.49	EC002714	694857	4549734467384			GE	GEA	CHN	8536.5080.90
E2E-X8MC1L 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	46.60	EC002714	694856	4549734468329			GE	GEA	CHN	8536.5080.90
E2E-X8MC1L 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8 mm, DC, 3-wire, NPN NO, M12 connector	46.60	EC002714	693118	4549734468411			GE	GEA	CHN	8536.5080.90
E2E-X8MC1L 18 2M	Proximity sensor, inductive, long SUS body M8, unshielded, 8 mm, DC, 3-wire, NPN NO, 2 m cable	62.20	EC002714	690628	4549734462426			GE	GEA	CHN	8536.5080.90
E2E-X9B1T1 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687521	4549734469272			GE	GEA	CHN	8536.5080.90
E2E-X9B1T1 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687519	4549734469395	#		GE	GEA	CHN	8536.5080.90
E2E-X9B1T1 12-M1T10.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	59.05	EC002714	687520	4549734469357			GE	GEA	CHN	8536.5080.90
E2E-X9B1T1 12-M1TJR 0.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m robotic cable	90.10	EC002714	687888	4549734469371		10	GE	GEA	CHN	8536.5080.90
E2E-X9B1T1 12 2M	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	59.05	EC002714	687882	4549734470544		10	GE	GEA	CHN	8536.5080.90
E2E-X9B1T1 12-M1	Proximity sensor, inductive, nickel-brass, long body, M12, shielded, 9 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	59.05	EC002714	687880	4549734470605		25	GE	GEA	CHN	8536.5080.90
E2E-X9B21 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, 2 m cable	59.05	EC002714	698668	4549734469289			GE	GEA	CHN	8536.5080.90
E2E-X9B21 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, PNP NC, M12 connector	48.66	EC002714	691054	4549734469401			GE	GEA	CHN	8536.5080.90
E2E-X9C11 12 2M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, 2 m cable	48.66	EC002714	690191	4549734466851			GE	GEA	CHN	8536.5080.90
E2E-X9C11 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, M12 connector	59.05	EC002714	687526	4549734466974			GE	GEA	CHN	8536.5080.90
E2E-X9C11 12-M1T10.3M	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NO, M12 pigtail Smartclick connector, 0.3 m	74.60	EC002714	687894	4549734466936		5	GE	GEA	CHN	8536.5080.90
E2E-X9C21 12-M1	Proximity sensor, inductive, nickel-brass, short body, M12, shielded, 9 mm, DC, 3-wire, NPN NC, M12 connector	59.05	EC002714	693664	4549734466981			GE	GEA	CHN	8536.5080.90
İndüktif Proximity Sensör E2EG											
E2EO-X11D11 18 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire	102.30	EC002714	681636	4549734183673			GE	GEA	CHN	8536.5080.90
E2EO-X11D11 18-M1T10.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	123.40	EC002714	681705	4549734183772			GE	GEA	CHN	8536.5080.90
E2EO-X11D11 18-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NO, 2 m cable, DC 2-wire, no polarity	103.40	EC002714	681834	4549734183734			GE	GEA	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2EQ-X11D218-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M18, shielded, 11 mm, NC, 2 m cable, DC 2-wire, no polarity	103.40	EC002714	681789	4549734183741			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, 2 m cable	101.40	EC002714	688364	4549734486163			GE	GEA	CHN	8536.5080.90
E2EQ-X12B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	101.40	EC002714	688343	4549734486255			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-MITGJ 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 0.3 m pig-tail, DC 2-wire	163.20	EC002714	681743	4549734183833			GE	GEA	CHN	8536.5080.90
E2EQ-X20D130-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NO, 2 m cable, DC 2-wire, no polarity	144.10	EC002714	681807	4549734183857			GE	GEA	CHN	8536.5080.90
E2EQ-X20D230-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M30, shielded, 20 mm, NC, 2 m cable, DC 2-wire, no polarity	144.10	EC002714	681787	4549734183864			GE	GEA	CHN	8536.5080.90
E2EQ-X22B1T30-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	133.40	EC002714	688365	4549734487214			GE	GEA	CHN	8536.5080.90
E2EQ-X2B1T8-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M8, shielded, 2 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	85.40	EC002714	688361	4549734484381			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire	90.40	EC002714	681648	4549734183437			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-MITGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	112.30	EC002714	681647	4549734183536			GE	GEA	CHN	8536.5080.90
E2EQ-X3D18-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NO, 2 m cable, DC 2-wire, no polarity	91.45	EC002714	681739	4549734183499			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire	90.40	EC002714	681867	4549734183444			GE	GEA	CHN	8536.5080.90
E2EQ-X3D28-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M8, shielded, 3 mm, NC, 2 m cable, DC 2-wire, no polarity	91.45	EC002714	681818	4549734183505			GE	GEA	CHN	8536.5080.90
E2EQ-X4B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 4 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	74.70	EC002714	688362	4549734485173			GE	GEA	CHN	8536.5080.90
E2EQ-X6B1T12-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M12, shielded, 6 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	96.05	EC002714	688329	4549734485296			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-MITGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 0.3 m pig-tail, DC 2-wire, no polarity	105.40	EC002714	681821	4549734183659			GE	GEA	CHN	8536.5080.90
E2EQ-X7D112-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NO, 2 m cable, DC 2-wire, no polarity	89.05	EC002714	681881	4549734183611			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-MITGJ-T 0.3M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity	105.40	EC002714	681856	4549734183666			GE	GEA	CHN	8536.5080.90
E2EQ-X7D212-T 2M	Proximity sensor, inductive, brass-nickel, Spatter-coating, M12, shielded, 7 mm, NC, 2 m cable, DC 2-wire, no polarity	89.05	EC002714	681875	4549734183628			GE	GEA	CHN	8536.5080.90
E2EQ-X8B1T18-M1	Proximity sensor, inductive, Fluororesin coating (base material: brass), M18, shielded, 8 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	80.05	EC002714	688363	4549734486132			GE	GEA	CHN	8536.5080.90
İndüktif Proximity Sensör E2E											
E2E-X12D1 2M	Proximity sensor, Stainless steel, Metal head for long distance detection, M30, Sn=12 mm, 2-wire, NO, 2 m cable	156.30	EC002714	674702	4548583354661			GE	GEC	JPN	8536.5080.90
E2E-X10D1-M1G	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablololu, NA, M12 konnektör	124.70	EC002714	238543	4547648407861			GE	GEC	CHN	8536.5080.90
E2E-X10D1-N 2M	Endüktif sensör, M30, düz kafa, 10mm, DC, 2 kablololu, NA, 2m kablololu	88.15	EC002714	238467	4547648405942			GE	GEC	CHN	8536.5080.90
E2E-X10MY1 2M	Endüktif sensör, M18, çikk kafa, 10mm, AC, 2 kablololu, NA, 2m kablololu	108.00	EC002714	238407	4547648404723			GE	GEC	CHN	8536.5080.90
E2E-X10MY2 2M	Endüktif sensör, M18, çikk kafa, 10mm, AC, 2 kablololu, NK, 2m kablololu	101.20	EC002714	238408	4547648404730			GE	GEC	CHN	8536.5080.90
E2E-X14MD1 2M	Endüktif sensör, M18, çikk kafa, 14mm, DC, 2 kablololu, NA, 2m kablololu	71.65	EC002714	238485	4547648406253		#	GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1G	Endüktif sensör, M18, çikk kafa, 14mm, DC, 2 kablololu, NA, M12 konnektör	82.80	EC002714	238547	4547648407922		#	GE	GEC	CHN	8536.5080.90
E2E-X14MD1-M1GJ 0.3M	Proximity sensor, inductive, M18, unshielded, 14mm, DC, 2-wire, NO, pig tail connector, M12	86.20	EC002714	238555	4547648408080			GE	GEC	CHN	8536.5080.90
E2E-X14MD2 2M	Proximity sensor, inductive, M18, non-shielded, 14mm, DC, 2-wire, NC, cable 2 m	59.55	EC002714	238494	4547648406390			GE	GEC	CHN	8536.5080.90
E2E-X18MY1 2M	Endüktif sensör, M30, çikk kafa, 18mm, AC, 2 kablololu, NA, 2m kablololu	112.30	EC002714	238411	4547648404761			GE	GEC	CHN	8536.5080.90
E2E-X20MD1 2M	Endüktif sensör, M30, çikk kafa, 20mm, DC, 2 kablololu, NA, 2m kablololu	72.10	EC002714	238487	4547648406277			GE	GEC	CHN	8536.5080.90
E2E-X20MD1-M1J 0.3M	Proximity sensor, inductive, M30, non-shielded, 20mm, DC, 2-wire, NO, pig-tail connector, M12	156.30	EC002714	241131	4547648407106		#	GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, M12 konnektör	90.00	EC002714	238529	4547648407649		#	GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1GJ 0.3M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	98.80	EC002714	238581	4547648408523			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M1J 0.3M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	138.40	EC002714	241193	4547648408578			GE	GEC	CHN	8536.5080.90
E2E-X2D1-M3G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, M8 konnektör	64.05	EC002714	238563	4547648408196		#	GE	GEC	CHN	8536.5080.90
E2E-X2D1-N 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, 2m kablololu	69.05	EC002714	238455	4547648405829		#	GE	GEC	CHN	8536.5080.90
E2E-X2D1-N 5M	Proximity sensor, inductive, M8, shielded, 2mm, DC, 2-wire, NO, 5m cable	77.95	EC002714	238456	4547648405836			GE	GEC	CHN	8536.5080.90
E2E-X2D1-R 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NA, 2m robotik kablololu	89.00	EC002714	238517	4547648406963			GE	GEC	CHN	8536.5080.90
E2E-X2D2-M3G	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NK, M8 4-pin konnektör	64.05	EC002714	238564	4547648408202			GE	GEC	CHN	8536.5080.90
E2E-X2D2-N 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablololu, NK, 2m kablololu	69.05	EC002714	238457	4547648405843			GE	GEC	CHN	8536.5080.90
E2E-X2Y1 2M	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NA, 2m kablololu	98.05	EC002714	238413	4547648404785			GE	GEC	CHN	8536.5080.90
E2E-X2Y1-M1	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NA, M12 konnektör	96.20	EC002714	238432	4547648405256			GE	GEC	CHN	8536.5080.90
E2E-X2Y2 2M	Endüktif sensör, M12, düz kafa, 2mm, AC, 2 kablololu, NK, 2m kablololu	98.05	EC002714	238414	4547648404792			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1G	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NA, M12 konnektör	90.00	EC002714	238539	4547648407809		#	GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	122.70	EC002714	238533	4547648407687		#	GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1GJ-T 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	125.90	EC002714	241132	4547648407113			GE	GEC	CHN	8536.5080.90
E2E-X3D1-M1J 0.3M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	145.80	EC002714	257076	4547648407052			GE	GEC	CHN	8536.5080.90
E2E-X3D1-N 2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NA, 2m kablololu	60.95	EC002714	238459	4547648405867		#	GE	GEC	CHN	8536.5080.90
E2E-X3D1-N 5M	Proximity sensor, inductive, M12, shielded, 3mm, DC, 2-wire, NO, 5m cable	69.90	EC002714	238460	4547648405874			GE	GEC	CHN	8536.5080.90
E2E-X3D2-M1G	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NK, M12 konnektör	92.25	EC002714	238540	4547648407823		#	GE	GEC	CHN	8536.5080.90
E2E-X3D2-N 2M	Endüktif sensör, M12, düz kafa, 3mm, DC, 2 kablololu, NK, 2m kablololu	60.05	EC002714	238461	4547648405881		#	GE	GEC	CHN	8536.5080.90
E2E-X4MD1-M1G	Proximity sensor, inductive, M8, unshielded, 4mm, DC, 2-wire, NO, Pig tail Connector	90.15	EC002714	238531	4547648407663			GE	GEC	CHN	8536.5080.90
E2E-X5MY1 2M	Endüktif sensör, M12, çikk kafa, 5mm, AC, 2 kablololu, NA, 2m kablololu	98.05	EC002714	238415	4547648404808			GE	GEC	CHN	8536.5080.90
E2E-X5Y1 2M	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NA, 2m kablololu	90.60	EC002714	238389	4547648404266			GE	GEC	CHN	8536.5080.90
E2E-X5Y1-M1	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NA, M12 konnektör	89.65	EC002714	238434	4547648405270			GE	GEC	CHN	8536.5080.90
E2E-X5Y2 2M	Endüktif sensör, M18, düz kafa, 5mm, AC, 2 kablololu, NK, 2m kablololu	105.00	EC002714	238390	4547648404273			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1G	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NA, pig-tail konnektör	100.70	EC002714	238541	4547648407830		#	GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ 0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	79.75	EC002714	238534	4547648407694		#	GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1GJ-T 0.3M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, pig tail connector, m12, 4 pin	114.10	EC002714	241133	4547648407120			GE	GEC	CHN	8536.5080.90
E2E-X7D1-M1J-T 0.3M	Proximity sensor, M18, shielded, 7mm, DC, 2-wire, NO	80.20	EC002714	238524	4547648407151		#	GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 2M	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablololu, NA, 2m kablololu	64.90	EC002714	238463	4547648405904		#	GE	GEC	CHN	8536.5080.90
E2E-X7D1-N 5M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NO, 5m cable	70.80	EC002714	238464	4547648405911			GE	GEC	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2E-X7D2-M1G	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablolu, NK	74.00	EC002714	238542	4547648407854			GE	GEC	CHN	8536.5080.90
E2E-X7D2-N 2M	Endüktif sensör, M18, düz kafa, 7mm, DC, 2 kablolu, NK, 2m kablolu	71.20	EC002714	238465	4547648405928			GE	GEC	CHN	8536.5080.90
E2E-X7D2-N 5M	Proximity sensor, inductive, M18, shielded, 7mm, DC, 2-wire, NC, 5m cable	69.90	EC002714	238466	4547648405935			GE	GEC	CHN	8536.5080.90
E2E-X7T1 2M	Endüktif sensör, piring-nikel, M18, düz kafa, 7mm, AC/DC, 2 kablolu, NA	113.20	EC002714	238515	4547648406925	#		GE	GEC	CHN	8536.5080.90
E2E-X8MD1-M1G	Endüktif sensör, M12, çıkık kafa, 8mm, DC, 2 kablolu, NA, pig-tail konektör	83.70	EC002714	238545	4547648407892	#		GE	GEC	CHN	8536.5080.90
İndüktif Proximity Sensör E2E											
E2E-X7B4-M1TJ-U 0.3M	Endüktif sensör, M18, düz 7mm, DC, 3-kablolu, PNP/NO/NC seçilebilir (fabrika ayarları:NO), IO-Link V1.1 COM3 (230.4 kbps, 1 ms), M12 Smartclick kablolu 0.3m	60.95	EC002714	671245	4548583786332			GE	GEC	CHN	8536.5080.90
İndüktif Proximity Sensör E2E											
E2E-C03N02-WC-R1 2M	Endüktif sensör, cap 3mm, çıkık kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	103.10	EC002714	375544	4548583405509			GE	GEC	CHN	8536.5080.90
E2E-C03S88-CJ-R1 0.3M	Proximity sensor, inductive, Dia 3mm, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP-NO	78.65	EC002714	375480	4548583405462			GE	GEC	CHN	8536.5080.90
E2E-C03S88-WC-R1 2M	Endüktif sensör, cap 3mm, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA	66.35	EC002714	375541	4548583405424			GE	GEC	CHN	8536.5080.90
E2E-C03S88-WC-C1 2M	Endüktif sensör, cap 3mm, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, NPN-NA	66.35	EC002714	375542	4548583405448			GE	GEC	CHN	8536.5080.90
E2E-C04N03-WC-R1 2M	Endüktif sensör, cap 4mm, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA	66.35	EC002714	375561	4548583405868			GE	GEC	CHN	8536.5080.90
E2E-C04N03-WC-C1 2M	Endüktif sensör, cap 4mm, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, NPN-NA	66.35	EC002714	375562	4548583405882			GE	GEC	CHN	8536.5080.90
E2E-C04S12-CJ-R1 0.3M	Proximity sensor, inductive, Dia 4mm, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO	54.30	EC002714	375557	4548583405783			GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-R1 2M	Endüktif sensör, cap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	42.35	EC002714	375554	4548583405745	#		GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-B2 2M	Endüktif sensör, cap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK	42.35	EC002714	375492	4548583405752			GE	GEC	CHN	8536.5080.90
E2E-C04S12-WC-C1 2M	Endüktif sensör, cap 4mm, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NA	42.35	EC002714	375555	4548583405769			GE	GEC	CHN	8536.5080.90
E2E-C05S01-WC-R1 2M	Endüktif sensör, cap 5.4mm, düz kafa, 1.0mm, DC, 3 kablolu, 2m kablolu, PNP-NA	43.47	EC002714	659356	4548583518780			GE	GEC	CHN	8536.5080.90
E2E-C05S01-WC-C1 2M	Endüktif sensör, cap 5.4mm, düz kafa, 1.0mm, DC, 3 kablolu, 2m kablolu, NPN-NA	43.47	EC002714	659355	4548583518742			GE	GEC	CHN	8536.5080.90
E2E-C06N04-MC-R1	Endüktif sensör, cap 6.5mm, çıkık kafa, 4mm, DC, 3 kablolu, M8(3pin), PNP-NA	73.10	EC002714	375537	4548583406421			GE	GEC	CHN	8536.5080.90
E2E-C06N04-WC-R1 2M	Endüktif sensör, cap 6.5mm, çıkık kafa, 4mm, DC, 3 kablolu, 2m kablolu, PNP-NA	66.35	EC002714	375580	4548583406346			GE	GEC	CHN	8536.5080.90
E2E-C06S02-MC-B1	Endüktif sensör, cap 6.5mm, düz kafa, 2mm, DC, 3 kablolu, M8(3pin), PNP-NA	48.25	EC002714	375578	4548583406308			GE	GEC	CHN	8536.5080.90
E2E-C06S02-WC-R1 2M	Endüktif sensör, cap 6.5mm, düz kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	42.35	EC002714	375573	4548583406223			GE	GEC	CHN	8536.5080.90
E2E-S04N02-WC-R1 2M	Endüktif sensör, M4, çıkık kafa, 2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	103.10	EC002714	375552	4548583405660			GE	GEC	CHN	8536.5080.90
E2E-S04S88-CJ-R1 0.3M	Proximity sensor, inductive, M4, Shielded, 0.8mm, DC, 3-wire, Pig-Tail, PNP NO	78.65	EC002714	375550	4548583405622			GE	GEC	CHN	8536.5080.90
E2E-S04S88-WC-R1 2M	Endüktif sensör, M4, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, PNP-NA	66.35	EC002714	375546	4548583405585	#		GE	GEC	CHN	8536.5080.90
E2E-S04S88-WC-C1 2M	Endüktif sensör, M4, düz kafa, 0.8mm, DC, 3 kablolu, 2m kablolu, NPN-NA	66.35	EC002714	375548	4548583405608			GE	GEC	CHN	8536.5080.90
E2E-S05N03-CJ-R1 0.3M	Proximity sensor, inductive, M5, Non-Shielded, 3mm, DC, 3-wire, Pig-Tail, PNP NO	78.65	EC002714	375518	4548583406148			GE	GEC	CHN	8536.5080.90
E2E-S05N03-MC-B1	Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, M8(3pin), PNP-NA	73.10	EC002714	375522	4548583406186			GE	GEC	CHN	8536.5080.90
E2E-S05N03-WC-R1 2M	Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, PNP-NA	66.35	EC002714	375571	4548583406100			GE	GEC	CHN	8536.5080.90
E2E-S05N03-WC-C1 2M	Endüktif sensör, M5, çıkık kafa, 3mm, DC, 3 kablolu, 2m kablolu, NPN-NA	66.35	EC002714	375572	4548583406124			GE	GEC	CHN	8536.5080.90
E2E-S05S12-CJ-R1 0.3M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, Pig-Tail, PNP NO	54.30	EC002714	375567	4548583406025			GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-B1	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NA	48.25	EC002714	375569	4548583406063	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-B2	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), PNP-NK	48.25	EC002714	375514	4548583406070			GE	GEC	CHN	8536.5080.90
E2E-S05S12-MC-C1	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, M8(3pin), NPN-NA	48.25	EC002714	375570	4548583406087	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-R1 2M	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NA	42.35	EC002714	375563	4548583405981	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-R1 5M	Proximity sensor, inductive, M5, Shielded, 1.2mm, DC, 3-wire, PW, 5m, PNP NO	48.12	EC002714	382785	4548583498112			GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-B2 2M	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, PNP-NK	42.35	EC002714	375564	4548583405998			GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-C1 2M	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NA	42.35	EC002714	375565	4548583406001	#		GE	GEC	CHN	8536.5080.90
E2E-S05S12-WC-C2 2M	Endüktif sensör, M5, düz kafa, 1.2mm, DC, 3 kablolu, 2m kablolu, NPN-NK	42.35	EC002714	375566	4548583406018			GE	GEC	CHN	8536.5080.90
İndüktif Proximity Sensör E2E											
E2E-X2D1-M1TG-U 0.3M	Proximity sensor, inductive, M8, shielded, 2 mm, DC, 2-wire, NO, 0.3 m pigtail PUR (increased oil-resistant) with Junction Connector M12	97.20	EC002714	290022	4547648624978			GE	GEC	CHN	8536.5080.90
E2E-X2D1-U 2M	Endüktif sensör, M8, düz kafa, 2mm, DC, 2 kablolu, NA, 2m kablolu PUR vaða davanıklı	86.50	EC002714	290127	4547648408813			GE	GEC	CHN	8536.5080.90
İndüktif Proximity Sensör E2E											
E2E-X2E1	Endüktif sensör, PTFE gövde, kısa, M12, düz kafa, 2mm, 3 kablolu, DC, PNP-NA, 2m kablolu	191.60	EC002714	149293	4536853263461			GE	GED	JPN	8536.5080.90
E2E-X2E1 2M	Endüktif sensör, PTFE gövde, kısa, M18, düz kafa, 5mm, 3 kablolu, DC, PNP-NA, 2m kablolu	177.20	EC002714	131818	4536853263300			GE	GED	JPN	8536.5080.90
İndüktif Proximity Sensör E2E											
E2E-X10F1 2M	Proximity sensor, plastic body, inductive, M30 shielded, 10mm, DC, 3-wire, PNP-NO	102.10	EC002714	235657	4547648321235			GE	GED	CHN	8536.5080.90
E2E-X2F1 2M	Proximity sensor, plastic body, inductive, M12, shielded, 2mm, DC, 3-wire, PNP-NO, 2m cable	99.55	EC002714	235694	4547648321198			GE	GED	CHN	8536.5080.90
Kapasitif Sensör E2K											
E2K-X15ME1	Kapasitif sensör, M30, çıkık kafa, 15mm, DC, 3 kablolu, NPN-NA, 2m kablolu	148.70	EC002715	131777	4536853264352			GE	GEE	JPN	8536.5080.90
E2K-X15MF1	Kapasitif sensör, M30, çıkık kafa, 15mm, DC, 3 kablolu, PNP-NA, 2m kablolu	148.70	EC002715	131788	4536853264635	#		GE	GEE	JPN	8536.5080.90
E2K-X15MF2	Kapasitif sensör, M30, çıkık kafa, 15mm, DC, 3 kablolu, PNP-NK, 2m kablolu	148.70	EC002715	131790	4536853264659			GE	GEE	JPN	8536.5080.90
E2K-X4ME1	Kapasitif sensör, M12, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	126.60	EC002715	131774	4536853264253			GE	GEE	JPN	8536.5080.90
E2K-X4ME1	Kapasitif sensör, M12, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	126.60	EC002715	131783	4536853264550			GE	GEE	JPN	8536.5080.90
E2K-X8ME1	Kapasitif sensör, M18, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	143.40	EC002715	131775	4536853264307			GE	GEE	JPN	8536.5080.90
E2K-X8ME1	Kapasitif sensör, M18, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	143.40	EC002715	151474	4536853264598			GE	GEE	JPN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2K-X8MF2	Kapasitif sensör,	143.40	EC002715	152072	4536853264611			GE	GEE	JPN	8536.5080.90
Kapasitif Sensör E2K											
E2K-C2SME1	Kapasitif sensör, 34mm çap, çikik kafa, 25mm, DC, 3 kablolu, NPN-NA, 2m kablolu	184.80	EC002715	131841	4536853263683			GE	GEE	JPN	8536.5080.90
E2K-C2SME2	Kapasitif sensör, 34mm çap, çikik kafa, 25mm, DC, 3 kablolu, NPN-NK, 2m kablolu	188.50	EC002715	104692	4536853263706			GE	GEE	JPN	8536.5080.90
E2K-C2SME1	Kapasitif sensör, 34mm çap, çikik kafa, 25mm, DC, 3 kablolu, PNP-NA, 2m kablolu	184.80	EC002715	147129	4536853263690	#		GE	GEE	JPN	8536.5080.90
E2K-C2SME1 10M	Proximity sensor, capacitive, 34 mm diameter, non-shielded, 3-25 mm, 10-30 VDC, PNP, NO, 10 m cable	191.00	EC002715	131847	4536854532900			GE	GEE	JPN	8536.5080.90
E2K-C2SME2	Kapasitif sensör, 34mm çap, çikik kafa, 25mm, DC, 3 kablolu, PNP-NK, 2m kablolu	184.80	EC002715	131842	4536853263713	#		GE	GEE	JPN	8536.5080.90
Kapasitif Sensör E2K											
E2K-F10MC1	Kapasitif sensör, yassı, çikik kafa, 10mm, DC, 3 kablolu, NPN-NA, 2m kablolu	90.20	EC002715	106106	4536853264048	#		GE	GEE	JPN	8536.5080.90
E2K-F10MC1-A 2M	Proximity sensor, capacitive, flat, unshielded, 10mm, DC, 3-wire, NPN-NO, 2m cable	121.00	EC002715	121939	4547648085656			GE	GEE	JPN	8536.5080.90
E2K-F10MC2	Kapasitif sensör, yassı, çikik kafa, 10mm, DC, 3 kablolu, NPN-NK, 2m kablolu	90.20	EC002715	131854	4536853264079			GE	GEE	JPN	8536.5080.90
Kapasitif Sensör E2K											
E2K-L13MC1 2M	Capacitive, liquid level sensing, 8 to 11mm tube, NPN, 2m cable	222.90	EC002715	131855	4536854711954			GE	GEE	JPN	8536.5080.90
E2K-L26MC1 2M	Capacitive, liquid level sensing, 12 to 26mm tube, NPN	153.60	EC002715	153644	4536854711947	#		GE	GEE	JPN	8536.5080.90
İndüktif Proximity Sensör TL-TL-T/W											
TL-W1R5MB1	Endüktif sensör, çikik kafa, 1.5mm, DC, 3 kablolu, PNP-NA, 2m kablolu	72.75	EC002714	110296	4536854116407		5	GE	GEG	JPN	8536.5080.90
TL-W1R5MC1	Endüktif sensör, çikik kafa, 1.5mm, DC, 3 kablolu, NPN-NA, 2m kablolu	64.70	EC002714	110289	4536854116315		5	GE	GEG	JPN	8536.5080.90
TL-W1R5MC15 2M	https://industrial.omron.com.tr/tr/products/tl-w	66.90	EC002714	110290	4536854116322		5	GE	GEG	JPN	8536.5080.90
TL-W20ME1	Endüktif sensör, çikik kafa, dikkörtgen, 20mm, 3 kablolu, NPN, NA, 2m kablolu	109.50	EC002714	110302	4536854116612			GE	GEG	JPN	8536.5080.90
TL-W3MB1 2M	Endüktif sensör, çikik kafa, 3mm, DC, 3 kablolu, PNP-NA, 2m kablolu	57.90	EC002714	110294	4536854116384	#	5	GE	GEG	CHN	8536.5080.90
TL-W3MB1 5M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 5m cable	65.95	EC002714	110307	4536854116735		3	GE	GEG	JPN	8536.5080.90
TL-W3MB1-R 2M	Proximity sensor, inductive, unshielded, 3mm, DC, 3-wire, PNP-NO, 2m robotic cable	88.85	EC002714	110312	4536854116995			GE	GEG	JPN	8536.5080.90
TL-W3MB2	Endüktif sensör, çikik kafa, 3mm, DC, 3 kablolu, NPN-NK, 2m kablolu	109.00	EC002714	110305	4536854116698		5	GE	GEG	JPN	8536.5080.90
TL-W3MC1 2M	Endüktif sensör, çikik kafa, 3mm, DC, 3 kablolu, NPN-NA, 2m kablolu	58.35	EC002714	110288	4536854116292	#	5	GE	GEG	CHN	8536.5080.90
TL-W3MC2 2M	Endüktif sensör, çikik kafa, 3mm, DC, 3 kablolu, NPN-NK, 2m kablolu	59.25	EC002714	110292	4536854116353		5	GE	GEG	CHN	8536.5080.90
TL-W5F1	Endüktif sensör, düz kafa, 5mm, DC, 3 kablolu, NPN-NA, 2m kablolu	101.20	EC002714	110282	4536854116209	#		GE	GEG	JPN	8536.5080.90
TL-W5F1 5M	Proximity sensor, inductive, shielded, 5mm, DC, 3-wire, PNP-NO, 5m cable	100.70	EC002714	110283	4536854116216			GE	GEG	JPN	8536.5080.90
TL-W5F2	Endüktif sensör, düz kafa, 5mm, DC, 3 kablolu, PNP-NK, 2m kablolu	104.90	EC002714	103868	4536854116247			GE	GEG	JPN	8536.5080.90
TL-W5MB1 2M	Endüktif sensör, çikik kafa, 5mm, DC, 3 kablolu, PNP-NA, 2m kablolu	46.96	EC002714	110295	4536854116391			GE	GEG	CHN	8536.5080.90
TL-W5MB1 5M	Proximity sensor, inductive, unshielded, 5mm, DC, 3-wire, PNP-NO, 5m cable	51.30	EC002714	110313	4536854117053			GE	GEG	CHN	8536.5080.90
TL-W5MB2 2M	Endüktif sensör, çikik kafa, 5mm, DC, 3 kablolu, PNP-NK, 2m kablolu	47.84	EC002714	144995	4536854647376			GE	GEG	CHN	8536.5080.90
TL-W5MC1 2M	Endüktif sensör, çikik kafa, 5mm, DC, 3 kablolu, NPN-NA, 2m kablolu	46.03	EC002714	110287	4536854116261	#		GE	GEG	CHN	8536.5080.90
TL-W5MC2 2M	Endüktif sensör, çikik kafa, 5mm, DC, 3 kablolu, NPN-NK, 2m kablolu	47.42	EC002714	104697	4536854116438			GE	GEG	CHN	8536.5080.90
TL-W5MD1 2M	Endüktif sensör, çikik kafa, 5mm, DC, 2 kablolu, DC, NA, 2m kablolu	71.55	EC002714	110298	4536854116537	#		GE	GEG	CHN	8536.5080.90
TL-W5MD2 2M	Endüktif sensör, çikik kafa, 5mm, DC, 2 kablolu, DC, NK, 2m kablolu	71.55	EC002714	110301	4536854116575			GE	GEG	CHN	8536.5080.90
İndüktif Proximity Sensör E2Q											
E2Q6-N20F3-H	Endüktif sensör, kare gövde, düz kafa, 20mm, NPN-NA/NK, M20 kablo kanalı	94.25	EC002714	206923	4549734708265			GE	GEH	VNM	8536.5080.90
E2Q6-N20F3-H	Endüktif sensör, kare gövde, düz kafa, 20mm, PNP-NA/NK, M20 kablo kanalı	94.25	EC002714	206924	4549734708258			GE	GEH	VNM	8536.5080.90
E2Q6-N30MF3-H	Endüktif sensör, kare gövde, çikik kafa, 30mm, NPN-NA/NK, M20 kablo kanalı	98.10	EC002714	206925	4549734708241			GE	GEH	VNM	8536.5080.90
E2Q6-N30MF3-H	Endüktif sensör, kare gövde, çikik kafa, 30mm, PNP-NA/NK, M20 kablo kanalı	99.70	EC002714	206926	4549734708234			GE	GEH	VNM	8536.5080.90
İndüktif Proximity Sensör E2Q											
E2Q5-N20E1-M1	Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA	67.05	EC002714	202603	4549734724609			GE	GEH	VNM	8536.5080.90
E2Q5-N20F1-M1	Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA	67.05	EC002714	202601	4549734724623			GE	GEH	VNM	8536.5080.90
E2Q5-N20F3-M1	Endüktif sensör, uzun mesafe, kare, 20mm, düz kafa, PNP, NA & NK	73.75	EC002714	202600	4549734724630			GE	GEH	VNM	8536.5080.90
E2Q5-N40MF1-M1	Endüktif sensör, uzun mesafe, kare, 40mm, çikik kafa, PNP, NA	68.60	EC002714	202599	4549734724647			GE	GEH	VNM	8536.5080.90
E2Q5-N40MF3-M1	Endüktif sensör, uzun mesafe, kare, 40mm, çikik kafa, PNP, NA & NK	76.00	EC002714	202598	4549734724654			GE	GEH	VNM	8536.5080.90
E2Q5-N40MF1-M1	Endüktif sensör, uzun mesafe, kare, 40mm, çikik kafa, PNP, NA	69.45	EC002714	202597	4549734724661	#		GE	GEH	VNM	8536.5080.90
E2Q5-N40MF3-M1	Endüktif sensör, uzun mesafe, kare, 40mm, çikik kafa, PNP, NA & NK	76.00	EC002714	202596	4549734724678			GE	GEH	VNM	8536.5080.90
İndüktif Proximity Sensör E2A											
E2A-M12KN05-M1-B1-TP	Proximity sensor, inductive, nickel-brass, short body, M12, unshielded, 5 mm, DC, 3-wire, PNP-NO, M12 connector, for Tetra Pack	70.55	EC002714	236982	4547648424615			GE	GEI	CHN	8536.5080.90
E2A-M12KN05-WP-B1-TP 5M	Proximity sensor, inductive, nickel-brass, M12, unshielded, 5 mm, PNP-NO 5 m, for Tetra Pack	42.32	EC002714	232411	4547648340564			GE	GEI	CHN	8536.5080.90
E2A-M12KS04-M1-B1-4	Proximity sensor, inductive, brass-nickel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 plug-in, gold-plated pins	62.75	EC002714	368983	4548583333871			GE	GEI	CHN	8536.5080.90
E2A-M12LN05-M1-B1-TP	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, M12 connector, including washer	55.35	EC002714	656805	4548583722873	#		GE	GEI	CHN	8536.5080.90
E2A-M12LN05-WP-B1-TP 5M	Proximity sensor, inductive, brass-nickel, long body, M12, non-shielded, 5mm, DC, 3-wire, PNP-NO, 5m prewired, including washer	54.10	EC002714	232412	4547648340571			GE	GEI	CHN	8536.5080.90
E2A-M18KS05-WP-B1-TP 6M	Proximity sensor, inductive, brass-nickel, short body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 6m prewired, including washer	78.85	EC002714	236990	4547648424684			GE	GEI	CHN	8536.5080.90
E2A-M18KS08-M5-B1	Endüktif sensör, pirinç-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M8 3-pin konektör	73.25	EC002714	659164	4548583722965			GE	GEI	CHN	8536.5080.90
E2A-S08KN02-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 4-pin konektör	71.65	EC002714	659162	4548583723535			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çikik kafa, 4mm, DC, 3 kablolu, PNP-NA, M12 konektör	53.45	EC002714	183917	4547648162456	#		GE	GEI	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-S08KN04-M1-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, M12 konektör	48.97	EC002714	401325	4547648162463			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, M12 konektör	53.45	EC002714	239506	4547648149266			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M3-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör	71.65	EC002714	659185	4548583723542			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör	63.45	EC002714	183894	4547648149273			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konektör	48.97	EC002714	401326	4547648162487			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-M5-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konektör	63.45	EC002714	183921	4547648162968			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	42.32	EC002714	183895	4547648149280			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, non-shielded, 4mm, DC, 3-wire, PNP-NO, 5m prewired	50.45	EC002714	401327	4547648162500			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	48.97	EC002714	401328	4547648162517			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	42.32	EC002714	183926	4547648162531			GE	GEI	CHN	8536.5080.90
E2A-S08KN04-WP-D1 2M	Endüktif sensör, paslanmaz çelik, M8, çıkık kafa, 4mm, DC, 2 kablolu, 2m kablolu	51.45	EC002714	659196	4548583723580			GE	GEI	CHN	8536.5080.90
E2A-S08KS01-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M12 konektör	50.75	EC002714	244369	4547648525015			GE	GEI	CHN	8536.5080.90
E2A-S08KS01-M3-B1-TP	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 1mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	56.65	EC002714	237659	4547648437226			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör	45.57	EC002714	183896	4547648149297	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M12 konektör	45.57	EC002714	183930	4547648162579			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M12 konektör	45.57	EC002714	183931	4547648162586			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M1-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M12 connector	45.57	EC002714	406771	4547648162593			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör (4-pin)	52.75	EC002714	242079	4547648475044			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-B2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, M8 connector (4 pin)	53.60	EC002714	244370	4547648525022			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M3-C1	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NO, M8 4-pin plug-in	52.80	EC002714	659227	4548583723511			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör (3-pin)	52.75	EC002714	183933	4547648162609	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konektör (3-pin)	50.75	EC002714	183934	4547648162616	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konektör (3-pin)	52.75	EC002714	183897	4547648149303			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-M5-C2	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, NPN-NC, M8 connector (3 pin)	52.75	EC002714	232021	4547648162623			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	35.81	EC002714	183936	4547648162630	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	35.81	EC002714	183937	4547648162647	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	35.81	EC002714	183938	4547648162654	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2 5M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 5m prewired	50.45	EC002714	401329	4547648162661			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-B2-1 0.2M	Proximity sensor, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NC, 200mm M8 cable end connector (3 pole)	113.40	EC002714	658912	4548583723030			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	35.81	EC002714	183898	4547648149327	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu	35.81	EC002714	183941	4547648162685			GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-D1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 2 kablolu, NA, 2m kablolu	51.45	EC002714	656810	4548583722910	#		GE	GEI	CHN	8536.5080.90
E2A-S08KS02-WP-D2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 2 kablolu, NK, 2m kablolu	59.15	EC002714	658911	4548583722996			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M12 konektör	62.40	EC002714	183899	4547648149334	#		GE	GEI	CHN	8536.5080.90
E2A-S08L N04-M3-B3	Proximity sensor, inductive, stainless steel, long body, M8, unshielded, 4 mm, DC, 4-wire, PNP-Antivalent (NO+NC), M8 4-pin plug-in	89.65	EC002714	667839	4548583724914			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-M5-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konektör (3-pin)	53.45	EC002714	183946	4547648162739			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-M5-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konektör (3-pin)	53.45	EC002714	183900	4547648149341			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	50.75	EC002714	183949	4547648162760			GE	GEI	CHN	8536.5080.90
E2A-S08L N04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	50.75	EC002714	401324	4547648149358			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M1-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 1 mm, DC, PNP-NO, 3-wire, M12 plug-in connector	60.50	EC002714	659637	4548583724099			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M1-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör	50.75	EC002714	183956	4547648162838	#		GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M1-B3	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M12 konektör	55.35	EC002714	232023	4547648162845			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M1-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M12 konektör	50.75	EC002714	232019	4547648149365	#		GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M3-B1	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, M8 connector (4 pin)	43.77	EC002714	244371	4547648525039			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M3-B3	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 4 kablolu, PNP-NA+NK, M8 4pin konektör	121.00	EC002714	659342	4548583724907			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M5-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konektör (3-pin)	52.75	EC002714	183903	4547648149372	#		GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M5-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konektör (3-pin)	51.45	EC002714	183959	4547648162869			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-M5-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konektör (3-pin)	52.75	EC002714	183960	4547648162876			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	47.58	EC002714	183904	4547648149389			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m prewired	50.45	EC002714	401330	4547648162890			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	47.58	EC002714	243967	4547648162906			GE	GEI	CHN	8536.5080.90
E2A-S08L S02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	47.58	EC002714	183965	4547648162920			GE	GEI	CHN	8536.5080.90
E2A-S12KN08-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, non-shielded, 8 mm, DC, 3-wire, PNP-NO, M12 connector	56.10	EC002714	411139	4548583130456			GE	GEI	CHN	8536.5080.90
E2A-S12KN08-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	62.40	EC002714	242075	4547648475082			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-B1	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	47.75	EC002714	351403	4548583020894			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-B2	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, M12 connector	47.75	EC002714	659200	4548583723290			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-M1-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, M12 konektör	86.30	EC002714	656802	4548583722835			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 2m prewired	46.12	EC002714	341512	4548583004917			GE	GEI	CHN	8536.5080.90
E2A-S12KS04-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m prewired	55.80	EC002714	659215	4548583723047			GE	GEI	CHN	8536.5080.90
E2A-S12L S04-M1-B1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, M12 connector	62.50	EC002714	658903	4548583722927			GE	GEI	CHN	8536.5080.90
E2A-S12L S04-M1-C1	Proximity sensor, inductive, stainless steel, long body, M12, shielded, 4mm, DC, 3-wire, NPN-NO, M12 plug-in	62.35	EC002714	659218	4548583723351			GE	GEI	CHN	8536.5080.90
E2A-S18KN16-M1-B1	Proximity sensor, inductive, stainless steel, short body, M18, non-shielded, 16mm, DC, 3-wire, PNP-NO, M12 connector	86.95	EC002714	168902	4547648048613			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-M1-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör	99.75	EC002714	168902	4547648048606			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-WP-B1 2M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 2m prewired	71.65	EC002714	658904	4548583722989			GE	GEI	CHN	8536.5080.90
E2A-S18KS08-WP-B1 5M	Proximity sensor, inductive, stainless steel, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m prewired	81.60	EC002714	658906	4548583722934			GE	GEI	CHN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2A-S18I-S08-M1-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör	86.30	EC002714	658907	4548583722941			GE	GEI	CHN	8536.5080.90
E2A-S30K515-M1-B1	Proximity sensor, inductive, stainless steel, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, M12 plug-in	94.90	EC002714	168904	4547648048620			GE	GEI	CHN	8536.5080.90
İndüktif Proximity Sensör E2B											
E2B-M12KN05-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konektör	9.77	EC002714	674364	4548583549517			GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-M1-B2	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NK, M12 konektör	10.04	EC002714	674426	4548583549531			GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NA, 2m kablolu	9.41	EC002714	674338	4548583549432			GE	GEJ	IDN	8536.5080.90
E2B-M12KN05-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, NPN-NA, 2m kablolu	9.41	EC002714	674369	4548583549470			GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör	11.55	EC002714	674552	4548583549999	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-B1-20	Multi-pack E2B-M12KN08-M1-B1 OMS: 1 pcs = 1 box of 20 pcs	218.10	EC002714	6711224	4548583879317			GE	GEJ	CHN	8536.5080.90
E2B-M12KN08-M1-B2	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konektör	11.55	EC002714	674640	4548583550018	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-C1	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konektör	11.55	EC002714	674637	4548583550001	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-M1-C2	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konektör	11.55	EC002714	674370	4548583550025	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	11.55	EC002714	674571	4548583549913	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-R1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, unshielded, 8mm, DC, 3-wire, PNP-NO, 5m cable	13.68	EC002714	674559	4548583549920			GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-R2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu	11.55	EC002714	674322	4548583549937	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	11.55	EC002714	674561	4548583549951	#		GE	GEJ	IDN	8536.5080.90
E2B-M12KN08-WP-C2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NK, 2m kablolu	11.55	EC002714	674356	4548583549975	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K502-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör	9.93	EC002714	674680	4548583549272	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K502-M1-B2	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M12 konektör	9.41	EC002714	674363	4548583549296		40	GE	GEJ	IDN	8536.5080.90
E2B-M12K502-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	9.41	EC002714	674327	4548583549197	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K502-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	9.41	EC002714	674380	4548583549234			GE	GEJ	IDN	8536.5080.90
E2B-M12K504-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NA, M12 konektör	11.55	EC002714	674633	4548583549753	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-M1-B1-20	Endüktif sensör, Çoklu paket (E2B-M12K504-M1-B1 OMS: den 20 adet)	218.10	EC002714	392627	4548583552487			GE	GEJ	CHN	8536.5080.90
E2B-M12K504-M1-B2	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NK, M12 konektör	11.55	EC002714	674624	4548583549777	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-M1-C1	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, M12 konektör	11.55	EC002714	674524	4548583549760	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-M1-C2	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NK, M12 konektör	11.55	EC002714	674479	4548583549784	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	11.55	EC002714	674414	4548583549678	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-R1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m cable	13.68	EC002714	674429	4548583549685	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-R2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	11.55	EC002714	674573	4548583549692	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-R2 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M12, shielded, 4mm, DC, 3-wire, PNP-NC, 5m cable	13.68	EC002714	674528	4548583549708	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	11.55	EC002714	674459	4548583549715	#		GE	GEJ	IDN	8536.5080.90
E2B-M12K504-WP-C2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NK, 2m kablolu	11.55	EC002714	674500	4548583549739	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N05-M1-B1	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konektör	9.41	EC002714	674481	4548583549630	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-M1-B1	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, M12 konektör	11.55	EC002714	674659	4548583550117	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-M1-B2	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NK, M12 konektör	11.55	EC002714	674480	4548583550131	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-M1-C1	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, M12 konektör	11.55	EC002714	674474	4548583550124	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-M1-C2	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NK, M12 konektör	11.55	EC002714	674461	4548583550148	#	20	GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-WP-R1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NA, 2m kablolu	11.55	EC002714	674533	4548583550032	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-WP-R1 5M	Proximity sensor, inductive, nickel-brass, long body, M12, unshielded, 8mm, DC, 3-wire, PNP-NO, 5m Prewired	13.68	EC002714	674439	4548583550049	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-WP-R2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, PNP-NK, 2m kablolu	11.55	EC002714	674523	4548583550056	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-WP-C1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NA, 2m kablolu	11.55	EC002714	674522	4548583550070	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L N08-WP-C2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, çıkık kafa, 8mm, DC, 3 kablolu, NPN-NK, 2m kablolu	11.55	EC002714	674400	4548583550094	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S02-M1-B1	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M12 konektör	9.41	EC002714	674622	4548583549395	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S02-WP-R1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	9.41	EC002714	674505	4548583549319			GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-M1-B1	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NA, M12 konektör	11.55	EC002714	674527	4548583549876	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-M1-B1-20	Endüktif sensör, Çoklu paket (E2B-M12L S04-M1-B1 OMS: den 20 adet)	218.10	EC002714	392628	4548583552494			GE	GEJ	CHN	8536.5080.90
E2B-M12L S04-M1-B2	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NK, M12 konektör	11.55	EC002714	674657	4548583549890	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-M1-C1	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, M12 konektör	11.55	EC002714	674329	4548583549883	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-M1-C2	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NK, M12 konektör	11.55	EC002714	674378	4548583549906	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-WP-R1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	11.55	EC002714	674517	4548583549791	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-WP-R1 5M	Proximity sensor, LITE, inductive, nickel-brass, long body, M12, shielded, 4mm, DC, 3-wire, PNP-NO, 5m Prewired	13.68	EC002714	674316	4548583549807	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-WP-R2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	11.55	EC002714	674472	4548583549814	#		GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-WP-C1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	11.55	EC002714	674605	4548583549838	#	50	GE	GEJ	IDN	8536.5080.90
E2B-M12L S04-WP-C2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M12, düz kafa, 4mm, DC, 3 kablolu, NPN-NK, 2m kablolu	11.55	EC002714	674331	4548583549852	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN10-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 10mm, DC, 3 kablolu, PNP-NA, M12 konektör	14.50	EC002714	674558	4548583551190			GE	GEJ	IDN	8536.5080.90
E2B-M18KN10-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 10mm, DC, 3 kablolu, PNP-NA, 2m kablolu	14.50	EC002714	674415	4548583551114			GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NA, M12 konektör	16.92	EC002714	674469	4548583551671	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-B1-20	Multi-pack E2B-M18KN16-M1-B1 OMS: 1 pcs = 1 box of 20 pcs	302.00	EC002714	6711226	4548583879331			GE	GEJ	CHN	8536.5080.90
E2B-M18KN16-M1-B2	Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NK, M12 konektör	16.92	EC002714	674359	4548583551695	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-M1-C1	Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, NPN-NA, M12 konektör	16.92	EC002714	674368	4548583551688	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NA, 2m kablolu	16.92	EC002714	674614	4548583551596	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-R2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, PNP-NK, 2m kablolu	16.92	EC002714	674342	4548583551619	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KN16-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, çıkık kafa, 16mm, DC, 3 kablolu, NPN-NA, 2m kablolu	16.92	EC002714	674655	4548583551633	#		GE	GEJ	IDN	8536.5080.90
E2B-M18KS05-M1-B1	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 5mm, DC, 3 kablolu, PNP-NA, M12 konektör	14.50	EC002714	674612	4548583550957			GE	GEJ	IDN	8536.5080.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-M18K505-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 5mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	14.50	EC002714	674572	4548583550155			GE	GEJ	IDN	8536.5080.90
E2B-M18K508-M1-R1	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	16.92	EC002714	674616	4548583551435	#		GE	GEJ	IDN	8536.5080.90
E2B-M18K508-M1-R1-20	Endüktif sensör, Coklu paket (E2B-M18K508-M1-R1 OMS'den 20 adet)	302.00	EC002714	392620	4548583552500			GE	GEJ	CHN	8536.5080.90
E2B-M18K508-M1-R2	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	16.92	EC002714	674473	4548583551459	#		GE	GEJ	IDN	8536.5080.90
E2B-M18K508-M1-C1	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	16.92	EC002714	674656	4548583551442	#		GE	GEJ	IDN	8536.5080.90
E2B-M18K508-M1-C2	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	16.92	EC002714	674553	4548583551466	#		GE	GEJ	IDN	8536.5080.90
E2B-M18K508-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	16.92	EC002714	674516	4548583551350	#		GE	GEJ	IDN	8536.5080.90
E2B-M18K508-WP-R1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m cable	19.32	EC002714	674410	4548583551367	#		GE	GEJ	IDN	8536.5080.90
E2B-M18K508-WP-R2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	16.92	EC002714	674314	4548583551374	#		GE	GEJ	IDN	8536.5080.90
E2B-M18K508-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	16.92	EC002714	674575	4548583551398	#		GE	GEJ	IDN	8536.5080.90
E2B-M18K508-WP-C2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	16.92	EC002714	674406	4548583551411	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L1N16-M1-R1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	16.92	EC002714	674430	4548583551794	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L1N16-M1-R2	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	16.92	EC002714	674542	4548583551817	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L1N16-M1-C1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	16.92	EC002714	674383	4548583551800	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L1N16-WP-R1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	16.92	EC002714	674613	4548583551718	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L1N16-WP-C1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, çıkık kafa, 16mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	16.92	EC002714	674553	4548583551756	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L505-M1-R1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 5mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	14.50	EC002714	674458	4548583551077	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-M1-R1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	16.92	EC002714	674628	4548583551558	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-M1-R2	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	16.92	EC002714	674328	4548583551572	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-M1-C1	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	16.92	EC002714	674445	4548583551565	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-M1-C2	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NK, M12 konnektör	16.92	EC002714	674436	4548583551589	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-WP-R1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	16.92	EC002714	674562	4548583551473	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-WP-R1 5M	Proximity sensor, inductive, nickel-brass, long body, M18, shielded, 8mm, DC, 3-wire, PNP-NO, 5m Prewired	19.32	EC002714	674585	4548583551480	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-WP-R2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	16.92	EC002714	674354	4548583551497	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-WP-C1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	16.92	EC002714	674567	4548583551510	#		GE	GEJ	IDN	8536.5080.90
E2B-M18L508-WP-C2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M18, düz kafa, 8mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	16.92	EC002714	674584	4548583551534	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-M1-R1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 20mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	19.94	EC002714	674397	4548583550438	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 20mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	19.94	EC002714	674673	4548583550353	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KN20-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 20mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	19.94	EC002714	674493	4548583550391	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS10-M1-R1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 10mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	19.94	EC002714	674341	4548583551916	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS10-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 10mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	19.94	EC002714	674652	4548583551831	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-R1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	22.61	EC002714	674318	4548583550674	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-R2	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	22.61	EC002714	674418	4548583550698	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-M1-C1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	22.61	EC002714	674394	4548583550681	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	22.61	EC002714	674546	4548583550599	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-R1 5M	Proximity sensor, LITE, inductive, nickel-brass, short body, M30, shielded, 15mm, DC, 3-wire, PNP-NO, 5m cable	25.35	EC002714	674447	4548583550605	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-R2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	22.61	EC002714	674615	4548583550612	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	22.61	EC002714	674674	4548583550636	#		GE	GEJ	IDN	8536.5080.90
E2B-M30KS15-WP-C2 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	22.61	EC002714	674385	4548583550650	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-M1-R1	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 30mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	22.61	EC002714	674536	4548583550919	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-M1-R2	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 30mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	22.61	EC002714	674470	4548583550933	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-WP-R1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 30mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	22.61	EC002714	674393	4548583550834	#		GE	GEJ	IDN	8536.5080.90
E2B-M30LN30-WP-C1 2M	Endüktif sensör, pirinc-nikel, kısa gövde, M30, çıkık kafa, 30mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	22.61	EC002714	674609	4548583550872	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-M1-R1	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, PNP-NA, M12 konnektör	22.61	EC002714	674512	4548583550797	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-M1-R2	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, PNP-NK, M12 konnektör	22.61	EC002714	674332	4548583550810	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-M1-C1	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, NPN-NA, M12 konnektör	22.61	EC002714	674541	4548583550803	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-WP-R1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	22.61	EC002714	674537	4548583550711	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-WP-R2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	22.61	EC002714	674574	4548583550735	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-WP-C1 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	22.61	EC002714	674555	4548583550759	#		GE	GEJ	IDN	8536.5080.90
E2B-M30L515-WP-C2 2M	Endüktif sensör, pirinc-nikel, uzun gövde, M30, düz kafa, 15mm, DC, 3 kablolulu, NPN-NK, 2m kablolulu	22.61	EC002714	674465	4548583550773	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN02-MC-R1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 2mm, DC, 3 kablolulu, PNP-NA, M8 konnektör	11.55	EC002714	674678	4548583548558	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN02-WP-R1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 2mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	11.55	EC002714	674518	4548583548473	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolulu, PNP-NA, M8 konnektör	13.68	EC002714	674629	4548583549036	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-R2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolulu, PNP-NK, M8 konnektör	13.68	EC002714	674494	4548583549050	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-MC-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolulu, NPN-NA, M8 konnektör	13.68	EC002714	674672	4548583549043	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	13.68	EC002714	674604	4548583548954	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-R1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, unshielded, 4mm, DC, 3-wire, PNP-NO, 5m cable	15.84	EC002714	674388	4548583548961	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-R2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolulu, PNP-NK, 2m kablolulu	13.68	EC002714	674323	4548583548978	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KN04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, çıkık kafa, 4mm, DC, 3 kablolulu, NPN-NA, 2m kablolulu	13.68	EC002714	674592	4548583548992	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-MC-B1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolulu, PNP-NA, M8 konnektör	11.55	EC002714	674421	4548583548312	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS01-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 1mm, DC, 3 kablolulu, PNP-NA, 2m kablolulu	11.55	EC002714	674365	4548583548237	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-R1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolulu, PNP-NA, M8 konnektör	13.68	EC002714	674396	4548583548794	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-R1-20	Endüktif sensör, Coklu paket (E2B-S08KS02-MC-R1 OMS'den 20 adet)	272.10	EC002714	392626	4548583552470			GE	GEJ	CHN	8536.5080.90
E2B-S08KS02-MC-B2	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolulu, PNP-NK, M8 konnektör	13.68	EC002714	674625	4548583548817	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-MC-C1	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolulu, NPN-NA, M8 konnektör	13.68</									

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2B-S08KS02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	13.68	EC002714	674576	4548583548718	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B1 5M	Proximity sensor, LITE, inductive, stainless steel, short body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m cable	15.84	EC002714	674438	4548583548725	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	13.68	EC002714	674677	4548583548732	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	13.68	EC002714	674454	4548583548756	#		GE	GEJ	IDN	8536.5080.90
E2B-S08KS02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, kısa gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu	13.68	EC002714	674611	4548583548770	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L N04-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, M8 konnektör	13.68	EC002714	674487	4548583549159	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L N04-MC-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, M8 konnektör	13.68	EC002714	674373	4548583549173	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L N04-MC-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, M8 konnektör	13.68	EC002714	674642	4548583549166	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L N04-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NA, 2m kablolu	13.68	EC002714	674367	4548583549074	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L N04-WP-B2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, PNP-NK, 2m kablolu	13.68	EC002714	674600	4548583549098	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L N04-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, çıkık kafa, 4mm, DC, 3 kablolu, NPN-NA, 2m kablolu	13.68	EC002714	674501	4548583549111	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S01-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 1mm, DC, 3 kablolu, PNP-NA, M8 konnektör	11.55	EC002714	674552	4548583548435	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-MC-B1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, M8 konnektör	13.68	EC002714	674636	4548583548916	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-MC-B2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, M8 konnektör	13.68	EC002714	674478	4548583548930	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-MC-C1	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, M8 konnektör	13.68	EC002714	674608	4548583548923	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-MC-C2	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, M8 konnektör	13.68	EC002714	674371	4548583548947	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-WP-B1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NA, 2m kablolu	13.68	EC002714	674525	4548583548831	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-WP-B1 5M	Proximity sensor, inductive, stainless steel, long body, M8, shielded, 2mm, DC, 3-wire, PNP-NO, 5m Prewired	15.84	EC002714	674361	4548583548848	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-WP-B2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, PNP-NK, 2m kablolu	13.68	EC002714	674630	4548583548855	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-WP-C1 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NA, 2m kablolu	13.68	EC002714	674590	4548583548879	#		GE	GEJ	IDN	8536.5080.90
E2B-S08L S02-WP-C2 2M	Endüktif sensör, paslanmaz çelik, uzun gövde, M8, düz kafa, 2mm, DC, 3 kablolu, NPN-NK, 2m kablolu	13.68	EC002714	674390	4548583548893	#		GE	GEJ	IDN	8536.5080.90
Diğer İndüktif Proximity Sensörler											
E2E2-X5MY1 2M	Proximity sensor, long body, M12, non shielded, 5 mm, NO, AC, 2-wire, 2 m cable	77.85	EC002714	233063	4547648310048			GE	GEX	CHN	8536.5080.90
E2E2-X5Y1 2M	Endüktif sensör, uzun gövde, M18, düz kafa, 5mm, NA, AC, 2 kablolu, 2m kablolu	92.35	EC002714	233072	4547648310130			GE	GEX	CHN	8536.5080.90
E2EC-C3D1	Endüktif sensör	207.60	EC002714	147698	4536853257590			GE	GEX	JPN	8536.5080.90
E2EC-C3D1-M1J-1	Proximity sensor, 8mm diameter, 3mm range, 2 wire DC, 2m cable	296.20	EC002714	177225	4536854887864			GE	GEX	JPN	8536.5080.90
E2EC-QC2D1-M1GJ-T 0.3M	Proximity sensor, inductive, Dia 8 mm, Shielded, 2 mm, DC, 2-wire, PW, NC, DC 2-wire (no polarity) (3)-4 pin arrangement	441.40	EC002714	231154	4547648313100			GE	GEX	JPN	8536.5080.90
Diğer İndüktif Proximity Sensörler											
E2EC-C1B5D1	Endüktif sensör, çap 5.4mm, düz kafa, 1.5mm, DC, 2 kablolu, NA, 2m kablolu	201.30	EC002714	144377	4536853257514	#		GE	GEX	JPN	8536.5080.90
E2EC-CR8D1	Endüktif sensör, çap 3mm, düz kafa, 0.8mm, DC, 2 kablolu, NA, 2m kablolu	211.30	EC002714	132394	4536853257439			GE	GEX	JPN	8536.5080.90
Diğer İndüktif Proximity Sensörler											
E2S-Q11 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 1.6mm, 2 kablolu DC, NA, 1m kablolu	45.87	EC002714	233106	4536854841552			GE	GEX	CHN	8536.5080.90
E2S-Q15 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 1.6mm, PNP, NA, 1m kablolu	48.80	EC002714	233113	4536854841651			GE	GEX	CHN	8536.5080.90
E2S-Q21 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolu DC, NA, 1m kablolu	48.80	EC002714	231595	4536854841682		10	GE	GEX	CHN	8536.5080.90
E2S-Q23 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, NPN, NA, 1m kablolu	53.05	EC002714	231599	4536854841767			GE	GEX	CHN	8536.5080.90
E2S-Q25 1M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 1m kablolu	53.05	EC002714	231602	4536854841798		10	GE	GEX	CHN	8536.5080.90
E2S-Q25 2M	Endüktif sensör, minyatür kare, ön yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 2m kablolu	58.20	EC002714	231592	4547648285933			GE	GEX	CHN	8536.5080.90
E2S-Q25B 1M	Miniature rectangular inductive, end face sensing, unshielded, 2.5mm, PNP, NO, alternative frequency, 1M cable	53.65	EC002714	231603	4536854841804			GE	GEX	CHN	8536.5080.90
E2S-W11 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, 2 kablolu DC, NA, 1m kablolu	48.80	EC002714	233116	4536854841835			GE	GEX	CHN	8536.5080.90
E2S-W13 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, NPN, NA, 1m kablolu	48.80	EC002714	233119	4536854841873			GE	GEX	CHN	8536.5080.90
E2S-W15 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 1.6mm, PNP, NA, 1m kablolu	69.35	EC002714	233123	4536854841927		10	GE	GEX	CHN	8536.5080.90
E2S-W21 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolu DC, NA, 1m kablolu	45.87	EC002714	231604	4536854841958	#	10	GE	GEX	CHN	8536.5080.90
E2S-W22 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, 2 kablolu DC, NK, 1m kablolu	48.80	EC002714	231606	4536854842009			GE	GEX	CHN	8536.5080.90
E2S-W23 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, NPN, NA, 1m kablolu	53.05	EC002714	231608	4536854842054		10	GE	GEX	CHN	8536.5080.90
E2S-W25 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NA, 1m kablolu	53.05	EC002714	231610	4536854842122	#	10	GE	GEX	CHN	8536.5080.90
E2S-W26 1M	Endüktif sensör, minyatür kare, üst yüzeyden algılama, çıkık kafa, 2.5mm, PNP, NK, 1m kablolu	45.45	EC002714	231591	4536854842146			GE	GEX	CHN	8536.5080.90
Diğer İndüktif Proximity Sensörler											
TL-N10ME1 2M	Endüktif sensör, 10mm, çıkık kafa, NPN/NA 2m kablolu	102.00	EC002714	110591	4536854478543	#		GE	GEX	CHN	8536.5080.90
TL-N5M15	Inductive proximity sensor, 5 mm, unshielded, NPN/NO, different frequency, 2 m cable	131.20	EC002714	151478	4536854112539			GE	GEX	JPN	8536.5080.90
TL-N7MD2 2M	Inductive proximity sensor, cuboid 25 x 25 mm, 7 mm, unshielded, DC-wire, NC, different frequency, 2 m cable	138.70	EC002714	110583	4536854113284			GE	GEX	JPN	8536.5080.90
TL-Q2MC1	Endüktif sensör, çıkık kafa, 2mm, 3 kablolu, NPN, NA, 2m kablolu	111.70	EC002714	153223	4536854115035			GE	GEX	JPN	8536.5080.90
TL-Q5MB1 2M	Endüktif sensör, 5mm, PNP, NA, 2m kablolu	78.20	EC002714	110528	4536854115127	#		GE	GEX	JPN	8536.5080.90
TL-Q5MC1 2M	Endüktif sensör, 5mm, NPN, NA	67.65	EC002714	110518	4536854114854	#		GE	GEX	CHN	8536.5080.90
TL-Q5MC1-2 2M	Inductive proximity sensor, 5 mm, NPN, NO	67.15	EC002714	110522	4536854114915			GE	GEX	JPN	8536.5080.90
TL-Q5MC15	Proximity sensor, inductive, unshielded, 5mm, 3 wire, NPN, NO, 2m cable	45.45	EC002714	110527	4536854115110			GE	GEX	JPN	8536.5080.90
TL-Q5MC2 2M	Endüktif sensör, 5mm, NPN, NK	31.97	EC002714	110520	4536854114885			GE	GEX	CHN	8536.5080.90
TL-Q5MD1 2M	Endüktif sensör, 5mm, DC, 2 kablolu, NA	68.40	EC002714	110526	4536854114991			GE	GEX	CHN	8536.5080.90
Diğer İndüktif Proximity Sensörler											
E2FM-X10B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M30, shielded, 10mm, DC, 3-wire, PNP-NO, 2 m cable	166.30	EC002714	232116	4547648325851			GE	GEX	JPN	8536.5015.90
E2FM-X10B1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M30, düz kafa, 10mm, DC, 3 kablolu, PNP-NA, M12 konnektör	187.00	EC002714	224092	4547648228428			GE	GEX	JPN	8536.5015.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
E2FM-X1RSB1 2M	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolü, PNP-NA, 2m kablolu	147.40	EC002714	233312	4547648348669			GE	GEX	JPN	8536.5015.90
E2FM-X1RSB1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolü, PNP-NA, M12 konektör	138.30	EC002714	224089	4547648228398			GE	GEX	JPN	8536.5015.90
E2FM-X1RSC1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M8, düz kafa, 1.5mm, DC, 3 kablolü, NPN-NA, M12 konektör	174.30	EC002714	233317	4547648348713			GE	GEX	JPN	8536.5015.90
E2FM-X1RSD1 2M	Endüktif sensör,	158.70	EC002714	232110	4547648325790			GE	GEX	JPN	8536.5015.90
E2FM-X1RSD1-M1TGJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M8, shielded, 1.5mm, DC, 2-wire, NO, M12 with 0.3m pigtail	180.90	EC002714	355196	4547648525176			GE	GEX	JPN	8536.5015.90
E2FM-X2B1 2M	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M12, düz kafa, 2mm, DC, 3 kablolü, PNP-NA, M12 konektör	104.10	EC002714	224090	4547648228404			GE	GEX	JPN	8536.5015.90
E2FM-X2D1 2M	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M12, düz kafa, 2mm, DC, 2 kablolü, NA, 2m kablolu	142.30	EC002714	232111	4547648325806			GE	GEX	JPN	8536.5015.90
E2FM-X2D1-MITGJ 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2mm, DC, 2-wire, NO, M12 with 0.3m pigtail	188.90	EC002714	355192	4547648490818			GE	GEX	JPN	8536.5015.90
E2FM-X2D1-MITGJ-T 0.3M	Proximity sensor, inductive, stainless steel face & body, long body, M12, shielded, 2mm, DC, 2-wire, NO, M12 with 0.3m pigtail (no polarity)	174.00	EC002714	355193	4547648490825			GE	GEX	JPN	8536.5015.90
E2FM-X5B1 2M	Proximity sensor, inductive, stainless steel face & body, long body, M18, shielded, 5mm, DC, 3-wire, PNP-NO, 2 m cable	160.00	EC002714	232115	4547648325844			GE	GEX	JPN	8536.5015.90
E2FM-X5B1-M1	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M18, düz kafa, 5mm, DC, 3 kablolü, PNP-NA, M12 konektör	117.40	EC002714	224091	4547648228411			GE	GEX	JPN	8536.5015.90
E2FM-X5D1 2M	Endüktif sensör, paslanmaz çelik algılama yüzü & gövde, uzun gövde, M18, düz kafa, 5mm, DC, 2 kablolü, NA, 2m kablolu	160.00	EC002714	232112	4547648325813			GE	GEX	JPN	8536.5015.90
Diğer Endüktif Proximity Sensörler											
E2FH-X12B1 2M	Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılama mesafesi, DC PNP, NA, 2m kablolu	141.10	EC002714	290046	4547648628662			GE	GEX	CHN	8536.5080.90
E2FH-X12B1-M1	Endüktif sensör, M30, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 12mm algılama mesafesi, DC PNP, NA, M12 konektör	207.00	EC002714	290047	4547648628679			GE	GEX	CHN	8536.5080.90
E2FH-X3B1 2M	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC PNP, NA, 2m kablolu	73.55	EC002714	290031	4547648628495			GE	GEX	CHN	8536.5080.90
E2FH-X3B1-M1	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC PNP, NA, kablolu, M12 konektör	126.60	EC002714	290032	4547648628501			GE	GEX	CHN	8536.5080.90
E2FH-X3D1-M1G	Endüktif sensör, M12, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 3mm algılama mesafesi, DC 2 kablolü, NA, kablolu, M12 konektör	106.60	EC002714	290041	4547648628600			GE	GEX	CHN	8536.5080.90
E2FH-X7B1 2M	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NA, 2m kablolu	140.70	EC002714	290059	4547648628815			GE	GEX	CHN	8536.5080.90
E2FH-X7B1-M1	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC PNP, NA, M12 konektör	142.90	EC002714	290061	4547648628839			GE	GEX	CHN	8536.5080.90
E2FH-X7D1-M1G	Endüktif sensör, M18, yüksek sıcaklığa dayanıklı (120°C) paslanmaz çelik, 7mm algılama mesafesi, DC 2 kablolü, NA, kablolu, M12 konektör	119.80	EC002714	290071	4547648628945			GE	GEX	CHN	8536.5080.90
Diğer Endüktif Proximity Sensörler											
E2EW-OX12B1T18-M1	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	173.60	EC002714	702325	4549734529969			GE	GEX	CHN	8536.5080.90
E2EW-OX2B1T30-M1	Proximity sensor, inductive, fluororesin coating (base material: SUS 303), M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	185.50	EC002714	702335	4549734531245			GE	GEX	CHN	8536.5080.90
E2EW-X10B130-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 10 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	133.00	EC002714	695145	4549734526760			GE	GEX	CHN	8536.5080.90
E2EW-X10B1T18-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 10 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	157.10	EC002714	695115	4549734525879			GE	GEX	CHN	8536.5080.90
E2EW-X12B1T18-M1	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	155.60	EC002714	702370	4549734526128			GE	GEX	CHN	8536.5080.90
E2EW-X12B1T18-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 12 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	163.20	EC002714	695135	4549734526074			GE	GEX	CHN	8536.5080.90
E2EW-X12C318-M1	Proximity sensor, inductive, full metal stainless steel 303, M18, shielded, 12 mm, DC, 3-wire, NPN NO+NC, M12 connector	161.60	EC002714	702374	4549734526647			GE	GEX	CHN	8536.5080.90
E2EW-X20B1T30-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 20 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	169.20	EC002714	695151	4549734527156			GE	GEX	CHN	8536.5080.90
E2EW-X22B1T30-M1	Proximity sensor, inductive, full metal stainless steel 303, M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 connector	167.50	EC002714	702380	4549734527408			GE	GEX	CHN	8536.5080.90
E2EW-X22B1T30-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M30, shielded, 22 mm, DC, 3-wire, PNP NO, IO-Link COM3, M12 pigtail Smartclick connector, 0.3 m	175.30	EC002714	695157	4549734527354			GE	GEX	CHN	8536.5080.90
E2EW-X26B112-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M12, shielded, 2 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	114.80	EC002714	695120	4549734524209			GE	GEX	CHN	8536.5080.90
E2EW-X5B118-M1TJ 0.3M	Proximity sensor, inductive, full metal stainless steel 303 M18, shielded, 5 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	120.90	EC002714	695124	4549734525480			GE	GEX	CHN	8536.5080.90
Diğer Endüktif Proximity Sensörler											
E2V-X15B1-M1TJ 0.3M	Proximity sensor, inductive, nickel-brass, M30, shielded, 15 mm, DC, 3-wire, PNP NO, M12 pigtail Smartclick connector, 0.3 m	165.80	EC002714	249441	4547648456739			GE	GEX	JPN	8536.5080.90
E2V-X8B1-M1TJ 0.3M	Proximity sensor, inductive, all metal sensing, brass-nickel, M18, shielded, 8 mm, DC, 3-wire, PNP-NO, 0.3 m cable with M12 SmartClick connector	179.90	EC002714	249420	4547648456517			GE	GEX	JPN	8536.5080.90
Diğer Endüktif Proximity Sensörler											
E2K-X15MY1	Kapasitif sensör, M30, çıkık kafa, 15mm, AC, 2 kablolü, NA, 2m kablolu	76.30	EC002715	148233	4536853264505			GE	GEX	JPN	8536.5080.90
E2K-X15MY2	Proximity sensor, capacitive, M30, unshielded, 15mm, AC, 2-wire, NC, 2m cable	80.00	EC002715	153714	4536853264536			GE	GEX	JPN	8536.5080.90
E2K-X8MY1	Kapasitif sensör, M18, çıkık kafa, 8mm, AC, 2 kablolü, NA, 2m kablolu	70.15	EC002715	131781	4536853264451			GE	GEX	JPN	8536.5080.90
Diğer Endüktif Proximity Sensörler											
E2K-C25MY1	Kapasitif sensör, 34mm cap, çıkık kafa, 25mm, AC, 2 kablolü, NA, 2m kablolu	160.00	EC002715	131840	4536853263669			GE	GEX	JPN	8536.5080.90
Diğer Endüktif Proximity Sensörler											
GLS-1	Mağnetik endüktif sensör, sensör & mıknatıs set	22.54	EC002544	693661	4549734511469		10	GE	GEX	JPN	9031.9000.00
GLS-M1	Mağnetik endüktif sensör, mıknatıs, GLS-1 için	10.01	EC003015	693660	4549734511452		# 20	GE	GEX	JPN	8536.5015.90
GLS-S1	Mağnetik endüktif sensör, sensör, GLS-1 için	16.02	EC002544	693659	4549734511445		# 20	GE	GEX	JPN	9031.9000.00
Endüktif Proximity Sensörler için Aksesuarlar											
X52F-D421-D80-F	Cable M12 4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 2 m	21.82	EC001855	107677	4536854224805		# 5	GE	GEZ	JPN	8544.4290.90
X52F-D421-G80-F	Cable M12 4-pin, Socket, Straight, Fire-retardant, Robot cable, 4 wire, 5 m	35.79	EC001855	107678	4536854224812		# 5	GE	GEZ	JPN	8544.4290.90
X52F-D421-J80-F	Sensor connector, M12 straight, 10m, Fire-retardant, vibration-proof	57.10	EC001855	107680	4536854224881		#	GE	GEZ	JPN	8544.4290.90
X52F-D422-D80-F	Cable M12 4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 2 m	25.15	EC001855	355664	4547648698047		5	GE	GEZ	JPN	8544.4290.90
X52F-D422-G80-F	Cable M12 4-pin, Socket, Angled, Fire-retardant, Robot cable, 4 wire, 5 m	40.31	EC001855	355663	4547648622073		2	GE	GEZ	JPN	8544.4290.90
X52F-D422-J80-F	Sensor cable, M12 right-angle socket (female), 4-poles, A coded, PVC fire-retardant robot cable, IP67, 10 m	51.50	EC001855	359239	4547648623322			GE	GEZ	JPN	8544.4290.90
X52F-D521-GG0-A	Sensor connector, M12, 5 PIN, straight, 2m cable	31.91	EC001855	107769	4536854224522		5	GE	GEZ	JPN	8544.4290.90
X52F-D521-JG0-A	Sensor cable, M12 straight socket (female), 5-poles, A coded, PVC standard cable, IP67, 10 m	26.94	EC001855	695391	4536854705168			GE	GEZ	JPN	8544.4290.90
X52F-E421-D80-F	Sensor connector, M12, straight 2m cable, Heat resistant	41.53	EC001855	232191	4547648395120		5	GE	GEZ	JPN	8544.4290.90
X52F-E422-D80-F	Sensor connector, M12, Angled 2 m cable, Heat resistant	41.53	EC001855	232193	4547648395144		5	GE	GEZ	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS2F-E422-G80-E	Sensor connector cable	53.20	EC001855	237194	4547648395168		5	GE	GEZ	JPN	8544.4290.90
XS2F-LM12PVC3A10M	Sensör kablosu, M12, 3 kablolu, açılı dişi konektör, PVC, 10m	14.06	EC001855	361130	4548583135260			GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3A2M	Sensör kablosu, M12, 3 kablolu, açılı dişi konektör, PVC, 2m	7.88	EC001855	358068	4548583127135			GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3A5M	Sensör kablosu, M12, 3 kablolu, açılı dişi konektör, PVC, 5m	9.99	EC001855	358069	4548583127159			GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3S10M	Sensör kablosu, M12, 3 kablolu, düz dişi konektör, PVC, 10m	14.06	EC001855	361131	4548583135277			GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC3S5M	Sensör kablosu, M12, 3 kablolu, düz dişi konektör, PVC, 5m	9.99	EC001855	358071	4548583127210	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A10M	Sensör kablosu, M12, 4 kablolu, açılı dişi konektör, PVC, 10m	14.06	EC001855	361128	4548583127258	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A2M	Sensör kablosu, M12, 4 kablolu, açılı dişi konektör, PVC, 2m	7.88	EC001855	358072	4548583127227	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4A5M	Sensör kablosu, M12, 4 kablolu, açılı dişi konektör, PVC, 5m	9.99	EC001855	358073	4548583127234	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S10M	Sensör kablosu, M12, 4 kablolu, düz dişi konektör, PVC, 10m	14.06	EC001855	361129	4548583127302	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S2M	Sensör kablosu, M12, 4 kablolu, düz dişi konektör, PVC, 2m	7.88	EC001855	358074	4548583127272	#		GE	GEZ	CHN	8544.4290.90
XS2F-LM12PVC4S5M	Sensör kablosu, M12, 4 kablolu, düz dişi konektör, PVC, 5m	9.99	EC001855	358075	4548583127289	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3A2M	Sensor connector, M12 3-wire, Angled female connector, PVC, 2m	13.30	EC001855	419178	4548583435216			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3A5M	Sensor connector, M12 3-wire, Angled female connector, PVC, 5m	17.31	EC001855	419179	4548583435223			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3ASMPLED	Sensor Connector, female, M12, PVC, 3 Pin, Angled, 5M, LED indicator (PNP)	27.57	EC001855	378101	4548583440395			GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC3S2M	Sensor connector, M12 3-wire, Straight female connector, PVC, 2m	13.69	EC001855	419181	4548583435247			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC3S5M	Sensor connector, M12 3-wire, Straight female connector, PVC, 5m	16.97	EC001855	419182	4548583435254			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A10M	Sensor connector, M12 4-pin, Angled female connector, PVC, 10m	23.41	EC001855	419183	4548583435261	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A10MPLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 10M, LED indicator (PNP)	35.02	EC001855	378105	4548583440319			GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4A15M	Sensor connector, M12 4-pin, Angled female connector, PVC, 15m	28.93	EC001855	419184	4548583435278			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A20M	Sensor connector, M12 4-pin, Angled female connector, PVC, 20m	26.16	EC001855	419185	4548583435285			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A2M	Sensor connector, M12 4-pin, Angled female connector, PVC, 2m	10.99	EC001855	419186	4548583435292			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4A2MPLED	Sensör kablosu, dişi, M12, PVC, 4-pin, açılı, 2M, LED gösterge (PNP)	30.93	EC001855	378103	4548583440296			GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4A5M	Sensör kablosu, M12, 4-pin, açılı dişi konektör, PVC, 5m	15.79	EC001855	419187	4548583435308	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4ASMPLED	Sensor Connector, female, M12, PVC, 4 Pin, Angled, 5M, LED indicator (PNP)	33.36	EC001855	378104	4548583440302			GE	GEZ	JPN	8544.4290.90
XS2F-M12PVC4S10M	Sensor connector, M12 4-pin, Straight female connector, PVC, 10m	21.45	EC001855	419188	4548583435315			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S15M	Sensor connector, M12 4-pin, Straight female connector, PVC, 15m	25.63	EC001855	419189	4548583435322			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S20M	Sensor connector, M12 4-pin, Straight female connector, PVC, 20m	35.68	EC001855	419190	4548583435339			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S2M	Sensor connector, M12 4-pin, Straight female connector, PVC, 2m	11.73	EC001855	419191	4548583435346			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S3M	Sensor connector, M12 4-pin, Straight female connector, PVC, 3m	13.94	EC001855	419192	4548583435353			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC4S5M	Sensör kablosu, M12, 4-pin, düz dişi konektör, PVC, 5m	15.79	EC001855	419193	4548583435360	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5A10M	Sensor connector, M12 5-pin, Angled female connector, PVC, 10m	18.73	EC001855	419194	4548583435377			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5A2M	Sensor connector, M12 5-pin, Angled female connector, PVC, 2m	11.66	EC001855	419195	4548583435384			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5A5M	Sensor connector, M12 5-pin, Angled female connector, PVC, 5m	16.83	EC001855	419196	4548583435391	#		GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S10M	Sensor connector, M12 5-pin, Straight female connector, PVC, 10m	24.82	EC001855	419197	4548583435407			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S2M	Sensor connector, M12 5-pin, Straight female connector, PVC, 2m	13.70	EC001855	419199	4548583435421			GE	GEZ	CHN	8544.4290.90
XS2F-M12PVC5S5M	Sensor connector, M12 5-pin, Straight female connector, PVC, 5m	16.55	EC001855	419200	4548583435438	#		GE	GEZ	CHN	8544.4290.90
XS2W-D421-G81-E	Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 1m	31.44	EC001855	149606	4536854280556		8	GE	GEZ	JPN	8544.4290.90
XS2W-D421-D81-E	Cable M12 4-pin, Sockets and Plugs on Cable Ends, Straight/Straight, Fire-retardant, Robot cable, 2m	36.76	EC001855	107608	4536854465024			GE	GEZ	JPN	8544.4290.90
XS2W-D421-G81-F	Sensor connector, M12, 4-wire, straight, female-male, PVC, 5m	57.45	EC001855	107609	4536854465031			GE	GEZ	JPN	8544.4290.90
XS2W-D421-J81-E	Sensor connector	86.60	EC001855	146350	4536854228063			GE	GEZ	JPN	8544.4290.90
XS3F-E421-405-A	M8 4-pin, Straight female SUS-connector, IP69K, PVC, 5m	32.37	EC001855	250788	4547648386463			GE	GEZ	JPN	8544.4290.90
XS3F-LM8PVC3A2M	Sensör kablosu, M8, 3 kablolu, açılı dişi konektör, PVC, 2m	6.94	EC001855	358076	4548583127005	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3A5M	Sensör kablosu, M8, 3 kablolu, açılı dişi konektör, PVC, 5m	9.04	EC001855	358077	4548583127012	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3S2M	Sensör kablosu, M8, 3 kablolu, düz dişi konektör, PVC, 2m	6.94	EC001855	358078	4548583127036	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC3S5M	Sensör kablosu, M8, 3 kablolu, düz dişi konektör, PVC, 5m	9.04	EC001855	358079	4548583127043	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4A2M	Sensör kablosu, M8, 4 kablolu, açılı dişi konektör, PVC, 2m	6.94	EC001855	358080	4548583127050	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4A5M	Sensör kablosu, M8, 4 kablolu, açılı dişi konektör, PVC, 5m	9.04	EC001855	358081	4548583127067	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4S2M	Sensör kablosu, M8, 4 kablolu, düz dişi konektör, PVC, 2m	6.94	EC001855	358082	4548583127081	#		GE	GEZ	CHN	8544.4290.90
XS3F-LM8PVC4S5M	Sensör kablosu, M8, 4 kablolu, düz dişi konektör, PVC, 5m	9.04	EC001855	358083	4548583127098	#		GE	GEZ	CHN	8544.4290.90
XS3F-M321-302-B	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 2 m	8.60	EC001855	372022	4548583359482		5	GE	GEZ	JPN	8544.4290.90
XS3F-M321-305-B	Sensor cable, M8 straight socket (female), 3-poles, PVC robot cable, IP67, 5 m	11.15	EC001855	372023	4548583359499		5	GE	GEZ	JPN	8544.4290.90
XS3F-M322-305-B	Sensor cable, M8 right-angle socket (female), 3-poles, PVC robot cable, IP67, 5 m	11.15	EC001855	372025	4548583359512		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-402-A	M8 4-pin, Straight female connector, IP67, standard cable 2m	15.49	EC001855	107537	4536854505812		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-402-B	Sensor connector, M8 4-pin, Straight female connector, IP67, robot cable 2m	16.98	EC001855	156301	4536854228599		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-405-A	M8 4-pin, Straight female connector, IP67, standard cable 5m	19.34	EC001855	105016	4536854505829		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-405-B	M8 4-pin, Straight female connector, IP67, robot cable 5m	16.13	EC001855	107621	4536854228605		5	GE	GEZ	JPN	8544.4290.90
XS3F-M421-410-A	M8 4-pin, Straight female connector, IP67, standard cable 10m	20.61	EC001855	107539	4536854537776		5	GE	GEZ	JPN	8544.4290.90
XS3F-M422-402-A	M8 4-pin, 90° female connector, IP67, standard cable 2m	15.49	EC001855	107538	4536854505843		5	GE	GEZ	JPN	8544.4290.90
XS3F-M422-405-A	M8 4-pin, 90° female connector, IP67, standard cable 5m	19.34	EC001855	141967	4536854505850	#	5	GE	GEZ	JPN	8544.4290.90
XS3F-M8PVC3A10M	Sensor connector, M8 3-wire, Angled female connector, PVC, 10m	14.36	EC001855	419237	4548583436800			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3A20M	Sensor connector, M8 3-wire, Angled female connector, PVC, 20m	34.48	EC001855	419239	4548583436824	#		GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3A2M	Sensor connector, M8 3-wire, Angled female connector, PVC, 2m	8.75	EC001855	419240	4548583436831			GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3A5M	Sensör kablosu, M8, 3 kablolu, açılı dişi konektör, PVC, 5m	14.79	EC001855	419241	4548583436848	#		GE	GEZ	CHN	8544.4290.90
XS3F-M8PVC3S10M	Sensor connector, M8 3-wire, Straight female connector, PVC, 10m	22.38	EC001855	419242	4548583436855			GE	GEZ	CHN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X53F-M8PVC352M	Sensor connector, M8 3-wire, Straight female connector, PVC, 2m	8.21	EC001855	419245	4548583436886			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC355M	Sensor connector, M8 3-wire, Straight female connector, PVC, 5m	14.24	EC001855	419246	4548583436893	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A10M	Sensor connector, M8 4-wire, Angled female connector, PVC, 10m	68.05	EC001855	419247	4548583436923			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A2M	Sensor connector, M8 3-wire, Angled female connector, PVC, 2m	12.03	EC001855	419250	4548583436954			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4A5M	Sensor connector, M8 4-wire, Angled female connector, PVC, 5m	12.78	EC001855	419251	4548583436961			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S10M	Sensor connector, M8 4-wire, Straight female connector, PVC, 10m	22.38	EC001855	419252	4548583436978			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S15M	Sensor connector, M8 4-wire, Straight female connector, PVC, 15m	25.63	EC001855	419253	4548583436985			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S20M	Sensor connector, M8 4-wire, Straight female connector, PVC, 20m	31.76	EC001855	419254	4548583436992			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S2M	Sensor connector, M8 4-wire, Straight female connector, PVC, 2m	6.99	EC001855	419255	4548583437005			GE	GEZ	CHN	8544.4290.90
X53F-M8PVC4S5M	Sensör konnektörü, M8 4 telli, Düz dışı konnektör, PVC, 5m	14.62	EC001855	419256	4548583437012	#		GE	GEZ	CHN	8544.4290.90
X53W-M321-302-R	Screw-mounting connector, M8, PVC vibration-proof robot cable, F straight/ M straight, 2 m	31.94	EC001855	387059	4548583432284		5	GE	GEZ	JPN	8544.4290.90
X53W-M42C-4C2-A	Cable with connectors on both cable ends, M8 straight socket (female), Smartclick, M12 straight plug (male), 4-poles, PVC standard cable, IP67, 0.2 m	66.90	EC001855	674688	4548583521858			GE	GEZ	JPN	8544.4290.90
İndüktif Proximity Sensörler için Aksesuarlar											
X55F-D421-D80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 2m	22.26	EC001855	237228	4547648305099	#	5	GE	GEZ	JPN	8536.9010.00
X55F-D421-D80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	17.04	EC001855	690507	4549734197946			GE	GEZ	JPN	8544.4290.90
X55F-D421-D80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	24.32	EC001855	690513	4549734488280			GE	GEZ	JPN	8544.4290.90
X55F-D421-G80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 5m	31.44	EC001855	237229	4547648305112	#	5	GE	GEZ	JPN	8536.9010.00
X55F-D421-G80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	20.68	EC001855	690508	4549734197960			GE	GEZ	JPN	8544.4290.90
X55F-D421-G80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	38.88	EC001855	690515	4549734488303			GE	GEZ	JPN	8544.4290.90
X55F-D421-J80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 10m	46.28	EC001855	237230	4547648305129	#		GE	GEZ	JPN	8536.9010.00
X55F-D421-J80-X	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant cable, IP67, 10 m	26.75	EC001855	690505	4549734197977			GE	GEZ	JPN	8544.4290.90
X55F-D421-J80-XR	Sensor cable, Smartclick M12 straight socket (female), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 10 m	79.15	EC001855	690516	4549734488310			GE	GEZ	JPN	8544.4290.90
X55F-D421-L80-F	Sensor connector, M12 4-pin, Straight female connector, IP69K, Robot cable, 20 m	85.05	EC001855	669139	4548583081857			GE	GEZ	JPN	8536.9010.00
X55F-D422-G80-F	Smartclick sensor connector, M12, angled, 5m robot cable	32.69	EC001855	269043	4547648623049		5	GE	GEZ	JPN	8536.9010.00
X55W-D421-CR1-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 1 m	30.39	EC001855	690511	4549734197984			GE	GEZ	JPN	8544.4290.90
X55W-D421-CR1-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 1 m	34.04	EC001855	690517	4549734488327			GE	GEZ	JPN	8544.4290.90
X55W-D421-D81-F	Cable, vibration proof 2m	30.72	EC001855	237236	4547648305198			GE	GEZ	JPN	8536.9010.00
X55W-D421-D81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 2 m	31.59	EC001855	690502	4549734197991			GE	GEZ	JPN	8544.4290.90
X55W-D421-D81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 2 m	38.88	EC001855	690518	4549734488334			GE	GEZ	JPN	8544.4290.90
X55W-D421-G81-F	Cable, vibration proof 5m	45.47	EC001855	237237	4547648305211	#	5	GE	GEZ	JPN	8536.9010.00
X55W-D421-G81-X	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant cable, IP67, 5 m	35.26	EC001855	690506	4549734198011			GE	GEZ	JPN	8544.4290.90
X55W-D421-G81-XR	Cable with connectors on both cable ends, Smartclick M12 straight socket (female), Smartclick M12 straight plug (male), 4-poles, A coded, PVC oil-resistant robot cable, IP67, 5 m	53.50	EC001855	690520	4549734488358			GE	GEZ	JPN	8544.4290.90
X55W-D421-J81-F	Cable, Vibration proof 10m	57.90	EC001855	237238	4547648305228	#		GE	GEZ	JPN	8536.9010.00
X55W-D421-L81-F	Cable, 4-pin, 2 connectors Smart-click, PVC, Vibration proof 20 m	87.05	EC001855	669140	4547648617116			GE	GEZ	JPN	8536.9010.00
İndüktif Proximity Sensörler için Aksesuarlar											
X52F-M12PUR3A5M	Sensor connector, M12 3-wire, Angled female connector, PUR, 5m	17.52	EC001855	419157	4548583435001			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A10M	Sensor connector, M12 4-wire, Angled female connector, PUR, 10m	26.66	EC001855	419161	4548583435049			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A10MPLED	Sensör kablosu, M12, PUR, 4-pin, açılı, dışı, 10M, LED göstergeli (PNP)	52.25	EC001855	378111	4548583440371			GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4A15M	Sensor connector, M12 4-wire, Angled female connector, PUR, 15m	25.86	EC001855	419162	4548583435056			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A20M	Sensor connector, M12 4-wire, Angled female connector, PUR, 20m	48.60	EC001855	419163	4548583435063			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A2M	Sensor connector, M12 4-wire, Angled female connector, PUR, 2m	13.14	EC001855	419164	4548583435070			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A2MPLED	Sensör kablosu, M12, PUR, 4-pin, açılı, dışı, 2M, LED göstergeli (PNP)	35.48	EC001855	378109	4548583440357			GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4A5M	Sensor connector, M12 4-wire, Angled female connector, PUR, 5m	16.79	EC001855	419165	4548583435087	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4A5MPLED	Sensor Connector, female, M12, PUR, 4 Pin, Angled, 5M, LED indicator (PNP)	35.72	EC001855	378110	4548583440364			GE	GEZ	JPN	8544.4290.90
X52F-M12PUR4S10M	Sensor connector, M12 4-wire, Straight female connector, PUR, 10m	26.88	EC001855	419166	4548583435094			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S20M	Sensor connector, M12 4-wire, Straight female connector, PUR, 20m	48.60	EC001855	419168	4548583435117			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S2M	Sensor connector, M12 4-wire, Straight female connector, PUR, 2m	13.16	EC001855	419169	4548583435124			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR4S5M	Sensor connector, M12 4-wire, Straight female connector, PUR, 5m	17.52	EC001855	419170	4548583435131	#		GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5A5M	Sensor connector, M12 5-wire, Angled female connector, PUR, 5m	21.32	EC001855	419172	4548583435155			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5A10M	Sensor connector, M12 5-wire, Straight female connector, PUR, 10m	18.03	EC001855	419173	4548583435162			GE	GEZ	CHN	8544.4290.90
X52F-M12PUR5A5M	Sensor connector, M12 5-wire, Straight female connector, PUR, 5m	21.32	EC001855	419176	4548583435193			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A10M	Sensor connector, M8 3-wire, Angled female connector, PUR, 10m	25.84	EC001855	419217	4548583436589			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A2M	Sensor connector, M8 3-wire, Angled female connector, PUR, 2m	11.22	EC001855	419220	4548583436619			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3A5M	Sensor connector, M8 3-wire, Angled female connector, PUR, 5m	16.62	EC001855	419221	4548583436626			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S10M	Sensor connector, M8 3-wire, Straight female connector, PUR, 10m	21.79	EC001855	419222	4548583436633			GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S2M	Sensor connector, M8 3-wire, Straight female connector, PUR, 2m	7.95	EC001855	419225	4548583436664	#		GE	GEZ	CHN	8544.4290.90
X53F-M8PUR3S5M	Sensor connector, M8 3-wire, Straight female connector, PUR, 5m	16.62	EC001855	419226	4548583436671			GE	GEZ	CHN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
XS3F-M8PUR4A10M	Sensor connector, M8 4-wire, Angled female connector, PUR, 10m	25.84	EC001855	419227	4548583436701			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4A2M	Sensor connector, M8 4-wire, Angled female connector, PUR, 2m	7.95	EC001855	419230	4548583436732			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4A5M	Sensor connector, M8 4-wire, Angled female connector, PUR, 5m	17.31	EC001855	419231	4548583436749			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4S10M	Sensor connector, M8 4-wire, Straight female connector, PUR, 10m	25.84	EC001855	419232	4548583436756			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4S2M	Sensor connector, M8 4-wire, Straight female connector, PUR, 2m	12.20	EC001855	419235	4548583436787			GE	GEZ	CHN	8544.4290.90
XS3F-M8PUR4S5M	Sensor connector, M8 4-wire, Straight female connector, PUR, 5m	16.50	EC001855	419236	4548583436794			GE	GEZ	CHN	8544.4290.90
XS3W-M421-401-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 1 m	45.49	EC001855	693806	4549734113007		5	GE	GEZ	JPN	8544.4290.90
XS3W-M421-402-PR	Cable with connectors on both cable ends, M8 straight socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	50.05	EC001855	693800	4548583585751		5	GE	GEZ	JPN	8544.4290.90
XS3W-M422-402-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 right-angle plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	50.05	EC001855	693809	4549734113021		5	GE	GEZ	JPN	8544.4290.90
XS3W-M424-402-PR	Cable with connectors on both cable ends, M8 right-angle socket (female), M8 straight plug (male), 4-poles, PUR oil-resistant robot cable, IP67, 2 m	50.05	EC001855	693807	4549734113083		5	GE	GEZ	JPN	8544.4290.90
İndüktif Proximity Sensörler için Aksesuarlar											
XS5F-D421-C80-F	M12 4-pin, Straight female connector, IP69K, Robot cable, 1m	19.34	EC001855	237197	4547648305082		10	GE	GEZ	JPN	8536.9010.00
XS5F-D421-F80-F	M12 4-pin, Straight female connector, IP69K, Robot cable, 3m	27.57	EC001855	237198	4547648305105		5	GE	GEZ	JPN	8536.9010.00
XS5H-D421-B80-F	Sensor connector, M12, male, straight, Smart-click	19.56	EC001855	377947	4547648506595	#	10	GE	GEZ	JPN	8544.4290.90
XS5W-D421-C81-F	Sensor connector	29.13	EC001855	237220	4547648305181			GE	GEZ	JPN	8536.9010.00
XS5W-D421-F81-F	Smartclick sensor connector plug and socket, M12, straight, 3m robot cable	34.33	EC001855	237221	4547648305204		5	GE	GEZ	JPN	8536.9010.00
İndüktif Proximity Sensörler için Aksesuarlar											
Y92E-M08PUR4S5M-L	M8 4-pin, Straight female connector, PUR, 5m	21.36	EC001855	206551	4536853901103			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH806M-L	Receiver M12 8-pin shielded cable, male-female, for control box F39-TGR-W-IBOX, 0.6m	45.43	EC001855	341554	4547648887007			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH810M-L	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 10m	92.20	EC001855	341557	4547648887038			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH82M-L	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 2m	49.83	EC001855	341555	4547648887014			GE	GEZ	CZE	8544.4290.90
Y92E-M12FSM12MSPURSH85M-L	Receiver cable M12 8-pin, male/female, for control box F39-TGR-W-IBOX, 5m	67.10	EC001855	341556	4547648887021			GE	GEZ	CZE	8544.4290.90
Y92E-M12PUR4S2M-L	M12 4-pin, Straight female connector, PUR, 2m	16.41	EC001855	206575	4536853901332			GE	GEZ	CZE	8544.4290.90
Y92E-M12PUR4S5M-L	M12 4-pin, Straight female connector, PUR, 5m	20.02	EC001855	206553	4536853901349			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S10M-L	Emitter cable M12 4-pin, female connector, shielded cable 10m	66.35	EC001855	341552	4547648886987	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S25M-L	Emitter cable M12 4-pin, female connector, shielded cable 25m	128.60	EC001855	341553	4547648886994			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S2M-L	Emitter cable M12 4-pin, female connector, shielded cable 2m	34.26	EC001855	341550	4547648886963			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH4S5M-L	Emitter cable M12 4-pin, female connector, shielded cable 5m	35.27	EC001855	341551	4547648886970	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S10M-L	Receiver cable M12 8-pin, female connector, shielded cable 10m	59.25	EC001855	341548	4547648886949	#		GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S25M-L	Receiver cable M12 8-pin, female connector, shielded cable 25m	158.80	EC001855	341549	4547648886956			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S2M-L	Receiver cable M12 8-pin, female connector, shielded cable 2m	38.86	EC001855	341546	4547648886925			GE	GEZ	CZE	8544.4290.90
Y92E-M12PURSH8S5M-L	Receiver cable M12 8-pin, female connector, shielded cable 5m	45.94	EC001855	341547	4547648886932	#		GE	GEZ	CZE	8544.4290.90
İndüktif Proximity Sensörler için Aksesuarlar											
Y92E-S08PP4A 5M	Cable connector M8, Polypropylene, single ended cordset, female, angled, 4 pole, 5 M	33.54	EC001855	393705	4547648986458			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP4S 10M	Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 10 M	44.13	EC001855	393706	4547648986465			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP4S 2M	Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 2 M	23.70	EC001855	393710	4547648986502			GE	GEZ	CZE	8544.4290.90
Y92E-S08PP4S 5M	Cable connector M8, Polypropylene, single ended cordset, female, straight, 4 pole, 5 M	33.72	EC001855	393711	4547648986519			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 10M	Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 10 M	31.78	EC001855	393712	4547648986526			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4A 5M	Cable connector M12, Polypropylene, single ended cordset, female, angled, 4 pole, 5 M	26.44	EC001855	393717	4547648986571			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4S 10M	Cable connector M12, Polypropylene, single ended cordset, female, straight, 4 pole, 10 M	31.78	EC001855	393718	4547648986588			GE	GEZ	CZE	8544.4290.90
Y92E-S12PP4S 5M	Cable connector M12, Polypropylene, single ended cordset, female, straight, 4 pole, 5 M	26.44	EC001855	393723	4547648986632			GE	GEZ	CZE	8544.4290.90
İndüktif Proximity Sensörler için Aksesuarlar											
Y92E-M08PVC3SconF-L	M8 3-pin, Straight female screw connector, for 3.5-5mm cable	27.23	EC002635	206327	4536853900519			GE	GEZ	DEU	8544.4290.90
Y92E-M08PVC4SconF-L	Sensör konektörü, M8, 4-pin, düz, dişi	29.53	EC002635	206580	4536853901219			GE	GEZ	HUN	8544.4290.90
Y92E-M12PVC4AconF-L	Sensor connector, M12 4 pin	12.94	EC002635	206333	4536853900588			GE	GEZ	HUN	8544.4290.90
Y92E-M12PVC4SconF-L	Sensor Connector, female, M12, PVC, 4 Pin, Straight	13.69	EC002635	206334	4536853900618			GE	GEZ	HUN	8544.4290.90
Y92E-MM08PVC3SconF-L	Sensor Connector field assembly, male, M8, PVC, 3 pin, Straight	24.62	EC002635	206581	4536853900922			GE	GEZ	DEU	8544.4290.90
Y92E-MM08PVC4SconF-L	Sensor Connector field assembly, male, M8, PVC, 4 pin, Straight	30.17	EC002635	206582	4536853900939			GE	GEZ	HUN	8544.4290.90
Y92E-MM12PVC4SconF-L	Sensor Connector field assembly, male, M12, PVC, 4 pin, Straight	15.64	EC002635	206558	4536853900953			GE	GEZ	HUN	8544.4290.90
İndüktif Proximity Sensörler için Aksesuarlar											
XS2C-D421	Sensor connector, M12, female, straight for DC type	10.68	EC002635	107733	4536854222320	#	50	GE	GEZ	JPN	8544.4290.90
XS2C-D423	Field assembly connector, M12 straight socket (female), 4-poles, A coded, solder connection, for cable diameters 4-5 mm	11.84	EC002635	107735	4536854222344		50	GE	GEZ	JPN	8544.4290.90
XS2C-D4S1	M12 4-pin, straight female screw connector, for 5-6mm cable	8.09	EC002635	155975	4536854455919		30	GE	GEZ	JPN	8544.4290.90
XS2C-D4S2	M12 4-pin, Angled female screw connector, for 7-8mm cable	8.04	EC002635	147522	4536854455926			GE	GEZ	JPN	8544.4290.90
XS2C-D5S1	Plug (male) connector M12, 5 pin, screw fix, straight	11.78	EC002635	374557	4536854735523			GE	GEZ	JPN	8544.4290.90
XS2C-D5S2	Field assembly connector, M12 straight socket (female), 5-poles, A coded, screw connection, for cable diameters 7-8 mm	12.38	EC002635	107743	4536854735530			GE	GEZ	JPN	8544.4290.90
XS2G-D421	Sensor connector, M12, male, straight for DC type	12.14	EC002635	107630	4536854225642		50	GE	GEZ	JPN	8544.4290.90
XS2G-D4S1	M12 4-pin, straight male screw connector, for 5-6mm cable	9.80	EC002635	107634	4536854455971		30	GE	GEZ	JPN	8544.4290.90
XS2G-D5S1	Plug (male) connector M12, 5 pin, screw fix, straight	11.78	EC002635	374560	4536854735516			GE	GEZ	JPN	8544.4290.90
XS2G-D5S2	M12 5-pin, straight male screw connector, for 7-8mm cable	12.38	EC002635	107639	4536854735509			GE	GEZ	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
X52R-D426-1	Y-Joint plug/socket M12 without cable	50.60	EC002925	107651	4536854226793	10		GE	GEZ	JPN	8544.4290.90
X55C-D418	Sensor Connector, female, M12, PVC, 4 Pin, Straight, ICD connection	9.07	EC002635	377248	4548583407824	50		GE	GEZ	JPN	8536.9010.00
X55G-D418	Sensor Connector, male, M12, PVC, 4 Pin, Straight, ICD connection	9.07	EC002635	377249	4548583407831	50		GE	GEZ	JPN	8536.9010.00
X55G-D451	Connector	10.99	EC002635	269095	4547648622387	20		GE	GEZ	JPN	8536.9010.00
X55R-D426-1	Y-Joint plug/socket M12 SmartClick without cable (4-4, 4-2)	50.30	EC002925	237217	4547648386449	10		GE	GEZ	JPN	8536.9010.00
İndüktif Proximity Sensörler için Aksesuarlar											
X52Z-22	Water-resistive Covers for M12-male connector	7.94	EC003015	143740	4536854557408	20		GE	GEZ	JPN	8538.9099.99
Y92E-A34	Mounting Bracket for F2K sensor	6.78	EC003015	107409	4536854247293	10		GE	GEZ	JPN	9031.9000.00
Y92E-B12	Sensor mounting bracket, M12 size	4.42	EC003015	681044	4549734156547	50		GE	GEZ	THA	9031.9000.00
Y92E-B18	Sensor mounting bracket, M18 size	4.42	EC003015	681043	4549734156554	50		GE	GEZ	THA	9031.9000.00
Y92E-B30	Sensor mounting bracket, M30 size	4.41	EC003015	144997	4536854247286			GE	GEZ	JPN	9031.9000.00
Y92E-J18S30	Mounting Sleeves e-jig for M18 Prox	19.55	EC003015	681880	4549734190787			GE	GEZ	CHN	9031.9000.00
Görsel Denetim Sistemi FO											
FO2-S35050F-08	FO2 vision sensor, high resolution, color, PNP, standard view(50mm)	5,100.00	EC003015	372121	4548583322479			GF	GFL	JPN	9031.9000.00
FO2-S35050F-08M	FO2 vision sensor, high resolution, mono, PNP, standard view(50mm)	5,100.00	EC003015	372129	4548583107687			GF	GFL	JPN	9031.9000.00
FO2-S35100F-08M	FO2 vision sensor, high resolution, mono, PNP, wide view(240mm), long distance(970mm)	5,640.00	EC003015	372130	4548583107694			GF	GFL	JPN	9031.9000.00
FO2-S35100N-08	FO2 vision sensor, high resolution, color, PNP, wide view(300mm), short distance(380mm)	4,892.00	EC003015	372123	4548583322493			GF	GFL	JPN	9031.9000.00
FO2-S35-13	FO2 vision sensor, c-mount type, color, PNP	3,765.00	EC003015	372133	4548583107724			GF	GFL	JPN	9031.9000.00
FO2-S35-13M	FO2 vision sensor, c-mount type, mono, PNP	4,935.00	EC003015	372135	4548583107748			GF	GFL	JPN	9031.9000.00
FO2-S45050F	FO2 vision sensor, ID+ Inspection, color, PNP, standard view(50mm)	4,557.00	EC003015	372120	4548583361980			GF	GFL	JPN	9031.9000.00
FO2-S45100F-08	FO2 vision sensor, high resolution, ID+ Inspection, color, PNP, wide view(240mm), long distance(970mm)	5,600.00	EC003015	372137	4548583362154			GF	GFL	JPN	9031.9000.00
FO2-S45100F-08M	FO2 vision sensor, high resolution, ID+ Inspection, mono, PNP, wide view(240mm), long distance(970mm)	5,600.00	EC003015	373145	4548583362239			GF	GFL	JPN	9031.9000.00
FO2-S45100F-M	FO2 vision sensor, ID+ Inspection, mono, PNP, wide view(240mm), long distance(970mm)	4,441.00	EC003015	373129	4548583362079			GF	GFL	JPN	9031.9000.00
FO2-S45100N	FO2 vision sensor, ID+ Inspection, color, PNP, wide view(300mm), short distance(380mm)	3,613.00	EC003015	373122	4548583362000	#		GF	GFL	JPN	9031.9000.00
FO2-S45100N-08	FO2 vision sensor, high resolution, ID+ Inspection, color, PNP, wide view(300mm), short distance(380mm)	5,720.00	EC003015	373138	4548583362161			GF	GFL	JPN	9031.9000.00
FO2-S45100N-08M	FO2 vision sensor, high resolution, ID+ Inspection, mono, PNP, wide view(300mm), short distance(380mm)	5,600.00	EC003015	373146	4548583362246			GF	GFL	JPN	9031.9000.00
FO2-S45100N-M	FO2 vision sensor, ID+ Inspection, mono, PNP, wide view(300mm), short distance(380mm)	3,830.00	EC003015	373130	4548583362086			GF	GFL	JPN	9031.9000.00
FO2-S45-13	FO2 vision sensor, c-mount type, ID+ Inspection, color, PNP	5,220.00	EC003015	373147	4548583362260			GF	GFL	JPN	9031.9000.00
Görsel Denetim Sistemi FO											
FO2-S15010F	FO2 görsel denetim sensörü, tekli denetim, PNP, dar görüş(13mm)	1,417.00	EC003015	372150	4548583322387			GF	GFL	JPN	9031.9000.00
FO2-S15050F	FO2 görsel denetim sensörü, tekli denetim, PNP, standart görüş(50mm)	1,396.00	EC003015	372151	4548583322394			GF	GFL	JPN	9031.9000.00
FO2-S15100N	FO2 görsel denetim sensörü, tekli denetim, PNP, geniş görüş(300mm), kısa mesafe(380mm)	2,048.00	EC003015	372153	4548583322417			GF	GFL	JPN	9031.9000.00
FO2-S25050F	FO2 görsel denetim sensörü, standart, PNP, standart görüş(50mm)	2,277.00	EC003015	372143	4548583107601			GF	GFL	JPN	9031.9000.00
FO2-S25100F	FO2 görsel denetim sensörü, standart, PNP, geniş görüş(240mm), uzun mesafe(970mm)	2,323.00	EC003015	372144	4548583107618	#		GF	GFL	JPN	9031.9000.00
FO2-S25100N	FO2 görsel denetim sensörü, standart, PNP, geniş görüş(300mm), kısa mesafe(380mm)	3,208.00	EC003015	372145	4548583107625	#		GF	GFL	JPN	9031.9000.00
Görsel Denetim Sistemi FO											
FO-WD002-E	FO2 paralel I/O kablosu, 2m	209.40	EC003015	678182	4549734922951			GF	GFL	CZE	8544.4290.90
FO-WD003-E	FO I/O kablosu, 3m	139.00	EC003015	678183	4549734922968	#		GF	GFL	CZE	8544.4290.90
FO-WD005	FO I/O cable, 5m	126.10	EC003015	409003	4548583107465			GF	GFL	CHN	9031.9000.00
FO-WD005-E	FO I/O kablosu, 5m	170.40	EC003015	678184	4549734922975	#		GF	GFL	CZE	8544.4290.90
FO-WD010-E	FO I/O cable, 10m	281.30	EC003015	678185	4549734922982	#		GF	GFL	CZE	8544.4290.90
FO-WD020	FO I/O cable, 20m	808.50	EC003015	337796	4547648830119			GF	GFL	CHN	8544.4290.90
FO-WN002	FO Ethernet cable, 2m	208.90	EC002599	337805	4547648830065			GF	GFL	JPN	8544.4290.90
FO-WN002-E	FO Ethernet kablosu, 2m	90.40	EC002599	360744	4548583129269			GF	GFL	JPN	8544.4290.90
FO-WN003-E	FO Ethernet kablosu, 3m	101.10	EC002599	360745	4548583129276	#		GF	GFL	JPN	8544.4290.90
FO-WN005	FO Ethernet cable, bend resistant, 5m	258.50	EC002599	679127	4548583056312			GF	GFL	JPN	8544.4290.90
FO-WN005-E	FO Ethernet kablosu, 5m	121.00	EC002599	360746	4548583129283	#		GF	GFL	JPN	8544.4290.90
FO-WN010	Cable robotizado Ethernet FO 10m	322.90	EC002599	337806	4547648830072			GF	GFL	JPN	8544.4290.90
FO-WN010-E	FO2 Ethernet kablosu, 10m	169.00	EC002599	360741	4548583129290	#		GF	GFL	JPN	8544.4290.90
FO-WN020	FO Ethernet cable, 20m	759.00	EC002599	337807	4547648830089			GF	GFL	JPN	8544.4290.90
FO-WU002	FO sensor data unit cable for FO-SDU*, 2m	277.70	EC003015	372157	4548583107472			GF	GFL	JPN	9031.9000.00
FO-WU010	FO sensor data unit cable for FO-SDU*, 10m	587.00	EC003015	372154	4548583107496			GF	GFL	JPN	9031.9000.00
FO-WU020	FO sensor data unit cable for FO-SDU*, 20m	972.50	EC003015	372159	4548583107502			GF	GFL	JPN	9031.9000.00
FO-XF1	FO Polarizing Filter, (enclosed with sensor)	383.00	EC003015	337800	4547648830157			GF	GFL	JPN	9031.9000.00
FO-XL	Accessory FO/FO2 Mounting Bracket, (enclosed with sensor)	116.10	EC003015	337797	4547648830126			GF	GFL	CHN	9031.9000.00
FO-XPM	Accessory FO/FO2 Panel Mounting Adapter, for Touch Finder	338.10	EC003015	337799	4547648830140			GF	GFL	CHN	9031.9000.00
Görsel Denetim Sistemi FO											
FO2-D30	FO2 avar konsolu, 3.5" dokunmatik renkli LCD ekran, SD, card, 24VDC	1,667.00	EC003015	372137	4548583107755	#		GF	GFL	JPN	9031.9000.00

Görsel Denetim Sistemi FO

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
EQ-CR15010F-M	Code reader, multi code, distance 38-60mm, view 7-13mm, PNP	2,062.00	EC002999	371411	4548583343337			GF	GFL	JPN	9031.8080.00
EQ-CR15100F-M	Code reader, multi code, long distance 220-970mm, view 53-240mm, PNP	2,156.00	EC002999	371415	4548583343382			GF	GFL	JPN	9031.8080.00
Xpectia Görüntü Sistemi FZ OEM											
FH-2050	FH high-speed / high performance controller 2-core, NPN/PNP, 2 cameras	11,950.00	EC003015	684330	4549734133944	#		GF	GFR	JPN	9031.9000.00
FH-2050-10	FH high-speed / high performance controller 2-core, NPN/PNP, 4 cameras	15,270.00	EC003015	684331	4549734133951			GF	GFR	JPN	9031.9000.00
FH-2050-20	FH high-speed / high performance controller 2-core, NPN/PNP, 8 cameras	17,010.00	EC003015	684332	4549734133968	#		GF	GFR	JPN	9031.9000.00
FH-5050	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras	18,020.00	EC003015	684333	4549734133975			GF	GFR	JPN	9031.9000.00
FH-5050-10	FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras	22,200.00	EC003015	684334	4549734133982			GF	GFR	JPN	9031.9000.00
FH-5050-20	FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras	24,470.00	EC003015	684335	4549734133999			GF	GFR	JPN	9031.9000.00
FH-5051	FH high-speed / high performance controller 4-core, NPN/PNP, 2 cameras, OS2	18,020.00	EC003015	701438	4549734711968			GF	GFR	JPN	9031.9000.00
FH-5051-10	FH high-speed / high performance controller 4-core, NPN/PNP, 4 cameras, OS2	22,200.00	EC003015	701439	4549734711975			GF	GFR	JPN	9031.9000.00
FH-5051-20	FH high-speed / high performance controller 4-core, NPN/PNP, 8 cameras, OS2	24,470.00	EC003015	701440	4549734711982			GF	GFR	JPN	9031.9000.00
FH-5550	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 2 cameras	18,650.00	EC003015	695758	4549734145725			GF	GFR	JPN	9031.9000.00
FH-5550-10	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 4 cameras	22,800.00	EC003015	695759	4549734145732			GF	GFR	JPN	9031.9000.00
FH-5550-20	FH high-speed / high performance / extended storage, controller 4-core, NPN/PNP, 8 cameras	25,060.00	EC003015	695760	4549734145749			GF	GFR	JPN	9031.9000.00
FH-L550	FH-Lite kontrolcü, standart, 2 kamera	7,645.00	EC003015	670063	4548583785779	#		GF	GFR	JPN	9031.9000.00
FH-L550-10	FH-Lite kontrolcü, standart, 4 kamera	8,985.00	EC003015	670064	4548583785786			GF	GFR	JPN	9031.9000.00
Xpectia Görüntü Sistemi FZ OEM											
FH-SC02	FH kamera, yüksek çözünürlük 2M pixel, renkli	4,944.00	EC003015	377455	4548583385474	#		GF	GFR	JPN	9031.9000.00
FH-SC04	FH kamera, yüksek çözünürlük 4M pixel, renkli	9,855.00	EC003015	377453	4548583385450			GF	GFR	JPN	9031.9000.00
FH-SC05R	FH kamera, high resolution 5M pixel, color, rolling shutter	2,880.00	EC003015	670066	4548583785809	#		GF	GFR	JPN	9031.9000.00
FH-SC21R	FH Camera, high speed, 20.4 MPixel, c-Mount, rolling shutter, color	10,250.00	EC003015	684318	4549734145671			GF	GFR	JPN	9031.9000.00
FH-SCX	FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, color	1,953.00	EC003015	684314	4549734145695	#		GF	GFR	JPN	9031.9000.00
FH-SCX05	FH Camera, high speed, 5 MPixel, c-Mount, global shutter, color	6,355.00	EC003015	684313	4549734145657	#		GF	GFR	JPN	9031.9000.00
FH-SCX12	FH Camera, high speed, 12 MPixel, C-Mount, global shutter, color	10,950.00	EC003015	684447	4549734145718			GF	GFR	JPN	9031.9000.00
FH-SM02	FH kamera, yüksek çözünürlük 2M pixel, renksiz	4,944.00	EC003015	377456	4548583385481			GF	GFR	JPN	9031.9000.00
FH-SM04	FH kamera, yüksek çözünürlük 4M pixel, renksiz	9,855.00	EC003015	377454	4548583385467			GF	GFR	JPN	9031.9000.00
FH-SM05R	FH camera, high resolution 5M pixel, monochrome, rolling shutter	2,880.00	EC003015	670065	4548583785793			GF	GFR	JPN	9031.9000.00
FH-SM21R	FH Camera, high speed, 20.4 MPixel, c-Mount, rolling shutter, monochrome	10,250.00	EC003015	684315	4549734145664			GF	GFR	JPN	9031.9000.00
FH-SMX	FH Camera, high speed, 0.4 MPixel, c-Mount, global shutter, monochrome	1,953.00	EC003015	684317	4549734145688	#		GF	GFR	JPN	9031.9000.00
FH-SMX05	FH Camera, high speed, 5 MPixel, c-Mount, global shutter, monochrome	6,355.00	EC003015	684316	4549734145640	#		GF	GFR	JPN	9031.9000.00
FH-SMX12	FH Camera, high speed, 12 MPixel, C-Mount, global shutter, monochrome	10,950.00	EC003015	684445	4549734145701			GF	GFR	JPN	9031.9000.00
FZ-S	FZ kamera, standart çözünürlük, renksiz	2,099.00	EC003015	372096	4548583329508			GF	GFR	CHN	9031.9000.00
FZ-SC	FZ kamera, standart çözünürlük, renkli	2,099.00	EC003015	372097	4548583329522	#		GF	GFR	CHN	9031.9000.00
FZ-SC2M	FZ kamera, yüksek çözünürlük, 2M pixel, renkli	6,615.00	EC003015	374930	4548583368064			GF	GFR	CHN	9031.9000.00
FZ-SO050F	FZ-SO intelligent compact color camera, high-power lighting, distance 56-215mm, standard view 13-53mm	1,683.00	EC003015	351978	4548583008809			GF	GFR	JPN	9031.9000.00
FZ-SO100F	FZ-SO intelligent compact color camera, high-power lighting, long-distance 220-970mm, wide view 53-240mm	1,749.00	EC003015	351979	4548583008816	#		GF	GFR	JPN	9031.9000.00
FZ-SO100N	FZ-SO intelligent compact color camera, high-power lighting, short-distance 32-380mm, wide view 29-300mm	2,368.00	EC003015	351980	4548583008823	#		GF	GFR	JPN	9031.9000.00
Xpectia Görüntü Sistemi FZ OEM											
FH-VR 1.5M	Encoder cable for line driver, 1.5m, for FH series only	237.30	EC003015	377547	4548583413160			GF	GFR	JPN	9031.9000.00
FJ-VSG 10M	FJ Gig-E camera interface cable, 10m	475.80	EC003015	355508	4548583060937			GF	GFR	JPN	9031.9000.00
FJ-VSG 20M	FJ Gig-E camera interface cable, 20m	713.50	EC003015	355509	4548583060944			GF	GFR	JPN	9031.9000.00
FJ-VSG 3M	FJ Gig-E camera interface cable, 3m	358.00	EC003015	355494	4548583060913			GF	GFR	JPN	9031.9000.00
FJ-VSG 5M	FJ Gig-E camera interface cable, 5m	328.60	EC003015	355507	4548583060920			GF	GFR	JPN	9031.9000.00
FJ-VSP2 10M	FJ Gig-E power and I/O cable, 10 m	379.70	EC003015	694956	4549734597784			GF	GFR	JPN	8544.4290.90
FJ-VSP2 3M	FJ Gig-E power and I/O cable, 3 m	234.80	EC003015	694954	4549734597760			GF	GFR	JPN	8544.4290.90
FJ-VSP2 5M	FJ Gig-E power and I/O cable, 5 m	273.50	EC003015	694955	4549734597777			GF	GFR	JPN	8544.4290.90
FZ-VP 2M	Paralel I/O kablosu, 2m	215.30	EC003015	348112	4548583002883			GF	GFR	CHN	9031.9000.00
FZ-VS3 10M	Accessory vision, FH and FZ, standart camera cable, 10m	744.50	EC003015	393354	4548583533721	#		GF	GFR	CHN	8544.4290.90
FZ-VS3 2M	FH ve FZ standart kamera kablosu, 2m	427.40	EC003015	393351	4548583533691	#		GF	GFR	CHN	8544.4290.90
FZ-VS3 3M	Accessory vision, FH and FZ, standart camera cable, 3m	483.10	EC003015	393352	4548583533707			GF	GFR	CHN	8544.4290.90
FZ-VS3 5M	FH ve FZ standart kamera kablosu, 5m	605.50	EC003015	393353	4548583533714	#		GF	GFR	CHN	8544.4290.90
FZ-VS4 15M	Accessory vision, FH and FZ, camera cable, long distance, 15m	1,894.00	EC003015	393355	4548583533738	#		GF	GFR	JPN	8544.4290.90
FZ-VS8 10M	Accessory vision, FH and FZ, camera cable, bend resistant, 10m	893.50	EC003015	682708	4549734126922	#	3	GF	GFR	CHN	8544.4290.90
FZ-VS8 5M	Accessory vision, FH and FZ, camera cable, bend resistant, 5m	756.00	EC003015	684803	4549734126915			GF	GFR	CHN	8544.4290.90
FZ-VSJ	FZ Camera cable extension hub (max 3 cables 45m)	1,734.00	EC003015	241486	4547648445849	#		GF	GFR	JPN	9031.9000.00
FZ-VSL 3 10M	Accessory vision, FH and FZ, camera cable, standart, right angled connector, 10m	980.00	EC003015	393359	4548583533776			GF	GFR	JPN	8544.4290.90
FZ-VSL 3 2M	Accessory vision, FH and FZ, camera cable, standart, right angled connector, 2m	618.00	EC003015	393356	4548583533745			GF	GFR	JPN	8544.4290.90
FZ-VSL 3 5M	Accessory vision, FH and FZ, camera cable, standart, right angled connector, 5m	757.00	EC003015	393358	4548583533769			GF	GFR	JPN	8544.4290.90
FZ-VSLB3 5M	Accessory vision, FH and FZ, camera cable, bend resistant, right angled connector, 5m	462.90	EC003015	393367	4548583533851			GF	GFR	JPN	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Xpectia Görüntü Sistemi FZ OEM											
FH-UMAI1	AI filter installer for FH controller. USB license key donöle	9,155.00	EC003015	695761	4549734594783			GF	GFR	JPN	9031.9000.00
FH-XDML	FH-I DIN rail mounting bracket	103.70	EC003015	670241	4548583763722	#		GF	GFR	JPN	9031.9000.00
Görüntü Sistemleri için Aksesuarlar											
3Z4S-LE SV-03514V	Lens 3.5mm	387.90	EC003015	381493	4548583496880			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-04514V	Lens 4.5mm	325.60	EC003015	381494	4548583496897			GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0614H	Accessory vision, lens 6mm, high resolution, low distortion	849.50	EC003015	373706	4548583335479	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-0614V	Lens 6mm	537.50	EC003015	373699	4548583335387	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0813V	Lens 8mm	443.20	EC003015	373700	4548583335394	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-0814H	Accessory vision, lens 8mm, high resolution, low distortion	760.50	EC003015	373707	4548583335486	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1214H	Accessory vision, lens 12mm, high resolution, low distortion	738.50	EC003015	373708	4548583335493	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1214V	Lens 12mm	313.30	EC003015	373701	4548583335400	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-1614H	Accessory vision, lens 16mm, high resolution, low distortion	710.50	EC003015	373709	4548583335509	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-1614V	Lens 16mm	407.90	EC003015	373702	4548583335417	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-2514H	Accessory vision, lens 25mm, high resolution, low distortion	447.60	EC003015	373710	4548583335516	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-2514V	Lens 25mm	387.90	EC003015	373703	4548583335424	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-3514H	Accessory vision, lens 35mm, high resolution, low distortion	629.50	EC003015	373711	4548583335523	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-3518V	Lens 35mm	443.20	EC003015	373704	4548583335431	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-5014H	Accessory vision, lens 50mm, high resolution, low distortion	641.50	EC003015	373712	4548583335530	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-5018V	Lens 50mm	387.90	EC003015	373705	4548583335448	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-7525H	Accessory vision, lens 75mm, high resolution, low distortion	583.00	EC003015	687750	4549734509497	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-EXR	Uzatma tüpüleri (40, 20, 10, 5, 2, 1,0.5mm)	179.10	EC003015	373713	4548583335547	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR05	Extension tube 0.5mm	20.52	EC003015	373714	4548583335554	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR1	Extension tube 1mm	19.77	EC003015	373718	4548583335561	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR10	Extension tube 10mm	45.24	EC003015	373717	4548583335592	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR2	Extension tube 2mm	22.31	EC003015	373715	4548583335578	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR20	Extension tube 20mm	55.25	EC003015	373686	4548583335615	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE SV-EXR5	Extension tube 5mm	38.79	EC003015	373716	4548583335585	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE SV-PL270-SS	Polarizing filter for lens, M27.0 P0.5, with Anti-rotation mechanism	106.50	EC003015	670696	4548583722545	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE VS-0814H1	Vision lens, high resolution, low distortion 8mm for 1-inch sensor size	752.50	EC003015	386974	4548583417854	#		GF	GFZ	JPN	9031.9000.00
3Z4S-LE VS-1214H1	Vision lens, high resolution, low distortion 12mm for 1-inch sensor size	687.00	EC003015	682707	4549734181426	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-1614H1N	Vision lens, high resolution, low distortion 16mm for 1-inch sensor size	687.00	EC003015	682633	4549734181433	#		GF	GFZ	CHN	9031.9000.00
3Z4S-LE VS-2514H1L	Vision lens, high resolution, low distortion 25mm for 1-inch sensor size	686.50	EC003015	683380	4549734181440	#		GF	GFZ	CHN	9031.9000.00
FH-VMDA 2M	Vision system accessory FH conversion cable monitor DVI-RGB, 2m	130.70	EC003015	410312	4548583564480	#		GF	GFZ	JPN	9031.9000.00
FH-VMDA 5M	Vision system accessory FH conversion cable monitor DVI-RGB, 5m	224.00	EC003015	410313	4548583564497	#		GF	GFZ	JPN	9031.9000.00
FH-VUAB 2M	Vision system accessory FH USB cable touch panel, 2m	65.40	EC001681	410315	4548583564534	#		GF	GFZ	JPN	9031.9000.00
FH-VUAB 5M	Vision system accessory FH USB cable touch panel, 5m	84.15	EC001681	410316	4548583564541	#		GF	GFZ	JPN	9031.9000.00
FL-BR13120DF	Bar light Diffusion plate, 131x18x4mm	75.80	EC003015	354152	4548583032880	#		GF	GFZ	JPN	9032.9000.90
FL-BR13120W	Bar ODR-light, 131x20mm, wide area model, white LED, IP20, cable 0.3m	1,250.00	EC003015	354125	4548583032965	#		GF	GFZ	JPN	9031.9000.00
FL-BR13120W-H	Bar ODR-light, 131x20mm, high-brightness model, white LED, IP20, cable 0.3m	1,572.00	EC003015	354126	4548583032972	#		GF	GFZ	JPN	9031.9000.00
FL-BR5020W	Bar ODR-light, 50x20mm, wide area model, white LED, IP20, cable 0.3m	546.00	EC003015	354121	4548583032927	#		GF	GFZ	JPN	9031.9000.00
FL-BR5020W-H	Bar ODR-light, 50x20mm, high-brightness model, white LED, IP20, cable 0.3m	674.50	EC003015	354122	4548583032934	#		GF	GFZ	JPN	9031.9000.00
FL-BR9120DF	Bar light Diffusion plate, 91x18x4mm	59.10	EC003015	354151	4548583032873	#		GF	GFZ	JPN	9032.9000.90
FL-BR9120W	Bar ODR-light, 91x20mm, wide area model, white LED, IP20, cable 0.3m	891.00	EC003015	354123	4548583032941	#		GF	GFZ	JPN	9031.9000.00
FL-BR9120W-H	Bar ODR-light, 91x20mm, high-brightness model, white LED, IP20, cable 0.3m	1,116.00	EC003015	354124	4548583032958	#		GF	GFZ	JPN	9031.9000.00
FL-DR32W	Ring ODR-light, 32/10mm, wide area model, white LED, IP20, cable 0.3m	1,023.00	EC003015	354127	4548583035690	#		GF	GFZ	JPN	9031.9000.00
FL-DR32W-H	Ring ODR-light, 32/10mm, high-brightness model, white LED, IP20, cable 0.3m	1,307.00	EC003015	354128	4548583035706	#		GF	GFZ	JPN	9031.9000.00
FL-DR50W	Ring ODR-light, 50/28mm, wide area model, white LED, IP20, cable 0.3m	1,139.00	EC003015	354129	4548583035713	#		GF	GFZ	JPN	9031.9000.00
FL-DR50W-H	Ring ODR-light, 50/28mm, high-brightness model, white LED, IP20, cable 0.3m	1,424.00	EC003015	354130	4548583035720	#		GF	GFZ	JPN	9031.9000.00
FL-DR90DF	Ring light Diffusion plate, 90/50x4mm	88.40	EC003015	354156	4548583035775	#		GF	GFZ	JPN	9032.9000.90
FL-DR90W	Ring ODR-light, 90/50mm, wide area model, white LED, IP20, cable 0.3m	2,138.00	EC003015	354131	4548583035737	#		GF	GFZ	JPN	9031.9000.00
FL-DR90W-H	Ring ODR-light, 90/50mm, high-brightness model, white LED, IP20, cable 0.3m	2,711.00	EC003015	354132	4548583035744	#		GF	GFZ	JPN	9031.9000.00
FL-STC15	Lighting controller, 1-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24 VDC, I/O interface D-SUB, PNP	654.00	EC003015	354134	4548583032996	#		GF	GFZ	JPN	9032.9000.90
FL-STC25	Lighting controller, 2-channel, light adjustment 400 levels, continuous light or triggered light or strobe light, 24 VDC, I/O interface D-SUB, PNP	833.50	EC003015	354136	4548583033016	#		GF	GFZ	JPN	9032.9000.90
FL-TCCL	Strobe controller for vision lighting, 1-channel, separate holder to be mounted on the FZ camera	654.00	EC003015	355849	4548583067011	#		GF	GFZ	JPN	9032.9000.90
FLV-ATC21024-C	Analog lighting controller dimming 2ch 24	481.80	EC003015	378517	4548583426009	#		GF	GFZ	CHN	9032.9000.90
FLV-ATC41024-C	Analog lighting controller dimming 4ch 24	577.00	EC003015	378518	4548583426016	#		GF	GFZ	CHN	9032.9000.90
FLV-BR11222W	Bar Light 112 x 22mm, white	1,688.00	EC003015	378535	4548583427297	#		GF	GFZ	CHN	9031.9000.00
FLV-BR11624UV	Accessory vision, FLV, bar light 116 x 24mm, ultraviolet	1,740.00	EC003015	393818	4548583428591	#		GF	GFZ	CHN	9031.9000.00
FLV-BR21230W	Bar Light 212 x 30mm, white	1,687.00	EC003015	378532	4548583427266	#		GF	GFZ	CHN	9031.9000.00
FLV-BR38037W	Bar Light 380 x 37mm, white	3,249.00	EC003015	378530	4548583427242	#		GF	GFZ	CHN	9031.9000.00
FLV-BR6022W	Bar Light 60 x 22mm, white	711.50	EC003015	378537	4548583427310	#		GF	GFZ	CHN	9031.9000.00
FLV-BR8532W	Bar Light 85 x 32mm, white	1,011.00	EC003015	378536	4548583427303	#		GF	GFZ	CHN	9031.9000.00
FLV-DB10181W	Accessory vision, back light, direct, 101 x 81mm, white	1,874.00	EC003015	392798	4548583503069	#		GF	GFZ	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FLV-DB130130W	Accessory vision, back light, direct, 130 x 130, white	2,420.00	EC003015	392797	4548583503052			GF	GFZ	JPN	9031.9000.00
FLV-DB212152R	Accessory vision, back light, direct, 212 x 152, red	2,717.00	EC003015	392800	4548583503083			GF	GFZ	JPN	9031.9000.00
FLV-DL15060W	Accessory vision, ring light, low angle, 150mm dia, 60 deg, white	1,957.00	EC003015	392827	4548583503557			GF	GFZ	JPN	9031.9000.00
FLV-DR12030W	Ring light, direct, 120mm dia, 30 deg, white	1,764.00	EC003015	378521	4548583426962			GF	GFZ	CHN	9031.9000.00
FLV-DR9000W	Ring light, direct, 90mm dia, white	1,353.00	EC003015	378524	4548583426993	#		GF	GFZ	CHN	9031.9000.00
FLV-DR9030W	Ring light, direct, 90mm dia, 30 deg, white	1,353.00	EC003015	378523	4548583426986	#		GF	GFZ	CHN	9031.9000.00
FLV-FX143W	Coaxial light, edge type, 143mm, white	2,166.00	EC003015	378548	4548583427860			GF	GFZ	CHN	9031.9000.00
FLV-TTC1	standard camera-mount lighting controller 1ch for FLV	338.00	EC003015	378512	4548583425774	#		GF	GFZ	CHN	9032.9000.90
FLV-TTC4	standard camera-mount lighting controller 4ch for FLV	678.50	EC003015	378516	4548583425781	#		GF	GFZ	CHN	9032.9000.90
FLV-XC5	Extension cable 5m for standard lighting	60.80	EC003015	378515	4548583429178	#		GF	GFZ	CHN	8544.4290.90
FL-XBK1	Bar light FL-mounting brackets	61.55	EC003015	354153	4548583032897			GF	GFZ	JPN	9032.9000.90
FL-XC10	Extension standard cable, 10m	309.90	EC003015	354141	4548583032767			GF	GFZ	JPN	8544.4290.90
FL-XC2	Extension standard cable, 2m	96.00	EC003015	354138	4548583032729			GF	GFZ	JPN	8544.4290.90
FL-XC3	Extension standard cable, 3m	118.70	EC003015	354139	4548583032736			GF	GFZ	JPN	8544.4290.90
FL-XC5	Extension standard cable, 5m	166.80	EC003015	354140	4548583032750			GF	GFZ	JPN	8544.4290.90
XWZ2-050EE	Parallel I/O cable for terminal block XWZR- 34G-T, 0.5m	209.30	EC000237	385122	4548583484962			GF	GFZ	JPN	9031.9000.00
XWZ2-100EE	Parallel I/O cable for terminal block XWZR- 34G-T, 1m	137.20	EC000237	385123	4548583484979			GF	GFZ	JPN	9031.9000.00
XWZ2-200EE	Parallel I/O cable for terminal block XWZR- 34G-T, 2m	122.00	EC000237	385125	4548583484993			GF	GFZ	JPN	9031.9000.00
XWZ2-S013-2	FH Paralel I/O kablosu, 2m	186.40	EC003015	377508	4548583434455	#		GF	GFZ	JPN	9031.9000.00
XWZ2-S013-5	FH Paralel I/O kablosu, 5m	310.40	EC003015	377509	4548583434462			GF	GFZ	JPN	9031.9000.00
Görüntü Sistemleri İçin Aksesuarlar											
FH-M112	Vision system FH touch panel monitor 12"	1,567.00	EC003015	410318	4548583564473	#		GF	GFZ	JPN	9031.9000.00
Görüntü Sistemleri için Aksesuarlar											
3Z4S-LE V5-0618H1	Vision lens, high resolution, low distortion 6mm for 1-inch sensor size	925.00	EC003015	693930	4549734552172			GF	GFZ	CHN	9031.9000.00
3Z4S-LE V5-3514H1	Vision lens, high resolution, low distortion 35mm for 1-inch sensor size	687.00	EC003015	682441	4549734181457			GF	GFZ	CHN	9031.9000.00
3Z4S-LE V5-5018H1	Vision lens, high resolution, low distortion 50mm for 1-inch sensor size	670.00	EC003015	682440	4549734181464			GF	GFZ	CHN	9031.9000.00
3Z4S-LE V5-L1D12.5	Vision lens, ultra high resolution, low distortion 12.5 mm for 4/3-inch sensor size, C-Mount	1,954.00	EC003015	684300	4549734193184			GF	GFZ	JPN	9031.9000.00
3Z4S-LE V5-L1D18	Vision lens, ultra high resolution, low distortion 18 mm for 4/3-inch sensor size, C-Mount	1,252.00	EC003015	684299	4549734193191			GF	GFZ	JPN	9031.9000.00
3Z4S-LE V5-L1D25	Vision lens, ultra high resolution, low distortion 25 mm for 4/3-inch sensor size, C-Mount	1,215.00	EC003015	684298	4549734193207			GF	GFZ	JPN	9031.9000.00
Görüntü Sistemleri İçin Aksesuarlar											
FL-PS140W	Photometric Stereo Light, inner Diameter 100 mm, outer Diameter 140 mm, white	2,732.00	EC003015	684311	4549734168922			GF	GFZ	JPN	9031.9000.00
FL-PS90W	Photometric Stereo Light, inner Diameter 50 mm, outer Diameter 90 mm, white	1,989.00	EC003015	684312	4549734168915			GF	GFZ	JPN	9031.9000.00
FL-TCC1PS	Lighting Controller for Photometric Stereo Lights	808.00	EC003015	684309	4549734168946			GF	GFZ	JPN	9032.9000.90
Makine Otomasyon KontrolörleriNJ5											
NJ501-R300	Robotic Integrated Controller NJ5: 8 robots and 16 servo axes	7,780.00	EC000236	695880	4549734665704	#		HA	HAA	JPN	8471.5000.00
NJ501-R320	Robotic Integrated Controller NJ5: 8 robots and 16 servo axes, SQL client	8,380.00	EC000236	699956	4549734665735			HA	HAA	JPN	8471.5000.00
NJ501-R400	Robotic Integrated Controller NJ5: 8 robots and 32 servo axes	8,975.00	EC000236	695879	4549734665711			HA	HAA	JPN	8471.5000.00
NJ501-R420	Robotic Integrated Controller NJ5: 8 robots and 32 servo axes, SQL client	9,575.00	EC000236	699957	4549734665742			HA	HAA	JPN	8471.5000.00
NJ501-R500	Robotic Integrated Controller NJ5: 8 robots and 64 servo axes	10,170.00	EC000236	695878	4549734665728			HA	HAA	JPN	8471.5000.00
NJ501-R520	Robotic Integrated Controller NJ5: 8 robots and 64 servo axes, SQL client	10,770.00	EC000236	699958	4549734665759			HA	HAA	JPN	8471.5000.00
Makine Otomasyon KontrolörleriNJ5											
NJ501-1300	Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	4,038.00	EC000236	355309	4548583020450	#		HA	HAA	JPN	8471.4100.00
NJ501-1320	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	4,827.00	EC000236	375708	4548583418028	#		HA	HAA	JPN	8471.4100.00
NJ501-1400	Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	4,387.00	EC000236	355310	4548583020467	#		HA	HAA	JPN	8471.4100.00
NJ501-1420	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (32 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,270.00	EC000236	375709	4548583418035	#		HA	HAA	JPN	8471.4100.00
NJ501-1500	Sysmac NJ5 CPU, 20MB hafıza, dahili EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,270.00	EC000236	355311	4548583020474	#		HA	HAA	JPN	8471.4100.00
NJ501-1520	Sysmac NJ5 CPU, Database Bağlantısı, 20MB hafıza, dahili EtherCAT (64 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,950.00	EC000236	375710	4548583418042	#		HA	HAA	JPN	8471.4100.00
NJ501-4300	Sysmac NJ5 CPU, Robot kinematik (max 4 robot), 20MB hafıza, dahili EtherCAT (16 servo eksen, toplamda 192 EtherCAT cihazı) ve EtherNet/IP	5,270.00	EC000236	368567	4548583137745			HA	HAA	JPN	8471.4100.00
Makine Otomasyon KontrolörleriNJ5											
NJ301-1100	Sysmac NJ3 CPU, 5MB hafıza, dahili EtherCat (4 servo eksen, toplamda 192 Ethercat cihazı) ve Ethernet IP	2,816.00	EC000236	363842	4548583113121	#		HA	HAA	JPN	8471.4100.00
NJ301-1200	Sysmac NJ3 CPU, 5MB hafıza, dahili EtherCat (8 servo eksen, toplamda 192 Ethercat cihazı) ve Ethernet IP	3,383.00	EC000236	363924	4548583113138	#		HA	HAA	JPN	8471.4100.00
Makine Otomasyon KontrolörleriNJ5											
NJ101-1000	Sysmac NJ1 CPU, 3MB hafıza, dahili EtherCAT (2 servo eksen, toplam 64 EtherCAT nodu) ve Ethernet IP	2,375.00	EC000236	413717	4548583593749	#		HA	HAA	JPN	8471.4100.00
NJ101-1020	Sysmac NJ1 CPU, Database Bağlantısı, 3MB hafıza, dahili EtherCAT (2 servo eksen, toplamda 64 EtherCAT cihazı) ve Ethernet/IP	2,976.00	EC000236	668370	4548583758803	#		HA	HAA	JPN	8471.4100.00
NJ101-9000	Sysmac NJ1 CPU, 3MB hafıza, dahili EtherCAT (0 servo eksen, toplam 64 EtherCAT nodu) ve Ethernet IP	2,083.00	EC000236	413718	4548583593756	#		HA	HAA	JPN	8471.4100.00
NJ101-9020	Sysmac NJ1 CPU, Database Bağlantısı, 3MB hafıza, dahili EtherCAT (0 servo eksen, toplamda 64 EtherCAT cihazı) ve Ethernet/IP	2,605.00	EC000236	668371	4548583758810	#		HA	HAA	JPN	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Makine Otomasyon KontrolörleriNX5											
NX501-5300	Sysmac NX5 CNC CPU, 20MB bellek, dahili EtherCAT (16 servo eksen, toplam 192 EtherCAT düğümü) ve EtherNet / IP	7,685.00	EC000236	679768	4549734145435	#		HA	HAA	JPN	8471.5000.00
NX501-5300-1	Sysmac NX5 CNC CPU, 20MB memory, built-in EtherCAT (16 servo axes, in total 192 EtherCAT nodes) and EtherNet/IP. USB license not included.	6,830.00	EC000236	702310	4549734711524			HA	HAA	JPN	8471.5000.00
Makine Otomasyon KontrolörleriNX1											
NX102-1000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,462.00	EC000236	682580	4549734205313	#		HA	HAB	CHN	8471.4100.00
NX102-1020	Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (2 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,899.00	EC000236	683383	4549734205351	#		HA	HAB	CHN	8471.4100.00
NX102-1100	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,074.00	EC000236	682581	4549734205320	#		HA	HAB	CHN	8471.4100.00
NX102-1120	Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (4 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	3,458.00	EC000236	683381	4549734205368	#		HA	HAB	CHN	8471.4100.00
NX102-1200	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	4,178.00	EC000236	682578	4549734205337	#		HA	HAB	CHN	8471.4100.00
NX102-1220	Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (8 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	4,459.00	EC000236	683384	4549734205375	#		HA	HAB	CHN	8471.4100.00
NX102-9000	Sysmac NX1 Modular CPU, 5MB program and 33.5MB data memory, built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	1,847.00	EC000236	682579	4549734205306	#		HA	HAB	CHN	8471.4100.00
NX102-9020	Sysmac NX1 Modular CPU with Database Connectivity, 5MB program and 33.5MB data memory, built-in EtherCAT (0 servo axes, 4 PTP axes, total 64 EtherCAT nodes), 2 Ethernet ports (OPC-UA and EtherNet/IP)	2,345.00	EC000236	683382	4549734205344	#		HA	HAB	CHN	8471.4100.00
Makine Otomasyon KontrolörleriNX1											
NX-END02	Yedek parça - NX1P denetleyicisi için uç plakası	19.00	EC002584	680107	4548583866553			HA	HAB	CHN	8471.6070.00
Hareket Kontrolörleri CK3E											
CK3E-1210	Programmable Multi-Axis Controller µPower PMAC, 8 axes	3,844.00	EC000236	700996	4549734695275	#		HA	HAC	JPN	8471.4100.00
CK3E-1310	Programmable Multi-Axis Controller µPower PMAC, 16 axes	5,580.00	EC000236	700995	4549734695282			HA	HAC	JPN	8471.4100.00
CK3E-1410	Programmable Multi-Axis Controller µPower PMAC, 32 axes	8,830.00	EC000236	700994	4549734695299			HA	HAC	JPN	8471.4100.00
Hareket Kontrolörleri CK3M											
CK3W-AD3100	CK3W Analog IN, 4 points, +/-10 V, 16 bit (full scale)	1,428.00	EC001420	689322	4549734537902			HA	HAD	CHN	8471.6070.00
CK3W-AD3100	CK3W Analog IN, 8 points, +/-10 V, 16 bit (full scale)	1,758.00	EC001420	689321	4549734537896			HA	HAD	CHN	8471.6070.00
CK3W-MD7120	CK3W Digital I/O, IN/OUT:16/16, PNP	1,098.00	EC001419	689320	4549734537889			HA	HAD	CHN	8471.6070.00
CK3W-PD048	CK3W Power Supply Unit for CK3M-CPU1(1), 5 VDC / 24 VDC, max current 8 A (5 VDC)	358.50	EC000599	684962	4549734278881			HA	HAD	JPN	8471.8000.00
Makine Otomasyon KontrolörleriNX1P2											
NX1P2-1040DT	Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihaz), EtherNet/IP ve 2 opsiyonel seri port	1,312.00	EC000236	672500	4548583866454			HA	HAE	CHN	8471.4100.00
NX1P2-1040DT1	Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (2 senkron eksen, 4 PTP eksen, 16 EtherCAT cihaz), EtherNet/IP ve 2 opsiyonel seri port	1,312.00	EC000236	672504	4548583866461	#		HA	HAE	CHN	8471.4100.00
NX1P2-1140DT	Sysmac NX1P CPU, 40 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihaz), EtherNet/IP ve 2 opsiyonel seri port	1,908.00	EC000236	672510	4548583866478	#		HA	HAE	CHN	8471.4100.00
NX1P2-1140DT1	Sysmac NX1P CPU, 40 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (4 senkron eksen, 4 PTP eksen, 16 EtherCAT cihaz), EtherNet/IP ve 2 opsiyonel seri port	1,908.00	EC000236	672501	4548583866485	#		HA	HAE	CHN	8471.4100.00
NX1P2-9024DT	Sysmac NX1P CPU, 24 Dijital Transistor I/O (NPN), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihaz), EtherNet/IP ve 2 opsiyonel seri port	973.50	EC000236	672509	4548583866430			HA	HAE	CHN	8471.4100.00
NX1P2-9024DT1	Sysmac NX1P CPU, 24 Dijital Transistor I/O (PNP), 1.5 MB hafıza, EtherCAT (0 senkron eksen, 4 PTP eksen, 16 EtherCAT cihaz), EtherNet/IP ve 2 opsiyonel seri port	982.00	EC000236	672498	4548583866447	#		HA	HAE	CHN	8471.4100.00
NX1P2-9824DT	Sysmac NX1P CPU with 24 Dijital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	691.50	EC000236	689915	4549734556712			HA	HAE	CHN	8471.4100.00
NX1P2-9824DT1	Sysmac NX1P CPU with 24 Dijital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 1 serial option port	691.50	EC000236	689914	4549734556729	#		HA	HAE	CHN	8471.4100.00
NX1P2-9840DT	Sysmac NX1P CPU with 40 Dijital Transistor I/O (NPN), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	873.50	EC000236	689913	4549734556736			HA	HAE	CHN	8471.4100.00
NX1P2-9840DT1	Sysmac NX1P CPU with 40 Dijital Transistor I/O (PNP), 1 MB memory, EtherCAT (0 servo axes, 2 PTP axes, 8 EtherCAT nodes), EtherNet/IP and 2 serial option port	873.50	EC000236	689912	4549734556743	#		HA	HAE	CHN	8471.4100.00
NX1P seçenek kartları?											
NX1W-ADB21	Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog giriş 0 to 10 V, çözünürlük 1/4000 veya 0 to 20 mA, çözünürlük 1:2000	120.00	EC001596	672499	4548583866522	#		HA	HAF	CHN	8471.6070.00
NX1W-CIF01	Sysmac NX1P BS-232C vidasz (15 m max.) opsiyonel seri haberleşme kartı	59.50	EC001604	672505	4548583866492	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF11	Sysmac NX1P BS422/485 vidasz (50 m max.) opsiyonel seri haberleşme kartı	59.50	EC001604	672502	4548583866508	#		HA	HAF	CHN	8471.8000.00
NX1W-CIF12	Sysmac NX1P BS422/485 vidasz (izole 500 m max.) opsiyonel seri haberleşme kartı	119.10	EC001604	672503	4548583866515	#		HA	HAF	CHN	8471.8000.00
NX1W-DAB21V	Sysmac NX1P Analog I/O vidasz opsiyon kartı, 2 x analog çıkış 0 to 10 V, çözünürlük 1:4000	131.50	EC001596	672506	4548583866539	#		HA	HAF	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX1W-MAB221	Sysmac NX1P Analog I/O vidası opsiyon kartı, 2 x analog inputs 0 to 10 V, çözünürlük 1:4000 veya 0 to 20 mA, çözünürlük 1:2000, 2 x analog outputs 0 to 10 V, çözünürlük 1:4000	250.30	EC001596	672507	4548583866546	#		HA	HAF	CHN	8471.6070.00
Makine Kontrolörleri NX701											
NX701-1600	Sysmac NX7 CPU, 80MB hafıza, dahili EtherCat (128 servo eksen, toplamda 512 Ethercat cihazı) ve 2 Ethernet IP pveyatu	6,225.00	EC000236	418668	4548583593695			HA	HAG	JPN	8471.4100.00
NX701-1620	Sysmac NX7 CPU with Database Connectivity, 80MB memory, built-in EtherCAT (128 servo axes, in total 512 EtherCAT nodes) and 2 EtherNet/IP port	9,365.00	EC000236	680732	4549734193863			HA	HAG	JPN	8471.4100.00
Aksesuarlar NJ'ler ve NX1											
NJ-PA3001	Sysmac NJ güç kaynağı, 100-240 VAC, 30 W, "RUN" çıkış rölesi	301.50	EC000599	355312	4548583020665	#		HA	HAZ	CHN	8504.4030.00
NJ-PD3001	Sysmac NJ güç kaynağı, 24 VDC, 30 W, "RUN" çıkış rölesi	308.90	EC000599	355313	4548583020672	#		HA	HAZ	CHN	8504.4030.00
NX-PA9001	Sysmac NX güç kaynağı, 100-240 VAC, 90 W, "RUN" çıkış rölesi	720.00	EC000599	418671	4548583593725	#		HA	HAZ	JPN	8504.4030.00
NX-PD7001	Sysmac NX güç kaynağı, 24 VDC, 70 W, "RUN" çıkış rölesi	589.00	EC000599	418672	4548583593732	#		HA	HAZ	JPN	8504.4030.00
Aksesuarlar NJ'ler ve NX1											
HMC-SD292	2 GB SD hafıza kartı	263.70	EC000192	707330	4549734719780			HA	HAZ	JPN	8471.9000.00
HMC-SD492	4 GB SD memory card	396.00	EC000192	703610	4549734719797			HA	HAZ	JPN	8471.9000.00
NX Serisi Uzak G/Ç											
NX-ID3317	4 Dijital Giriş, Standart Hiz, NPN 24 VDC, 12 mm genişlik	61.30	EC001599	375601	4548583353008			HB	HBA	CHN	8471.6070.00
NX-ID3343	4 Dijital Giriş, Yüksek hız, NPN 24 VDC, 12 mm genişlik	119.60	EC001599	375602	4548583353060			HB	HBA	CHN	8471.6070.00
NX-ID3344	4 Dijital Giriş, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 12 mm genişlik	211.00	EC001599	377554	4548583353084			HB	HBA	CHN	8471.6070.00
NX-ID3417	4 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	61.30	EC001599	686025	4549734450478			HB	HBA	NLD	8471.6070.00
NX-ID3443	4 Dijital Giriş, Yüksek hız, PNP 24 VDC, 12 mm genişlik	119.60	EC001599	375661	4548583368378	#		HB	HBA	CHN	8471.6070.00
NX-ID3444	4 Dijital giriş, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 12 mm genişlik	211.00	EC001599	377555	4548583353091	#		HB	HBA	CHN	8471.6070.00
NX-ID3442	8 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik	81.35	EC001599	686026	4549734450485	#		HB	HBA	NLD	8471.6070.00
NX-ID4442	8 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	81.35	EC001599	686027	4549734450492	#		HB	HBA	NLD	8471.6070.00
NX-ID5142-1	16 Dijital Inputs, Standard speed, NPN/PNP 24 VDC, screw connector, 30 mm wide	138.00	EC001599	645477	4548583572881	#		HB	HBA	CHN	8471.6070.00
NX-ID5142-5	16 Dijital Giriş, Standart Hiz, NPN/PNP 24 VDC, 30 mm genişlik, MLL konnektör (dahil değildir)	151.10	EC001599	393625	4548583552029	#		HB	HBA	CHN	8471.6070.00
NX-ID5342	16 Dijital giriş, Standart hız, NPN 24 VDC, 12 mm genişlik	140.30	EC001599	686028	4549734450508	#		HB	HBA	NLD	8471.6070.00
NX-ID5442	16 Dijital giriş, Standart hız, PNP 24 VDC, 12 mm genişlik	140.30	EC001599	686029	4549734450515	#		HB	HBA	NLD	8471.6070.00
NX-ID6142-5	32 Dijital giriş, Standart hız, NPN/PNP 24 VDC, 30 mm genişlik, MLL konnektör (dahil değil)	255.60	EC001599	393626	4548583552036	#		HB	HBA	CHN	8471.6070.00
NX-ID6142-6	32 Digital Inputs, Standard speed, NPN/PNP 24 VDC, FCN40 connector (not included), 30 mm wide	255.60	EC001599	646854	4548583572898	#		HB	HBA	CHN	8471.6070.00
NX Serisi Uzak G/Ç											
NX-OC2633	2 Dijital çıkış, Standart NA röle, 2 A, 250 VAC, 12 mm genişlik	76.75	EC001599	686030	4549734450522			HB	HBA	NLD	8471.6070.00
NX-OC2733	2 Dijital Çıkış, NA+NK röle, 2 A, 250 VAC, 12 mm genişlik	80.50	EC001599	686031	4549734450539			HB	HBA	NLD	8471.6070.00
NX-OC4633	8 Dijital Çıkış, NA Röle, 2A, 250VAC, 24mm genişlik	200.80	EC001599	672508	4548583863569	#		HB	HBA	CHN	8471.6070.00
NX-OD2154	2 Dijital çıkış, Yüksek hız, Zaman Damgalı, NPN 24 VDC, 0.5 A/point, 1 A/NX ünitesi, 12 mm genişlik	155.20	EC001599	377556	4548583407596	#		HB	HBA	CHN	8471.6070.00
NX-OD2258	2 Dijital çıkış, Yüksek hız, Zaman Damgalı, PNP 24 VDC, 0.5 A/point, 1 A/NX Ünite, 12 mm genişlik	155.20	EC001599	377557	4548583407602	#		HB	HBA	CHN	8471.6070.00
NX-OD3121	4 Dijital Çıkış, Standart Hiz, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik	69.70	EC001599	375608	4548583353114			HB	HBA	CHN	8471.6070.00
NX-OD3153	4 Dijital Çıkış, Yüksek hız, NPN 24 VDC, 0.5 A/point, 2 A/NX ünitesi, 12 mm genişlik	133.10	EC001599	375614	4548583353176			HB	HBA	CHN	8471.6070.00
NX-OD3256	4 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik	65.95	EC001599	686032	4549734450546			HB	HBA	NLD	8471.6070.00
NX-OD3257	4 Dijital çıkış, Yüksek hız, PNP 24 VDC, 0.5 A/point, 2 A/NX Ünite, 12 mm genişlik	127.10	EC001599	375615	4548583353183			HB	HBA	CHN	8471.6070.00
NX-OD3268	4 Digital Outputs, Standard speed, PNP 24 VDC, 2 A/point, 8 A/NX unit, screwless push-in connector, 12 mm wide	90.00	EC001599	646461	4548583572928	#		HB	HBA	CHN	8471.6070.00
NX-OD4121	8 Dijital Çıkış, Standart Hiz, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 12 mm genişlik	91.50	EC001599	375610	4548583353138	#		HB	HBA	CHN	8471.6070.00
NX-OD4256	8 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	96.50	EC001599	686033	4549734450553	#		HB	HBA	NLD	8471.6070.00
NX-OD5121	16 Dijital çıkış, Standart hız, NPN 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	150.80	EC001599	686034	4549734450560	#		HB	HBA	NLD	8471.6070.00
NX-OD5121-5	16 Dijital Çıkış, Standart Hiz, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MLL konnektör (dahil değil)	161.70	EC001599	393627	4548583552043			HB	HBA	CHN	8471.6070.00
NX-OD5256	16 Dijital Çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 12 mm genişlik	150.80	EC001599	686035	4549734450577	#		HB	HBA	NLD	8471.6070.00
NX-OD5256-1	16 Digital Outputs, Standard speed, PNP 24 VDC, 0.5 A/point, 5 A/NX Unit, screw connector, 30 mm wide	195.60	EC001599	645603	4548583572935			HB	HBA	CHN	8471.6070.00
NX-OD5256-5	16 Dijital Çıkış, Standart Hiz, PNP 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MLL konnektör (dahil değil)	166.20	EC001599	393629	4548583552067			HB	HBA	CHN	8471.6070.00
NX-OD6121-5	32 Dijital Çıkış, Standart Hiz, NPN 24 VDC, 0.5 A/point, 4 A/NX ünitesi, 30 mm genişlik, MLL konnektör (dahil değil)	274.50	EC001599	393628	4548583552050			HB	HBA	CHN	8471.6070.00
NX-OD6121-6	32 Digital Outputs, Standard speed, NPN 24 VDC, 0.5 A/point, 4 A/NX Unit, FCN40 connector (not included), 30 mm wide	274.50	EC001599	645602	4548583572911	#		HB	HBA	CHN	8471.6070.00
NX-OD6256-5	32 Dijital çıkış, Standart hız, PNP 24 VDC, 0.5 A/point, 4 A/NX Ünite, 30 mm genişlik, MLL konnektör (dahil değil)	274.50	EC001599	393630	4548583552074	#		HB	HBA	CHN	8471.6070.00
NX Serisi Uzak G/Ç											
NX-MD6121-5	16 Dijital Giriş + 16 Dijital NPN Çıkış, Standart Hiz, 24 VDC, 30 mm genişlik, MLL konnektör (dahil değil)	265.30	EC001599	393631	4548583552081			HB	HBA	CHN	8471.6070.00
NX-MD6121-6	16 Dijital Inputs + 16 Digital NPN Outputs, Standard speed, 24 VDC, 2 x FCN24 connectors (not included), 30 mm wide	265.30	EC001599	646462	4548583572942			HB	HBA	CHN	8471.6070.00
NX-MD6256-5	16 Dijital Giriş + 16 Dijital PNP Çıkış, Standart Hiz, 24 VDC, 30 mm genişlik, MLL konnektör (dahil değil)	265.30	EC001599	393632	4548583552098			HB	HBA	CHN	8471.6070.00
NX Serisi Uzak G/Ç											
NX-AD2203	2 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	241.30	EC001596	686016	4549734450386	#		HB	HBA	NLD	8471.6070.00
NX-AD2204	2 Analog Giriş, 4-20 mA diferansiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	241.30	EC001596	375627	4548583533336			HB	HBA	CHN	8471.6070.00
NX-AD2208	2 Analog Giriş, 4-20 mA diferansiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	310.10	EC001596	375628	4548583353343	#		HB	HBA	CHN	8471.6070.00
NX-AD2603	2 Analog Giriş, +/-10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	241.30	EC001596	686017	4549734450393	#		HB	HBA	NLD	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-AD2604	2 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	241.30	EC001596	375618	4548583353244	#		HB	HBA	CHN	8471.6070.00
NX-AD2608	2 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	310.10	EC001596	375619	4548583353251	#		HB	HBA	CHN	8471.6070.00
NX-AD3203	4 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	275.10	EC001596	686018	4549734450409	#		HB	HBA	NLD	8471.6070.00
NX-AD3204	4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	275.10	EC001596	686019	4549734450416	#		HB	HBA	NLD	8471.6070.00
NX-AD3208	4 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	428.10	EC001596	375631	4548583353374	#		HB	HBA	CHN	8471.6070.00
NX-AD3603	4 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	275.10	EC001596	375620	4548583353268	#		HB	HBA	CHN	8471.6070.00
NX-AD3604	4 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	275.10	EC001596	375621	4548583353275	#		HB	HBA	CHN	8471.6070.00
NX-AD3608	4 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	428.10	EC001596	375622	4548583353282	#		HB	HBA	CHN	8471.6070.00
NX-AD4203	8 Analog Giriş, 4-20 mA, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	378.40	EC001596	686020	4549734450423	#		HB	HBA	NLD	8471.6070.00
NX-AD4204	8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	378.40	EC001596	686021	4549734450430	#		HB	HBA	NLD	8471.6070.00
NX-AD4208	8 Analog Giriş, 4-20 mA diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	549.50	EC001596	375634	4548583353404	#		HB	HBA	CHN	8471.6070.00
NX-AD4603	8 Analog Giriş, +/- 10 V, tek bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	378.40	EC001596	375623	4548583353299	#		HB	HBA	CHN	8471.6070.00
NX-AD4604	8 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	378.40	EC001596	375624	4548583353305	#		HB	HBA	CHN	8471.6070.00
NX-AD4608	8 Analog Giriş, +/- 10 V diferensiyel bağlantı, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	549.50	EC001596	375625	4548583353312	#		HB	HBA	CHN	8471.6070.00
NX-HAD402	4 High Speed Analog Inputs, -10 to 10 V, -5 to 5 V, 0 to 10 V, 0 to 5 V, 1 to 5V, 0 to 20 mA, 4 to 20 mA, differential, resolution 16 bit, 5 µs/ch, screwless push-in connector, 24 mm wide, PNP	1,252.00	EC001596	682695	4549734209663			HB	HBA	CHN	8471.6070.00
NX-HB3101	Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 NPN Çıkış, vidasız push-in bağlantı, 12 mm genişlik	472.40	EC001597	670521	4548583801981			HB	HBA	CHN	8471.6070.00
NX-HB3201	Heater Burnout Saptama Ünitesi, 4 CT Giriş, 4 PNP Çıkış, vidasız push-in bağlantı, 12 mm genişlik	472.40	EC001597	670522	4548583801998	#		HB	HBA	CHN	8471.6070.00
NX-RS1201	1 x Load Cell Giriş, -5.0 to 5.0 mV/V, 24 bit, 125 µs, vidasız push-in bağlantı, 12 mm genişlik	572.00	EC001596	670275	4548583799158	#		HB	HBA	JPN	8471.6070.00
NX-RS1201-K	1 x Load Cell Input with certification, -5.0 to 5.0 mV/V, 24 bit, 125 µs, screwless push-in connector, 12 mm wide	821.50	EC001596	674186	4549734110235			HB	HBA	JPN	8471.6070.00
NX-TS2101	2 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.1°C, 250 ms/Ünite, 12 mm genişlik	281.60	EC001596	377373	4548583353497	#		HB	HBA	CHN	8471.6070.00
NX-TS2102	2 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.01°C, 10 ms/ünites, 12 mm genişlik	453.40	EC001596	380149	4548583353503	#		HB	HBA	CHN	8471.6070.00
NX-TS2201	2 Sıcaklık Sensörü Giriş, RTD, Pt100 (3-kablolu), Pt1000, çözünürlük 0.1°C, 250 ms/Ünite, 12 mm genişlik	281.60	EC001596	375643	4548583353558	#		HB	HBA	CHN	8471.6070.00
NX-TS2202	2 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), çözünürlük 0.01°C, 10 ms/ünites, 12 mm genişlik	453.40	EC001596	380136	4548583353565	#		HB	HBA	CHN	8471.6070.00
NX-TS2204	2 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/ünites, 12 mm genişlik	453.40	EC001596	380137	4548583353572	#		HB	HBA	CHN	8471.6070.00
NX-TS3101	4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.1°C, 250 ms/Ünite, 24 mm genişlik	358.90	EC001596	377374	4548583353527	#		HB	HBA	CHN	8471.6070.00
NX-TS3102	4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.01°C, 10 ms/ünites, 24 mm genişlik	579.00	EC001596	380135	4548583353534	#		HB	HBA	CHN	8471.6070.00
NX-TS3104	4 Termokupl Giriş, K, J, T, E, L, U, N, R, S, B, WBe5-26, Pt100, çözünürlük 0.001°C, 60 ms/ünites, 24 mm genişlik	579.00	EC001596	380150	4548583353541	#		HB	HBA	CHN	8471.6070.00
NX-TS3201	4 Sıcaklık Sensörü Giriş, RTD, Pt100 (3-kablolu), Pt1000, çözünürlük 0.1°C, 250 ms/Ünite, 24 mm genişlik	358.90	EC001596	375644	4548583353589	#		HB	HBA	CHN	8471.6070.00
NX-TS3202	4 Temperature Sensor Inputs, Pt100 (3-wire), resolution 0.01°C, 10 ms/Unit, screwless push-in connectors, 24 mm wide	579.00	EC001596	380138	4548583353596	#		HB	HBA	CHN	8471.6070.00
NX-TS3204	4 Sıcaklık Sensör Giriş, Pt100 (3-kablolu), Pt1000 (3-kablolu) çözünürlük 0.001°C, 60 ms/ünites, 24 mm genişlik	579.00	EC001596	380139	4548583353602	#		HB	HBA	CHN	8471.6070.00
NX Serisi Uzak G/Ç											
NX-DA2203	2 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	264.00	EC001596	375639	4548583353459	#		HB	HBA	CHN	8471.6070.00
NX-DA2205	2 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	332.10	EC001596	375640	4548583353466	#		HB	HBA	CHN	8471.6070.00
NX-DA2603	2 Analog Çıkış, +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	264.00	EC001596	686022	4549734450447	#		HB	HBA	NLD	8471.6070.00
NX-DA2605	2 Analog Çıkış, +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	332.10	EC001596	375636	4548583353428	#		HB	HBA	CHN	8471.6070.00
NX-DA3203	4 Analog Çıkış, 4-20 mA, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	302.40	EC001596	686023	4549734450454	#		HB	HBA	NLD	8471.6070.00
NX-DA3205	4 Analog Çıkış, 4-20 mA, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	448.70	EC001596	375642	4548583353480	#		HB	HBA	CHN	8471.6070.00
NX-DA3603	4 Analog Çıkış, +/- 10 V, çözünürlük 1/8000, 250 µs/ch, 12 mm genişlik	302.40	EC001596	686024	4549734450461	#		HB	HBA	NLD	8471.6070.00
NX-DA3605	4 Analog Çıkış, +/- 10 V, çözünürlük 1/30000, 10 µs/ch, 12 mm genişlik	448.70	EC001596	375638	4548583353442	#		HB	HBA	CHN	8471.6070.00
NX Serisi Uzak G/Ç											
NX-FC0112	1 Incremental Encoder NPN Giriş, Faz A ve B, Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	287.70	EC001601	392633	4548583552104			HB	HBA	CHN	8471.6070.00
NX-FC0122	1 Incremental Encoder PNP Giriş, Faz A ve B, Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	268.80	EC001601	375645	4548583353619	#		HB	HBA	CHN	8471.6070.00
NX-FC0132	1 Incremental Encoder Line driver Giriş, Faz A ve B, Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, NPN, 24 mm genişlik	448.70	EC001601	392635	4548583552128			HB	HBA	CHN	8471.6070.00
NX-FC0142	1 Incremental Encoder Line driver Giriş, Faz A ve B, Tek-faz 4 MHz (Faz farkı Puls Giriş x4: 1 MHz), Faz Z: 1 MHz, PNP, 24 mm genişlik	416.40	EC001601	375647	4548583353633	#		HB	HBA	CHN	8471.6070.00
NX-FC0212	2 Incremental Encoder NPN Giriş, Faz A ve B, Tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	321.20	EC001601	392634	4548583552111	#		HB	HBA	CHN	8471.6070.00
NX-FC0222	2 Incremental Encoder PNP Giriş, Faz A ve B, tek-faz 500 kHz (Faz farkı Puls Giriş x4: 125 kHz), Faz Z: 125 kHz, 12 mm genişlik	299.40	EC001601	375646	4548583353626	#		HB	HBA	CHN	8471.6070.00
NX-FC5112	1 SSI Encoder Giriş, FIA Standart RS-422-A, 32 bits max veri uzunluğu, 12 mm genişlik	378.40	EC001601	375648	4548583353640	#		HB	HBA	CHN	8471.6070.00
NX-FC5212	2 SSI Encoder Giriş, FIA Standart RS-422-A, 32 bits max veri uzunluğu, 12mm genişlik	448.70	EC001601	375649	4548583353657	#		HB	HBA	CHN	8471.6070.00
NX-PG0112	1 Puls Çıkış İleri/geri yön puls Çıkış veya puls + yön Çıkış, NPN, 12 mm genişlik	339.60	EC001601	392636	4548583552135	#		HB	HBA	CHN	8471.6070.00
NX-PG0122	1 Puls Çıkış İleri/geri yön puls Çıkış veya puls + yön Çıkış, PNP, 12 mm genişlik	316.70	EC001601	375650	4548583353664	#		HB	HBA	CHN	8471.6070.00
NX-PG0232-5	2 x Line Driver Puls Çıkış, NPN, 4 Mpps, 1 x Mill connector, 12 mm genişlik	755.50	EC001601	670274	4548583783461	#		HB	HBA	JPN	8471.6070.00
NX-PG0242-5	2 x Line Driver Puls Çıkış, PNP, 4 Mpps, 1 x Mill connector, 12 mm genişlik	755.50	EC001601	670276	4548583783478	#		HB	HBA	JPN	8471.6070.00
NX-PG0332-5	4 x Line Driver Puls Çıkış, NPN, 4 Mpps, 2 x Mill connectors, 24 mm genişlik	1,078.00	EC001601	670273	4548583783447	#		HB	HBA	JPN	8471.6070.00
NX-PG0342-5	4 x Line Driver Puls Çıkış, PNP, 4 Mpps, 2 x Mill connectors, 24 mm genişlik	1,078.00	EC001601	670272	4548583783454	#		HB	HBA	JPN	8471.6070.00
NX Serisi Uzak G/Ç											
NX-CIF101	Seri Haberleşme Arayüzü Ünitesi, 1 x RS-232C, bastırılabilir terminal, 12 mm genişlik	440.60	EC001604	656498	4548583588653	#		HB	HBA	JPN	8471.8000.00
NX-CIF105	Seri Haberleşme Arayüzü Ünitesi, 1 x RS-422/485C, bastırılabilir terminal, 12 mm genişlik	440.60	EC001604	656497	4548583588660	#		HB	HBA	JPN	8471.8000.00
NX-CIF210	Seri Haberleşme Arayüzü Ünitesi, 2 x RS-232C, 9-pin D-sub, 30 mm genişlik	518.50	EC001604	656499	4548583588677	#		HB	HBA	JPN	8471.8000.00
NX Serisi Uzak G/Ç											
NX-TC2405	2 loops, Thermocouple/Pt100 input, PNP, 2 Digital Outputs, 24 VDC, 21mA/point, Heat or Cool control, Heater burnout alarm, Push-in Plus terminals	455.30	EC001597	680545	4549734191388	#		HB	HBA	CHN	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NX-TC2406	2 loops_Thermocouple/PT100 input_PNP 2 Digital Outputs_24 VDC_21 mA/point_Heat or Cool control_Push-in Plus terminals	417.30	EC001597	680937	4549734191395	#		HB	HBA	CHN	8471.6070.00
NX-TC2407	2 loops_Thermocouple/PT100 input_PNP 4 Digital Outputs_24 VDC_21mA/point_Heat and Cool control_Push-in Plus terminals	429.00	EC001597	680542	4549734191401	#		HB	HBA	CHN	8471.6070.00
NX-TC2408	2 loops_Thermocouple/PT100 input_2 Analog Outputs_4-20 mA_resolution 1:10000_Heat or Cool control_Push-in Plus terminals	487.50	EC001597	680541	4549734191418	#		HB	HBA	CHN	8471.6070.00
NX-TC3405	4 loops_Thermocouple/PT100 input_PNP 4 Digital Outputs_24 VDC_21mA/point_Heat or Cool control_Heater burnout alarm_Push-in Plus terminals	579.50	EC001597	680543	4549734191425	#		HB	HBA	CHN	8471.6070.00
NX-TC3406	4 loops_Thermocouple/PT100 input_PNP 4 Digital Outputs_24 VDC_21 mA/point_Heat or Cool control_Push-in Plus terminals	521.50	EC001597	680544	4549734191432	#		HB	HBA	CHN	8471.6070.00
NX-TC3407	4 loops_Thermocouple/PT100 input_PNP 8 Digital Outputs_24 VDC_21 mA/point_Heat and Cool control_Push-in Plus terminals	533.00	EC001597	680935	4549734191449	#		HB	HBA	CHN	8471.6070.00
NX Serisi Uzak G/C											
NX-EC202	Uzak I/O_NX_2 port EtherCAT Coupler_125 us döngü süresi_max I/O akımı 10 A_sonlandırıcı ile birlikte teslim edilir	252.40	EC001603	419154	4548583561939	#		HB	HBA	CHN	8471.6070.00
NX-EC202	Uzak I/O_NX_EtherNet/IP Coupler_63 I/O ünitesi_bağımsız güvenlik kontrolcisünü destekler_10A_max	402.00	EC001603	399449	4548583523333	#		HB	HBA	CHN	8471.6070.00
NX-ILM400	NX serisi IO-Link master IP20_4 kanal	271.90	EC001599	671127	4548583819139	#		HB	HBA	JPN	8471.6070.00
NX-PC0010	NX G/C güç bağlantı ünitesi_I/O_G_5-24 V DC Giriş_16 terminal	52.80	EC001600	686036	4549734450584	#		HB	HBA	NLD	8471.8000.00
NX-PC0020	NX G/C güç bağlantı ünitesi_I/O_V_5-24 V DC Giriş_16 terminal	52.80	EC001600	686037	4549734450591	#		HB	HBA	NLD	8471.8000.00
NX-PC0030	NX G/C güç bağlantı ünitesi_I/O+I/O_G_5-24 V DC Giriş_8 + 8 terminal	52.80	EC001600	686038	4549734450607	#		HB	HBA	NLD	8471.8000.00
NX-PD1000	NX bus ve G/C güç besleme_24 V DC Giriş_non-isolated_12 mm genişlik	95.65	EC001600	686039	4549734450614	#		HB	HBA	NLD	8471.8000.00
NX-PE0630	NX G/C güç besleme ünitesi_5-24 V DC Giriş_8 terminal	66.15	EC001600	686040	4549734450621	#		HB	HBA	NLD	8471.8000.00
NX-PF0730	Uzak I/O_NX_güç besleme ünitesi_10A	59.00	EC001600	686041	4549734450638	#		HB	HBA	NLD	8471.8000.00
NX-PNC202	NX-series PROFINET Coupler_2 ports_63 I/O units_max I/O current 10 A_screwless push-in connector_delivered with end cover	553.00	EC001603	701999	4549734710978	#		HB	HBA	CHN	8471.8000.00
NX-TRX01	Ground bağlama terminali_14 terminal	50.55	EC001600	375656	4548583353725	#		HB	HBA	CHN	8471.6070.00
NX Serisi Uzak G/C											
NX-AUX01	NX-serisi aksesuar_DIN ray montajı avırıcı_1 sette 3 adet	24.26	EC002584	375659	4548583364561	#		HB	HBA	JPN	8471.6070.00
NX-AUX02	Terminal blok kodlama pinleri veya 10x NX I/O ünitesini (Terminal Blok: 30 pin_ünitesi: 30 pin)	12.20	EC002584	375660	4548583365148	#		HB	HBA	CHN	8471.6070.00
NX-END01	NX I/O serisi için sonlandırma kapağı_(yedek amaçlı)	11.94	EC002584	375657	4548583353732	#		HB	HBA	CHN	8471.6070.00
NX-TBA082	Replacement screwless push-in connector with 8 wiring terminals (marked A+B)	13.36	EC002584	380141	4548583476516	#		HB	HBA	CHN	8536.9010.00
NX-TBA162	Replacement screwless push-in connector with 16 wiring terminals (marked A+B)	11.95	EC002584	380143	4548583476530	#		HB	HBA	CHN	8536.9010.00
NX-TBB162	Replacement screwless push-in connector with 16 wiring terminals (marked C+D)	11.42	EC002584	380145	4548583476554	#		HB	HBA	CHN	8536.9010.00
NX-TBC162	Replacement screwless push-in connector with 16 wiring terminals (marked A+B+F+G)	11.42	EC002584	380147	4548583476578	#		HB	HBA	CHN	8536.9010.00
NXR Serisi											
NXR-ILM08C-EIT	NXR Series IO-Link Master Unit IP67_8 ports_EtherNet/IP	769.50	EC001599	695390	4549734605632	#		HB	HBB	JPN	8471.6070.00
NXR Serisi											
NXR-ID166C-IL2	NXR Series IO-Hub IP67_16 input_8x M12 connectors	376.40	EC001599	695388	4549734605656	#		HB	HBB	JPN	8471.6070.00
NXR Serisi											
NXR-CD166C-IL2	NXR Series IO-Hub IP67_16 input/output_8x M12 connectors	464.60	EC001599	695380	4549734605649	#		HB	HBB	JPN	8471.6070.00
NX Eminiyet Ürünleri											
NX-SL3300	Güvenlik Kontrolörü_NX_32 güvenlik master bağlantı_256 güvenlik I/O ya kadar	359.80	EC000236	393736	4548583556058	#		HC	HCA	CHN	8471.6070.00
NX-SL3500	NX-serisi I/O_NX Güvenlik kontrolör_1024 güvenlik I/O ya kadar ve 2Mb hafıza kapasitesi	809.00	EC000236	393737	4548583556065	#		HC	HCA	CHN	8471.6070.00
NX-SL5500	Safety controller_CIP-S and EtherCAT_128 safety master connections_up to 1024 safety I/O_2 MB memory capacity_SD Backup/Restore supported	988.50	EC000236	684733	4549734205702	#		HC	HCA	CHN	8471.6070.00
NX-SL5700	Safety controller_CIP-S and EtherCAT_254 safety master connections_up to 2032 safety I/O_4 MB memory capacity_SD Backup/Restore supported	1,349.00	EC000236	684734	4549734205696	#		HC	HCA	CHN	8471.6070.00
NX Eminiyet Ürünleri											
NX-SID800	8 Dijital Güvenlik Girişi_PNP 24 VDC_12 mm genişlik	446.60	EC001599	701996	4549734450027	#		HC	HCA	NLD	8471.6070.00
NX-SIH400	4 Dijital Güvenlik Girişi_PNP 24 VDC_yüksek bağlanılabilirlik ünite_12 mm genişlik	346.20	EC001599	702008	4549734450058	#		HC	HCA	NLD	8471.6070.00
NX Eminiyet Ürünleri											
NX-SODM00	4 Dijital Güvenlik Çıkışı_PNP 24 VDC_0.5 A/nokta_2.0 A/NX Ünite_12 mm genişlik	383.00	EC001599	701995	4549734450010	#		HC	HCA	NLD	8471.6070.00
NX-SOH200	2 Dijital Güvenlik Çıkışı_PNP 24 VDC_2.0 A/nokta_4.0 A/NX Ünite_12 mm genişlik	333.30	EC001599	701997	4549734450034	#		HC	HCA	NLD	8471.6070.00
NX Eminiyet Ürünleri											
NX-CSG320	Safety Gateway for CIP-Safety_SD-Card slot_iBus connection up to 10 A_Interface 1: Ethernet/IP port_Interface 2: CIP-Safety switching ports	1,280.00	EC001604	684732	4549734205719	#		HC	HCA	CHN	8471.8000.00
OAT Scara											
17010-16000	SCARA Robot eCobra 600 Lite_5.5 kg taşıma kapasitesi_600 mm erişim_IP20	18,150.00	EC003245	684692	4549734445207	#		IB	IBA	JPN	8479.5000.00
17211-16000	SCARA Robot eCobra 600 Pro_5.5 kg taşıma kapasitesi_600 mm erişim_IP20	23,590.00	EC003245	684694	4549734445221	#		IB	IBA	JPN	8479.5000.00
17211-18000	SCARA Robot eCobra 800 Pro_5.5 kg taşıma kapasitesi_800 mm erişim_IP20	27,610.00	EC003245	684910	4549734445252	#		IB	IBA	JPN	8479.5000.00
17211-18400	SCARA Robot eCobra 800 Inverted Pro_5.5 kg taşıma kapasitesi_800 mm erişim_IP20	30,530.00	EC003245	684769	4549734676441	#		IB	IBA	USA	8479.5000.00
17213-18000	SCARA Robot eCobra 800 Pro (Add-on)_5.5 kg taşıma kapasitesi_800 mm erişim_IP20	27,610.00	EC003245	684912	4549734445290	#		IB	IBA	JPN	8479.5000.00
RL4-1166000	eCobra 600 Standard_5.5 kg payload_600 mm reach_4 axis_210 mm Zaxis_IP20_EtherCAT	20,300.00	EC003245	695944	4549734671156	#		IB	IBA	JPN	8479.5000.00
RL4-1166010	eCobra 600 Standard_5.5 kg payload_600 mm reach_4 axis_210 mm Zaxis_IP20_Cleanroom_EtherCAT	23,040.00	EC003245	695943	4549734671163	#		IB	IBA	JPN	8479.5000.00
RL4-1168000	eCobra 800 Standard_5.5 kg payload_600 mm reach_4 axis_210 mm Zaxis_IP20_EtherCAT	25,140.00	EC003245	695940	4549734671194	#		IB	IBA	JPN	8479.5000.00
RL4-1168010	eCobra 800 Standard_5.5 kg payload_600 mm reach_4 axis_210 mm Zaxis_IP20_Cleanroom_EtherCAT	27,910.00	EC003245	695939	4549734671200	#		IB	IBA	JPN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RL4-1168030	eCobra 800 Standard, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	30,450.00	EC003245	695938	4549734671217			IB	IBA	JPN	8479.5000.00
RL4-2166000	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	25,070.00	EC003245	695942	4549734671170			IB	IBA	JPN	8479.5000.00
RL4-2166010	eCobra 600 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	27,860.00	EC003245	695941	4549734671187			IB	IBA	JPN	8479.5000.00
RL4-2168000	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, EtherCAT	29,340.00	EC003245	695937	4549734671224			IB	IBA	JPN	8479.5000.00
RL4-2168010	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP20, Cleanroom, EtherCAT	32,190.00	EC003245	695936	4549734671231			IB	IBA	JPN	8479.5000.00
RL4-2168030	eCobra 800 Pro, 5.5 kg payload, 600 mm reach, 4 axis, 210 mm Zaxis, IP65, EtherCAT	34,720.00	EC003245	695935	4549734671248			IB	IBA	JPN	8479.5000.00
RS4-2053002	I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FNET	11,140.00	EC003245	699544	4549734693011			IB	IBA	CHN	8479.5000.00
RS4-2054002	I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FNET	12,380.00	EC003245	699543	4549734693028	#		IB	IBA	CHN	8479.5000.00
RS4-2054102	I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FNET	12,380.00	EC003245	699541	4549734693066			IB	IBA	CHN	8479.5000.00
RS4-2055002	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FNET	13,610.00	EC003245	699538	4549734693035	#		IB	IBA	CHN	8479.5000.00
RS4-2055004	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, ICS-FNET	14,840.00	EC003245	699537	4549734693042	#		IB	IBA	CHN	8479.5000.00
RS4-2055102	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FNET	13,610.00	EC003245	699536	4549734693073			IB	IBA	CHN	8479.5000.00
RS4-2055104	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, ICS-FNET	14,690.00	EC003245	699535	4549734693080			IB	IBA	CHN	8479.5000.00
RS4-2056502	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FNET	26,890.00	EC003245	207758	4549734759557			IB	IBA	NLD	8479.5000.00
RS4-2056504	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FNET	28,060.00	EC003245	207761	4549734759588			IB	IBA	NLD	8479.5000.00
RS4-2056542	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET	36,410.00	EC003245	207760	4549734759571			IB	IBA	NLD	8479.5000.00
RS4-2056544	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET	37,560.00	EC003245	207763	4549734759601			IB	IBA	NLD	8479.5000.00
RS4-2056553	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET	29,580.00	EC003245	207759	4549734759564			IB	IBA	NLD	8479.5000.00
RS4-2056555	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET	30,720.00	EC003245	207762	4549734759595			IB	IBA	NLD	8479.5000.00
RS4-2056702	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-FNET	26,890.00	EC003245	207764	4549734759618			IB	IBA	NLD	8479.5000.00
RS4-2056704	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-FNET	28,060.00	EC003245	207767	4549734759649			IB	IBA	NLD	8479.5000.00
RS4-2056742	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET	36,410.00	EC003245	207766	4549734759632			IB	IBA	NLD	8479.5000.00
RS4-2056744	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET	37,560.00	EC003245	207769	4549734759663			IB	IBA	NLD	8479.5000.00
RS4-2056753	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET	29,580.00	EC003245	207765	4549734759625			IB	IBA	NLD	8479.5000.00
RS4-2056755	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET	30,720.00	EC003245	207768	4549734759656			IB	IBA	NLD	8479.5000.00
RS4-2057502	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FNET	28,060.00	EC003245	207770	4549734759670			IB	IBA	NLD	8479.5000.00
RS4-2057504	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FNET	29,240.00	EC003245	207773	4549734759700			IB	IBA	NLD	8479.5000.00
RS4-2057542	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET	37,560.00	EC003245	207772	4549734759694			IB	IBA	NLD	8479.5000.00
RS4-2057544	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET	38,690.00	EC003245	207775	4549734759724			IB	IBA	NLD	8479.5000.00
RS4-2057553	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET	30,720.00	EC003245	207771	4549734759687			IB	IBA	NLD	8479.5000.00
RS4-2057555	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET	31,850.00	EC003245	207774	4549734759717			IB	IBA	NLD	8479.5000.00
RS4-2057702	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-FNET	28,060.00	EC003245	207776	4549734759731			IB	IBA	NLD	8479.5000.00
RS4-2057704	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-FNET	29,240.00	EC003245	207779	4549734759762			IB	IBA	NLD	8479.5000.00
RS4-2057742	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET	37,560.00	EC003245	207778	4549734759755			IB	IBA	NLD	8479.5000.00
RS4-2057744	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET	38,690.00	EC003245	207781	4549734759786			IB	IBA	NLD	8479.5000.00
RS4-2057753	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET	30,720.00	EC003245	207777	4549734759748			IB	IBA	NLD	8479.5000.00
RS4-2057755	I4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET	31,850.00	EC003245	207780	4549734759779			IB	IBA	NLD	8479.5000.00
RS4-2058502	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FNET	29,240.00	EC003245	207782	4549734759793			IB	IBA	NLD	8479.5000.00
RS4-2058504	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FNET	30,410.00	EC003245	207785	4549734759823			IB	IBA	NLD	8479.5000.00
RS4-2058542	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET	38,690.00	EC003245	207786	4549734759816			IB	IBA	NLD	8479.5000.00
RS4-2058544	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FNET	39,840.00	EC003245	207783	4549734759847			IB	IBA	NLD	8479.5000.00
RS4-2058553	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET	31,850.00	EC003245	207787	4549734759809			IB	IBA	NLD	8479.5000.00
RS4-2058555	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, ICS-FNET	33,000.00	EC003245	207784	4549734759830			IB	IBA	NLD	8479.5000.00
RS4-2058702	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, ICS-FNET	29,240.00	EC003245	207788	4549734759854			IB	IBA	NLD	8479.5000.00
RS4-2058704	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, ICS-FNET	30,410.00	EC003245	207791	4549734759885			IB	IBA	NLD	8479.5000.00
RS4-2058742	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET	38,690.00	EC003245	207790	4549734759878			IB	IBA	NLD	8479.5000.00
RS4-2058744	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, ICS-FNET	39,840.00	EC003245	207793	4549734759908			IB	IBA	NLD	8479.5000.00
RS4-2058753	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET	31,850.00	EC003245	207789	4549734759861			IB	IBA	NLD	8479.5000.00
RS4-2058755	I4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, ICS-FNET	33,000.00	EC003245	207792	4549734759892			IB	IBA	NLD	8479.5000.00
RS4-2063002	I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FCAT	11,140.00	EC003245	708115	4549734766623			IB	IBA	CHN	8479.5000.00
RS4-2063102	I4-350L, 5 kg payload, 350 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FCAT	11,140.00	EC003245	708111	4549734766661			IB	IBA	CHN	8479.5000.00
RS4-2064002	I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FCAT	12,380.00	EC003245	708114	4549734766630			IB	IBA	CHN	8479.5000.00
RS4-2064102	I4-450L, 5 kg payload, 450 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FCAT	12,380.00	EC003245	708110	4549734766678			IB	IBA	CHN	8479.5000.00
RS4-2065002	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Rear Panel, IP20, ICS-FCAT	13,610.00	EC003245	708113	4549734766647			IB	IBA	CHN	8479.5000.00
RS4-2065004	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Rear Panel, IP20, ICS-FCAT	14,840.00	EC003245	708112	4549734766654			IB	IBA	CHN	8479.5000.00
RS4-2065102	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 180 mm Zaxis, Bottom Panel, IP20, ICS-FCAT	13,610.00	EC003245	708109	4549734766685			IB	IBA	CHN	8479.5000.00
RS4-2065104	I4-550L, 5 kg payload, 550 mm reach, 4 axis, 350 mm Zaxis, Bottom Panel, IP20, ICS-FCAT	14,840.00	EC003245	708108	4549734766692			IB	IBA	CHN	8479.5000.00
RS4-2066502	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, ICS-FCAT	26,890.00	EC003245	208104	4549734704359			IB	IBA	NLD	8479.5000.00
RS4-2066504	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, ICS-FCAT	28,060.00	EC003245	208103	4549734704366			IB	IBA	NLD	8479.5000.00
RS4-2066542	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FCAT	36,410.00	EC003245	203592	4549734738712			IB	IBA	NLD	8479.5000.00
RS4-2066544	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, ICS-FCAT	37,560.00	EC003245	203591	4549734738729			IB	IBA	NLD	8479.5000.00
RS4-2066553	I4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Table										

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RS4-2066742	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT	36,410.00	EC003245	203598	4549734738651			IB	IBA	NLD	8479.5000.00
RS4-2066744	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT	37,560.00	EC003245	203597	4549734738668			IB	IBA	NLD	8479.5000.00
RS4-2066753	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT	29,580.00	EC003245	203586	4549734738774			IB	IBA	NLD	8479.5000.00
RS4-2066755	i4-650H, 15 kg payload, 650 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT	30,720.00	EC003245	203585	4549734738781			IB	IBA	NLD	8479.5000.00
RS4-2067502	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-FCAT	28,060.00	EC003245	208100	4549734704397			IB	IBA	NLD	8479.5000.00
RS4-2067504	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-FCAT	29,240.00	EC003245	208099	4549734704403			IB	IBA	NLD	8479.5000.00
RS4-2067542	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, iCS-FCAT	37,560.00	EC003245	203590	4549734738736			IB	IBA	NLD	8479.5000.00
RS4-2067544	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, iCS-FCAT	38,690.00	EC003245	203589	4549734738743			IB	IBA	NLD	8479.5000.00
RS4-2067553	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, iCS-FCAT	30,720.00	EC003245	203578	4549734738859			IB	IBA	NLD	8479.5000.00
RS4-2067555	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, iCS-FCAT	31,850.00	EC003245	203577	4549734738866			IB	IBA	NLD	8479.5000.00
RS4-2067702	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-FCAT	28,060.00	EC003245	208098	4549734704410			IB	IBA	NLD	8479.5000.00
RS4-2067704	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-FCAT	29,240.00	EC003245	208097	4549734704427			IB	IBA	NLD	8479.5000.00
RS4-2067742	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT	37,560.00	EC003245	203596	4549734738675			IB	IBA	NLD	8479.5000.00
RS4-2067744	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT	38,690.00	EC003245	203595	4549734738682			IB	IBA	NLD	8479.5000.00
RS4-2067753	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT	30,720.00	EC003245	203584	4549734738798			IB	IBA	NLD	8479.5000.00
RS4-2067755	i4-750H, 15 kg payload, 750 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT	31,850.00	EC003245	203583	4549734738804			IB	IBA	NLD	8479.5000.00
RS4-2068502	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20, iCS-FCAT	29,240.00	EC003245	208096	4549734704434			IB	IBA	NLD	8479.5000.00
RS4-2068504	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20, iCS-FCAT	30,410.00	EC003245	208095	4549734704441			IB	IBA	NLD	8479.5000.00
RS4-2068542	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP65+H1 Grease, iCS-FCAT	38,690.00	EC003245	203588	4549734738750			IB	IBA	NLD	8479.5000.00
RS4-2068544	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP65+H1 Grease, iCS-FCAT	39,840.00	EC003245	203587	4549734738767			IB	IBA	NLD	8479.5000.00
RS4-2068553	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Table Mount, IP20+H1 Grease, iCS-FCAT	31,850.00	EC003245	203576	4549734738873			IB	IBA	NLD	8479.5000.00
RS4-2068555	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Table Mount, IP20+H1 Grease, iCS-FCAT	33,000.00	EC003245	203575	4549734738880			IB	IBA	NLD	8479.5000.00
RS4-2068702	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20, iCS-FCAT	29,240.00	EC003245	208094	4549734704458			IB	IBA	NLD	8479.5000.00
RS4-2068704	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20, iCS-FCAT	30,410.00	EC003245	208093	4549734704465	#		IB	IBA	NLD	8479.5000.00
RS4-2068742	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT	38,690.00	EC003245	203594	4549734738699			IB	IBA	NLD	8479.5000.00
RS4-2068744	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP65+H1 Grease, iCS-FCAT	39,840.00	EC003245	203593	4549734738705			IB	IBA	NLD	8479.5000.00
RS4-2068753	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 210 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT	31,850.00	EC003245	203582	4549734738811			IB	IBA	NLD	8479.5000.00
RS4-2068755	i4-850H, 15 kg payload, 850 mm reach, 4 axis, 410 mm Zaxis, Inverted Mount, IP20+H1 Grease, iCS-FCAT	33,000.00	EC003245	203581	4549734738828			IB	IBA	NLD	8479.5000.00
OAT Delta											
17203-45604	Hornet 565, Add-On, 3 kg payload, 565mm reach, 360° rotation, 4 axis, 425mm Zaxis, IP20, ePLC	32,790.00	EC003245	683062	4549734263740			IB	IBB	NLD	8479.5000.00
17214-26001	Parallel Robot Quattro ePLC650H P31, 46.25° döndürme, 6 kg taşıma kapasitesi, 1300 mm erişim çapı, 500 mm Zaxis, IP20 base, IP67 tooling	46,070.00	EC003245	683109	4549734263771			IB	IBB	NLD	8479.5000.00
17214-26004	Parallel Robot Quattro ePLC650H P31, 185° döndürme, 6 kg taşıma kapasitesi, 1300 mm erişim çapı, 500 mm Zaxis, IP20 base, IP67 tooling	46,070.00	EC003245	683111	4549734263795			IB	IBB	NLD	8479.5000.00
RX3-2065600	iX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP20, iCS-FCAT	29,780.00	EC003245	200740	4549734704472			IB	IBB	NLD	8479.5000.00
RX3-2065604	iX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP20, iCS-FCAT	34,730.00	EC003245	200742	4549734704496			IB	IBB	NLD	8479.5000.00
RX3-2065610	iX3-565, 8 kg payload, 565 mm reach, 0° rotation, 3 axis, 425 mm Zaxis, IP65, iCS-FCAT	31,010.00	EC003245	200741	4549734704489			IB	IBB	NLD	8479.5000.00
RX3-2065614	iX3-565, 3 kg payload, 565 mm reach, 360° rotation, 4 axis, 425 mm Zaxis, IP65, iCS-FCAT	35,960.00	EC003245	200743	4549734704502			IB	IBB	NLD	8479.5000.00
RX4-2166000	iX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT	45,880.00	EC003245	200744	4549734704519			IB	IBB	NLD	8479.5000.00
RX4-2166001	iX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT	45,880.00	EC003245	200747	4549734704540			IB	IBB	NLD	8479.5000.00
RX4-2166002	iX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT	45,880.00	EC003245	200750	4549734704571			IB	IBB	NLD	8479.5000.00
RX4-2166004	iX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT	45,880.00	EC003245	200753	4549734704601			IB	IBB	NLD	8479.5000.00
RX4-2166010	iX4-650HS, 8 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT	53,350.00	EC003245	200745	4549734704526			IB	IBB	NLD	8479.5000.00
RX4-2166011	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT	53,350.00	EC003245	200748	4549734704557			IB	IBB	NLD	8479.5000.00
RX4-2166012	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT	53,350.00	EC003245	200751	4549734704588			IB	IBB	NLD	8479.5000.00
RX4-2166014	iX4-650HS, 3 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT	53,350.00	EC003245	200754	4549734704618			IB	IBB	NLD	8479.5000.00
RX4-2166020	iX4-650H, 15 kg payload, 1300 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT	47,110.00	EC003245	200746	4549734704533			IB	IBB	NLD	8479.5000.00
RX4-2166021	iX4-650H, 6 kg payload, 1300 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT	47,110.00	EC003245	200749	4549734704564			IB	IBB	NLD	8479.5000.00
RX4-2166022	iX4-650H, 6 kg payload, 1300 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT	47,110.00	EC003245	200752	4549734704595			IB	IBB	NLD	8479.5000.00
RX4-2166024	iX4-650H, 6 kg payload, 1300 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT	47,110.00	EC003245	200755	4549734704625			IB	IBB	NLD	8479.5000.00
RX4-2166300	iX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT	52,100.00	EC003245	200756	4549734704632			IB	IBB	NLD	8479.5000.00
RX4-2166301	iX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT	52,100.00	EC003245	200759	4549734704663			IB	IBB	NLD	8479.5000.00
RX4-2166302	iX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT	52,100.00	EC003245	200762	4549734704694			IB	IBB	NLD	8479.5000.00
RX4-2166304	iX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP20 Base, IP67 Tooling, iCS-FCAT	52,100.00	EC003245	200765	4549734704724			IB	IBB	NLD	8479.5000.00
RX4-2166310	iX4-800HS, 7 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT	59,650.00	EC003245	200757	4549734704649			IB	IBB	NLD	8479.5000.00
RX4-2166311	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT	59,650.00	EC003245	200760	4549734704670			IB	IBB	NLD	8479.5000.00
RX4-2166312	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT	59,650.00	EC003245	200763	4549734704700			IB	IBB	NLD	8479.5000.00
RX4-2166314	iX4-800HS, 1 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP67 Base, IP67 Tooling, USDA, iCS-FCAT	59,650.00	EC003245	200766	4549734704731			IB	IBB	NLD	8479.5000.00
RX4-2166320	iX4-800H, 10 kg payload, 1600 mm diameter reach, P30, 0° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT	53,350.00	EC003245	200758	4549734704656			IB	IBB	NLD	8479.5000.00
RX4-2166321	iX4-800H, 4 kg payload, 1600 mm diameter reach, P31, 46.25° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT	53,350.00	EC003245	200761	4549734704687			IB	IBB	NLD	8479.5000.00
RX4-2166322	iX4-800H, 4 kg payload, 1600 mm diameter reach, P32, 92.5° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT	53,350.00	EC003245	200764	4549734704717			IB	IBB	NLD	8479.5000.00
RX4-2166324	iX4-800H, 4 kg payload, 1600 mm diameter reach, P34, 185° rotation, 4 axis, 500 mm Zaxis, IP65 Base, IP67 Tooling, iCS-FCAT	53,350.00	EC003245	200767	4549734704748			IB	IBB	NLD	8479.5000.00
OAT Eklemleri											
17201-36000	Articulated Robot Viper ePLC650, 5 kg taşıma kapasitesi, 653 mm erişim, IP40	33,130.00	EC003245	682015	4548583805330			IB	IBC	JPN	8479.5000.00
17201-38000	Articulated Robot Viper ePLC850, 5 kg taşıma kapasitesi, 855 mm erişim, IP40	40,300.00	EC003245	682014	4548583805347	#		IB	IBC	JPN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RL6-2066000	Viper 650, 5.kg payload, 653 mm reach, 6.axis, IP40, EtherCAT	37,610.00	EC003245	699099	4549734685795			IB	IBC	JPN	8479.5000.00
RL6-2066010	Viper 650, 5.kg payload, 653 mm reach, 6.axis, IP65, EtherCAT	42,290.00	EC003245	699098	4549734685801			IB	IBC	JPN	8479.5000.00
RL6-2066020	Viper 650, 5.kg payload, 653 mm reach, 6.axis, Cleanroom, EtherCAT	46,130.00	EC003245	699097	4549734685818			IB	IBC	JPN	8479.5000.00
RL6-2068000	Viper 850, 5.kg payload, 855 mm reach, 6.axis, IP40, EtherCAT	39,120.00	EC003245	699096	4549734685825			IB	IBC	JPN	8479.5000.00
RL6-2068010	Viper 850, 5.kg payload, 855 mm reach, 6.axis, IP65, EtherCAT	46,260.00	EC003245	699095	4549734685832			IB	IBC	JPN	8479.5000.00
RL6-2068020	Viper 850, 5.kg payload, 855 mm reach, 6.axis, Cleanroom, EtherCAT	50,500.00	EC003245	699094	4549734685849			IB	IBC	JPN	8479.5000.00
OAT Mobil Hafif Görev											
37032-00001	Mobile Robot, LD-60, without Battery, with OS32C LIDAR	32,020.00	EC000000	687561	4549734491303			IB	IBD	JPN	8479.5000.00
37032-00002	Mobile Robot Docking Station Kit, LD-60, Charger, without Battery, with OS32C LIDAR	34,690.00	EC000000	687599	4549734491310			IB	IBD	JPN	8479.5000.00
37032-10004	Mobile Robot Starter Kit, LD-60, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	36,380.00	EC000000	687560	4549734491327	#		IB	IBD	JPN	8479.5000.00
37032-20000	Mobile Robot, LD-60, FSD, without Battery, with OS32C LIDAR	37,830.00	EC000000	687554	4549734491396			IB	IBD	JPN	8479.5000.00
37032-20002	Mobile Robot Docking Station Kit, LD-60, FSD, Charger, without Battery, with OS32C LIDAR	40,500.00	EC000000	687553	4549734491402			IB	IBD	JPN	8479.5000.00
37032-20004	Mobile Robot Starter Kit, LD-60, FSD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR	42,190.00	EC000000	687552	4549734491419			IB	IBD	JPN	8479.5000.00
37042-00000	Mobile Robot, LD-90, without Battery, with OS32C LIDAR	32,020.00	EC000000	687559	4549734491334			IB	IBD	JPN	8479.5000.00
37042-00002	Mobile Robot Docking Station Kit, LD-90, Charger, without Battery, with OS32C LIDAR	34,690.00	EC000000	687600	4549734491341	#		IB	IBD	JPN	8479.5000.00
37042-10004	Mobile Robot Starter Kit, LD-90, with Charger, without Battery, Joystick, Top Plate, with OS32C LIDAR	36,380.00	EC000000	687558	4549734491358			IB	IBD	JPN	8479.5000.00
37042-20000	Mobile Robot, LD-90, FSD, without Battery, with OS32C LIDAR	37,830.00	EC000000	687551	4549734491426			IB	IBD	JPN	8479.5000.00
37042-20002	Mobile Robot Docking Station Kit, LD-90, FSD, Charger, without Battery, with OS32C LIDAR	40,500.00	EC000000	687550	4549734491433			IB	IBD	JPN	8479.5000.00
37042-20004	Mobile Robot Starter Kit, LD-90, FSD, without Battery, with Charger, Joystick, Top Plate, with OS32C LIDAR	42,190.00	EC000000	687549	4549734491440			IB	IBD	JPN	8479.5000.00
37222-00000	Mobile Robot, LD-250, with OS32C LIDAR, without Battery	43,640.00	EC000000	690743	4549734578646			IB	IBD	JPN	8479.5000.00
37222-00002	Mobile Robot Docking Station Kit, LD-250, with Charger, OS32C LIDAR, without Battery	46,320.00	EC000000	690744	4549734578653	#		IB	IBD	JPN	8479.5000.00
37222-10004	Mobile Robot Starter Kit, LD-250, with Charger, Joystick, Top Plate, OS32C LIDAR, without Battery	48,020.00	EC000000	690745	4549734578660			IB	IBD	JPN	8479.5000.00
37222-20000	Mobile Robot, LD-250, FSD, without Battery	51,550.00	EC000000	699234	4549734670982			IB	IBD	JPN	8479.5000.00
37222-20002	Mobile Robot Docking Station Kit, LD-250, FSD, with Charger, without Battery	54,200.00	EC000000	699233	4549734670999			IB	IBD	JPN	8479.5000.00
37222-20004	Mobile Robot Starter Kit, LD-250, FSD, with Charger, Joystick, Top Plate, without Battery	55,900.00	EC000000	699232	4549734671002			IB	IBD	JPN	8479.5000.00
OAT Mobil Hafif Görev											
37142-00010	Mobile Robot, LD-105CT, without Battery, with OS32C LIDAR	77,150.00	EC000000	688848	4549734549707			IB	IBD	JPN	8479.5000.00
37142-00012	Mobile Robot Docking Station Kit, LD-105CT, with Charger, without Battery, with OS32C LIDAR	80,300.00	EC000000	688849	4549734549714			IB	IBD	JPN	8479.5000.00
37142-01014	Mobile Robot Starter Kit, LD-105CT, with Charger, without battery, Joystick, Acuity, Cart, with OS32C LIDAR	89,700.00	EC000000	688850	4549734549721			IB	IBD	JPN	8479.5000.00
37162-00010	Mobile Robot, LD-130CT, without Battery, with OS32C LIDAR	77,150.00	EC000000	688851	4549734549738			IB	IBD	JPN	8479.5000.00
37162-00012	Mobile Robot Docking Station, LD-130CT, with Charger, without Battery, with OS32C LIDAR	80,300.00	EC000000	688852	4549734549745			IB	IBD	JPN	8479.5000.00
37162-01014	Mobile Robot Starter Kit, LD-130CT, with Charger, without battery, Joystick, Acuity, Cart, with OS32C LIDAR	89,700.00	EC000000	688853	4549734549752			IB	IBD	JPN	8479.5000.00
OAT Mobil Hafif Görev											
20452-000	Mobile Robot Battery for all LD	4,681.00	EC000000	690742	4549734580120			IB	IBD	USA	8507.6000.90
OAT İşbirlikçi Robotlar											
RT6-0007001	Bundle, Cobot, TM5-700, HW3.2	28,730.00	EC003245	701888	4549734596527			IB	IBE	TWN	8479.5000.00
RT6-0007002	Bundle, Cobot, TM5-700, 12 m cable, HW3.2	29,930.00	EC003245	701889	4549734596534			IB	IBE	TWN	8479.5000.00
RT6-0007021	Bundle, Cobot, TM5-700, HW3.2, PROFINET & EtherNet/IP	29,940.00	EC003245	701923	4549734671354			IB	IBE	TWN	8479.5000.00
RT6-0007022	Bundle, Cobot, TM5-700, 12 m cable, HW3.2, PROFINET & EtherNet/IP	31,130.00	EC003245	701924	4549734671361			IB	IBE	TWN	8479.5000.00
RT6-0007031	Bundle, Cobot, TM5-700, HW3.2, Food Grade Grease	31,610.00	EC003245	707032	4549734751728			IB	IBE	TWN	8479.5000.00
RT6-0007041	Bundle, Cobot, TM5-700, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	32,930.00	EC003245	707024	4549734751803			IB	IBE	TWN	8479.5000.00
RT6-0009001	Bundle, Cobot, TM5-900, HW3.2	28,730.00	EC003245	701895	4549734596596	#		IB	IBE	TWN	8479.5000.00
RT6-0009002	Bundle, Cobot, TM5-900, 12 m cable, HW3.2	29,930.00	EC003245	701896	4549734596602			IB	IBE	TWN	8479.5000.00
RT6-0009021	Bundle, Cobot, TM5-900, HW3.2, PROFINET & EtherNet/IP	29,940.00	EC003245	701929	4549734671415			IB	IBE	TWN	8479.5000.00
RT6-0009022	Bundle, Cobot, TM5-900, 12 m cable, HW3.2, PROFINET & EtherNet/IP	31,130.00	EC003245	701930	4549734671422			IB	IBE	TWN	8479.5000.00
RT6-0009031	Bundle, Cobot, TM5-900, HW3.2, Food Grade Grease	31,610.00	EC003245	707031	4549734751735			IB	IBE	TWN	8479.5000.00
RT6-0009041	Bundle, Cobot, TM5-900, HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	32,930.00	EC003245	707023	4549734751810			IB	IBE	TWN	8479.5000.00
RT6-0017001	Bundle, Cobot, TM5X-700 (model without camera), HW3.2	27,530.00	EC003245	701890	4549734596541			IB	IBE	TWN	8479.5000.00
RT6-0017002	Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2	28,730.00	EC003245	701891	4549734596558			IB	IBE	TWN	8479.5000.00
RT6-0017021	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET & EtherNet/IP	28,740.00	EC003245	701925	4549734671378			IB	IBE	TWN	8479.5000.00
RT6-0017022	Bundle, Cobot, TM5X-700 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	29,940.00	EC003245	701926	4549734671385			IB	IBE	TWN	8479.5000.00
RT6-0017031	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, Food Grade Grease	30,290.00	EC003245	707030	4549734751742			IB	IBE	TWN	8479.5000.00
RT6-0017041	Bundle, Cobot, TM5X-700 (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	31,620.00	EC003245	707022	4549734751827			IB	IBE	TWN	8479.5000.00
RT6-0019001	Bundle, Cobot, TM5X-900 (model without camera), HW3.2	27,530.00	EC003245	701898	4549734596626			IB	IBE	TWN	8479.5000.00
RT6-0019002	Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2	28,730.00	EC003245	701899	4549734596633			IB	IBE	TWN	8479.5000.00
RT6-0019021	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET & EtherNet/IP	28,740.00	EC003245	701932	4549734671446			IB	IBE	TWN	8479.5000.00
RT6-0019022	Bundle, Cobot, TM5X-900 (model without camera), 12 m cable, HW3.2, PROFINET & EtherNet/IP	29,940.00	EC003245	701933	4549734671453			IB	IBE	TWN	8479.5000.00
RT6-0019031	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, Food Grade Grease	30,290.00	EC003245	707029	4549734751759			IB	IBE	TWN	8479.5000.00
RT6-0019041	Bundle, Cobot, TM5X-900 (model without camera), HW3.2, PROFINET & EtherNet/IP, Food Grade Grease	31,620.00	EC003245	707021	4549734751834			IB	IBE	TWN	8479.5000.00
RT6-0107001	Bundle, Cobot, TM5M-700, HW3.2	32,320.00	EC003245	701892	4549734596565			IB	IBE	TWN	8479.5000.00
RT6-0107011	Bundle, Cobot, TM5M-700, Semi, HW3.2	35,900.00	EC003245	701893	4549734596572			IB	IBE	TWN	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-0107021	Bundle_Cobot_TM5M-700_HW3.2_PROFINET & EtherNet/IP	33,530.00	EC003245	201927	4549734671392			IB	IBE	TWN	8479.5000.00
RT6-0109001	Bundle_Cobot_TM5M-900_HW3.2	32,320.00	EC003245	201892	4549734596619			IB	IBE	TWN	8479.5000.00
RT6-0109011	Bundle_Cobot_TM5M-900_Semi_HW3.2	35,900.00	EC003245	201900	4549734596640			IB	IBE	TWN	8479.5000.00
RT6-0109021	Bundle_Cobot_TM5M-900_HW3.2_PROFINET & EtherNet/IP	33,530.00	EC003245	201931	4549734671439			IB	IBE	TWN	8479.5000.00
RT6-0117001	Bundle_Cobot_TM5MX-700(model without camera)_HW3.2	31,120.00	EC003245	201894	4549734596589			IB	IBE	TWN	8479.5000.00
RT6-0117021	Bundle_Cobot_TM5MX-700(model without camera)_HW3.2_PROFINET & EtherNet/IP	32,330.00	EC003245	201928	4549734671408			IB	IBE	TWN	8479.5000.00
RT6-0119001	Bundle_Cobot_TM5MX-900(model without camera)_HW3.2	31,120.00	EC003245	201901	4549734596657			IB	IBE	TWN	8479.5000.00
RT6-0119021	Bundle_Cobot_TM5MX-900(model without camera)_HW3.2_PROFINET & EtherNet/IP	32,330.00	EC003245	201934	4549734671460			IB	IBE	TWN	8479.5000.00
RT6-1001301	Bundle_Cobot_TM12_HW3.2	39,500.00	EC003245	201902	4549734596664	#		IB	IBE	TWN	8479.5000.00
RT6-1001302	Bundle_Cobot_TM12_12 m cable_HW3.2	40,700.00	EC003245	201903	4549734596671			IB	IBE	TWN	8479.5000.00
RT6-1001321	Bundle_Cobot_TM12_HW3.2_PROFINET & EtherNet/IP	40,720.00	EC003245	201935	4549734671477			IB	IBE	TWN	8479.5000.00
RT6-1001322	Bundle_Cobot_TM12_12 m cable_HW3.2_PROFINET & EtherNet/IP	41,910.00	EC003245	201936	4549734671484			IB	IBE	TWN	8479.5000.00
RT6-1001331	Bundle_Cobot_TM12_HW3.2_Food Grade Grease	43,440.00	EC003245	202028	4549734751766			IB	IBE	TWN	8479.5000.00
RT6-1001341	Bundle_Cobot_TM12_HW3.2_PROFINET & EtherNet/IP_Food Grade Grease	44,790.00	EC003245	202020	4549734751841			IB	IBE	TWN	8479.5000.00
RT6-1011301	Bundle_Cobot_TM12X(model without camera)_HW3.2	38,300.00	EC003245	201904	4549734596688			IB	IBE	TWN	8479.5000.00
RT6-1011302	Bundle_Cobot_TM12X(model without camera)_12 m cable_HW3.2	39,500.00	EC003245	201905	4549734596695			IB	IBE	TWN	8479.5000.00
RT6-1011321	Bundle_Cobot_TM12X(model without camera)_HW3.2_PROFINET & EtherNet/IP	39,520.00	EC003245	201937	4549734671491	#		IB	IBE	TWN	8479.5000.00
RT6-1011322	Bundle_Cobot_TM12X(model without camera)_12 m cable_HW3.2_PROFINET & EtherNet/IP	40,720.00	EC003245	201938	4549734671507			IB	IBE	TWN	8479.5000.00
RT6-1011331	Bundle_Cobot_TM12X(model without camera)_HW3.2_Food Grade Grease	42,140.00	EC003245	202026	4549734751780			IB	IBE	TWN	8479.5000.00
RT6-1011341	Bundle_Cobot_TM12X(model without camera)_HW3.2_PROFINET & EtherNet/IP_Food Grade Grease	43,470.00	EC003245	202018	4549734751865			IB	IBE	TWN	8479.5000.00
RT6-1101301	Bundle_Cobot_TM12M_HW3.2	43,100.00	EC003245	201906	4549734596701			IB	IBE	TWN	8479.5000.00
RT6-1101311	Bundle_Cobot_TM12M_Semi_HW3.2	47,880.00	EC003245	201907	4549734596718			IB	IBE	TWN	8479.5000.00
RT6-1101321	Bundle_Cobot_TM12M_HW3.2_PROFINET & EtherNet/IP	44,310.00	EC003245	201939	4549734671514			IB	IBE	TWN	8479.5000.00
RT6-1111301	Bundle_Cobot_TM12MX(model without camera)_HW3.2	41,900.00	EC003245	201908	4549734596725			IB	IBE	TWN	8479.5000.00
RT6-1111321	Bundle_Cobot_TM12MX(model without camera)_HW3.2_PROFINET & EtherNet/IP	43,110.00	EC003245	201940	4549734671521			IB	IBE	TWN	8479.5000.00
RT6-2001101	Bundle_Cobot_TM14_HW3.2	41,900.00	EC003245	201909	4549734596732			IB	IBE	TWN	8479.5000.00
RT6-2001102	Bundle_Cobot_TM14_12 m cable_HW3.2	43,100.00	EC003245	201910	4549734596749			IB	IBE	TWN	8479.5000.00
RT6-2001121	Bundle_Cobot_TM14_HW3.2_PROFINET & EtherNet/IP	43,110.00	EC003245	201941	4549734671538			IB	IBE	TWN	8479.5000.00
RT6-2001122	Bundle_Cobot_TM14_12 m cable_HW3.2_PROFINET & EtherNet/IP	44,310.00	EC003245	201942	4549734671545			IB	IBE	TWN	8479.5000.00
RT6-2001131	Bundle_Cobot_TM14_HW3.2_Food Grade Grease	46,090.00	EC003245	202022	4549734751773			IB	IBE	TWN	8479.5000.00
RT6-2001141	Bundle_Cobot_TM14_HW3.2_PROFINET & EtherNet/IP_Food Grade Grease	47,420.00	EC003245	202019	4549734751858			IB	IBE	TWN	8479.5000.00
RT6-2011101	Bundle_Cobot_TM14X(model without camera)_HW3.2	40,700.00	EC003245	201911	4549734596756			IB	IBE	TWN	8479.5000.00
RT6-2011102	Bundle_Cobot_TM14X(model without camera)_12 m cable_HW3.2	41,900.00	EC003245	201912	4549734596763			IB	IBE	TWN	8479.5000.00
RT6-2011121	Bundle_Cobot_TM14X(model without camera)_HW3.2_PROFINET & EtherNet/IP	41,910.00	EC003245	201943	4549734671552			IB	IBE	TWN	8479.5000.00
RT6-2011122	Bundle_Cobot_TM14X(model without camera)_12 m cable_HW3.2_PROFINET & EtherNet/IP	43,110.00	EC003245	201944	4549734671569			IB	IBE	TWN	8479.5000.00
RT6-2011131	Bundle_Cobot_TM14X(model without camera)_HW3.2_Food Grade Grease	44,770.00	EC003245	202025	4549734751797			IB	IBE	TWN	8479.5000.00
RT6-2011141	Bundle_Cobot_TM14X(model without camera)_HW3.2_PROFINET & EtherNet/IP_Food Grade Grease	46,100.00	EC003245	202017	4549734751872			IB	IBE	TWN	8479.5000.00
RT6-2101101	Bundle_Cobot_TM14M_HW3.2	45,490.00	EC003245	201913	4549734596770			IB	IBE	TWN	8479.5000.00
RT6-2101111	Bundle_Cobot_TM14M_Semi_HW3.2	50,300.00	EC003245	201914	4549734596787			IB	IBE	TWN	8479.5000.00
RT6-2101121	Bundle_Cobot_TM14M_HW3.2_PROFINET & EtherNet/IP	46,690.00	EC003245	201945	4549734671576			IB	IBE	TWN	8479.5000.00
RT6-2111101	Bundle_Cobot_TM14MX(model without camera)_HW3.2	44,300.00	EC003245	201915	4549734596794			IB	IBE	TWN	8479.5000.00
RT6-2111121	Bundle_Cobot_TM14MX(model without camera)_HW3.2_PROFINET & EtherNet/IP	45,510.00	EC003245	201887	4549734671583			IB	IBE	TWN	8479.5000.00
RT6-3009001	Bundle_Cobot_TM16_HW3.2	45,540.00	EC003245	208136	4549734766531			IB	IBE	TWN	8479.5000.00
RT6-3009021	Bundle_Cobot_TM16_HW3.2_PROFINET & EtherNet/IP	46,730.00	EC003245	208131	4549734766586			IB	IBE	TWN	8479.5000.00
RT6-3019001	Bundle_Cobot_TM16X(model without camera)_HW3.2	42,290.00	EC003245	208135	4549734766548			IB	IBE	TWN	8479.5000.00
RT6-3019021	Bundle_Cobot_TM16X(model without camera)_HW3.2_PROFINET & EtherNet/IP	43,470.00	EC003245	208130	4549734766593			IB	IBE	TWN	8479.5000.00
RT6-3109001	Bundle_Cobot_TM16M_HW3.2	48,790.00	EC003245	208134	4549734766555			IB	IBE	TWN	8479.5000.00
RT6-3109011	Bundle_Cobot_TM16M_Semi_HW3.2	53,150.00	EC003245	208132	4549734766579			IB	IBE	TWN	8479.5000.00
RT6-3109021	Bundle_Cobot_TM16M_HW3.2_PROFINET & EtherNet/IP	49,980.00	EC003245	208129	4549734766609			IB	IBE	TWN	8479.5000.00
RT6-3119001	Bundle_Cobot_TM16MX(model without camera)_HW3.2	46,620.00	EC003245	208133	4549734766562			IB	IBE	TWN	8479.5000.00
RT6-3119021	Bundle_Cobot_TM16MX(model without camera)_HW3.2_PROFINET & EtherNet/IP	47,820.00	EC003245	208128	4549734766616			IB	IBE	TWN	8479.5000.00
Robot Mobil Agir Hizmet											
37480-00000	Mobile Robot_HD-1500_without Battery	101,200.00	EC000000	695895	4549734670388			IB	IBH	USA	8479.5000.00
37480-00002	Mobile Robot Docking Station Kit_HD-1500_Charger_No Battery	116,100.00	EC000000	695903	4549734670302			IB	IBH	USA	8479.5000.00
37480-00010	Mobile Robot_HD-1500_Side Lasers_without Battery	106,500.00	EC000000	695892	4549734670418			IB	IBH	USA	8479.5000.00
37480-00100	Mobile Robot_HD-1500_Single HAPS_without Battery	103,400.00	EC000000	695894	4549734670395			IB	IBH	USA	8479.5000.00
37480-00110	Mobile Robot_HD-1500_Single HAPS_Side Lasers_without Battery	108,700.00	EC000000	695891	4549734670449			IB	IBH	USA	8479.5000.00
37480-00200	Mobile Robot_HD-1500_Double HAPS_without Battery	105,500.00	EC000000	695893	4549734670401			IB	IBH	USA	8479.5000.00
37480-00210	Mobile Robot_HD-1500_Double HAPS_Side Lasers_without Battery	110,800.00	EC000000	695890	4549734670456			IB	IBH	USA	8479.5000.00
37480-10004	Mobile Robot Starter Kit_HD-1500_Charger_Pendant_Top Plate_without Battery	119,300.00	EC000000	695889	4549734670494			IB	IBH	USA	8479.5000.00
37480-10104	Mobile Robot Starter Kit_HD-1500_Single HAPS_Charger_Pendant_Top Plate_without Battery	121,500.00	EC000000	695888	4549734670500			IB	IBH	USA	8479.5000.00
37480-10114	Mobile Robot Starter Kit_HD-1500_Single HAPS_Side Lasers_Charger_Pendant_Top Plate_without Battery	126,800.00	EC000000	695886	4549734670524			IB	IBH	USA	8479.5000.00
37480-10204	Mobile Robot Starter Kit_HD-1500_Double HAPS_Charger_Pendant_Top Plate_without Battery	123,600.00	EC000000	695887	4549734670517			IB	IBH	USA	8479.5000.00
37480-10214	Mobile Robot Starter Kit_HD-1500_Double HAPS_Side Lasers_Charger_Pendant_Top Plate_without Battery	128,900.00	EC000000	695885	4549734670531			IB	IBH	USA	8479.5000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Robot Mobil Agir Hizmet											
68310-000	Mobile Robot Charging Station - Power Supply (For HD-1500)	11,830.00	EC000000	695897	4549734670623			IB	IBH	USA	8479.9070.99
68330-000	Mobile Robot Battery for HD-1500	18,540.00	EC000000	695899	4549734670609			IB	IBH	USA	8507.6000.90
68910-000	Mobile Robot Charging Station - Docking Target (For HD-1500)	3,408.00	EC000000	695896	4549734670630			IB	IBH	USA	8479.9070.99
68910-010	Mobile Robot Charging Station - Charging Bundle (Power Supply and Docking Target) (For HD-1500)	15,130.00	EC000000	695902	4549734670579			IB	IBH	USA	8479.9070.99
68925-010	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Single Sensor, Magnetic tape, 50 m roll	4,239.00	EC000000	707921	4549734764117			IB	IBH	USA	8479.9070.99
68925-020	Mobile Robot HAPS (High Accuracy Positioning System) option HD-1500 - Double Sensor, Magnetic tape, 50 m roll	5,135.00	EC000000	707922	4549734764124			IB	IBH	USA	8479.9070.99
68940-000L	Pendant (for HD-1500)	1,588.00	EC000000	695900	4549734670593			IB	IBH	USA	8479.9070.99
68945-010	Slide Lasers Kit (includes mounting kit and metal enclosures) - For HD-1500	5,860.00	EC000000	695901	4549734670586			IB	IBH	USA	8479.9070.99
68950-000	Top Plate for HD-1500	1,811.00	EC000000	695898	4549734670616			IB	IBH	USA	8479.9070.99
68955-000	Wireless Antenna Extension Kit - For HD-1500	100.00	EC000000	707823	4549734764131			IB	IBH	TWN	8479.9070.99
OAT Diğer Robotlar											
2FG7-GRIPPER	2FG7 Gripper OnRobot	4,166.00	EC003554	699513	4549734892759			IB	IBS	DNK	8479.9070.99
3FG15-3-FINGER-GRIPPER	3FG15-3-FINGER-GRIPPER OnRobot	4,801.00	EC003554	699475	4549734892506			IB	IBS	DNK	8479.9070.99
ACC-SPLIT-M12-2-1	Robotiq Gripper - Kit Dual - Cable Splitter	189.30	EC003554	688232	4549734970679			IB	IBS	CAN	8479.9070.99
AGC-APL-159-002	Robotiq Gripper - Kit Dual - Adapter plate with a "Y" shape to install 2 grippers at the wrist	519.00	EC003554	688233	4549734970686			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-140	Gripper Robotiq 2F-140 kit	4,698.00	EC003554	687100	4549734967860			IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85	Gripper Robotiq 2F-85 kit	4,546.00	EC003554	687101	4549734967877	#		IB	IBS	CAN	8479.9070.99
AGC-OMRON-KIT-85-W	Gripper Robotiq 2F-85 kit with Wrist Connect Kit	4,546.00	EC003554	691034	4549734985215			IB	IBS	CAN	8479.9070.99
DUAL-QUICK-CHANGER	Dual Quick Changer OnRobot	2,659.00	EC003554	696375	4549734889704			IB	IBS	DNK	8479.9070.99
DUAL-QUICK-CHANGER-DEMO	Dual Quick Changer OnRobot Demo	2,097.00	EC003554	696420	4549734889971			IB	IBS	DNK	8479.9070.99
ETS-300-S-OMRON-KIT	Force Sensor Robotiq FT-300 kit	4,802.00	EC003554	702920	4549734796330			IB	IBS	CAN	8479.9070.99
GECKO-SP1-GRIPPER	GECKO-SP1-Gripper OnRobot	880.50	EC003554	696381	4549734889766			IB	IBS	DNK	8479.9070.99
GECKO-SP3-GRIPPER	GECKO-SP3-Gripper OnRobot	880.50	EC003554	696380	4549734889759			IB	IBS	DNK	8479.9070.99
GECKO-SP5-GRIPPER	GECKO-SP5-Gripper OnRobot	880.50	EC003554	696379	4549734889742			IB	IBS	DNK	8479.9070.99
HEX-E-ETHERCAT-FLANGE-A	OnRobot HEX-E w/ EtherCAT Converter & Flange A	5,330.00	EC003554	699516	4549734892780			IB	IBS	HUN	8479.9070.99
HND-OMRON-KIT	Gripper Robotiq Hand-F kit	3,783.00	EC003554	687099	4549734967853			IB	IBS	CAN	8479.9070.99
HND-OMRON-KIT-W	Gripper Robotiq Hand-F kit with Wrist Connect Kit	3,783.00	EC003554	691033	4549734985208			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT	I/O Coupling Kit	793.50	EC003554	691042	4549734985291			IB	IBS	CAN	8479.9070.99
IO-CPL-OMRON-KIT-DEMO	I/O Coupling Kit DEMO	384.50	EC003554	691043	4549734985307			IB	IBS	CAN	8479.9070.99
LIFT-100-ONROBOT	Lift100 for Omron TM Cobot	13,460.00	EC003554	707693	4549734836173			IB	IBS	DNK	8479.9070.99
MG10	MG10-Gripper OnRobot	2,513.00	EC003554	702226	4549734792417			IB	IBS	DNK	8479.9070.99
OMRON-TM-ROBOT-KIT	OnRobot Omron TM Robot Kit	898.50	EC003554	699469	4549734892445			IB	IBS	DNK	9031.8080.00
ONROBOTSANDER	OnRobot Sander	3,126.00	EC003554	699527	4549734892865			IB	IBS	DNK	8479.9070.99
ONROBOT-SANDER-ACCESSORY-KIT	OnRobot Sander Accessory Kit	1,211.00	EC003554	699528	4549734892872			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT	Quick Changer Kit OnRobot	1,247.00	EC003554	696376	4549734889711			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-KIT-DEMO	Quick Changer Kit OnRobot Demo	898.50	EC003554	696419	4549734889964			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-DEMO	Quick Changer Robot Side OnRobot Demo	448.90	EC003554	696417	4549734889940			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-ROBOT-SIDE-NEW	Quick Changer Robot Side OnRobot	594.00	EC003554	707692	4549734836166			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE	Quick Changer Tool Side OnRobot	563.00	EC003554	696377	4549734889728			IB	IBS	DNK	8479.9070.99
QUICK-CHANGER-TOOL-SIDE-DEMO	Quick Changer Tool Side OnRobot Demo	448.90	EC003554	696418	4549734889957			IB	IBS	DNK	8479.9070.99
RAIL-M3	OnRobot Rail M3	302.40	EC003554	708034	4549734837019			IB	IBS	JPN	8479.9070.99
RAIL-M4	OnRobot Rail M4	299.30	EC003554	699514	4549734892766			IB	IBS	JPN	8479.9070.99
RG2-FT	RG2-FT Gripper OnRobot	10,230.00	EC003554	699477	4549734892520			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER	RG2-Gripper OnRobot	5,090.00	EC003554	696374	4549734889698			IB	IBS	DNK	8479.9070.99
RG2-GRIPPER-DEMO	RG2-Gripper OnRobot Demo	3,963.00	EC003554	696414	4549734889919			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER	RG6-Gripper OnRobot	6,100.00	EC003554	696383	4549734889780			IB	IBS	DNK	8479.9070.99
RG6-GRIPPER-DEMO	RG6-Gripper OnRobot Demo	4,752.00	EC003554	696415	4549734889926			IB	IBS	DNK	8479.9070.99
SCREWDRIVER	Screwdriver OnRobot	8,115.00	EC003554	699495	4549734892629			IB	IBS	DNK	8479.9070.99
SCREWDRIVER-ACCESSORY-KIT	Screwdriver Accessory Kit OnRobot	1,377.00	EC003554	699512	4549734892742			IB	IBS	DNK	8479.9070.99
SCREW-FEEDER-M2-M6	OnRobot Screw Feeder M2-M6	2,335.00	EC003554	699515	4549734892773			IB	IBS	DNK	8479.9070.99
SG-AH	Soft Gripper SG-A-H OnRobot	1,066.00	EC003554	699473	4549734892483			IB	IBS	DNK	8479.9070.99
SG-A-S	Soft Gripper SG-A-S OnRobot	1,066.00	EC003554	699472	4549734892476			IB	IBS	DNK	8479.9070.99
SG-BASE-PART	Soft Gripper Base Part OnRobot	4,310.00	EC003554	699474	4549734892490			IB	IBS	DNK	8479.9070.99
SG-B-H	Soft Gripper SG-B-H OnRobot	1,066.00	EC003554	699471	4549734892469			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER	VG10-Gripper OnRobot	5,725.00	EC003554	696382	4549734889773			IB	IBS	DNK	8479.9070.99
VG10-GRIPPER-DEMO	VG10-Gripper OnRobot Demo	4,130.00	EC003554	696416	4549734889933			IB	IBS	DNK	8479.9070.99
VGC10	VGC10-Gripper OnRobot	3,401.00	EC003554	699476	4549734892513			IB	IBS	DNK	8479.9070.99
VGP20-EXTENDER	VGP20-Extender Only for Cobots with camera - OnRobot	142.30	EC003554	702227	4549734792424			IB	IBS	DNK	8479.9070.99
VGP20-GRIPPER	VGP20-Gripper OnRobot	5,770.00	EC003554	702228	4549734792431			IB	IBS	DNK	8479.9070.99
OAT İşbirlikçi Aksesuarlar											
RT6-A000002	Accessory TM Kit Calibration Set with Additional Pin	419.00	EC003554	701917	4549734488877			IB	IBV	TWN	8479.5000.00
RT6-A000004	Accessory TM USB DONGLE	171.70	EC003554	702285	4549734488884			IB	IBV	TWN	8471.8000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
RT6-A000008	Accessory, TM, TM LAND MARK	8.40	EC003554	701918	4549734488891			IB	IBV	TWN	8479.5000.00
RT6-A000009	Accessory, TM, ROBOT STAND	3,580.00	EC003554	701919	4549734488907			IB	IBV	TWN	8479.5000.00
RT6-A000012	Accessory, TM, Kit, SSD with Cable	311.20	EC003554	701921	4549734488921			IB	IBV	CHN	8479.5000.00
RT6-A000020	Omron TM Cobot Teach Pendant	2,833.00	EC003554	701368	4549734717885			IB	IBV	TWN	8479.9070.99
RT6-A000021	Accessory, OMBON LAND MARK	8.30	EC003554	702012	4549734715713			IB	IBV	TWN	8479.5000.00
OAT İşbirlikçi Aksesuarlar											
RT6-S100000	License, Software, TM Identify & Measure	2,598.00	EC003554	703481	4549734488969			IB	IBV	TWN	8523.5190.00
RT6-S100002	License, Software, TM External Vision	1,066.00	EC003554	703480	4549734488976			IB	IBV	TWN	8523.5190.00
RT6-S100003	License, Software, TM OCR	731.00	EC003554	703479	4549734488983			IB	IBV	TWN	8523.5190.00
RT6-S100005	License, Software, TMFlow Editor - Offline AOI	635.50	EC003554	703478	4549734488990			IB	IBV	TWN	8523.5190.00
RT6-S100006	License, Software, Omron TM Operator Suite	1,885.00	EC003554	701372	4549734711449			IB	IBV	TWN	8523.5190.00
RT6-S100009	License, Software, Omron TM Runtime & Palletizing Wizard	426.60	EC003554	701369	4549734711470			IB	IBV	TWN	8523.5190.00
RT6-S200001	License, TMFlow Editor	635.50	EC003554	703482	4549734488945			IB	IBV	TWN	8523.5190.00
OAT Mobil Aksesuarlar											
20271-900	Primary Fleet Manager, FM2100 Base package, 120 Day Temporary FLOW Core License	10,280.00	EC000000	701985	4549734511315	#		IB	IBW	USA	8479.9070.99
20271-901	Secondary Fleet Manager, FM2100 Base package, 120 Day Temporary FLOW Core License	10,280.00	EC000000	701986	4549734511322			IB	IBW	USA	8479.9070.99
20271-903	Bundle, Fleet Simulator, FM2100 appliance and Perpetual Fleet Simulator License	18,020.00	EC000000	701988	4549734511346			IB	IBW	USA	8479.9070.99
OAT Mobil Aksesuarlar											
12477-000	Mobile Robot Charging Station (For LD-60/90/250)	7,045.00	EC000000	680095	4549734189873			IB	IBW	JPN	8479.9070.99
12477-050	Mobile Robot Charging Station - Extended Wall mount (For Cart Transporters)	7,045.00	EC000000	680090	4549734189880			IB	IBW	JPN	8479.9070.99
12944-000	Top Plate Assembly for LD-60/90	1,327.00	EC000000	691058	4549734578356			IB	IBW	JPN	8479.9070.99
13456-000	Side Lasers Bundle (2 lasers, one cable and 2 brackets) - For LD-60/90/250	6,120.00	EC000000	703215	4549734123013			IB	IBW	MYS	8479.9070.99
13456-100	Side Lasers Kit (2 lasers, 2 painted metal covers, one cable and 2 brackets) - For LD-60/90/250	6,655.00	EC000000	703214	4549734133852			IB	IBW	MYS	8479.9070.99
13558-000	Joystick (for all LD)	1,224.00	EC000000	679605	4549734123655	#		IB	IBW	USA	8537.1098.99
13605-000	HMI (7" touchscreen, cables, power supply, mounting gasket)	4,167.00	EC000000	679611	4549734123211	#		IB	IBW	GBR	8479.9070.99
13660-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Double Sensor, Magnetic tape, 50 m roll	4,364.00	EC000000	703096	4549734737814			IB	IBW	USA	8479.9070.99
13660-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-60/90/CT - Single Sensor, Magnetic tape, 50 m roll	3,866.00	EC000000	703097	4549734737807			IB	IBW	USA	8479.9070.99
13700-000	Mobile Robot Acuity Option with leveling kit	8,540.00	EC000000	679598	4549734133821			IB	IBW	DEU	8479.9070.99
13700-100	Mobile Robot Acuity Option without leveling kit	7,540.00	EC000000	679602	4549734133838			IB	IBW	DEU	8479.9070.99
14165-000	DB4HD Breakout cable	480.90	EC000000	679615	4549734133845	#		IB	IBW	USA	8544.4290.90
14925-000	Magnetic Tape, 25 mm wide for Track Following Sensor, 50 m Length - For all LD	513.50	EC000000	702960	4549734694742			IB	IBW	JPN	8479.9070.99
20458-002	Top Plate Assembly for LD-250	1,151.00	EC000000	695379	4549734664516			IB	IBW	JPN	8479.9070.99
21374-000	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Double Sensor, Magnetic tape, 50 m roll	5,395.00	EC000000	703098	4549734737791			IB	IBW	USA	8479.9070.99
21374-100	Mobile Robot HAPS (High Accuracy Positioning System) option LD-250 - Single Sensor, Magnetic tape, 50 m roll	4,451.00	EC000000	703099	4549734737784			IB	IBW	USA	8479.9070.99
OAT Aksesuarlar											
02853-000	ADEPT Cobra 600/800 All Spare Part Valve Kit, 24VDC	974.50	EC003554	698719	4549734680714			IB	IBZ	USA	8479.9070.99
10051-003	ADEPT Cobra 600/800 All Spare Part T20 Pendant Adapter Cable	543.50	EC003554	698722	4549734680370			IB	IBZ	CHN	8544.4290.90
18823-100	Cable, USER to Wire Lead, 1.5m	313.20	EC003554	708308	4549734770163			IB	IBZ	MYS	8544.4290.90
18908-000	Bracket, Camera Mount, i4H-SCABA	740.00	EC003554	708312	4549734770125			IB	IBZ	USA	8479.9070.99
19106-100	Tool Flange, i4H, Legacy Mount	334.80	EC003554	708313	4549734770118			IB	IBZ	NLD	8479.9070.99
19140-100	Cable, TIO to Wire Lead, 1.5m	270.00	EC003554	708307	4549734770170			IB	IBZ	MYS	8544.4290.90
19165-000	Solenoid Valve Kit, i4H	902.00	EC003554	708310	4549734770149			IB	IBZ	JPN	8479.9070.99
19464-003F	Kit, Bellows Add-on, 210mm, i4H	3,564.00	EC003554	708302	4549734767910			IB	IBZ	NLD	8479.9070.99
19464-004F	Kit, Bellows Add-on, 410mm, i4H	4,817.00	EC003554	708303	4549734767927			IB	IBZ	NLD	8479.9070.99
20089-000	Bracket, Wall Mount, i4H	1,210.00	EC003554	708309	4549734770156			IB	IBZ	TWN	8479.9070.99
21636-000	i4H Adapter Plate (available to mount the robot to a mounting surface designed for an eCobra 600/800 robot type)	266.70	EC003554	702734	4549734723008			IB	IBZ	USA	8479.9070.99
22295-000	Adapter, Camera Mount, i4H-SCABA	189.00	EC003554	708311	4549734770132			IB	IBZ	USA	8479.9070.99
22839-000	Kit, Bellows, i4L, 180mm Outil	2,279.00	EC003554	708316	4549734763936			IB	IBZ	JPN	8479.9070.99
22868-000	Kit, Bellows, i4L, 350mm Outil	3,095.00	EC003554	708317	4549734763929			IB	IBZ	JPN	8479.9070.99
22871-000	Kit, i4L, Camera Mount	161.00	EC003554	708319	4549734763905			IB	IBZ	USA	8479.9070.99
22872-000	Kit, Solenoid Valve, i4L	837.00	EC003554	708318	4549734763912			IB	IBZ	JPN	8479.9070.99
23912-000	Kit, 24V DC Supply, 240W, 5 Meter, Fixed Accessories	243.00	EC003554	708315	4549734763943			IB	IBZ	IDN	8504.4030.00
23913-000	Kit, 48V DC Supply, 960W, 5 Meter, Fix Accessories	875.00	EC003554	708314	4549734763950			IB	IBZ	IDN	8504.4030.00
OAT Aksesuarlar											
14161-200	Kit, Intelligent Force Sensing, Viper 650/850	13,710.00	EC003554	698735	4549734677295			IB	IBZ	USA	8479.9070.99
OAT Aksesuarlar											
14161-300	Kit, Intelligent Force Sensing, Hornet and Quattro	13,270.00	EC003554	673729	4548583989931			IB	IBZ	USA	8479.9070.99
14161-300	Kit, Intelligent Force Sensing, Hornet and Quattro	13,270.00	EC003554	698734	4549734677301			IB	IBZ	USA	8479.9070.99

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
OAT Aksesuarlar											
05284-101	Anyfeeder Surface, POM, Flat, White, SX240	449.30	EC000000	682872	4549734264648			IB	IBZ	CHE	8479.9070.99
05284-208	Anyfeeder Backlight - IR 875 nm, SX240	4,732.00		682875	4549734264716			IB	IBZ	CHE	8479.9070.99
09725-301	Anyfeeder Surface, POM, Flat, White, SXM140	351.00	EC000000	682842	4549734264785			IB	IBZ	CHE	8479.9070.99
12480-501	Anyfeeder SX240, No Feed Surface, Integrated Backlight (IB)	37,910.00		687078	4549734491525			IB	IBZ	CHE	8479.9070.99
14269-003	Anyfeeder Surface, POM, Flat, White, SX340	856.50	EC000000	682882	4549734264860			IB	IBZ	CHE	8479.9070.99
14269-500	Anyfeeder SX-340 without Feed Surface	40,880.00		682851	4549734264907			IB	IBZ	CHE	8479.9070.99
14269-501	Anyfeeder SX340, No Feed Surface, Integrated Backlight (IB)	47,770.00		687076	4549734491549			IB	IBZ	CHE	8479.9070.99
18819-500	Anyfeeder SXM-140 without Feed Surface	30,080.00		682854	4549734264938			IB	IBZ	CHE	8479.9070.99
OAT Aksesuarlar											
01056-030	ACF Adept Sight 3.0 Vision Software	5,355.00	EC003554	698752	4549734676960			IB	IBZ	USA	8479.9070.99
04677-030	IO Blox uzatma kablosu, 3.0M (IO Blox'u robota bağlar)	226.50	EC003554	698748	4549734677028			IB	IBZ	USA	8544.4290.90
04679-003	IO Blox uzatma kablosu, 30M (IO Blox'u IO Blox'a bağlar)	226.50	EC003554	698750	4549734677004			IB	IBZ	USA	8544.4290.90
09187-000	ACF PackXpert License	3,180.00	EC003554	698753	4549734676946			IB	IBZ	USA	8479.9070.99
09187-010	ACF PackXpert ve ACF adeptSight Vision	7,740.00	EC003554	698751	4549734676991			IB	IBZ	USA	8479.9070.99
09438-000	Breakout Terminal Block, DB50 Male, DIN Rail Mount	416.40	EC003554	698747	4549734677035			IB	IBZ	USA	8536.9010.00
09443-000	Kablo, Konveyör enkoderi, M12 Dişi, Y-Adapter, 2-enkoder desteği, 3 Metre	220.30	EC003554	698745	4549734677172	#		IB	IBZ	USA	8544.4290.90
09446-050	enkoder uzatma kablosu, M12 Erkek, M12 Dişi, 8pin, 5 Metre	327.40	EC003554	698744	4549734677189	#		IB	IBZ	USA	8544.4290.90
09742-000	Adept TR-1 Konveyör Encoder Kit	1,644.00	EC003554	698717	4549734680783			IB	IBZ	USA	8479.9070.99
09742-001	Adept TR-1 Konveyör enkoder Kit, IP65	1,090.00	EC003554	698718	4549734680738			IB	IBZ	USA	8479.9070.99
10046-010	T20 Pendant, 10m Kablolu	2,610.00	EC003554	698737	4549734677271			IB	IBZ	USA	8537.1098.99
10048-000	T20 Pendant, Jumper Plug	113.10	EC003554	698728	4549734678261			IB	IBZ	USA	8536.9010.00
11585-000	Kablo, eAIB XSYS Kablosu, 4 m	172.00	EC003554	687054	4549734492089			IB	IBZ	USA	8479.9070.99
13323-000	Kablo montajı XSYSTEM Adapter, jampere ile birlikte	172.00	EC003554	687053	4549734492096			IB	IBZ	USA	8479.9070.99
13463-000	XBELTIO Kablosu	349.90	EC003554	687052	4549734492102	#		IB	IBZ	USA	8479.9070.99
14161-100	Kit, Intelligent Force Sensing, eCobra, 600/800 (Std./Pro)	13,270.00	EC003554	698736	4549734677288			IB	IBZ	USA	8479.9070.99
19300-000	SmartController EX	4,747.00	EC003554	698746	4549734677066			IB	IBZ	USA	8479.9070.99
20410-000	ACF Sight Software License (4 x)	5,765.00	EC003554	688613	4549734524070	#		IB	IBZ	USA	8523.5190.00
20433-000	PackXpert + ACF Sight Software License (4 x)	8,340.00	EC003554	688614	4549734524087	#		IB	IBZ	USA	8523.5190.00
21857-100	Kit, Small Scanner + 3D Pick Manager License	23,700.00	EC003554	702136	4549734605465			IB	IBZ	SVK	8479.9070.99
21857-200	Kit, Medium Scanner + 3D Pick Manager License	29,630.00	EC003554	702135	4549734605472			IB	IBZ	SVK	8479.9070.99
21857-300	Kit, Large Scanner + 3D Pick Manager License	35,550.00	EC003554	702134	4549734605489			IB	IBZ	SVK	8479.9070.99
21857-900	Calibration Kit 3D Pick Manager	142.30	EC003554	703000	4549734605496			IB	IBZ	SVK	8479.9070.99
24114-250	Kit, Kamera, GigE PoE, 1600 x 1200, 60 fps, B/W, ACE, 1/1.8" CMOS	1,400.00	EC003554	687063	4549734491990	#		IB	IBZ	DEU	8479.9070.99
24114-300	Kit, Kamera, GigE PoE, 2048 x 2048, 25 fps, B/W, ACE, 1" CMOS	3,915.00	EC003554	687061	4549734492010	#		IB	IBZ	DEU	8479.9070.99
27400-29006	Lamp, Filmt, W2x4.6D6V1.2	14.13	EC003554	698732	4549734677585			IB	IBZ	USA	8539.2998.90
90330-01080	Digital I/O Cable, 5 m	786.00	EC003554	698721	4549734680417			IB	IBZ	USA	8544.4290.90
90356-30100	IO Blox 8/IP-8/OP to (genişleme - bir önceki IO Blox'a bağlar)	559.50	EC003554	698724	4549734679800			IB	IBZ	USA	8536.9010.00
90356-30200	IO Blox 8/IP-8/OP (1st IO Blox - robot'a bağlar)	559.50	EC003554	698723	4549734679930			IB	IBZ	USA	8536.9010.00
90356-40100	XIO Termination Block, 12/IP-8/OP	559.50	EC003554	698725	4549734679572			IB	IBZ	USA	8536.9010.00
90565-010	AC Power Cable Kit	786.00	EC003554	698742	4549734677202			IB	IBZ	USA	8544.4290.90
AC1-152000	IPC Robots, Application Controller	4,749.00	EC003554	688611	4549734524056	#		IB	IBZ	NLD	8471.5000.00
Servo Sürücüler 1S-Serisi											
R88D-1SN01H-ECT	1S servo sürücü, EtherCAT, 100 W, 1~ 230 VAC	904.00	EC002572	670725	4548583789166	#		MB	MBA	JPN	8501.4020.80
R88D-1SN02H-ECT	1S servo sürücü, EtherCAT, 200 W, 1~ 230 VAC	1,114.00	EC002572	670719	4548583789173	#		MB	MBA	JPN	8501.4020.80
R88D-1SN04H-ECT	1S servo sürücü, EtherCAT, 400 W, 1~ 230 VAC	1,185.00	EC002572	670727	4548583789180	#		MB	MBA	JPN	8501.4020.80
R88D-1SN06F-ECT	1S servo sürücü, EtherCAT, 600 W, 3~ 400 VAC	1,217.00	EC002572	670720	4548583789241	#		MB	MBA	JPN	8501.4020.80
R88D-1SN08H-ECT	1S servo sürücü, EtherCAT, 800 W, 1~ 230 VAC	1,209.00	EC002572	670726	4548583789197	#		MB	MBA	JPN	8501.4020.80
R88D-1SN10F-ECT	1S servo sürücü, EtherCAT, 1 kW, 3~ 400 VAC	1,301.00	EC002572	670723	4548583789258	#		MB	MBA	JPN	8501.4020.80
R88D-1SN150F-ECT	1S servo drive, EtherCAT type, 1.5 kW, 3~ 400 VAC	7,480.00	EC002572	689222	4549734210041	#		MB	MBA	JPN	9032.8900.90
R88D-1SN15F-ECT	1S servo sürücü, EtherCAT, 1.5 kW, 3~ 400 VAC	1,353.00	EC002572	670721	4548583789265	#		MB	MBA	JPN	8501.4020.80
R88D-1SN15H-ECT	1S servo sürücü, EtherCAT, 1.5 kW, 1~ 230 VAC	1,761.00	EC002572	670724	4548583789210	#		MB	MBA	JPN	8501.4020.80
R88D-1SN20F-ECT	1S servo sürücü, EtherCAT, 2 kW, 3~ 400 VAC	1,641.00	EC002572	670728	4548583789272	#		MB	MBA	JPN	8501.4020.80
R88D-1SN30F-ECT	1S servo sürücü, EtherCAT, 3 kW, 3~ 400 VAC	1,792.00	EC002572	670722	4548583789289	#		MB	MBA	JPN	8501.4020.80
R88D-1SN55F-ECT	1S servo drive, EtherCAT type, 5.5 kW, 3~ 400 VAC	2,725.00	EC002572	689220	4549734210027	#		MB	MBA	PHL	9032.8900.90
R88D-1SN75F-ECT	1S servo drive, EtherCAT type, 7.5 kW, 3~ 400 VAC	4,859.00	EC002572	689221	4549734210034	#		MB	MBA	PHL	9032.8900.90
Servo Sürücüler 1S-Serisi											
R88D-1SAN02H-ECT	1SA servo drive with safety, EtherCAT type, 200 W, 1~ 230 VAC	1,359.00	EC002572	693630	4549734219419			MB	MBA	CHN	8501.4020.80
R88D-1SAN04H-ECT	1SA servo drive with safety, EtherCAT type, 400 W, 1~ 230 VAC	1,447.00	EC002572	693631	4549734219426	#		MB	MBA	CHN	8501.4020.80
R88D-1SAN08H-ECT	1SA servo drive with safety, EtherCAT type, 800 W, 1~ 230 VAC	1,476.00	EC002572	693632	4549734219433			MB	MBA	CHN	8501.4020.80
R88D-1SAN10F-ECT	1SA servo drive with safety, EtherCAT type, 1 kW, 3~ 400 VAC	1,588.00	EC002572	695499	4549734219488			MB	MBA	CHN	9032.8900.90
R88D-1SAN15F-ECT	1SA servo drive with safety, EtherCAT type, 1.5 kW, 3~ 400 VAC	1,650.00	EC002572	695498	4549734219495			MB	MBA	CHN	9032.8900.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88D-1SAN15H-ECT	1SA servo drive with safety, EtherCAT type, 1.5 kW, 1~230 VAC	2,148.00	EC002572	695500	4549734219457			MB	MBA	CHN	9032.8900.90
R88D-1SAN20F-ECT	1SA servo drive with safety, EtherCAT type, 2 kW, 3~400 VAC	2,005.00	EC002572	695497	4549734219501	#		MB	MBA	CHN	9032.8900.90
R88D-1SAN30F-ECT	1SA servo drive with safety, EtherCAT type, 3 kW, 3~400 VAC	2,187.00	EC002572	695496	4549734219518			MB	MBA	CHN	9032.8900.90
Servo Motorlar 1S-Serisi											
R88M-1L1K030C-BS2	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, frenli	2,109.00	EC001851	672247	4548583789890	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030C-S2	1S AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1,798.00	EC001851	672248	4548583789739	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030H-BS2	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder, with brake	2,412.00	EC001851	681567	4549734172479	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030H-S2	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, incremental encoder	1,997.00	EC001851	681573	4549734172462	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030T-BS2	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, frenli	2,116.00	EC001851	672245	4548583789845	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K030T-S2	1S AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	1,751.00	EC001851	672254	4548583789685	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530C-BS2	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, frenli	2,292.00	EC001851	672249	4548583789906	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530C-S2	1S AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1,840.00	EC001851	672250	4548583789746	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530H-BS2	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder, with brake	2,778.00	EC001851	681574	4549734172493	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530H-S2	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, incremental encoder	2,264.00	EC001851	681568	4549734172486	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530T-BS2	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, frenli	2,439.00	EC001851	672246	4548583789852	#		MB	MBB	JPN	8501.5220.89
R88M-1L1K530T-S2	1S AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	1,987.00	EC001851	672255	4548583789692	#		MB	MBB	JPN	8501.5220.89
R88M-1L2K030C-BS2	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, frenli	2,729.00	EC001851	672244	4548583789913	#		MB	MBB	JPN	8501.5220.89
R88M-1L2K030C-S2	1S AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	2,267.00	EC001851	672257	4548583789753	#		MB	MBB	JPN	8501.5220.89
R88M-1L3K030C-BS2	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, frenli	3,055.00	EC001851	672251	4548583789920	#		MB	MBB	JPN	8501.5220.89
R88M-1L3K030C-S2	1S AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	2,597.00	EC001851	672252	4548583789760	#		MB	MBB	JPN	8501.5220.89
R88M-1L4K030C-BS2	1S AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder, with brake	3,840.00	EC001851	689224	4549734210669	#		MB	MBB	JPN	8501.5220.89
R88M-1L4K030C-S2	1S AC servo motor, 4 kW, 400 VAC, 3000 rpm, 12.7 Nm, absolute encoder	3,197.00	EC001851	689223	4549734210645	#		MB	MBB	JPN	8501.5220.89
R88M-1L5K030C-BS2	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder, with brake	4,731.00	EC001851	689226	4549734210744	#		MB	MBB	JPN	8501.5220.89
R88M-1L5K030C-S2	1S AC servo motor, 5 kW, 400 VAC, 3000 rpm, 15.9 Nm, absolute encoder	4,080.00	EC001851	689225	4549734210720	#		MB	MBB	JPN	8501.5220.89
R88M-1L75030C-BS2	1S AC servo motor, 7.5 kW, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, frenli	2,090.00	EC001851	672253	4548583789883	#		MB	MBB	JPN	8501.5100.90
R88M-1L75030C-S2	1S AC servo motor, 7.5 kW, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,711.00	EC001851	672256	4548583789722	#		MB	MBB	JPN	8501.5100.90
R88M-1M10030H-BS2	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder, with brake	1,003.00	EC001851	681576	4549734172394	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030H-S2	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, incremental encoder	728.50	EC001851	681572	4549734172387	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030T-BS2	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder, frenli	1,253.00	EC001851	670732	4548583789807	#		MB	MBB	PHL	8501.5100.90
R88M-1M10030T-S2	1S AC servo motor, 100 W, 230 VAC, 3000 rpm, 0.318 Nm, absolute encoder	909.50	EC001851	670742	4548583789867	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030H-BS2	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder, with brake	1,067.00	EC001851	681570	4549734172417	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030H-S2	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, incremental encoder	781.50	EC001851	681565	4549734172400	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030T-BS2	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, frenli	1,336.00	EC001851	670746	4548583789814	#		MB	MBB	PHL	8501.5100.90
R88M-1M20030T-S2	1S AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	976.50	EC001851	670733	4548583789854	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030H-BS2	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder, with brake	1,230.00	EC001851	681566	4549734172431	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030H-S2	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, incremental encoder	915.00	EC001851	681571	4549734172424	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030T-BS2	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, frenli	1,535.00	EC001851	670749	4548583789821	#		MB	MBB	PHL	8501.5100.90
R88M-1M40030T-S2	1S AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1,142.00	EC001851	670755	4548583789861	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030H-BS2	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder, with brake	1,419.00	EC001851	681563	4549734172455	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030H-S2	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, incremental encoder	1,066.00	EC001851	681561	4549734172448	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030T-BS2	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, frenli	1,768.00	EC001851	670759	4548583789838	#		MB	MBB	PHL	8501.5100.90
R88M-1M75030T-S2	1S AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,334.00	EC001851	670744	4548583789878	#		MB	MBB	PHL	8501.5100.90
Servo Motorlar 1S-Serisi											
R88M-1M11K015C-BS2	1S AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder, with brake	6,775.00	EC001851	689234	4549734211062	#		MB	MBB	JPN	8501.5230.90
R88M-1M11K015C-S2	1S AC servo motor, 11 kW, 400 VAC, 1500 rpm, 70.0 Nm, absolute encoder	5,600.00	EC001851	689233	4549734211048	#		MB	MBB	JPN	8501.5230.90
R88M-1M15K015C-BS2	1S AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder, with brake	8,250.00	EC001851	689236	4549734211147	#		MB	MBB	JPN	8501.5230.90
R88M-1M15K015C-S2	1S AC servo motor, 15 kW, 400 VAC, 1500 rpm, 95.5 Nm, absolute encoder	7,075.00	EC001851	689235	4549734211123	#		MB	MBB	JPN	8501.5230.90
R88M-1M1K020C-BS2	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli	1,760.00	EC001851	679973	4549734165204	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020C-S2	1S AC servo motor, 1 kW, 400 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder	1,251.00	EC001851	679958	4549734165105	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020H-BS2	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder, with brake	2,073.00	EC001851	681569	4549734172516	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020H-S2	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, incremental encoder	1,643.00	EC001851	681575	4549734172509	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020T-BS2	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder, frenli	1,818.00	EC001851	680427	4549734165143	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K020T-S2	1S AC servo motor, 1 kW, 230 VAC, 2000 rpm, 4.77 Nm, absolute (mutlak) encoder	1,442.00	EC001851	679974	4549734165044	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520C-BS2	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli	1,872.00	EC001851	679985	4549734165211	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520C-S2	1S AC servo motor, 1.5 kW, 400 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder	1,584.00	EC001851	679978	4549734165112	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520H-BS2	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder, with brake	2,149.00	EC001851	681564	4549734172530	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520H-S2	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, incremental encoder	1,780.00	EC001851	681577	4549734172523	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520T-BS2	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder, frenli	1,888.00	EC001851	679957	4549734165150	#		MB	MBB	PHL	8501.5220.89
R88M-1M1K520T-S2	1S AC servo motor, 1.5 kW, 230 VAC, 2000 rpm, 7.16 Nm, absolute (mutlak) encoder	1,563.00	EC001851	679979	4549734165051	#		MB	MBB	PHL	8501.5220.89
R88M-1M2K020C-BS2	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder, frenli	2,079.00	EC001851	679953	4549734165228	#		MB	MBB	PHL	8501.5220.89
R88M-1M2K020C-S2	1S AC servo motor, 2 kW, 400 VAC, 2000 rpm, 9.55 Nm, absolute (mutlak) encoder	1,704.00	EC001851	679952	4549734165129	#		MB	MBB	PHL	8501.5220.89
R88M-1M3K020C-BS2	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder, frenli	2,570.00	EC001851	679972	4549734165235	#		MB	MBB	PHL	8501.5220.89
R88M-1M3K020C-S2	1S AC servo motor, 3 kW, 400 VAC, 2000 rpm, 14.32 Nm, absolute (mutlak) encoder	2,019.00	EC001851	679984	4549734165136	#		MB	MBB	PHL	8501.5220.89

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88M-1M40020C-BS2	1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder, frenli	1,623.00	EC001851	681595	4549734165181	#		MB	MBB	PHL	8501.5100.90
R88M-1M40020C-S2	1S AC servo motor, 400 W, 400 VAC, 2000 rpm, 1.91 Nm, absolute encoder	1,161.00	EC001851	681597	4549734165082	#		MB	MBB	PHL	8501.5100.90
R88M-1M4K015C-BS2	1S AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder, with brake	3,018.00	EC001851	689228	4549734210829	#		MB	MBB	PHL	8501.5220.89
R88M-1M4K015C-S2	1S AC servo motor, 4 kW, 400 VAC, 1500 rpm, 25.5 Nm, absolute encoder	2,369.00	EC001851	689227	4549734210805	#		MB	MBB	PHL	8501.5220.89
R88M-1M5K515C-BS2	1S AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder, with brake	3,314.00	EC001851	689230	4549734210904	#		MB	MBB	PHL	8501.5220.89
R88M-1M5K515C-S2	1S AC servo motor, 5.5 kW, 400 VAC, 1500 rpm, 35.0 Nm, absolute encoder	2,665.00	EC001851	689229	4549734210881	#		MB	MBB	PHL	8501.5220.89
R88M-1M60020C-BS2	1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder, frenli	1,687.00	EC001851	681596	4549734165198	#		MB	MBB	PHL	8501.5100.90
R88M-1M60020C-S2	1S AC servo motor, 600 W, 400 VAC, 2000 rpm, 2.86 Nm, absolute encoder	1,215.00	EC001851	681594	4549734165099	#		MB	MBB	PHL	8501.5100.90
R88M-1M7K515C-BS2	1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder, with brake	5,450.00	EC001851	689232	4549734210980	#		MB	MBB	PHL	8501.5220.89
R88M-1M7K515C-S2	1S AC servo motor, 7.5 kW, 400 VAC, 1500 rpm, 47.8 Nm, absolute encoder	4,798.00	EC001851	689231	4549734210966	#		MB	MBB	PHL	8501.5220.89
Servo Motorlar 1S-Serisi											
R88M-1M2K010C-BS2	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder, frenli	3,060.00	EC001851	680412	4549734165860			MB	MBB	PHL	8501.5220.89
R88M-1M2K010C-S2	1S AC servo motor, 2 kW, 400 VAC, 1000 rpm, 19.1 Nm, absolute (mutlak) encoder	2,492.00	EC001851	680268	4549734165808	#		MB	MBB	PHL	8501.5220.89
R88M-1M3K010C-BS2	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder, frenli	3,645.00	EC001851	679950	4549734165877	#		MB	MBB	PHL	8501.5220.89
R88M-1M3K010C-S2	1S AC servo motor, 3 kW, 400 VAC, 1000 rpm, 28.65 Nm, absolute (mutlak) encoder	3,124.00	EC001851	679975	4549734165815	#		MB	MBB	PHL	8501.5220.89
R88M-1M90010C-BS2	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli	1,987.00	EC001851	679976	4549734165853	#		MB	MBB	PHL	8501.5220.89
R88M-1M90010C-S2	1S AC servo motor, 900 W, 400 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder	1,641.00	EC001851	679980	4549734165792	#		MB	MBB	PHL	8501.5220.89
R88M-1M90010T-BS2	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder, frenli	2,073.00	EC001851	679951	4549734165822	#		MB	MBB	PHL	8501.5220.89
R88M-1M90010T-S2	1S AC servo motor, 900 W, 230 VAC, 1000 rpm, 8.59 Nm, absolute (mutlak) encoder	1,633.00	EC001851	679962	4549734165761	#		MB	MBB	PHL	8501.5220.89
Servo Motorlar 1S-Serisi											
R88M-1A11K030C-BS2	1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,571.00	EC001851	695577	4549734220378			MB	MBB	JPN	8501.5220.89
R88M-1A11K030C-S2	1SA AC servo motor, 1 kW, 400 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,193.00	EC001851	695578	4549734220354			MB	MBB	JPN	8501.5220.89
R88M-1A11K030T-BS2	1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder, with brake	2,582.00	EC001851	695579	4549734219815	#		MB	MBB	JPN	8501.5220.89
R88M-1A11K030T-S2	1SA AC servo motor, 1 kW, 230 VAC, 3000 rpm, 3.18 Nm, absolute encoder	2,137.00	EC001851	695580	4549734219792	#		MB	MBB	JPN	8501.5220.89
R88M-1A11K530C-BS2	1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2,798.00	EC001851	695581	4549734220453	#		MB	MBB	JPN	8501.5220.89
R88M-1A11K530C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,244.00	EC001851	695582	4549734220439	#		MB	MBB	JPN	8501.5220.89
R88M-1A11K530T-BS2	1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder, with brake	2,976.00	EC001851	695583	4549734219891	#		MB	MBB	JPN	8501.5220.89
R88M-1A11K530T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 3000 rpm, 4.77 Nm, absolute encoder	2,422.00	EC001851	695584	4549734219877	#		MB	MBB	JPN	8501.5220.89
R88M-1A12K030C-BS2	1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder, with brake	3,327.00	EC001851	695585	4549734220538	#		MB	MBB	JPN	8501.5220.89
R88M-1A12K030C-S2	1SA AC servo motor, 2 kW, 400 VAC, 3000 rpm, 6.37 Nm, absolute encoder	2,766.00	EC001851	695586	4549734220514	#		MB	MBB	JPN	8501.5220.89
R88M-1A13K030C-BS2	1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder, with brake	3,725.00	EC001851	695587	4549734220613	#		MB	MBB	JPN	8501.5220.89
R88M-1A13K030C-S2	1SA AC servo motor, 3 kW, 400 VAC, 3000 rpm, 9.55 Nm, absolute encoder	3,169.00	EC001851	695588	4549734220590	#		MB	MBB	JPN	8501.5220.89
R88M-1A175030C-BS2	1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,550.00	EC001851	695589	4549734220293	#		MB	MBB	JPN	8501.5100.90
R88M-1A175030C-S2	1SA AC servo motor, 750 W, 400 VAC, 3000 rpm, 2.39 Nm, absolute encoder	2,086.00	EC001851	695590	4549734220279	#		MB	MBB	JPN	8501.5100.90
R88M-1AM20030T-BS2	1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder, with brake	1,630.00	EC001851	695595	4549734219570	#		MB	MBB	PHL	8501.5100.90
R88M-1AM20030T-S2	1SA AC servo motor, 200 W, 230 VAC, 3000 rpm, 0.637 Nm, absolute encoder	1,192.00	EC001851	695596	4549734219556	#		MB	MBB	PHL	8501.5100.90
R88M-1AM40030T-BS2	1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder, with brake	1,872.00	EC001851	695599	4549734219655	#		MB	MBB	PHL	8501.5100.90
R88M-1AM40030T-S2	1SA AC servo motor, 400 W, 230 VAC, 3000 rpm, 1.27 Nm, absolute encoder	1,394.00	EC001851	695600	4549734219631	#		MB	MBB	PHL	8501.5100.90
R88M-1AM75030T-BS2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder, with brake	2,157.00	EC001851	695601	4549734219730	#		MB	MBB	PHL	8501.5100.90
R88M-1AM75030T-S2	1SA AC servo motor, 750 W, 230 VAC, 3000 rpm, 2.39 Nm, absolute encoder	1,626.00	EC001851	695602	4549734219716	#		MB	MBB	PHL	8501.5100.90
Servo Motorlar 1S-Serisi											
R88M-1AM1K515C-BS2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2,285.00	EC001851	695591	4549734220699			MB	MBB	PHL	8501.5220.89
R88M-1AM1K515C-S2	1SA AC servo motor, 1.5 kW, 400 VAC, 1500 rpm, 9.55 Nm, absolute encoder	1,932.00	EC001851	695592	4549734220675			MB	MBB	PHL	8501.5220.89
R88M-1AM1K515T-BS2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder, with brake	2,303.00	EC001851	695593	4549734220132	#		MB	MBB	PHL	8501.5220.89
R88M-1AM1K515T-S2	1SA AC servo motor, 1.5 kW, 230 VAC, 1500 rpm, 9.55 Nm, absolute encoder	1,906.00	EC001851	695594	4549734220118	#		MB	MBB	PHL	8501.5220.89
R88M-1AM3K015C-BS2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder, with brake	3,135.00	EC001851	695597	4549734220774	#		MB	MBB	PHL	8501.5220.89
R88M-1AM3K015C-S2	1SA AC servo motor, 3 kW, 400 VAC, 1500 rpm, 19.1 Nm, absolute encoder	2,463.00	EC001851	695598	4549734220750	#		MB	MBB	PHL	8501.5220.89
Servo Aksesuarları-2											
R88A-CR1A001-SCE-E	1S serisi servo enkoder kablo su, 1.5m, 230V, 50-750W	118.80	EC002615	670619	4548583972438	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A003CF-E	1S serisi servo enkoder kablo su, 3m, 230V, 50-750W	124.80	EC002615	670612	4548583972360	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A005CF-E	1S serisi servo enkoder kablo su, 5m, 230V, 50-750W	133.40	EC002615	670623	4548583972476	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A010CF-E	1S serisi servo enkoder kablo su, 10m, 230V, 50-750W	154.90	EC002615	670620	4548583972445	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A015CF-E	1S serisi servo enkoder kablo su, 15m, 230V, 50-750W	181.20	EC002615	670624	4548583972483	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A020CF-E	1S serisi servo enkoder kablo su, 20m, 230V, 50-750W	222.00	EC002615	670613	4548583972377	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1A030CF-E	1S serisi servo enkoder kablo su, 30m, 230V, 50-750W	295.90	EC002615	670615	4548583972391	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B001-SNF-E	1S serisi servo enkoder kablo su, 1.5m, 230V, 900W-1.5kW, 400V, 400W-1.5kW	144.30	EC002615	670621	4548583972452	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B003NF-E	1S serisi servo enkoder kablo su, 3m, 230V, 900W-1.5kW, 400V, 400W-1.5kW	148.00	EC002615	670616	4548583972407	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B005NF-E	1S serisi servo enkoder kablo su, 5m, 230V, 900W-1.5kW, 400V, 400W-1.5kW	155.10	EC002615	670618	4548583972421	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B010NF-E	1S serisi servo enkoder kablo su, 10m, 230V, 900W-1.5kW, 400V, 400W-1.5kW	184.90	EC002615	670622	4548583972469	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B015NF-E	1S serisi servo enkoder kablo su, 15m, 230V, 900W-1.5kW, 400V, 400W-1.5kW	210.90	EC002615	670625	4548583972490	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1B020NF-E	1S serisi servo enkoder kablo su, 20m, 230V, 900W-1.5kW, 400V, 400W-1.5kW	258.70	EC002615	670626	4548583972506	#		MB	MBZ	ITA	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CR1R030NF-E	1S serisi servo enkoder kablosu, 30m, 230V: 900W-1.5kW, 400V: 400W-15kW	343.60	EC002615	670629	4548583972537	#		MB	MBZ	ITA	8544.4290.90
R88A-CR1R040NF-E	1S serisi servo enkoder kablosu, 40m, 230V: 900W-1.5kW, 400V: 400W-15kW	432.40	EC002615	670628	4548583972520	#		MB	MBZ	ITA	8544.4290.90
Servo Aksesuarları -2											
R88A-CA1A001-SBF-E	1S serisi servo fren kablosu, 1.5m, 230V: 100-750W	111.00	EC002615	670638	4548583972629	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A001-SSE-F	1S serisi servo motor güç kablosu, 1.5m, 230V: 100-750W	170.00	EC002615	670658	4548583972827	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A003BF-E	1S serisi servo fren kablosu, 3m, 230V: 100-750W	118.30	EC002615	670632	4548583972568	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A003BFR	1S series servo flexible brake cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting	65.65	EC002615	685019	4549734196208	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A003SF-E	1S serisi servo motor güç kablosu, 3m, 230V: 100-750W	174.00	EC002615	670671	4548583972957	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A003SFR	1S series servo motor flexible power cable, 3 m, 230 V: 50 to 750 W, reverse/non-load mounting	110.70	EC002615	685015	4549734196154	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A005BF-E	1S serisi servo fren kablosu, 5m, 230V: 100-750W	122.10	EC002615	670637	4548583972612	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A005SE-F	1S serisi servo motor güç kablosu, 5m, 230V: 100-750W	181.20	EC002615	670672	4548583972964	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A010BF-E	1S serisi servo fren kablosu, 10m, 230V: 100-750W	140.60	EC002615	670634	4548583972582	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A010BFR	1S series servo flexible brake cable, 10 m, 230 V: 50 to 750 W, reverse/non-load mounting	149.30	EC002615	685020	4549734196222	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A010SE-F	1S serisi servo motor güç kablosu, 10m, 230V: 100-750W	207.30	EC002615	670676	4548583973008	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A010SFR	1S series motor flexible power cable, 10 m, 230 V: 50 to 750 W, reverse/non-load mounting	224.70	EC002615	685016	4549734196178	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A015BF-E	1S serisi servo fren kablosu, 15m, 230V: 100-750W	160.90	EC002615	670633	4548583972575	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A015BFR	1S series servo flexible brake cable, 15 m, 230 V: 50 to 750 W, reverse/non-load mounting	500.00	EC002615	685021	4549734196239	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A015SE-F	1S serisi servo motor güç kablosu, 15m, 230V: 100-750W	258.70	EC002615	670643	4548583972674	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A015SFR	1S series motor flexible power cable, 15 m, 230 V: 50 to 750 W, reverse/non-load mounting	325.90	EC002615	685017	4549734196185	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A020BF-E	1S serisi servo fren kablosu, 20m, 230V: 100-750W	177.40	EC002615	670635	4548583972599	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A020BFR	1S series servo flexible brake cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	741.50	EC002615	685022	4549734196246	#		MB	MBZ	CHN	8544.4999.00
R88A-CA1A020SE-F	1S serisi servo motor güç kablosu, 20m, 230V: 100-750W	292.00	EC002615	670653	4548583972773	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A020SFR	1S series servo motor flexible power cable, 20 m, 230 V: 50 to 750 W, reverse/non-load mounting	863.00	EC002615	707320	454973422537	#		MB	MBZ	CHN	8544.4290.90
R88A-CA1A030BF-E	1S serisi servo fren kablosu, 30m, 230V: 100-750W	214.60	EC002615	670631	4548583972551	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1A030SE-F	1S serisi servo motor güç kablosu, 30m, 230V: 100-750W	354.50	EC002615	670655	4548583972797	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C001-SSE-F	1S serisi servo motor güç kablosu, 1.5m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	170.00	EC002615	670664	4548583972889	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C003BF-E	1S serisi servo motor güç kablosu, 3m, frenli, 230V: 900W-1.5kW	247.60	EC002615	670650	4548583972742	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C003SE-F	1S serisi servo motor güç kablosu, 3m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	177.40	EC002615	670683	4548583973077	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C005BF-E	1S serisi servo motor güç kablosu, 5m, frenli, 230V: 900W-1.5kW	273.70	EC002615	670645	4548583972698	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C005SE-F	1S serisi servo motor güç kablosu, 5m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	196.00	EC002615	670640	4548583972643	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C007SF-E	1S series servo motor power cable, 7 m, non braked, 230 V: 900 W to 1.5 kW, 400 V: 400 W to 1.5 k W & 2 k W(2000 & 3000 rpm)	252.70	EC002615	680413	4549734938822	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C010BF-E	1S serisi servo motor güç kablosu, 10m, frenli, 230V: 900W-1.5kW	332.60	EC002615	670668	4548583972926	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C010SE-F	1S serisi servo motor güç kablosu, 10m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	232.90	EC002615	670659	4548583972834	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C015BF-E	1S serisi servo motor güç kablosu, 15m, frenli, 230V: 900W-1.5kW	399.20	EC002615	670663	4548583972872	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C015SE-F	1S serisi servo motor güç kablosu, 15m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	277.20	EC002615	670679	4548583973039	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C020SE-F	1S serisi servo motor güç kablosu, 20m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	421.10	EC002615	670641	4548583972650	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1C030SE-F	1S serisi servo motor güç kablosu, 30m, frensiz, 230V: 900W-1.5kW, 400V: 400W-1.5kW & 2kW(2000-3000rpm)	541.50	EC002615	670669	4548583972933	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E001-SSE-F	1S serisi servo motor güç kablosu, 1.5m, frensiz, 400V: 2kW(1000rpm) & 3kW	199.70	EC002615	670670	4548583972940	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E003BF-E	1S serisi servo motor güç kablosu, 3m, frenli, 400V: 400W-3kW	288.60	EC002615	670639	4548583972636	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E003SE-F	1S serisi servo motor güç kablosu, 3m, frensiz, 400V: 2kW(1000rpm) & 3kW	214.60	EC002615	670648	4548583972728	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E005BF-E	1S serisi servo motor güç kablosu, 5m, frenli, 400V: 400W-3kW	321.50	EC002615	670660	4548583972841	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E005SE-F	1S serisi servo motor güç kablosu, 5m, frensiz, 400V: 2kW(1000rpm) & 3kW	232.90	EC002615	670674	4548583972988	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E010BF-E	1S serisi servo motor güç kablosu, 10m, frenli, 400V: 400W-3kW	399.20	EC002615	670678	4548583973022	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E010SE-F	1S serisi servo motor güç kablosu, 10m, frensiz, 400V: 2kW(1000rpm) & 3kW	299.50	EC002615	670642	4548583972667	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E015BF-E	1S serisi servo motor güç kablosu, 15m, frenli, 400V: 400W-3kW	494.80	EC002615	670666	4548583972902	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E015SE-F	1S serisi servo motor güç kablosu, 15m, frensiz, 400V: 2kW(1000rpm) & 3kW	369.50	EC002615	670644	4548583972681	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E020BF-E	1S serisi servo motor güç kablosu, 20m, frenli, 400V: 400W-3kW	577.00	EC002615	670662	4548583972865	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E020SE-F	1S serisi servo motor güç kablosu, 20m, frensiz, 400V: 2kW(1000rpm) & 3kW	468.70	EC002615	670680	4548583973046	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E030BF-E	1S serisi servo motor güç kablosu, 30m, frenli, 400V: 400W-3kW	772.50	EC002615	670682	4548583973060	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1E040BF-E	1S serisi servo motor güç kablosu, 40m, frenli, 400V: 400W-3kW	994.50	EC002615	670649	4548583972735	#		MB	MBZ	ITA	8544.4999.00
R88A-CA1G003BF-E	1S series servo motor power cable, 3 m, with brake, 400 V: 4 kW to 5.5 kW	303.30	EC002615	689535	4549734209755	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G003SE-F	1S series servo motor power cable, 3 m, non braked, 400 V: 4 kW to 5.5 kW	262.70	EC002615	689536	4549734209670	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G005BF-E	1S series servo motor power cable, 5 m, with brake, 400 V: 4 kW to 5.5 kW	336.30	EC002615	689537	4549734209762	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G005SE-F	1S series servo motor power cable, 5 m, non braked, 400 V: 4 kW to 5.5 kW	292.20	EC002615	689538	4549734209687	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G010BF-E	1S series servo motor power cable, 10 m, with brake, 400 V: 4 kW to 5.5 kW	441.70	EC002615	689539	4549734209779	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G010SE-F	1S series servo motor power cable, 10 m, non braked, 400 V: 4 kW to 5.5 kW	376.80	EC002615	689540	4549734209694	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G015BF-E	1S series servo motor power cable, 15 m, with brake, 400 V: 4 kW to 5.5 kW	557.50	EC002615	689541	4549734209786	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G015SE-F	1S series servo motor power cable, 15 m, non braked, 400 V: 4 kW to 5.5 kW	456.30	EC002615	689542	4549734209700	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G020BF-E	1S series servo motor power cable, 20 m, with brake, 400 V: 4 kW to 5.5 kW	666.50	EC002615	689543	4549734209793	#		MB	MBZ	POL	8544.4290.90
R88A-CA1G020SE-F	1S series servo motor power cable, 20 m, non braked, 400 V: 4 kW to 5.5 kW	543.00	EC002615	689544	4549734209717	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H003BF-E	1S series servo motor power cable, 3 m, with brake, 400 V: 7.5 kW	376.80	EC002615	689547	4549734451338	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H003SE-F	1S series servo motor power cable, 3 m, non braked, 400 V: 7.5 kW	347.40	EC002615	689548	4549734451284	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H005BF-E	1S series servo motor power cable, 5 m, with brake, 400 V: 7.5 kW	479.80	EC002615	689549	4549734451345	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H005SE-F	1S series servo motor power cable, 5 m, non braked, 400 V: 7.5 kW	424.50	EC002615	689550	4549734451291	#		MB	MBZ	POL	8544.4290.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-CA1H010BF	1S series servo motor power cable, 10 m, with brake, 400 V, 7.5 kW	632.00	EC002615	689551	4549734451352	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H010SF	1S series servo motor power cable, 10 m, non braked, 400 V, 7.5 kW	604.50	EC002615	689552	4549734451307	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H015BF	1S series servo motor power cable, 15 m, with brake, 400 V, 7.5 kW	799.00	EC002615	689553	4549734451369	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H015SF	1S series servo motor power cable, 15 m, non braked, 400 V, 7.5 kW	794.00	EC002615	689554	4549734451314	#		MB	MBZ	POL	8544.4290.90
R88A-CA1H020SF	1S series servo motor power cable, 20 m, non braked, 400 V, 7.5 kW	975.50	EC002615	689556	4549734451321	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J005SE	1S series servo motor power cable, 5 m, non braked, 400 V, 11 kW & 15 kW	545.00	EC002615	689866	4549734209847	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J010SE	1S series servo motor power cable, 10 m, non braked, 400 V, 11 kW & 15 kW	811.00	EC002615	689868	4549734209854	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J015SE	1S series servo motor power cable, 15 m, non braked, 400 V, 11 kW & 15 kW	1,049.00	EC002615	689870	4549734209861	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J020SE	1S series servo motor power cable, 20 m, with brake, 400 V, 11 kW & 15 kW	1,289.00	EC002615	689871	4549734209953	#		MB	MBZ	POL	8544.4290.90
R88A-CA1J020SF	1S series servo motor power cable, 20 m, non braked, 400 V, 11 kW & 15 kW	1,285.00	EC002615	689872	4549734209878	#		MB	MBZ	POL	8544.4290.90
Servo Aksesuarları -2											
R88A-F11S103-SE	1S Servo RFI filtre, 230 VAC tek-faz, 100 and 200 W drives	79.10	EC002564	670528	4548583971677	#		MB	MBZ	THA	8529.9097.90
R88A-F11S105-SE	1S Servo RFI filtre, 230 VAC tek-faz, 400 W sürücü	84.75	EC002564	670529	4548583971684	#		MB	MBZ	THA	8529.9097.90
R88A-F11S108-SE	1S Servo RFI filtre, 230 VAC tek-faz, 800 W sürücü	90.35	EC002564	670527	4548583971660	#		MB	MBZ	THA	8529.9097.90
R88A-F11S116-SE	1S Servo RFI filtre, 230 VAC tek-faz, 1.5 kW sürücü	114.90	EC002564	670531	4548583971707	#		MB	MBZ	THA	8529.9097.90
R88A-F11S309-SE	1S Servo RFI filtre, 400 VAC, 600 W - 3 kW sürücü	120.70	EC002564	670530	4548583971691	#		MB	MBZ	THA	8529.9097.90
R88A-F11S330-SE	1S Servo RFI filtre, 400 VAC, for 5.5 kW to 7.5 kW drives	234.10	EC002564	689239	4549734976558	#		MB	MBZ	THA	8529.9097.90
R88A-F11S350-SE	1S Servo RFI filtre, 400 VAC, for 15 kW drives	354.10	EC002564	689240	4549734976565	#		MB	MBZ	THA	8529.9097.90
R88A-F11SA108-SE	1SA Servo RFI filtre, 230 VAC single-phase, for 200 W to 800 W drives	109.70	EC002564	690847	4549734984287	#		MB	MBZ	THA	8529.9097.90
R88A-F11SA116-SE	1SA Servo RFI filtre, 230 VAC single-phase, for 1.5 kW drives	143.00	EC002564	690848	4549734984294	#		MB	MBZ	THA	8529.9097.90
R88A-F11SA309-SE	1SA Servo RFI filtre, 400 VAC, for 1 kW to 3 kW drives	145.50	EC002564	690849	4549734984300	#		MB	MBZ	THA	8529.9097.90
Servo Aksesuarları -2											
R88A-CX1A003BF	1SA series servo hybrid cable, 3 m, with brake, 230V, 200-750W	449.80	EC002615	693618	4549734218931	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A003SF	1SA series servo hybrid cable, 3 m, non braked, 230V, 200-750W	348.10	EC002615	693623	4549734219013	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A005BF	1SA series servo hybrid cable, 5 m, with brake, 230V, 200-750W	507.50	EC002615	693619	4549734218948	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A005SF	1SA series servo hybrid cable, 5 m, non braked, 230V, 200-750W	406.10	EC002615	693624	4549734219020	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A010BF	1SA series servo hybrid cable, 10 m, with brake, 230V, 200-750W	595.50	EC002615	693620	4549734218955	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A010SF	1SA series servo hybrid cable, 10 m, non braked, 230V, 200-750W	493.10	EC002615	693625	4549734219037	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A015BF	1SA series servo hybrid cable, 15 m, with brake, 230V, 200-750W	711.50	EC002615	693621	4549734218962	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A015SF	1SA series servo hybrid cable, 15 m, non braked, 230V, 200-750W	610.00	EC002615	693626	4549734219044	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A020BF	1SA series servo hybrid cable, 20 m, with brake, 230V, 200-750W	856.50	EC002615	693622	4549734218979	#		MB	MBZ	POL	8544.4290.90
R88A-CX1A020SF	1SA series servo hybrid cable, 20 m, non braked, 230V, 200-750W	755.00	EC002615	693627	4549734219051	#		MB	MBZ	POL	8544.4290.90
R88A-CX1BE10BF	1SA series servo EXTENSION hybrid cable, 10 m, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	653.00	EC002615	695502	4549734451840	#		MB	MBZ	POL	8544.4290.90
R88A-CX1BE20BF	1SA series servo EXTENSION hybrid cable, 20 m, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	929.00	EC002615	695501	4549734451857	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C003BF	1SA series servo hybrid cable, 3 m, with brake, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	493.10	EC002615	695507	4549734451659	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C003SF	1SA series servo hybrid cable, 3 m, non braked, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	391.70	EC002615	695512	4549734451604	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C005BF	1SA series servo hybrid cable, 5 m, with brake, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	551.50	EC002615	695506	4549734451666	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C005SF	1SA series servo hybrid cable, 5 m, non braked, 230V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	449.80	EC002615	695511	4549734451611	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C010BF	1SA series servo hybrid cable, 10 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	639.00	EC002615	695505	4549734451673	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C010SF	1SA series servo hybrid cable, 10 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	537.00	EC002615	695510	4549734451628	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C015BF	1SA series servo hybrid cable, 15 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	755.00	EC002615	695504	4549734451680	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C015SF	1SA series servo hybrid cable, 15 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	653.00	EC002615	695509	4549734451635	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C020BF	1SA series servo hybrid cable, 20 m, with brake, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	900.00	EC002615	695503	4549734451697	#		MB	MBZ	POL	8544.4290.90
R88A-CX1C020SF	1SA series servo hybrid cable, 20 m, non braked, 230 V, 1 kW to 1.5 kW, 400 V, 750 W to 3 kW	799.00	EC002615	695508	4549734451642	#		MB	MBZ	POL	8544.4290.90
Servo Aksesuarları -2											
R88A-CN101A	1S motor connector (CNC) for 230 V, 0.1 to 1 kW	108.40	EC002584	674155	4548583859623	#		MB	MBZ	JPN	8536.9010.00
R88A-CN101R	1S connector for encoder cable (drive side)	73.00	EC002584	673346	4548583789098	#	50	MB	MBZ	CHN	8536.9010.00
R88A-CN102A	1S motor connector (CNC) for 230 V, 1.5 to 3 kW and 400 V, 0.6 to 3 kW	127.20	EC002584	674154	4548583863064	#		MB	MBZ	JPN	8536.9010.00
R88A-CN102P	1S main circuit connector (CNA) for 230 V, 0.1 to 1 kW	152.20	EC002584	674151	4548583859593	#		MB	MBZ	JPN	8536.9010.00
R88A-CN104R	1S connector for encoder cable (motor side), for 400 V and from 900 W, 230 V motors	91.70	EC002584	673345	4548583789104	#	60	MB	MBZ	CHN	8536.9010.00
R88A-CN111A	1S connector for power cable (motor side), for 100-750 W, 230 V motors	83.05	EC002584	673344	4548583789111	#		MB	MBZ	CHN	8536.9010.00
R88A-CN111B	1S connector for brake cable (motor side)	63.00	EC002584	673343	4548583789128	#		MB	MBZ	CHN	8536.9010.00
Servo Aksesuarları -2											
R88A-RR12025	External regeneration resistor, capacity: 24 W, 25 Ohm	93.75	EC002615	673209	4548583786905	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30020	External regeneration resistor, 60 W, 20 Ohm	274.60	EC002615	672007	4548583786950	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30025	External regeneration resistor, capacity: 60 W, 25 Ohm	274.60	EC002615	673204	4548583786967	#		MB	MBZ	JPN	8533.4090.00
R88A-RR30033	External regeneration resistor, capacity: 60 W, 33 Ohm	274.60	EC002615	673207	4548583786974	#		MB	MBZ	JPN	8533.4090.00
Servo Aksesuarları -2											
R88A-SC011SE	1S series cable clamp A, Used in 230 V drives up to 750 W	10.95	EC002584	675088	4548583996397	#		MB	MBZ	ITA	8504.5000.90
R88A-SC021SE	1S series cable clamp B, Used in 400 V drives and 230 V (from 1.5 kW to 3 kW)	12.15	EC002584	675089	4548583996403	#		MB	MBZ	ITA	8504.5000.90

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
R88A-SC10CA	1S series cable clamp L. Used in 400 V drives (from 5.5 kW to 15 kW)	52.00	EC002584	693647	4549734540001			MB	MBZ	JPN	8504.5000.90
R88A-SC10CX-PE	1SA series cable shield clamp S. Used in 230V and 400 V drives	47.86	EC002584	701015	4549734896702			MB	MBZ	POL	7326.9098.90
Endüstriyel PC NY											
NYB1C-31001	Industrial Box PC with Intel® Celeron® 2980U, 8 GB DRAM (non-ECC), No storage, No OS, PCIe slot, RS-232C	3,934.00	EC001413	686603	4549734142977			NA	NAA	NLD	8471.4100.00
NYB1E-514P6	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB SSD 3D TLC, WIN 10 IoT Ent., 2019 LTSC (64-bit), PCIe slot, NY Monitor Link	9,815.00	EC001413	207245	4549734755399			NA	NAA	NLD	8471.4100.00
NYB1E-524P6	Industrial Box PC with Intel® Xeon® E3-1515M v5, 32 GB DRAM (non-ECC), 1TB SSD 3D TLC, WIN 10 IoT Ent., 2019 LTSC (64-bit), PCIe slot + HW RAID1, NY Monitor Link	11,020.00	EC001413	207244	4549734755405			NA	NAA	NLD	8471.4100.00
NYB27-30460	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,400.00	EC001413	200137	4549734687881			NA	NAA	NLD	8471.4100.00
NYB27-30466	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,710.00	EC001413	200136	4549734687898			NA	NAA	NLD	8471.4100.00
NYB27-30470	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,740.00	EC001413	200131	4549734687942			NA	NAA	NLD	8471.4100.00
NYB27-30476	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,050.00	EC001413	200130	4549734687959			NA	NAA	NLD	8471.4100.00
NYB27-314D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,875.00	EC001413	200152	4549734687737			NA	NAA	NLD	8471.4100.00
NYB27-314D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,875.00	EC001413	200151	4549734687744			NA	NAA	NLD	8471.4100.00
NYB27-314D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,145.00	EC001413	200150	4549734687751			NA	NAA	NLD	8471.4100.00
NYB27-314K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,055.00	EC001413	200161	4549734687379			NA	NAA	NLD	8471.4100.00
NYB27-314K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,055.00	EC001413	200162	4549734687386			NA	NAA	NLD	8471.4100.00
NYB27-314K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,330.00	EC001413	200163	4549734687393			NA	NAA	NLD	8471.4100.00
NYB27-314L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,340.00	EC001413	200170	4549734687461			NA	NAA	NLD	8471.4100.00
NYB27-314L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,340.00	EC001413	200171	4549734687478			NA	NAA	NLD	8471.4100.00
NYB27-314L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,615.00	EC001413	200172	4549734687485			NA	NAA	NLD	8471.4100.00
NYB27-314M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,925.00	EC001413	200179	4549734687553			NA	NAA	NLD	8471.4100.00
NYB27-314M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,925.00	EC001413	200180	4549734687560			NA	NAA	NLD	8471.4100.00
NYB27-314M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,195.00	EC001413	200181	4549734687577			NA	NAA	NLD	8471.4100.00
NYB27-314P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,595.00	EC001413	200187	4549734687645			NA	NAA	NLD	8471.4100.00
NYB27-314P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,595.00	EC001413	200188	4549734687652			NA	NAA	NLD	8471.4100.00
NYB27-314P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,860.00	EC001413	200189	4549734687669			NA	NAA	NLD	8471.4100.00
NYB27-324D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,100.00	EC001413	203271	4549734730518			NA	NAA	NLD	8471.4100.00
NYB27-324D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,100.00	EC001413	203272	4549734730525			NA	NAA	NLD	8471.4100.00
NYB27-324D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,065.00	EC001413	207175	4549734730532			NA	NAA	NLD	8471.4100.00
NYB27-324D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,100.00	EC001413	203273	4549734730549			NA	NAA	NLD	8471.4100.00
NYB27-324E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,245.00	EC001413	203281	4549734730631			NA	NAA	NLD	8471.4100.00
NYB27-324E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,245.00	EC001413	203282	4549734730648			NA	NAA	NLD	8471.4100.00
NYB27-324E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,525.00	EC001413	203283	4549734730655			NA	NAA	NLD	8471.4100.00
NYB27-324E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,245.00	EC001413	203284	4549734730662			NA	NAA	NLD	8471.4100.00
NYB27-324K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,285.00	EC001413	203236	4549734730037			NA	NAA	NLD	8471.4100.00
NYB27-324K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,285.00	EC001413	203237	4549734730044			NA	NAA	NLD	8471.4100.00
NYB27-324K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,560.00	EC001413	203238	4549734730051			NA	NAA	NLD	8471.4100.00
NYB27-324K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,280.00	EC001413	203239	4549734730068			NA	NAA	NLD	8471.4100.00
NYB27-324L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,570.00	EC001413	203248	4549734730150			NA	NAA	NLD	8471.4100.00
NYB27-324L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,570.00	EC001413	203249	4549734730167			NA	NAA	NLD	8471.4100.00
NYB27-324L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,280.00	EC001413	203195	4549734730174			NA	NAA	NLD	8471.4100.00
NYB27-324L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,595.00	EC001413	203250	4549734730181			NA	NAA	NLD	8471.4100.00
NYB27-324M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,825.00	EC001413	203354	4549734730273			NA	NAA	NLD	8471.4100.00
NYB27-324M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,825.00	EC001413	203355	4549734730280			NA	NAA	NLD	8471.4100.00
NYB27-324M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,060.00	EC001413	203356	4549734730297			NA	NAA	NLD	8471.4100.00
NYB27-324M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,860.00	EC001413	203357	4549734730303			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-324P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,825.00	EC001413	203259	4549734730396			NA	NAA	NLD	8471.4100.00
NYB27-324P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,825.00	EC001413	203260	4549734730402			NA	NAA	NLD	8471.4100.00
NYB27-324P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,085.00	EC001413	203261	4549734730419			NA	NAA	NLD	8471.4100.00
NYB27-324P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,820.00	EC001413	203262	4549734730426			NA	NAA	NLD	8471.4100.00
NYB27-40460	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,525.00	EC001413	200135	4549734687904			NA	NAA	NLD	8471.4100.00
NYB27-40466	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,840.00	EC001413	200134	4549734687911			NA	NAA	NLD	8471.4100.00
NYB27-40470	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,865.00	EC001413	200129	4549734687966			NA	NAA	NLD	8471.4100.00
NYB27-40476	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,185.00	EC001413	200128	4549734687973			NA	NAA	NLD	8471.4100.00
NYB27-414D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,005.00	EC001413	200149	4549734687768			NA	NAA	NLD	8471.4100.00
NYB27-414D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,005.00	EC001413	200148	4549734687775			NA	NAA	NLD	8471.4100.00
NYB27-414D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,275.00	EC001413	200147	4549734687782			NA	NAA	NLD	8471.4100.00
NYB27-414K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,185.00	EC001413	200164	4549734687409			NA	NAA	NLD	8471.4100.00
NYB27-414K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,185.00	EC001413	200165	4549734687416			NA	NAA	NLD	8471.4100.00
NYB27-414K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,455.00	EC001413	200166	4549734687423			NA	NAA	NLD	8471.4100.00
NYB27-414L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,465.00	EC001413	200173	4549734687492			NA	NAA	NLD	8471.4100.00
NYB27-414L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,465.00	EC001413	200174	4549734687508			NA	NAA	NLD	8471.4100.00
NYB27-414L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,745.00	EC001413	200175	4549734687515			NA	NAA	NLD	8471.4100.00
NYB27-414M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,575.00	EC001413	200119	4549734687584			NA	NAA	NLD	8471.4100.00
NYB27-414M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,055.00	EC001413	200182	4549734687591			NA	NAA	NLD	8471.4100.00
NYB27-414M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,315.00	EC001413	200183	4549734687607			NA	NAA	NLD	8471.4100.00
NYB27-414P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,715.00	EC001413	200190	4549734687676			NA	NAA	NLD	8471.4100.00
NYB27-414P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,715.00	EC001413	200191	4549734687683			NA	NAA	NLD	8471.4100.00
NYB27-414P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,990.00	EC001413	200125	4549734687690			NA	NAA	NLD	8471.4100.00
NYB27-414P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT Ent. 2019 LTSC (64-bit), 1 PCIe + 2 drive slots, GigE LAN	7,520.00	EC001413	207394	4549734758567			NA	NAA	NLD	8471.4100.00
NYB27-424D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,235.00	EC001413	203274	4549734730556			NA	NAA	NLD	8471.4100.00
NYB27-424D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,235.00	EC001413	203275	4549734730563			NA	NAA	NLD	8471.4100.00
NYB27-424D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,505.00	EC001413	203276	4549734730570			NA	NAA	NLD	8471.4100.00
NYB27-424D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,225.00	EC001413	203277	4549734730587			NA	NAA	NLD	8471.4100.00
NYB27-424E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,380.00	EC001413	203285	4549734730679			NA	NAA	NLD	8471.4100.00
NYB27-424E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,380.00	EC001413	203286	4549734730686			NA	NAA	NLD	8471.4100.00
NYB27-424E6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,655.00	EC001413	203287	4549734730693			NA	NAA	NLD	8471.4100.00
NYB27-424E9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,375.00	EC001413	203288	4549734730709			NA	NAA	NLD	8471.4100.00
NYB27-424K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,410.00	EC001413	203240	4549734730075			NA	NAA	NLD	8471.4100.00
NYB27-424K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,410.00	EC001413	203241	4549734730082			NA	NAA	NLD	8471.4100.00
NYB27-424K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,685.00	EC001413	203242	4549734730099			NA	NAA	NLD	8471.4100.00
NYB27-424K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,410.00	EC001413	203243	4549734730105			NA	NAA	NLD	8471.4100.00
NYB27-424L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,695.00	EC001413	203251	4549734730198			NA	NAA	NLD	8471.4100.00
NYB27-424L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,695.00	EC001413	203252	4549734730204			NA	NAA	NLD	8471.4100.00
NYB27-424L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,965.00	EC001413	203253	4549734730211			NA	NAA	NLD	8471.4100.00
NYB27-424L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,695.00	EC001413	203254	4549734730228			NA	NAA	NLD	8471.4100.00
NYB27-424M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	8,065.00	EC001413	203358	4549734730310			NA	NAA	NLD	8471.4100.00
NYB27-424M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	8,065.00	EC001413	203359	4549734730327			NA	NAA	NLD	8471.4100.00
NYB27-424M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,300.00	EC001413	203360	4549734730334			NA	NAA	NLD	8471.4100.00
NYB27-424M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	8,100.00	EC001413	203361	4549734730341			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-424P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,945.00	EC001413	203263	4549734730433			NA	NAA	NLD	8471.4100.00
NYB27-424P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,945.00	EC001413	203264	4549734730440			NA	NAA	NLD	8471.4100.00
NYB27-424P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,220.00	EC001413	203265	4549734730457			NA	NAA	NLD	8471.4100.00
NYB27-424P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,945.00	EC001413	203266	4549734730464			NA	NAA	NLD	8471.4100.00
NYB27-50460	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	5,820.00	EC001413	200133	4549734687928			NA	NAA	NLD	8471.4100.00
NYB27-50466	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,135.00	EC001413	200132	4549734687935			NA	NAA	NLD	8471.4100.00
NYB27-50470	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	6,175.00	EC001413	200127	4549734687980			NA	NAA	NLD	8471.4100.00
NYB27-50476	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	6,485.00	EC001413	200126	4549734687997			NA	NAA	NLD	8471.4100.00
NYB27-514D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,310.00	EC001413	200146	4549734687799			NA	NAA	NLD	8471.4100.00
NYB27-514D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,310.00	EC001413	200145	4549734687805			NA	NAA	NLD	8471.4100.00
NYB27-514D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,570.00	EC001413	200144	4549734687812			NA	NAA	NLD	8471.4100.00
NYB27-514K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,485.00	EC001413	200167	4549734687430			NA	NAA	NLD	8471.4100.00
NYB27-514K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,485.00	EC001413	200168	4549734687447			NA	NAA	NLD	8471.4100.00
NYB27-514K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,755.00	EC001413	200169	4549734687454			NA	NAA	NLD	8471.4100.00
NYB27-514L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,765.00	EC001413	200176	4549734687522			NA	NAA	NLD	8471.4100.00
NYB27-514L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,765.00	EC001413	200177	4549734687539			NA	NAA	NLD	8471.4100.00
NYB27-514L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,040.00	EC001413	200178	4549734687546			NA	NAA	NLD	8471.4100.00
NYB27-514M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,345.00	EC001413	200184	4549734687614			NA	NAA	NLD	8471.4100.00
NYB27-514M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,345.00	EC001413	200185	4549734687621			NA	NAA	NLD	8471.4100.00
NYB27-514M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,615.00	EC001413	200186	4549734687638			NA	NAA	NLD	8471.4100.00
NYB27-514P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	7,020.00	EC001413	200155	4549734687706			NA	NAA	NLD	8471.4100.00
NYB27-514P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	7,020.00	EC001413	200154	4549734687713			NA	NAA	NLD	8471.4100.00
NYB27-514P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	7,295.00	EC001413	200153	4549734687720			NA	NAA	NLD	8471.4100.00
NYB27-524D1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,530.00	EC001413	203222	4549734730594			NA	NAA	NLD	8471.4100.00
NYB27-524D2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,530.00	EC001413	203278	4549734730600			NA	NAA	NLD	8471.4100.00
NYB27-524D6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,800.00	EC001413	203279	4549734730617			NA	NAA	NLD	8471.4100.00
NYB27-524D9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,525.00	EC001413	203280	4549734730624			NA	NAA	NLD	8471.4100.00
NYB27-524E1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,685.00	EC001413	203289	4549734730716			NA	NAA	NLD	8471.4100.00
NYB27-524E2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,685.00	EC001413	203290	4549734730723			NA	NAA	NLD	8471.4100.00
NYB27-524F6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	9,960.00	EC001413	203291	4549734730730			NA	NAA	NLD	8471.4100.00
NYB27-524F9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,685.00	EC001413	203223	4549734730747			NA	NAA	NLD	8471.4100.00
NYB27-524K1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,705.00	EC001413	203244	4549734730112			NA	NAA	NLD	8471.4100.00
NYB27-524K2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,705.00	EC001413	203245	4549734730129			NA	NAA	NLD	8471.4100.00
NYB27-524K6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,980.00	EC001413	203246	4549734730136			NA	NAA	NLD	8471.4100.00
NYB27-524K9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,705.00	EC001413	203247	4549734730143			NA	NAA	NLD	8471.4100.00
NYB27-524L1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,990.00	EC001413	203255	4549734730235			NA	NAA	NLD	8471.4100.00
NYB27-524L2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,990.00	EC001413	203256	4549734730242			NA	NAA	NLD	8471.4100.00
NYB27-524L6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,265.00	EC001413	203257	4549734730259			NA	NAA	NLD	8471.4100.00
NYB27-524L9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	6,990.00	EC001413	203258	4549734730266			NA	NAA	NLD	8471.4100.00
NYB27-524M1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	8,305.00	EC001413	203362	4549734730358			NA	NAA	NLD	8471.4100.00
NYB27-524M2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	8,305.00	EC001413	203363	4549734730365			NA	NAA	NLD	8471.4100.00
NYB27-524M6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	8,535.00	EC001413	203364	4549734730372			NA	NAA	NLD	8471.4100.00
NYB27-524M9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	8,345.00	EC001413	203365	4549734730389			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB27-524P1	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	7,245.00	EC001413	703267	4549734730471			NA	NAA	NLD	8471.4100.00
NYB27-524P2	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	7,245.00	EC001413	703268	4549734730488			NA	NAA	NLD	8471.4100.00
NYB27-524P6	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	7,520.00	EC001413	703269	4549734730495			NA	NAA	NLD	8471.4100.00
NYB27-524P9	Industrial Box PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra Ethernet port	7,245.00	EC001413	703270	4549734730501			NA	NAA	NLD	8471.4100.00
NYB2A-20450	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,265.00	EC001413	688960	4549734532761			NA	NAA	NLD	8471.4100.00
NYB2A-20456	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,608.00	EC001413	688961	4549734532778			NA	NAA	NLD	8471.4100.00
NYB2A-20460	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,402.00	EC001413	688962	4549734532785			NA	NAA	NLD	8471.4100.00
NYB2A-20466	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,746.00	EC001413	688963	4549734532792			NA	NAA	NLD	8471.4100.00
NYB2A-20470	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,692.00	EC001413	688964	4549734532808			NA	NAA	NLD	8471.4100.00
NYB2A-20476	Industrial Box PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,037.00	EC001413	688965	4549734532815			NA	NAA	NLD	8471.4100.00
NYB2A-30450	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,348.00	EC001413	688966	4549734532846			NA	NAA	NLD	8471.4100.00
NYB2A-30456	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,692.00	EC001413	688969	4549734532853			NA	NAA	NLD	8471.4100.00
NYB2A-30460	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,487.00	EC001413	688970	4549734532860			NA	NAA	NLD	8471.4100.00
NYB2A-30466	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,828.00	EC001413	688971	4549734532877			NA	NAA	NLD	8471.4100.00
NYB2A-30470	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,777.00	EC001413	688972	4549734532884			NA	NAA	NLD	8471.4100.00
NYB2A-30476	Industrial Box PC with Intel® Atom™ E3940, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,120.00	EC001413	688973	4549734532891			NA	NAA	NLD	8471.4100.00
NYB2C-20450	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,478.00	EC001413	702558	4549734754712			NA	NAA	NLD	8471.4100.00
NYB2C-20456	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,833.00	EC001413	702559	4549734754729			NA	NAA	NLD	8471.4100.00
NYB2C-20460	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,627.00	EC001413	702557	4549734719674			NA	NAA	NLD	8471.4100.00
NYB2C-20466	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	2,982.00	EC001413	702560	4549734754736			NA	NAA	NLD	8471.4100.00
NYB2C-20470	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,935.00	EC001413	702561	4549734754743			NA	NAA	NLD	8471.4100.00
NYB2C-20476	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,290.00	EC001413	702562	4549734754750			NA	NAA	NLD	8471.4100.00
NYB2C-21491	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,220.00	EC001413	702563	4549734754767			NA	NAA	NLD	8471.4100.00
NYB2C-21492	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,220.00	EC001413	702564	4549734754774			NA	NAA	NLD	8471.4100.00
NYB2C-21496	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,725.00	EC001413	702565	4549734754781			NA	NAA	NLD	8471.4100.00
NYB2C-21497	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	3,884.00	EC001413	702566	4549734754798			NA	NAA	NLD	8471.4100.00
NYB2C-21498	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	3,884.00	EC001413	702567	4549734754804			NA	NAA	NLD	8471.4100.00
NYB2C-21499	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,386.00	EC001413	702568	4549734754811			NA	NAA	NLD	8471.4100.00
NYB2C-21499	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,160.00	EC001413	702569	4549734754828			NA	NAA	NLD	8471.4100.00
NYB2C-21499	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,160.00	EC001413	702570	4549734754835			NA	NAA	NLD	8471.4100.00
NYB2C-21499	Industrial Box PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,665.00	EC001413	702571	4549734754842			NA	NAA	NLD	8471.4100.00
NYB2C-30450	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,660.00	EC001413	702572	4549734754859			NA	NAA	NLD	8471.4100.00
NYB2C-30456	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,014.00	EC001413	702573	4549734754866			NA	NAA	NLD	8471.4100.00
NYB2C-30460	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port	3,075.00	EC001413	702006	4549734719681			NA	NAA	NLD	8471.4100.00
NYB2C-30470	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), no PCIe slot, no option port	3,474.00	EC001413	702007	4549734719698			NA	NAA	NLD	8471.4100.00
NYB2C-30476	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	3,474.00	EC001413	702574	4549734754873			NA	NAA	NLD	8471.4100.00
NYB2C-31491	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,335.00	EC001413	702575	4549734754880			NA	NAA	NLD	8471.4100.00
NYB2C-31492	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,335.00	EC001413	702576	4549734754897			NA	NAA	NLD	8471.4100.00
NYB2C-31496	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,845.00	EC001413	702577	4549734754903			NA	NAA	NLD	8471.4100.00
NYB2C-31497	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	3,996.00	EC001413	702578	4549734754910			NA	NAA	NLD	8471.4100.00
NYB2C-31497	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	3,996.00	EC001413	702579	4549734754927			NA	NAA	NLD	8471.4100.00
NYB2C-31497	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,500.00	EC001413	702580	4549734754934			NA	NAA	NLD	8471.4100.00
NYB2C-31497	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, No I/F option	4,273.00	EC001413	702581	4549734754941			NA	NAA	NLD	8471.4100.00
NYB2C-31497	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,273.00	EC001413	702582	4549734754958			NA	NAA	NLD	8471.4100.00
NYB2C-31497	Industrial Box PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,778.00	EC001413	702583	4549734754965			NA	NAA	NLD	8471.4100.00
NYB2C-40460	Industrial Box PC with Intel® Celeron® 3965U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	2,593.00	EC001413	702584	4549734754972			NA	NAA	NLD	8471.4100.00
NYB35-21491	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,910.00	EC001413	702609	4549734754989			NA	NAA	NLD	8471.4100.00
NYB35-21492	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,910.00	EC001413	702610	4549734754996			NA	NAA	NLD	8471.4100.00
NYB35-21496	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,415.00	EC001413	702611	4549734755009			NA	NAA	NLD	8471.4100.00
NYB35-21497	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,563.00	EC001413	702612	4549734755016			NA	NAA	NLD	8471.4100.00
NYB35-21497	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,563.00	EC001413	702613	4549734755023			NA	NAA	NLD	8471.4100.00
NYB35-21497	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,070.00	EC001413	702614	4549734755030			NA	NAA	NLD	8471.4100.00
NYB35-21497	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,840.00	EC001413	702615	4549734755047			NA	NAA	NLD	8471.4100.00
NYB35-21497	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,840.00	EC001413	702616	4549734755054			NA	NAA	NLD	8471.4100.00
NYB35-21497	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,345.00	EC001413	702617	4549734755061			NA	NAA	NLD	8471.4100.00
NYB35-224K1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,704.00	EC001413	703391	4549734729499			NA	NAA	NLD	8471.4100.00
NYB35-224K2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,704.00	EC001413	703392	4549734729505			NA	NAA		

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB35-224L1	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,060.00	EC001413	703394	4549734729529			NA	NAA	NLD	8471.4100.00
NYB35-224L2	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,060.00	EC001413	703395	4549734729536			NA	NAA	NLD	8471.4100.00
NYB35-224L6	Industrial Box PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,300.00	EC001413	703396	4549734729543			NA	NAA	NLD	8471.4100.00
NYB35-30370	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DDR4 RAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Fnt. (64-bit), no PCIe slot, no option port	3,719.00	EC001413	683638	4549734262552			NA	NAA	NLD	8471.4100.00
NYB35-30450	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	3,836.00	EC001413	702618	4549734755078			NA	NAA	NLD	8471.4100.00
NYB35-30456	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,192.00	EC001413	702619	4549734755085			NA	NAA	NLD	8471.4100.00
NYB35-30460	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	3,984.00	EC001413	702620	4549734755092			NA	NAA	NLD	8471.4100.00
NYB35-30466	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,338.00	EC001413	702621	4549734755108			NA	NAA	NLD	8471.4100.00
NYB35-30470	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,842.00	EC001413	703221	4549734737449			NA	NAA	NLD	8471.4100.00
NYB35-30476	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	5,245.00	EC001413	702622	4549734755115			NA	NAA	NLD	8471.4100.00
NYB35-31491	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	6,030.00	EC001413	702623	4549734755122			NA	NAA	NLD	8471.4100.00
NYB35-31492	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	6,030.00	EC001413	702624	4549734755139			NA	NAA	NLD	8471.4100.00
NYB35-31496	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	6,530.00	EC001413	702625	4549734755146			NA	NAA	NLD	8471.4100.00
NYB35-314C1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,678.00	EC001413	702626	4549734755153			NA	NAA	NLD	8471.4100.00
NYB35-314C2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,678.00	EC001413	702627	4549734755160			NA	NAA	NLD	8471.4100.00
NYB35-314C6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,185.00	EC001413	702628	4549734755177			NA	NAA	NLD	8471.4100.00
NYB35-314K1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,954.00	EC001413	702629	4549734755184			NA	NAA	NLD	8471.4100.00
NYB35-314K2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,954.00	EC001413	702630	4549734755191			NA	NAA	NLD	8471.4100.00
NYB35-314K6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,460.00	EC001413	702631	4549734755207			NA	NAA	NLD	8471.4100.00
NYB35-324D1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,549.00	EC001413	703397	4549734729550			NA	NAA	NLD	8471.4100.00
NYB35-324D2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,549.00	EC001413	703398	4549734729567			NA	NAA	NLD	8471.4100.00
NYB35-324D6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	4,820.00	EC001413	703399	4549734729574			NA	NAA	NLD	8471.4100.00
NYB35-31496	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,694.00	EC001413	703400	4549734729581			NA	NAA	NLD	8471.4100.00
NYB35-324E2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,694.00	EC001413	703401	4549734729598			NA	NAA	NLD	8471.4100.00
NYB35-324E6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	4,969.00	EC001413	703402	4549734729604			NA	NAA	NLD	8471.4100.00
NYB35-324K1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,839.00	EC001413	703403	4549734729611			NA	NAA	NLD	8471.4100.00
NYB35-324K2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,839.00	EC001413	703404	4549734729628			NA	NAA	NLD	8471.4100.00
NYB35-324K6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,105.00	EC001413	703405	4549734729635			NA	NAA	NLD	8471.4100.00
NYB35-324L1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,195.00	EC001413	703406	4549734729642			NA	NAA	NLD	8471.4100.00
NYB35-324L2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,195.00	EC001413	703407	4549734729659			NA	NAA	NLD	8471.4100.00
NYB35-324L6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,430.00	EC001413	703408	4549734729666			NA	NAA	NLD	8471.4100.00
NYB35-324M1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,485.00	EC001413	703409	4549734729673			NA	NAA	NLD	8471.4100.00
NYB35-324M2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,485.00	EC001413	703410	4549734729680			NA	NAA	NLD	8471.4100.00
NYB35-324M6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,710.00	EC001413	703411	4549734729697			NA	NAA	NLD	8471.4100.00
NYB35-324P1	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,430.00	EC001413	703412	4549734729703			NA	NAA	NLD	8471.4100.00
NYB35-324P2	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,430.00	EC001413	703413	4549734729710			NA	NAA	NLD	8471.4100.00
NYB35-324P6	Industrial Box PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 1 TB SSD 3D TLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,690.00	EC001413	703414	4549734729727			NA	NAA	NLD	8471.4100.00
NYB35-40456	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,172.00	EC001413	702632	4549734755214			NA	NAA	NLD	8471.4100.00
NYB35-40456	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,529.00	EC001413	702633	4549734755221			NA	NAA	NLD	8471.4100.00
NYB35-40460	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,320.00	EC001413	702634	4549734755238			NA	NAA	NLD	8471.4100.00
NYB35-40466	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,676.00	EC001413	702635	4549734755245			NA	NAA	NLD	8471.4100.00
NYB35-40470	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,628.00	EC001413	702636	4549734755252			NA	NAA	NLD	8471.4100.00
NYB35-40476	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link	4,982.00	EC001413	702637	4549734755269			NA	NAA	NLD	8471.4100.00
NYB35-414D1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,632.00	EC001413	702638	4549734755276			NA	NAA	NLD	8471.4100.00
NYB35-414D2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,627.00	EC001413	702639	4549734755283			NA	NAA	NLD	8471.4100.00
NYB35-414D6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,915.00	EC001413	702640	4549734755290			NA	NAA	NLD	8471.4100.00
NYB35-414E1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	4,715.00	EC001413	702641	4549734755306			NA	NAA	NLD	8471.4100.00
NYB35-414E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,715.00	EC001413	702642	4549734755313			NA	NAA	NLD	8471.4100.00
NYB35-414E6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	4,998.00	EC001413	702643	4549734755320			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYB35-414K1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 LTSC, 1 PCIe + 2 drive slots, RS-232C	5,310.00	EC001413	207158	4549734752671			NA	NAA	NLD	8471.4100.00
NYB35-414K2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	4,825.00	EC001413	207644	4549734755337			NA	NAA	NLD	8471.4100.00
NYB35-414K6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,110.00	EC001413	207645	4549734755344			NA	NAA	NLD	8471.4100.00
NYB35-414M1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C	5,130.00	EC001413	207646	4549734755351			NA	NAA	NLD	8471.4100.00
NYB35-414M2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D	5,165.00	EC001413	207647	4549734755368			NA	NAA	NLD	8471.4100.00
NYB35-414M6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link	5,430.00	EC001413	207648	4549734755375			NA	NAA	NLD	8471.4100.00
NYB35-424D1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,712.00	EC001413	203415	4549734729734			NA	NAA	NLD	8471.4100.00
NYB35-424D2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,712.00	EC001413	203416	4549734729741			NA	NAA	NLD	8471.4100.00
NYB35-424D6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	4,980.00	EC001413	203417	4549734729758			NA	NAA	NLD	8471.4100.00
NYB35-424E1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,859.00	EC001413	203418	4549734729765			NA	NAA	NLD	8471.4100.00
NYB35-424E2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,859.00	EC001413	203419	4549734729772			NA	NAA	NLD	8471.4100.00
NYB35-424E6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,135.00	EC001413	203420	4549734729789			NA	NAA	NLD	8471.4100.00
NYB35-424K1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	4,993.00	EC001413	203421	4549734729796			NA	NAA	NLD	8471.4100.00
NYB35-424K2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	4,993.00	EC001413	203422	4549734729802			NA	NAA	NLD	8471.4100.00
NYB35-424K6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,260.00	EC001413	203423	4549734729819			NA	NAA	NLD	8471.4100.00
NYB35-424L1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,345.00	EC001413	203424	4549734729826			NA	NAA	NLD	8471.4100.00
NYB35-424L2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,345.00	EC001413	203425	4549734729833			NA	NAA	NLD	8471.4100.00
NYB35-424L6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,615.00	EC001413	203426	4549734729840			NA	NAA	NLD	8471.4100.00
NYB35-424M1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	6,715.00	EC001413	203427	4549734729857			NA	NAA	NLD	8471.4100.00
NYB35-424M2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	6,715.00	EC001413	203428	4549734729864			NA	NAA	NLD	8471.4100.00
NYB35-424M6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 500 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	6,950.00	EC001413	203429	4549734729871			NA	NAA	NLD	8471.4100.00
NYB35-424P1	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, RS-232C	5,580.00	EC001413	203379	4549734729888			NA	NAA	NLD	8471.4100.00
NYB35-424P2	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, extra DVI-D	5,580.00	EC001413	203380	4549734729895			NA	NAA	NLD	8471.4100.00
NYB35-424P6	Industrial Box PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 1 TB SSD 3DTLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, Hardware RAID, NY Monitor Link	5,845.00	EC001413	203382	4549734729901			NA	NAA	NLD	8471.4100.00
NYB35-50460	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option	4,553.00	EC001413	207649	4549734755382			NA	NAA	NLD	8471.4100.00
NYB35-50469	Industrial Box PC with Intel® Core™ i5-7300U, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, 4 Ethernet Ports	6,730.00	EC001413	208443	4549734772501			NA	NAA	NLD	8471.4100.00
Endüstriyel PC NY											
NYP27-30000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,235.00	EC001414	200263	4549734688000			NA	NAA	NLD	8471.4100.00
NYP27-30006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,545.00	EC001414	200264	4549734688017			NA	NAA	NLD	8471.4100.00
NYP27-30460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,090.00	EC001414	200269	4549734688062			NA	NAA	NLD	8471.4100.00
NYP27-30466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,400.00	EC001414	200270	4549734688079			NA	NAA	NLD	8471.4100.00
NYP27-30470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,425.00	EC001414	200275	4549734688123			NA	NAA	NLD	8471.4100.00
NYP27-30476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,730.00	EC001414	200276	4549734688130			NA	NAA	NLD	8471.4100.00
NYP27-40000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,370.00	EC001414	200265	4549734688024			NA	NAA	NLD	8471.4100.00
NYP27-40006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,675.00	EC001414	200266	4549734688031			NA	NAA	NLD	8471.4100.00
NYP27-40460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,220.00	EC001414	200271	4549734688086			NA	NAA	NLD	8471.4100.00
NYP27-40466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,525.00	EC001414	200272	4549734688093			NA	NAA	NLD	8471.4100.00
NYP27-40470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,555.00	EC001414	200277	4549734688147			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-40476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,855.00	EC001414	700278	4549734688154			NA	NAA	NLD	8471.4100.00
NYP27-50000-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,650.00	EC001414	700267	4549734688048			NA	NAA	NLD	8471.4100.00
NYP27-50006-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,885.00	EC001414	700268	4549734688055			NA	NAA	NLD	8471.4100.00
NYP27-50460-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,500.00	EC001414	700273	4549734688109			NA	NAA	NLD	8471.4100.00
NYP27-50466-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,820.00	EC001414	700274	4549734688116			NA	NAA	NLD	8471.4100.00
NYP27-50470-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,840.00	EC001414	700279	4549734688161			NA	NAA	NLD	8471.4100.00
NYP27-50476-12WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,155.00	EC001414	700280	4549734688178			NA	NAA	NLD	8471.4100.00
NYP2A-20450-12WC1000	Industrial Panel PC with Intel® Atom™ F3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,691.00	EC001414	688976	4549734532921			NA	NAA	NLD	8471.4100.00
NYP2A-20460-12WC1000	Industrial Panel PC with Intel® Atom™ F3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	3,815.00	EC001414	688977	4549734532938			NA	NAA	NLD	8471.4100.00
NYP2C-20360-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 12.1" display with capacitive touchscreen	3,388.00	EC001414	683653	4549734262712			NA	NAA	NLD	8471.4100.00
NYP2C-20450-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,155.00	EC001414	707924	4549734755412			NA	NAA	NLD	8471.4100.00
NYP2C-20460-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,304.00	EC001414	707927	4549734755450			NA	NAA	NLD	8471.4100.00
NYP2C-20470-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,613.00	EC001414	707930	4549734755498			NA	NAA	NLD	8471.4100.00
NYP2C-21491-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,625.00	EC001414	707948	4549734755535			NA	NAA	NLD	8471.4100.00
NYP2C-21492-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,625.00	EC001414	707952	4549734755559			NA	NAA	NLD	8471.4100.00
NYP2C-21496-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,180.00	EC001414	707956	4549734755573			NA	NAA	NLD	8471.4100.00
NYP2C-214C1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,150.00	EC001414	707960	4549734755597			NA	NAA	NLD	8471.4100.00
NYP2C-214C2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,150.00	EC001414	707964	4549734755610			NA	NAA	NLD	8471.4100.00
NYP2C-214C6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,710.00	EC001414	707968	4549734755634			NA	NAA	NLD	8471.4100.00
NYP2C-214K1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,460.00	EC001414	707972	4549734755658			NA	NAA	NLD	8471.4100.00
NYP2C-214K2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,460.00	EC001414	707974	4549734755672			NA	NAA	NLD	8471.4100.00
NYP2C-214K6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,015.00	EC001414	707978	4549734755696			NA	NAA	NLD	8471.4100.00
NYP2C-30450-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,336.00	EC001414	707982	4549734755719			NA	NAA	NLD	8471.4100.00
NYP2C-30460-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,485.00	EC001414	707988	4549734755757			NA	NAA	NLD	8471.4100.00
NYP2C-30470-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	4,792.00	EC001414	707995	4549734755795			NA	NAA	NLD	8471.4100.00
NYP2C-31491-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,740.00	EC001414	707999	4549734755818			NA	NAA	NLD	8471.4100.00
NYP2C-31492-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,740.00	EC001414	708003	4549734755832			NA	NAA	NLD	8471.4100.00
NYP2C-31496-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,300.00	EC001414	708007	4549734755856			NA	NAA	NLD	8471.4100.00
NYP2C-314C1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,280.00	EC001414	708011	4549734755870			NA	NAA	NLD	8471.4100.00
NYP2C-314C2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,280.00	EC001414	708015	4549734755894			NA	NAA	NLD	8471.4100.00
NYP2C-314C6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,840.00	EC001414	708019	4549734755917			NA	NAA	NLD	8471.4100.00
NYP2C-314K1-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,585.00	EC001414	708023	4549734755931			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2C-314K2-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display, with capacitive touchscreen, build-in type	6,585.00	EC001414	708027	4549734755955			NA	NAA	NLD	8471.4100.00
NYP2C-314K6-12WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800), display with capacitive touchscreen, build-in type	7,150.00	EC001414	702923	4549734755979			NA	NAA	NLD	8471.4100.00
NYP35-21491-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,300.00	EC001414	702863	4549734755993			NA	NAA	NLD	8471.4100.00
NYP35-21492-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,300.00	EC001414	702861	4549734756013			NA	NAA	NLD	8471.4100.00
NYP35-21496-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display, with capacitive touchscreen, build-in type	8,850.00	EC001414	702859	4549734756037			NA	NAA	NLD	8471.4100.00
NYP35-214C1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,885.00	EC001414	702857	4549734756051			NA	NAA	NLD	8471.4100.00
NYP35-214C2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,885.00	EC001414	702855	4549734756075			NA	NAA	NLD	8471.4100.00
NYP35-214C6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display, with capacitive touchscreen, build-in type	7,395.00	EC001414	702853	4549734756099			NA	NAA	NLD	8471.4100.00
NYP35-214K1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,150.00	EC001414	702851	4549734756112			NA	NAA	NLD	8471.4100.00
NYP35-214K2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display, with capacitive touchscreen, build-in type	7,150.00	EC001414	702849	4549734756136			NA	NAA	NLD	8471.4100.00
NYP35-214K6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800), display with capacitive touchscreen, build-in type	7,695.00	EC001414	702847	4549734756150			NA	NAA	NLD	8471.4100.00
NYP35-30450-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5,520.00	EC001414	708183	4549734756174			NA	NAA	NLD	8471.4100.00
NYP35-30460-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5,660.00	EC001414	708227	4549734756211			NA	NAA	NLD	8471.4100.00
NYP35-31491-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,430.00	EC001414	702845	4549734756297			NA	NAA	NLD	8471.4100.00
NYP35-31492-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	8,430.00	EC001414	702843	4549734756310			NA	NAA	NLD	8471.4100.00
NYP35-31496-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display, with capacitive touchscreen, build-in type	8,980.00	EC001414	702841	4549734756334			NA	NAA	NLD	8471.4100.00
NYP35-314C1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,960.00	EC001414	702839	4549734756358			NA	NAA	NLD	8471.4100.00
NYP35-314C2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,960.00	EC001414	702837	4549734756372			NA	NAA	NLD	8471.4100.00
NYP35-314C6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800) display, with capacitive touchscreen, build-in type	7,520.00	EC001414	702835	4549734756396			NA	NAA	NLD	8471.4100.00
NYP35-314K1-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 12.1" (1280x800) display with capacitive touchscreen, build-in type	7,275.00	EC001414	702877	4549734756419			NA	NAA	NLD	8471.4100.00
NYP35-314K2-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 12.1" (1280x800) display, with capacitive touchscreen, build-in type	7,275.00	EC001414	702879	4549734756433			NA	NAA	NLD	8471.4100.00
NYP35-314K6-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 12.1" (1280x800), display with capacitive touchscreen, build-in type	7,820.00	EC001414	702881	4549734756457			NA	NAA	NLD	8471.4100.00
NYP35-40450-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	5,855.00	EC001414	708235	4549734756471			NA	NAA	NLD	8471.4100.00
NYP35-40460-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,005.00	EC001414	708239	4549734756518			NA	NAA	NLD	8471.4100.00
NYP35-40470-12WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 12.1" (1280x800) display with capacitive touchscreen, build-in type	6,315.00	EC001414	708243	4549734756556			NA	NAA	NLD	8471.4100.00
Endüstriyel PC NY											
NYP27-30000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,475.00	EC001414	700281	4549734688185			NA	NAA	NLD	8471.4100.00
NYP27-30006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,795.00	EC001414	700282	4549734688192			NA	NAA	NLD	8471.4100.00
NYP27-30460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,335.00	EC001414	700287	4549734688246			NA	NAA	NLD	8471.4100.00
NYP27-30466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display, with capacitive touchscreen, build-in type	7,645.00	EC001414	700288	4549734688253			NA	NAA	NLD	8471.4100.00
NYP27-30470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,670.00	EC001414	700293	4549734688307			NA	NAA	NLD	8471.4100.00
NYP27-30476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display, with capacitive touchscreen, build-in type	7,975.00	EC001414	700294	4549734688314			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-40000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,610.00	EC001414	700283	4549734688208			NA	NAA	NLD	8471.4100.00
NYP27-40006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,915.00	EC001414	700284	4549734688215			NA	NAA	NLD	8471.4100.00
NYP27-40460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,460.00	EC001414	700289	4549734688260			NA	NAA	NLD	8471.4100.00
NYP27-40466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,770.00	EC001414	700290	4549734688277			NA	NAA	NLD	8471.4100.00
NYP27-40470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,795.00	EC001414	700295	4549734688321			NA	NAA	NLD	8471.4100.00
NYP27-40476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,100.00	EC001414	700296	4549734688338			NA	NAA	NLD	8471.4100.00
NYP27-50000-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,900.00	EC001414	700285	4549734688222			NA	NAA	NLD	8471.4100.00
NYP27-50006-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,200.00	EC001414	700286	4549734688239			NA	NAA	NLD	8471.4100.00
NYP27-50460-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,745.00	EC001414	700291	4549734688284			NA	NAA	NLD	8471.4100.00
NYP27-50466-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,060.00	EC001414	700292	4549734688291			NA	NAA	NLD	8471.4100.00
NYP27-50470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,085.00	EC001414	700297	4549734688345			NA	NAA	NLD	8471.4100.00
NYP27-50476-15WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,390.00	EC001414	700298	4549734688352			NA	NAA	NLD	8471.4100.00
NYP2A-20450-15WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	3,913.00	EC001414	688985	4549734533010			NA	NAA	NLD	8471.4100.00
NYP2A-20460-15WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,035.00	EC001414	688986	4549734533027			NA	NAA	NLD	8471.4100.00
NYP2C-20350-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DDR4 RAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3,525.00	EC001414	683650	4549734262682			NA	NAA	NLD	8471.4100.00
NYP2C-20450-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,473.00	EC001414	707925	4549734755429			NA	NAA	NLD	8471.4100.00
NYP2C-20460-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,476.00	EC001414	707928	4549734755467			NA	NAA	NLD	8471.4100.00
NYP2C-20470-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,928.00	EC001414	707944	4549734755504			NA	NAA	NLD	8471.4100.00
NYP2C-21491-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,660.00	EC001414	707950	4549734755542			NA	NAA	NLD	8471.4100.00
NYP2C-21492-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,660.00	EC001414	707954	4549734755566			NA	NAA	NLD	8471.4100.00
NYP2C-21496-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,205.00	EC001414	707958	4549734755580			NA	NAA	NLD	8471.4100.00
NYP2C-214C1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,200.00	EC001414	707962	4549734755603			NA	NAA	NLD	8471.4100.00
NYP2C-214C2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,200.00	EC001414	707966	4549734755627			NA	NAA	NLD	8471.4100.00
NYP2C-214C6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,760.00	EC001414	707970	4549734755641			NA	NAA	NLD	8471.4100.00
NYP2C-214K1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,515.00	EC001414	707973	4549734755665			NA	NAA	NLD	8471.4100.00
NYP2C-214K2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,515.00	EC001414	707976	4549734755689			NA	NAA	NLD	8471.4100.00
NYP2C-214K6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB SSD iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,060.00	EC001414	707980	4549734755702			NA	NAA	NLD	8471.4100.00
NYP2C-30360-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DDR4 RAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), no PCIe slot, no option port, 15.4" display with capacitive touchscreen	3,782.00	EC001414	683658	4549734262767	#		NA	NAA	NLD	8471.4100.00
NYP2C-30450-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,656.00	EC001414	707984	4549734755726			NA	NAA	NLD	8471.4100.00
NYP2C-30460-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	4,801.00	EC001414	707990	4549734755764			NA	NAA	NLD	8471.4100.00
NYP2C-30470-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,110.00	EC001414	707997	4549734755801			NA	NAA	NLD	8471.4100.00
NYP2C-31491-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,785.00	EC001414	708001	4549734755825			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP2C-31492-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,785.00	EC001414	708005	4549734755849			NA	NAA	NLD	8471.4100.00
NYP2C-31496-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,330.00	EC001414	708009	4549734755863			NA	NAA	NLD	8471.4100.00
NYP2C-314C1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,325.00	EC001414	708013	4549734755887			NA	NAA	NLD	8471.4100.00
NYP2C-314C2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,325.00	EC001414	708017	4549734755900			NA	NAA	NLD	8471.4100.00
NYP2C-314C6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,885.00	EC001414	708021	4549734755924			NA	NAA	NLD	8471.4100.00
NYP2C-314K1-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,635.00	EC001414	708025	4549734755948			NA	NAA	NLD	8471.4100.00
NYP2C-314K2-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,635.00	EC001414	708029	4549734755962			NA	NAA	NLD	8471.4100.00
NYP2C-314K6-15WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,185.00	EC001414	707934	4549734755986			NA	NAA	NLD	8471.4100.00
NYP35-21491-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,330.00	EC001414	707862	4549734756006			NA	NAA	NLD	8471.4100.00
NYP35-21492-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,330.00	EC001414	707860	4549734756020			NA	NAA	NLD	8471.4100.00
NYP35-21496-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,840.00	EC001414	707858	4549734756044			NA	NAA	NLD	8471.4100.00
NYP35-214C1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,840.00	EC001414	707856	4549734756068			NA	NAA	NLD	8471.4100.00
NYP35-214C2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,885.00	EC001414	707854	4549734756082			NA	NAA	NLD	8471.4100.00
NYP35-214C6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,425.00	EC001414	707852	4549734756105			NA	NAA	NLD	8471.4100.00
NYP35-214K1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,185.00	EC001414	707850	4549734756129			NA	NAA	NLD	8471.4100.00
NYP35-214K2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,185.00	EC001414	707848	4549734756143			NA	NAA	NLD	8471.4100.00
NYP35-214K6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 4 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,725.00	EC001414	707846	4549734756167			NA	NAA	NLD	8471.4100.00
NYP35-30450-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,820.00	EC001414	708224	4549734756181			NA	NAA	NLD	8471.4100.00
NYP35-30460-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	5,970.00	EC001414	708228	4549734756228			NA	NAA	NLD	8471.4100.00
NYP35-30470-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,280.00	EC001414	708231	4549734756259			NA	NAA	NLD	8471.4100.00
NYP35-30470-15WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type, Ni plating	6,635.00	EC001414	708232	4549734756266			NA	NAA	NLD	8471.4100.00
NYP35-31491-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,450.00	EC001414	707844	4549734756303			NA	NAA	NLD	8471.4100.00
NYP35-31492-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,450.00	EC001414	707842	4549734756327			NA	NAA	NLD	8471.4100.00
NYP35-31496-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB SSD, SLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	8,990.00	EC001414	707840	4549734756341			NA	NAA	NLD	8471.4100.00
NYP35-314C1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,010.00	EC001414	707838	4549734756365			NA	NAA	NLD	8471.4100.00
NYP35-314C2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,010.00	EC001414	707836	4549734756389			NA	NAA	NLD	8471.4100.00
NYP35-314C6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 320 GB HDD, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,555.00	EC001414	707834	4549734756402			NA	NAA	NLD	8471.4100.00
NYP35-314K1-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, RS-232C, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,305.00	EC001414	707878	4549734756426			NA	NAA	NLD	8471.4100.00
NYP35-314K2-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, extra DVI-D, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,305.00	EC001414	707880	4549734756440			NA	NAA	NLD	8471.4100.00
NYP35-314K6-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB SSD, iMLC, WIN 10 IoT 2019 (64-bit), 1 PCIe + 2 drive slots, NY Monitor Link, 15.4" (1280x800) display with capacitive touchscreen, build-in type	7,850.00	EC001414	707882	4549734756464			NA	NAA	NLD	8471.4100.00
NYP35-40450-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,155.00	EC001414	708236	4549734756488			NA	NAA	NLD	8471.4100.00
NYP35-40460-15WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,305.00	EC001414	708240	4549734756525			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-40470-15WC1000	Industrial Panel PC with Intel® Core™ i7-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 15.4" (1280x800) display with capacitive touchscreen, build-in type	6,625.00	EC001414	708244	4549734756563			NA	NAA	NLD	8471.4100.00
Endüstriyel PC NY											
NYP27-30000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,185.00	EC001414	700299	4549734688369			NA	NAA	NLD	8471.4100.00
NYP27-30000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,455.00	EC001414	700335	4549734688543			NA	NAA	NLD	8471.4100.00
NYP27-30006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,490.00	EC001414	700300	4549734688376			NA	NAA	NLD	8471.4100.00
NYP27-30006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,755.00	EC001414	700334	4549734688550			NA	NAA	NLD	8471.4100.00
NYP27-30460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,040.00	EC001414	700347	4549734688420			NA	NAA	NLD	8471.4100.00
NYP27-30460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,305.00	EC001414	700329	4549734688604			NA	NAA	NLD	8471.4100.00
NYP27-30466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,340.00	EC001414	700346	4549734688437			NA	NAA	NLD	8471.4100.00
NYP27-30466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,610.00	EC001414	700328	4549734688611			NA	NAA	NLD	8471.4100.00
NYP27-30470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,375.00	EC001414	700341	4549734688482			NA	NAA	NLD	8471.4100.00
NYP27-30470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,635.00	EC001414	700323	4549734688666			NA	NAA	NLD	8471.4100.00
NYP27-30476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,680.00	EC001414	700340	4549734688499			NA	NAA	NLD	8471.4100.00
NYP27-30476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,945.00	EC001414	700305	4549734688673			NA	NAA	NLD	8471.4100.00
NYP27-40000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,305.00	EC001414	700301	4549734688383			NA	NAA	NLD	8471.4100.00
NYP27-40000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,575.00	EC001414	700333	4549734688567			NA	NAA	NLD	8471.4100.00
NYP27-40006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,615.00	EC001414	700302	4549734688390			NA	NAA	NLD	8471.4100.00
NYP27-40006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,885.00	EC001414	700332	4549734688574			NA	NAA	NLD	8471.4100.00
NYP27-40460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,160.00	EC001414	700345	4549734688444			NA	NAA	NLD	8471.4100.00
NYP27-40460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,430.00	EC001414	700327	4549734688628			NA	NAA	NLD	8471.4100.00
NYP27-40466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,465.00	EC001414	700344	4549734688451			NA	NAA	NLD	8471.4100.00
NYP27-40466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,735.00	EC001414	700326	4549734688635			NA	NAA	NLD	8471.4100.00
NYP27-40470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,495.00	EC001414	700339	4549734688505			NA	NAA	NLD	8471.4100.00
NYP27-40470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,760.00	EC001414	700306	4549734688680			NA	NAA	NLD	8471.4100.00
NYP27-40476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,810.00	EC001414	700338	4549734688512			NA	NAA	NLD	8471.4100.00
NYP27-40476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,070.00	EC001414	700307	4549734688697			NA	NAA	NLD	8471.4100.00
NYP27-50000-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,600.00	EC001414	700303	4549734688406			NA	NAA	NLD	8471.4100.00
NYP27-50000-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,860.00	EC001414	700331	4549734688581			NA	NAA	NLD	8471.4100.00
NYP27-50006-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,910.00	EC001414	700304	4549734688413			NA	NAA	NLD	8471.4100.00
NYP27-50006-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,180.00	EC001414	700330	4549734688598			NA	NAA	NLD	8471.4100.00
NYP27-50460-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,450.00	EC001414	700343	4549734688468			NA	NAA	NLD	8471.4100.00
NYP27-50460-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	8,715.00	EC001414	700325	4549734688642			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP27-50466-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,760.00	EC001414	700342	4549734688475			NA	NAA	NLD	8471.4100.00
NYP27-50466-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,030.00	EC001414	700324	4549734688659			NA	NAA	NLD	8471.4100.00
NYP27-50470-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	8,790.00	EC001414	700337	4549734688529			NA	NAA	NLD	8471.4100.00
NYP27-50470-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,055.00	EC001414	700308	4549734688703			NA	NAA	NLD	8471.4100.00
NYP27-50476-19WC1000	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	9,100.00	EC001414	700336	4549734688536			NA	NAA	NLD	8471.4100.00
NYP27-50476-19WC1100	Industrial Panel PC with Intel® Core™ i7-7820EQ, 32 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, NY Monitor Link, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	9,365.00	EC001414	700309	4549734688710			NA	NAA	NLD	8471.4100.00
NYP2A-20460-19WC1000	Industrial Panel PC with Intel® Atom™ E3940, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	4,650.00	EC001414	689015	4549734539555			NA	NAA	NLD	8471.4100.00
NYP2C-20450-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,160.00	EC001414	707926	4549734755436			NA	NAA	NLD	8471.4100.00
NYP2C-20450-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	5,530.00	EC001414	708217	4549734755443			NA	NAA	NLD	8471.4100.00
NYP2C-20460-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,290.00	EC001414	707929	4549734755474			NA	NAA	NLD	8471.4100.00
NYP2C-20460-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	5,665.00	EC001414	708218	4549734755481			NA	NAA	NLD	8471.4100.00
NYP2C-20470-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,575.00	EC001414	707946	4549734755511			NA	NAA	NLD	8471.4100.00
NYP2C-20470-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 4 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,020.00	EC001414	708219	4549734755528			NA	NAA	NLD	8471.4100.00
NYP2C-30370-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,680.00	EC001414	688869	4549734538886			NA	NAA	NLD	8471.4100.00
NYP2C-30450-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,265.00	EC001414	707986	4549734755733			NA	NAA	NLD	8471.4100.00
NYP2C-30450-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	5,660.00	EC001414	708220	4549734755740			NA	NAA	NLD	8471.4100.00
NYP2C-30460-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,400.00	EC001414	707992	4549734755771			NA	NAA	NLD	8471.4100.00
NYP2C-30460-19WC1100	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	5,660.00	EC001414	707994	4549734755788			NA	NAA	NLD	8471.4100.00
NYP2C-30470-19WC1000	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	5,680.00	EC001414	708036	4549734717847			NA	NAA	NLD	8471.4100.00
NYP2C-30470-19WC1002	Industrial Panel PC with Intel® Celeron® 3965U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, with custom logo - TEMPLATE	5,260.00	EC001414	708035	4549734717854			NA	NAA	NLD	8471.4100.00
NYP35-30370-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,010.00	EC001414	688876	4549734539036			NA	NAA	NLD	8471.4100.00
NYP35-30370-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT Ent. (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,295.00	EC001414	695744	4549734539111			NA	NAA	NLD	8471.4100.00
NYP35-30450-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,565.00	EC001414	708225	4549734756198			NA	NAA	NLD	8471.4100.00
NYP35-30450-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,885.00	EC001414	708226	4549734756204			NA	NAA	NLD	8471.4100.00
NYP35-30460-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,730.00	EC001414	708229	4549734756235			NA	NAA	NLD	8471.4100.00
NYP35-30460-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,015.00	EC001414	708230	4549734756242			NA	NAA	NLD	8471.4100.00
NYP35-30470-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,010.00	EC001414	708233	4549734756273			NA	NAA	NLD	8471.4100.00
NYP35-30470-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 8 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,295.00	EC001414	708234	4549734756280			NA	NAA	NLD	8471.4100.00
NYP35-40000-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), No Storage, No OS, No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	6,590.00	EC001414	708181	4549734539067			NA	NAA	NLD	8471.4100.00
NYP35-40450-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,800.00	EC001414	708237	4549734756495			NA	NAA	NLD	8471.4100.00
NYP35-40450-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 64 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,125.00	EC001414	708238	4549734756501			NA	NAA	NLD	8471.4100.00
NYP35-40460-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	6,925.00	EC001414	708241	4549734756532			NA	NAA	NLD	8471.4100.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
NYP35-40460-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 128 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,255.00	EC001414	708242	4549734756549			NA	NAA	NLD	8471.4100.00
NYP35-40470-19WC1000	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type	7,215.00	EC001414	708245	4549734756570			NA	NAA	NLD	8471.4100.00
NYP35-40470-19WC1100	Industrial Panel PC with Intel® Core™ i5-7300U, 16 GB DRAM (non-ECC), 256 GB CFast iMLC, WIN 10 IoT 2019 (64-bit), No exp. slots, No I/F option, 18.5" (1920x1080) display with capacitive touchscreen, build-in type, Ni plating	7,615.00	EC001414	708246	4549734756587			NA	NAA	NLD	8471.4100.00
Endüstriyel PC NY											
NYS12-1300-0XX44576X	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (Non-ECC), 256 GB CFast iMLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, NYML Port	8,510.00	EC001413	701559	4549734598712			NA	NAA	NLD	8471.4100.00
NYS12-1300-1XX443P1X	Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 8 GB RAM (non-ECC), 1 TB SSD 3D TLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, RS-232C	8,375.00	EC001413	701598	4549734598323			NA	NAA	NLD	8471.4100.00
Endüstriyel PC NY											
NYS32-1500-012443660	Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 8 GB RAM (non-ECC), 128 GB CFast iMLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, NYML Port, 15.4" display with capacitive touchscreen	11,170.00	EC001414	701524	4549734599061			NA	NAA	NLD	8471.4100.00
Endüstriyel PC NY											
NYS12-2300-1XX445T1X	AI Machine Controller for 16 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	16,080.00	EC001413	703559	4549734695558			NA	NAA	NLD	8471.4100.00
NYS12-2400-1XX445T1X	AI Machine Controller for 32 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	16,620.00	EC001413	703560	4549734695565			NA	NAA	NLD	8471.4100.00
NYS12-2500-1XX445T1X	AI Machine Controller for 64 axes, Industrial Box PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232	17,440.00	EC001413	703561	4549734695572			NA	NAA	NLD	8471.4100.00
NYS32-2300-112445T10	AI Machine Controller for 16 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	17,180.00	EC001414	703565	4549734695619			NA	NAA	NLD	8471.4100.00
NYS32-2400-112445T10	AI Machine Controller for 32 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	17,730.00	EC001414	703566	4549734695626			NA	NAA	NLD	8471.4100.00
NYS32-2500-112445T10	AI Machine Controller for 64 axes, Industrial Panel PC with Intel® Core™ i5-7440EQ, 32 GB RAM (non-ECC), 128 GBx2 SSD-iMLC/pSLC, Windows 10 IoT Enterprise 2019 LTSC - 64 bit, PCIe slot, RS-232, 15.4" display with capacitive touchscreen	18,520.00	EC001414	703567	4549734695633			NA	NAA	NLD	8471.4100.00
Endüstriyel PC NY											
NYM12W-C1060	Endüstriyel Monitör, kapasitif dokunmatik ekranlı 12.1" ekran, Yerlesik montaj, NYML bağlantı noktası	2,367.00	EC001428	686605	4549734158268			NA	NAA	NLD	8528.5291.00
Endüstriyel PC NY											
NYM15W-C1000	Endüstriyel Monitör, 15.4" kapasitif multitouch ekran, DVI-D	2,122.00	EC001428	686606	4548583813038			NA	NAA	NLD	8528.5291.00
NYM15W-C1060	Endüstriyel Monitör, kapasitif dokunmatik ekranlı 15.4" ekran, Yerlesik montaj, NYML bağlantı noktası	2,495.00	EC001428	686604	4549734158275			NA	NAA	NLD	8528.5291.00
Endüstriyel PC NY											
NYM19W-C1000	Industrial Monitor, 18.5" display with capacitive touchscreen, Build-in mounting, DVI-D port	2,761.00	EC001428	688734	4549734279239			NA	NAA	NLD	8528.5291.00
Endüstriyel PC NY											
NY000-AC00 2M	DVI kablosu 2 m	97.15	EC002584	686292	4548583873391			NA	NAA	NLD	8544.4290.90
Endüstriyel PC NY											
NY000-AB00	Box PC için duvar tipi montaj aparatı	70.45	EC002584	686299	4548583873308			NA	NAA	NLD	8471.8000.00
NY000-AB01	Box PC için kitap tipi montaj aparatı	63.80	EC002584	686298	4548583873315			NA	NAA	NLD	8471.8000.00
Yazılım HMI											
NA-RTL D01	Soft-NA for Windows 10 Pro 64 bit, 1 x USB Dongle License	1,793.00	EC001435	694867	4549734592536	#		OA	OAB	NLD	8523.5190.00
Scada Yazılımı											
RTC4	MOVICON NEXT V4 Run Time Client	1,826.00	EC001435	696452	4549734890243			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K	Movicon Pro Runtime Scada 20,000 Tags	7,300.00	EC001435	696456	4549734890281			OB	OBA	ITA	8523.5190.00
RTCS4-F-20K-1W	Movicon Next Pro Run Time Client Server 20,000 tags 1x Web Client Option	8,270.00	EC001435	696444	4549734890175			OB	OBA	ITA	8523.5190.00
RTCS4-F-40K	Movicon Pro Runtime Scada 40,000 Tags	8,395.00	EC001435	696455	4549734890274			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K	Movicon Pro Runtime Scada 5,000 Tags	5,350.00	EC001435	696454	4549734890267			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-1W	Movicon Pro SCADA Client/Server 5000 tag + 1 Web client	6,210.00	EC001435	696453	4549734890250			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-1W-O	Movicon Pro Runtime Scada 5,000 Tags + 1 x Movicon Web Client+ OPC-UA Server Option	7,180.00	EC001435	700418	4549734894593			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-5W-A	Movicon Next Pro Run Time Client Server 5000 tags 5x Web Client Option + Alarm Dispatcher	10,580.00	EC001435	696443	4549734890168			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-5W-O-AS-3D	Movicon Pro SCADA Client/Server 5000 tag + 5 Web client + OPC-UA Server + Alarm Dispatcher + Alarm Statistics + 3D Visualization	12,420.00	EC001435	696438	4549734890113			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-A	Movicon Next Pro Run Time Client Server 5000 tags + Alarm Dispatcher	6,235.00	EC001435	696457	4549734890298			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-M	Movicon Next Pro Run Time Client Server 5000 tags + Multidriver (32) option	6,235.00	EC001435	696458	4549734890304			OB	OBA	ITA	8523.5190.00
RTCS4-F-5K-O	Movicon Pro Runtime Scada 5,000 Tags + OPC-UA Server Option	6,330.00	EC001435	700707	4549734895019			OB	OBA	ITA	8523.5190.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
Scada Yazılımı (OEM ve aksesua)											
DEV4	Movicon Next V4 SCADA Editor, 1 License	2,311.00	EC001435	696211	4549734999595			OB	OBZ	ITA	8523.5190.00
DEV403L	Movicon 4 SCADA Editor 3 Licenses package	3,232.00	EC001435	696292	4549734889230			OB	OBZ	ITA	8523.5190.00
DEV410L	Movicon 4 SCADA Editor 10 Licenses package	6,470.00	EC001435	696291	4549734889223			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM	1,826.00	EC001435	696262	4549734999922			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-0-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+3D Option	2,031.00	EC001435	696263	4549734999939			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option	2,432.00	EC001435	696264	4549734999946			OB	OBZ	ITA	8523.5190.00
RTH4-2K-0W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+Historian and Data logger+3D Option	2,639.00	EC001435	696265	4549734999953			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-0	MOVICON 4 RunTime Client-Server 2000 tag OEM with 1 webclient option	2,128.00	EC001435	696266	4549734999960			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM with Historian and Dataloger option with 1 webclient option	2,735.00	EC001435	696267	4549734999977			OB	OBZ	ITA	8523.5190.00
RTH4-2K-1W-H-3D	MOVICON 4 RunTime Client-Server 2000 tag OEM+1xWeb Client Option+Historian and Data logger+3D Option	2,941.00	EC001435	696268	4549734999984			OB	OBZ	ITA	8523.5190.00
RTH4-2K-5W-H	MOVICON 4 RunTime Client-Server 2000 tag OEM+ 5x Web Clients Option+Historian and Data logger	3,948.00	EC001435	696269	4549734889001			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM	2,386.00	EC001435	696270	4549734889018			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-0-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+3D Option	2,592.00	EC001435	696271	4549734889025			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option	2,993.00	EC001435	696272	4549734889032			OB	OBZ	ITA	8523.5190.00
RTH4-4K-0W-H-3D	MOVICON 4 RunTime Client-Server 4000 tag OEM+Historian and Data logger+3D Option	3,199.00	EC001435	696274	4549734889056			OB	OBZ	ITA	8523.5190.00
RTH4-4K-1W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM with 1 webclient option	2,692.00	EC001435	696276	4549734889070			OB	OBZ	ITA	8523.5190.00
RTH4-4K-1W-H	MOVICON 4 RunTime Client-Server 4000 tag OEM with Historian and Dataloger option with 1 webclients option	3,298.00	EC001435	696277	4549734889087			OB	OBZ	ITA	8523.5190.00
RTH4-4K-2W-H	Movicon OEM Runtime Client-Server 4,000 tags + Movicon SCADA OEM Historian+Data Logger+ Reports Option+ 2 Web Clients Option	3,603.00	EC001435	700822	4549734895620			OB	OBZ	ITA	8523.5190.00
RTH4-4K-2W-H-IDRV	Movicon OEM Runtime Client-Server 4,000 tags + 2 Web Clients + Historian+Data Logger + Reports Option + 1 Additional Automation Driver	3,807.00	EC001435	699036	4549734891479			OB	OBZ	ITA	8523.5190.00
RTH4-4K-5W-0	MOVICON 4 RunTime Client-Server 4000 tag OEM+5xWeb Client Option	3,847.00	EC001435	696278	4549734889094			OB	OBZ	ITA	8523.5190.00
Filo Yönetim Yazılım Lisansı											
20271-701	License, 1 Yr, FLOW iO	1,000.00	EC000000	707321	4549734750929			OC	OCA	USA	8479.5000.00
20271-800	License, 1 Yr, Fleet Operations Workspace Core, Primary	1,000.00	EC000000	690680	4549734511254			OC	OCA	USA	8479.5000.00
20271-802	License, 1 Yr, Fleet Operations Workspace Core, Secondary	1,000.00	EC000000	690668	4549734511278			OC	OCA	USA	8479.5000.00
20271-806	License, 5 Yr, Fleet Operations Workspace Core, Primary	6,250.00	EC000000	690670	4549734547475			OC	OCA	USA	8479.5000.00
20271-807	License, 5 Yr, Fleet Operations Workspace Core, Secondary	6,250.00	EC000000	690671	4549734547482			OC	OCA	USA	8479.5000.00
Mobil Diğer lisanslar											
20271-804	License, Fleet Simulator, Perpetual Fleet Simulator License for existing FM2100 devices	9,345.00	EC000000	694788	4549734511292			OC	OCB	USA	8479.5000.00
20271-805	License, One-Shot, Cell Alignment Positioning System (CAPS)	2,515.00	EC000000	690669	4549734511308			OC	OCB	USA	8479.5000.00
İzleme Ürünü K6											
K6CM-CI2MA-FIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	1,467.00	EC002613	695077	4549734605182			RA	RAA	JPN	9030.3370.00
K6CM-CI2MD-FIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Current Analysis model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP/Modbus, applicable in environment with inverters	1,467.00	EC002613	695076	4549734605199			RA	RAA	JPN	9030.3370.00
K6CM-ISMA-FIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1,098.00	EC002613	680571	4549734178716			RA	RAA	JPN	9030.3370.00
K6CM-ISMD-FIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Insulation resistance model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1,098.00	EC002613	680572	4549734178723			RA	RAA	JPN	9030.3370.00
K6CM-VBMA-FIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & temperature model, 100 to 240 VAC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1,087.00	EC002613	680567	4549734178679			RA	RAA	JPN	9030.8900.00
K6CM-VBMD-FIP	Motor Condition Monitoring, AC, 3-phase, Induction motor, Vibration & Temperature model, 24 VAC/VDC, Transistor control output, Push-in Plus, LCD display, Ethernet IP	1,087.00	EC002613	680562	4549734178686			RA	RAA	JPN	9030.8900.00
İzleme Ürünü K6											
K6PM-THMD-FIP	Thermal condition monitoring device for control cabinets and panels, 24 VDC, transistor control output, Push-in Plus, LCD display, EtherNet/IP and Modbus TCP	1,292.00	EC000601	690911	4549734500920			RA	RAA	JPN	9031.8080.00
İzleme Ürünü K6											
K7GE-MGMA	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,246.00	EC002498	700665	4549734673921			RA	RAA	JPN	9030.3370.00
K7GE-MGMD	Insulation Resistance Monitoring Device for 3-phase & servo motors, pumps and heaters, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,246.00	EC002498	700664	4549734673938			RA	RAA	JPN	9030.3370.00
K7T Condition Monitoring Controller											
K7TM-A2MA	Heater resistance monitoring device, 100 to 240 VAC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,296.00	EC002498	707588	4549734725385			RA	RAB	JPN	9030.3370.00
K7TM-A2MD	Heater resistance monitoring device, 24 VAC/VDC, transistor control output, Push-in Plus, LCD display, RS-485/Modbus/RTU	1,296.00	EC002498	707587	4549734725392			RA	RAB	JPN	9030.3370.00
İzleme Ürünü Aksesuarı K6											
K6CM-CIC8005	CT sensor for Current analysis model K6CM-CIM, 5A rated primary-side current	130.40	EC002048	680570	4549734178747			RA	RAZ	JPN	9030.3370.00
K6CM-CIC8025	CT sensor for Current analysis model K6CM-CIM, 25A rated primary-side current	142.30	EC002048	680563	4549734178754			RA	RAZ	JPN	9030.3370.00
K6CM-CIC8100	CT sensor for Current analysis model K6CM-CIM, 100A rated primary-side current	154.20	EC002048	680568	4549734178761			RA	RAZ	JPN	9030.3370.00
K6CM-CIC8200	CT sensor for Current analysis model K6CM-CIM, 200A rated primary-side current	177.80	EC002048	680564	4549734178778			RA	RAZ	JPN	9030.3370.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
K6CM-CICB400	CT sensor for Current analysis model K6CM-CIM, 400A rated, primary-side current	213.30	EC002048	680561	4549734178785			RA	RAZ	JPN	9030.3370.00
K6CM-CICB600	CT sensor for Current analysis model K6CM-CIM, 600A rated, primary-side current	237.00	EC002048	680566	4549734178792			RA	RAZ	JPN	9030.3370.00
K6CM-ISZ7B52	ZCT sensor for Insulation Resistance model K6CM-ISM, 200 to 480 VAC, 52mm dia. Through hole	889.00	EC002615	680560	4549734178808			RA	RAZ	JPN	9030.3370.00
K6CM-VBS1	Sensor head & Pre-amplifier for Vibration & temperature model K6CM-VBS1, M6 screw attachment part also included	759.00	EC002615	680565	4549734178730			RA	RAZ	JPN	9030.8900.00
K6CM-VBSAT1	Adhesive attachment for the vibration and temperature sensor K6CM-VBS1	49.77	EC002615	700456	4549734489058			RA	RAZ	JPN	9030.8900.00
İzleme Ürünü Aksesuarı K6											
K6PM-THS3232	Infrared thermal sensor for K6PM-THMD-EIP, 24 VDC, 0°C - 200°C, 1,024 pixels, FOV 90° x 90°	901.00	EC001195	690912	4549734500937			RA	RAZ	JPN	9031.8080.00
İzleme Ürünü Aksesuarı K6											
K7GE-MG1	Probe unit for Insulation Resistance Monitoring Device K7GE-MGM	296.30	EC002498	700663	4549734673945			RA	RAZ	JPN	9030.3370.00
Endüstriyel Kameralar											
STC-HD213DV	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, cased	630.00	EC003015	696468	4549734667029			SA	SAA	JPN	9031.9000.00
STC-HD213DV-CS	Area Scan Camera (cased type), DVI over HDMI, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, cased	630.00	EC003015	696466	4549734667043			SA	SAA	JPN	9031.9000.00
STC-HD213SDI	HD SDI Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, C Mount, Cased	731.50	EC003015	696467	4549734667036			SA	SAA	JPN	9031.9000.00
STC-HD213SDI-CS	HD SDI Area Scan Camera, Full HD 1080p, Color, CMOS Sony IMX291, 1/2.8", 2.8 µm, 60 fps, Rolling Shutter, CS Mount, Cased	731.50	EC003015	696465	4549734667050			SA	SAA	JPN	9031.9000.00
Endüstriyel Kameralar											
31940-010-E	Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,055.00	EC003015	699014	4549734891349			SA	SAA	JPN	9031.9000.00
31940-011-E	Kit, camera, GigE, POE, 720 x 540, 1/2.9", 282.2 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,055.00	EC003015	699012	4549734891332			SA	SAA	JPN	9031.9000.00
31940-100-E	Kit, camera, GigE, POE, 3856 x 2764, 1/2.3", 10.3 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,098.00	EC003015	698990	4549734891226			SA	SAA	JPN	9031.9000.00
31940-120-E	Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,167.00	EC003015	698988	4549734891219			SA	SAA	JPN	9031.9000.00
31940-121-E	Kit, camera, GigE, POE, 4000 x 3000, 1/1.7", 9.2 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,167.00	EC003015	698986	4549734891202			SA	SAA	JPN	9031.9000.00
31940-130-E	Kit, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,077.00	EC003015	699010	4549734891325			SA	SAA	JPN	9031.9000.00
31940-131-E	Kit, camera, GigE, POE, 1280 x 1024, 1/1.8", 61 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,077.00	EC003015	699008	4549734891318			SA	SAA	JPN	9031.9000.00
31940-160-E	Kit, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,092.00	EC003015	699006	4549734891301			SA	SAA	JPN	9031.9000.00
31940-161-E	Kit, camera, GigE, POE, 1440 x 1088, 1/2.9", 70.7 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,092.00	EC003015	699004	4549734891295			SA	SAA	JPN	9031.9000.00
31940-200-E	Kit, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,182.00	EC003015	699002	4549734891288			SA	SAA	JPN	9031.9000.00
31940-201-E	Kit, camera, GigE, POE, 1624 x 1240, 1/1.7", 54.6 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,182.00	EC003015	699000	4549734891271			SA	SAA	JPN	9031.9000.00
31940-240-E	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,227.00	EC003015	698984	4549734891196			SA	SAA	JPN	9031.9000.00
31940-241-E	Kit, camera, GigE, POE, 5472 x 3648, 1", 5.5 fps, Color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,227.00	EC003015	698982	4549734891189			SA	SAA	JPN	9031.9000.00
31940-320-E	Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,242.00	EC003015	698998	4549734891264			SA	SAA	JPN	9031.9000.00
31940-321-E	Kit, camera, GigE, 3.2M, POE, 2048 x 1536 Pixels, 1/1.8", 34.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,242.00	EC003015	698996	4549734891257			SA	SAA	JPN	9031.9000.00
31940-500-E	Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,376.00	EC003015	698980	4549734891172			SA	SAA	JPN	9031.9000.00
31940-501-E	Kit, camera, GigE, POE, 2448 x 2048, 2/3", 21.9 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,376.00	EC003015	698978	4549734891165			SA	SAA	JPN	9031.9000.00
31940-530-E	Kit, camera, GigE, POE, 2592 x 1944, 1/2.5", 14 fps, B/W, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,038.00	EC003015	698994	4549734891240			SA	SAA	JPN	9031.9000.00
31940-531-E	Kit, camera, GigE, POE, 2592 x 1944, 1/2.5", 14 fps, color, M series, 10 m GigE cable, 10 m IO/power cable, camera tripod mount	1,038.00	EC003015	698992	4549734891233			SA	SAA	JPN	9031.9000.00
STC-MBA1002POE	GigE Vision Area Scan Camera, 10.0 MP, Monochrome, CMOS MT9J003, 1/2.3", 1.67 µm, 10.3 fps, Rolling Shutter, C Mount, Cased, POE	659.50	EC003015	695958	4549734594929			SA	SAA	JPN	9031.9000.00
STC-MBA503POE	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS MT9P031, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, C Mount, Cased, POE	549.50	EC003015	695913	4549734594882			SA	SAA	JPN	9031.9000.00
STC-MB132POE	GigE Vision Area Scan Camera, 1.3 MP, Monochrome, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE	512.50	EC003015	695960	4549734594844			SA	SAA	JPN	9031.9000.00
STC-MBS1242POE	GigE Vision Area Scan Camera, 12.0 MP, Monochrome, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE	1,116.00	EC003015	690610	4549734548496			SA	SAA	JPN	9031.9000.00
STC-MBS163POE	GigE Vision Area Scan Camera, 1.6 MP, Monochrome, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE	541.00	EC003015	690602	4549734548410			SA	SAA	JPN	9031.9000.00
STC-MBS202POE	GigE Vision Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE	751.00	EC003015	690604	4549734548434			SA	SAA	JPN	9031.9000.00
STC-MBS2041POE	GigE Vision Area Scan Camera, 20.0 MP, Monochrome, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE	1,141.00	EC003015	690612	4549734548519			SA	SAA	JPN	9031.9000.00
STC-MBS231POE	GigE Vision Area Scan Camera, 2.3 MP, Monochrome, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE	757.50	EC003015	695907	4549734664325			SA	SAA	JPN	9031.9000.00
STC-MBS312POE	GigE Vision Area Scan Camera, 3.2 MP, Monochrome, CMOS Sony IMX265, 1/1.8", 2048 x 1536 Pixels, 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE	998.00	EC003015	690606	4549734548458			SA	SAA	JPN	9031.9000.00
STC-MBS43POE	GigE Vision Area Scan Camera, 0.4 MP, Monochrome, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE	494.30	EC003015	690600	4549734548397			SA	SAA	JPN	9031.9000.00
STC-MBS500POE	GigE Vision Area Scan Camera, 5.0 MP, Monochrome, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE	1,126.00	EC003015	690608	4549734548472			SA	SAA	JPN	9031.9000.00
STC-MBS52POE	GigE Vision Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE	512.50	EC003015	695915	4549734594868			SA	SAA	JPN	9031.9000.00
STC-MBS62POE	GigE Vision Area Scan Camera, 6.4 MP, Monochrome, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE	586.50	EC003015	695911	4549734594905			SA	SAA	JPN	9031.9000.00
STC-MBS81POE	GigE Vision Area Scan Camera, 8.9 MP, Monochrome, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C Mount, Cased, POE	2,197.00	EC003015	695909	4549734594936			SA	SAA	JPN	9031.9000.00
STC-MCS03POE	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS Sony IMX267, 1/2.5", 2.2 µm, 14 fps, Rolling Shutter, C Mount, Cased, POE	549.50	EC003015	695912	4549734594899			SA	SAA	JPN	9031.9000.00
STC-MCS132POE	GigE Vision Area Scan Camera, 1.3 MP, Color, CMOS EV76C560, 1/1.8", 5.3 µm, 61 fps, Global Shutter, C Mount, Cased, POE	512.50	EC003015	695959	4549734594851			SA	SAA	JPN	9031.9000.00
STC-MCS1228POE	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX304, 1.1", 3.45 µm, 8.9 fps, Global Shutter, C Mount, Cased, POE	2,931.00	EC003015	694006	4549734594967			SA	SAA	JPN	9031.9000.00
STC-MCS1242POE	GigE Vision Area Scan Camera, 12.0 MP, Color, CMOS Sony IMX226, 1/1.7", 1.85 µm, 8.7 fps, Rolling Shutter, C Mount, Cased, POE	1,116.00	EC003015	690611	4549734548502			SA	SAA	JPN	9031.9000.00
STC-MCS163POE	GigE Vision Area Scan Camera, 1.6 MP, Color, CMOS Sony IMX273, 1/2.9", 3.45 µm, 69 fps, Global Shutter, C Mount, Cased, POE	541.00	EC003015	690603	4549734548427			SA	SAA	JPN	9031.9000.00
STC-MCS202POE	GigE Vision Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 54.4 fps, Global Shutter, C Mount, Cased, POE	751.00	EC003015	690605	4549734548441			SA	SAA	JPN	9031.9000.00
STC-MCS2041POE	GigE Vision Area Scan Camera, 20.0 MP, Color, CMOS Sony IMX183, 1", 2.4 µm, 5.6 fps, Rolling Shutter, C Mount, Cased, POE	1,141.00	EC003015	690613	4549734548526			SA	SAA	JPN	9031.9000.00
STC-MCS231POE	GigE Vision Area Scan Camera, 2.3 MP, Color, CMOS Sony IMX249, 1/1.2", 5.86 µm, 41.6 fps, Global Shutter, C Mount, Cased, POE	757.50	EC003015	695906	4549734664332			SA	SAA	JPN	9031.9000.00
STC-MCS312POE	GigE Vision Area Scan Camera, 3.2 MP, Color, CMOS Sony IMX265, 1/1.8", 2048 x 1536 Pixels, 3.45 µm, 33.4 fps, Global Shutter, C Mount, Cased, POE	998.00	EC003015	690607	4549734548465			SA	SAA	JPN	9031.9000.00
STC-MCS43POE	GigE Vision Area Scan Camera, 0.4 MP, Color, CMOS Sony IMX287, 1/2.9", 6.9 µm, 265 fps, Global Shutter, C Mount, Cased, POE	494.30	EC003015	690601	4549734548403			SA	SAA	JPN	9031.9000.00
STC-MCS500POE	GigE Vision Area Scan Camera, 5.0 MP, Color, CMOS Sony IMX264, 2/3", 3.45 µm, 21 fps, Global Shutter, C Mount, Cased, POE	1,126.00	EC003015	690609	4549734548489			SA	SAA	JPN	9031.9000.00
STC-MCS52POE	GigE Vision Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C Mount, Cased, POE	512.50	EC003015	695914	4549734594875			SA	SAA	JPN	9031.9000.00
STC-MCS642POE	GigE Vision Area Scan Camera, 6.4 MP, Color, CMOS Sony IMX178, 1/1.8", 2.4 µm, 17.4 fps, Rolling Shutter, C Mount, Cased, POE	586.50	EC003015	695910	4549734594912			SA	SAA	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
STC-MCS881POE	GigE Vision Area Scan Camera, 8.9 MP, Color, CMOS Sony IMX267, 1", 3.45 µm, 12.4 fps, Global Shutter, C-Mount, Cased, POE	2,197.00	EC003015	695908	4549734594943			SA	SAA	JPN	9031.9000.00
Endüstriyel Kameralar											
STC-MBS70BU3V	USB 3.0 Area Scan Camera, 7.1 MP, Monochrome, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C-Mount, Cased	2,380.00	EC003015	696370	4549734609814			SA	SAA	JPN	9031.9000.00
STC-MCS70BU3V	USB 3.0 Area Scan Camera, 7.1 MP, Color, CMOS Sony IMX428, 1.1", 4.5 µm, 51.2 fps, Global Shutter, C-Mount, Cased	2,380.00	EC003015	696369	4549734609920			SA	SAA	JPN	9031.9000.00
Endüstriyel Kameralar											
STC-CMB120AOPO	Opt-C-Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x OSFP + Optical connector, 40Gbps	6,315.00	EC003015	698800	4549734609937			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPO-F	Opt-C-Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F-Mount, 1x OSFP + Optical connector, 40Gbps	6,315.00	EC003015	698799	4549734609944			SA	SAA	JPN	9031.9000.00
STC-CMB120AOPT-F	Opt-C-Link Area Scan Camera, 12 MP, Monochrome, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F-Mount	6,315.00	EC003015	698807	4549734199544			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPO	Opt-C-Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, M42 Mount, 1x OSFP + Optical connector, 40Gbps	6,315.00	EC003015	698798	4549734609951			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPO-F	Opt-C-Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F-Mount, 1x OSFP + Optical connector, 40Gbps	6,315.00	EC003015	698797	4549734609968			SA	SAA	JPN	9031.9000.00
STC-CMC120AOPT-F	Opt-C-Link Area Scan Camera, 12 MP, Color, CMOS CMOSIS CMV12000, 1.76", 5.5 µm, 93.4 fps, Global Shutter, F-Mount	6,315.00	EC003015	698808	4549734199551			SA	SAA	JPN	9031.9000.00
Endüstriyel Kameralar											
STC-OSB250CL	Camera Link Area Scan Camera, 25 MP, Monochrome, Pyrhon 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, M42 Mount, Cased	6,005.00	EC003015	698579	4549734609890			SA	SAA	JPN	9031.9000.00
STC-OSB250CL-E	Camera Link Area Scan Camera, 25 MP, Monochrome, Pyrhon 25K, APS-H, 4.5 µm, 32 fps, Global Shutter, F-Mount, Cased	6,005.00	EC003015	698578	4549734609906			SA	SAA	JPN	9031.9000.00
STC-SPB202PCL	Camera Link Area Scan Camera, 2.0 MP, Monochrome, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C-Mount, Cased, POCL	818.50	EC003015	698325	4549734609999			SA	SAA	JPN	9031.9000.00
STC-SPB2PCL	Camera Link Area Scan Camera, 0.5 MP, Monochrome, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C-Mount, Cased, POCL	562.00	EC003015	698327	4549734609975			SA	SAA	JPN	9031.9000.00
STC-SPC202PCL	Camera Link Area Scan Camera, 2.0 MP, Color, CMOS Sony IMX430, 1/1.7", 4.5 µm, 89.1 fps, Global Shutter, C-Mount, Cased, POCL	818.50	EC003015	698324	4549734610001			SA	SAA	JPN	9031.9000.00
STC-SPC2PCL	Camera Link Area Scan Camera, 0.5 MP, Color, CMOS Sony IMX433, 1/1.7", 9.0 µm, 166.5 fps, Global Shutter, C-Mount, Cased, POCL	563.00	EC003015	698326	4549734609982			SA	SAA	JPN	9031.9000.00
Endüstriyel Kameralar											
FS-B2KU7DGFES-C	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, C-Mount, POE	1,740.00	EC003015	699136	4549734667142			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGFES-F	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, F-Mount, POE	1,786.00	EC003015	699135	4549734667159			SA	SAA	JPN	9031.9000.00
FS-B2KU7DGFES-M42	GigE Dual Line Scan Camera, 2x 2K, monochrome, CMOS AWAIBA DR-2X2K-7-inver, 7.0 µm, 51 kHz, M42-Mount, POE	1,764.00	EC003015	699134	4549734667166			SA	SAA	JPN	9031.9000.00
FS-B4KU7DGFES-C	GigE Line Scan Camera, 2K, Monochrome, CMOS AWAIBA DR-2K-7, 7.0 µm, 51 kHz, C-Mount, POE	1,531.00	EC003015	696087	4549734609807			SA	SAA	JPN	9031.9000.00
FS-B4KU7DGFES-F	GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, F-Mount, POE	2,153.00	EC003015	699138	4549734667128			SA	SAA	JPN	9031.9000.00
FS-B4KU7DGFES-M42	GigE Dual Line Scan Camera, 2x 4K, monochrome, CMOS AWAIBA DR-2X4K-7-inver, 7.0 µm, 13 kHz, M42-Mount, POE	2,117.00	EC003015	699137	4549734667135			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGFES-C	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, C-Mount, POE	1,740.00	EC003015	699131	4549734669900			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGFES-F	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, F-Mount, POE	1,786.00	EC003015	699130	4549734669917			SA	SAA	JPN	9031.9000.00
FS-C2KU7DGFES-M42	GigE Dual Line Scan Camera, 2x 2K, color, CMOS AWAIBA DR-2X2K-7-inver-RGB, dual scan, 7.0 µm, 26 kHz, M42-Mount, POE	1,764.00	EC003015	699129	4549734669924			SA	SAA	JPN	9031.9000.00
FS-C4KU7DGFES-F	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, F-Mount, POE	2,153.00	EC003015	699133	4549734669887			SA	SAA	JPN	9031.9000.00
FS-C4KU7DGFES-M42	GigE Dual Line Scan Camera, 2x 4K, color, CMOS AWAIBA DR-2X4K-7-inver-RGB, 7.0 µm, 13 kHz, M42-Mount, POE	2,153.00	EC003015	699132	4549734669894			SA	SAA	JPN	9031.9000.00
Endüstriyel Kameralar için Aksesuar											
CAB-USB3-02	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 2 m	42.71	EC003015	698597	4549734667180			SA	SAB	PHL	8544.4290.90
CAB-USB3-02-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 2 m	100.20	EC003015	698601	4549734667234			SA	SAB	PHL	8544.4290.90
CAB-USB3-03	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 3 m	51.25	EC003015	698596	4549734667197			SA	SAB	PHL	8544.4290.90
CAB-USB3-03-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 3 m	124.70	EC003015	698600	4549734667241			SA	SAB	PHL	8544.4290.90
CAB-USB3-05	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 5 m	59.85	EC003015	698595	4549734667203			SA	SAB	PHL	8544.4290.90
CAB-USB3-05-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 5 m	183.10	EC003015	698599	4549734667258			SA	SAB	PHL	8544.4290.90
CAB-USB3-07	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 7 m	128.40	EC003015	698594	4549734667210			SA	SAB	PHL	8544.4290.90
CAB-USB3-07-RB	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, robot cable, 7 m	305.10	EC003015	698598	4549734667265			SA	SAB	PHL	8544.4290.90
CAB-USB3-10	USB 3.0 cable, USB3.0 Micro-B, Camera side with fastening screws, 10 m	231.80	EC003015	698593	4549734667227			SA	SAB	PHL	8544.4290.90
Endüstriyel Kameralar için Aksesuar											
CAB-KWA-1EA	Converter, 6-pin connector to S-Series pin assignment	67.15	EC003015	696471	4549734667173			SA	SAB	JPN	9031.9000.00
RC-HD133	Remote Control Unit for all DVI/SDI camera models	152.70	EC003015	688176	4549734200035			SA	SAB	JPN	9031.9000.00
TP-JQA	Tripod Mount for Cube Camera	36.61	EC003015	696469	4549734667487			SA	SAB	CHN	9031.9000.00
TP-KWA2	Tripod Mount for M-Series Camera	36.61	EC003015	696470	4549734667470			SA	SAB	CHN	9031.9000.00
Barkod Okuyucular / Kamera Ürünleri											
FIS-0003-0001G	MS-3 Barcode Reader, Single Line, Low Density	1,477.00	EC002999	700200	4549734216517			SB	SBA	JPN	8471.6070.00
FIS-0003-0003G	MS-3 Barcode Reader, Raster, Low Density	1,557.00	EC002999	700198	4549734216531			SB	SBA	JPN	8471.6070.00
FIS-0830-1003G	OX-830 Scanner, Single Line, HD, Serial & Ethernet	2,818.00	EC002999	703374	4549734733113			SB	SBA	USA	8471.6070.00
FIS-0830-1004G	OX-830 Industrial barcode reader, raster line, low density, serial+ethernet	2,818.00	EC002999	703378	4549734733120			SB	SBA	USA	8471.6070.00
FIS-0830-1005G	OX-830 Scanner, Raster Line, MD, Serial & Ethernet	2,818.00	EC002999	703373	4549734733137			SB	SBA	USA	8471.6070.00
FIS-0870-1004G	OX-870 Industrial barcode reader, low density, sweeping raster, serial+Ethernet	4,391.00	EC002999	703504	4549734733205			SB	SBA	USA	8471.6070.00
FIS-0870-1005G	OX-870 Industrial Barcode Reader, Medium Density, Sweeping Raster, Serial+Ethernet	4,391.00	EC002999	707033	4549734733212			SB	SBA	USA	8471.6070.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-F00M50C-NNP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698158	4549734576314			SB	SBA	JPN	9031.9000.00
V430-F00M50C-NNX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698159	4549734576321			SB	SBA	JPN	9031.9000.00
V430-F00M50C-SWP	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC002999	698160	4549734576338			SB	SBA	JPN	9031.9000.00
V430-F00M50C-SWX	V430 Code Reader, 5 MP Color, Medium view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,747.00	EC002999	691772	4549734576345			SB	SBA	JPN	9031.9000.00
V430-F00N12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC002999	698173	4549734576475			SB	SBA	JPN	9031.9000.00
V430-F00N12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC002999	698174	4549734576482			SB	SBA	JPN	9031.9000.00
V430-F00N12M-RBX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC002999	691671	4549734576611			SB	SBA	JPN	9031.9000.00
V430-F00N12M-RVX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White ring light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC002999	698183	4549734576628			SB	SBA	JPN	9031.9000.00
V430-F00N12M-SBP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698175	4549734576499			SB	SBA	JPN	9031.9000.00
V430-F00N12M-SRX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	691560	4549734576505			SB	SBA	JPN	9031.9000.00
V430-F00N12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698176	4549734576512			SB	SBA	JPN	9031.9000.00
V430-F00N12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Narrow view, Autofocus 40-150 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	698177	4549734576529			SB	SBA	JPN	9031.9000.00
V430-F00W03M-NNP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,893.00	EC002999	698135	4549734576031			SB	SBA	MYS	9031.9000.00
V430-F00W03M-NNX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,503.00	EC002999	698136	4549734576048			SB	SBA	MYS	9031.9000.00
V430-F00W03M-SBP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698137	4549734576055			SB	SBA	MYS	9031.9000.00
V430-F00W03M-SBX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,318.00	EC002999	696573	4549734576062	#		SB	SBA	MYS	9031.9000.00
V430-F00W03M-SWP	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698138	4549734576079			SB	SBA	MYS	9031.9000.00
V430-F00W03M-SWX	V430 Code Reader, 0.3 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698139	4549734576086			SB	SBA	MYS	9031.9000.00
V430-F00W12M-NNP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC002999	698145	4549734576154			SB	SBA	JPN	9031.9000.00
V430-F00W12M-NNX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC002999	698146	4549734576161			SB	SBA	JPN	9031.9000.00
V430-F00W12M-SBP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698147	4549734576178			SB	SBA	JPN	9031.9000.00
V430-F00W12M-SBX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, Red light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,685.00	EC002999	691755	4549734576185	#		SB	SBA	JPN	9031.9000.00
V430-F00W12M-SWP	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC002999	698148	4549734576192			SB	SBA	JPN	9031.9000.00
V430-F00W12M-SWX	V430 Code Reader, 1.2 MP Monochrome, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC002999	698149	4549734576208			SB	SBA	JPN	9031.9000.00
V430-F00W50C-NNP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC002999	698155	4549734576277			SB	SBA	JPN	9031.9000.00
V430-F00W50C-NNX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, No outer light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,625.00	EC002999	698156	4549734576284			SB	SBA	JPN	9031.9000.00
V430-F00W50C-SWP	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, 1D/2D, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC002999	698157	4549734576291			SB	SBA	JPN	9031.9000.00
V430-F00W50C-SWX	V430 Code Reader, 5 MP Color, Wide view, Autofocus 50-300 mm, White light, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,747.00	EC002999	691586	4549734576307			SB	SBA	JPN	9031.9000.00
V440-FXXXY50M-NNX	V440-F, no optics, 5 MP, mono, C-Mount, X-Mode, Ethernet TCP/IP, EtherNet/IP, PROFINET	2,589.00	EC002999	703468	4549734702874			SB	SBA	JPN	9031.9000.00
Barkod Okuyucular / Kamera Ürünleri											
V410-HDS4608HC	V410-H HC Handheld Reader, white, wired	467.50	EC002999	699313	4549734570930			SB	SBA	MEX	8471.6070.00
V410-HDS4608SR	V410-H SR Handheld Reader, black/grey, wired	412.50	EC002999	699314	4549734570923	#		SB	SBA	MEX	8471.6070.00
V410-HDS4608XD	V410-H XD Handheld Reader, black/grey, wired, with X-Mode	687.50	EC002999	699312	4549734570947			SB	SBA	MEX	8471.6070.00
Barkod Doğrulama Ürünleri											
9510-5-3-0	LVS-9510 Verifier, 3" FoV	9,235.00	EC000000	682319	4549734217255			SB	SBB	USA	9031.9000.00
9510-5-4-0	LVS-9510 Verifier, 4" FoV	9,235.00	EC000000	682357	4549734217262			SB	SBB	USA	9031.9000.00
9510-5-4-5	LVS-9510 Verifier, 4.5" FoV	9,235.00	EC000000	682336	4549734217279	#		SB	SBB	USA	9031.9000.00
9510-5-6-250	LVS-9510 Verifier, 6.25" FoV	9,235.00	EC000000	682386	4549734217286			SB	SBB	USA	9031.9000.00
9570-C-5	LVS-9570 Roller, 1D & 2D Codes	7,020.00	EC000000	682075	4549734223928			SB	SBB	USA	9031.9000.00
9580-2D-3	LVS-9580 Handheld, 2D Barcode Verification	6,750.00	EC000000	682636	4549734223942			SB	SBB	USA	9031.9000.00
9580-C-3	LVS-9580 Handheld, 1D & 2D Barcode Verification	8,700.00	EC000000	682403	4549734217293			SB	SBB	USA	9031.9000.00
9585-DPM	LVS-9585 Handheld, 1D, 2D & DPM Dome and 30 degree lighting	10,840.00	EC000000	682389	4549734217323	#		SB	SBB	USA	9031.9000.00
Barkod Okuyucular											
F420-F00L12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	697140	4549734565073			SB	SBC	JPN	9031.9000.00
F420-F00L12M-NNX	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	697139	4549734565066			SB	SBC	JPN	9031.9000.00
F420-F00L12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	697141	4549734565080			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SBA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697143	4549734565103			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SBS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697142	4549734565097			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	697144	4549734565110			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	697146	4549734565134			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	697145	4549734565127			SB	SBC	JPN	9031.9000.00
F420-F00L12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,296.00	EC003015	696557	4549734565141			SB	SBC	JPN	9031.9000.00
F420-F00M03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,503.00	EC003015	697079	4549734564410			SB	SBC	MYS	9031.9000.00
F420-F00M03M-NNX	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,528.00	EC003015	697078	4549734564403			SB	SBC	MYS	9031.9000.00
F420-F00M03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,112.00	EC003015	697080	4549734564427			SB	SBC	MYS	9031.9000.00
F420-F00M03M-SBA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	697082	4549734564441			SB	SBC	MYS	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F420-F000M03M-SRS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	692081	4549734564434			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,234.00	EC003015	692083	4549734564458			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	692085	4549734564472			SB	SBC	MYS	9031.9000.00
F420-F000M03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	692084	4549734564465			SB	SBC	MYS	9031.9000.00
F420-F000M12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	692095	4549734564595			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	692094	4549734564588			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	692096	4549734564601			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	692098	4549734564625			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	692097	4549734564618			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	692099	4549734564632			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	692101	4549734564656			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	692100	4549734564649			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	692108	4549734564748			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	692107	4549734564731			SB	SBC	JPN	9031.9000.00
F420-F000M50C-NNV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,234.00	EC003015	692109	4549734564755			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWA	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,747.00	EC003015	692111	4549734564779			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWS	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,772.00	EC003015	692110	4549734564762			SB	SBC	JPN	9031.9000.00
F420-F000M50C-SWV	F420 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,051.00	EC003015	6965556	4549734564786			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	692131	4549734564984			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	692130	4549734564977			SB	SBC	JPN	9031.9000.00
F420-F000M12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	692132	4549734564991			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	692134	4549734565011			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	692133	4549734565004			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	692135	4549734565028			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	692137	4549734565042			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	692136	4549734565035			SB	SBC	JPN	9031.9000.00
F420-F000M12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	692138	4549734565059			SB	SBC	JPN	9031.9000.00
F420-F000W03M-NNA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,503.00	EC003015	692071	4549734564328			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,528.00	EC003015	692070	4549734564311			SB	SBC	MYS	9031.9000.00
F420-F000W03M-NNV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,112.00	EC003015	692072	4549734564335			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SBA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	692074	4549734564359			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SBS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	692073	4549734564342			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SRV	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,234.00	EC003015	692075	4549734564366			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWA	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	692077	4549734564380			SB	SBC	MYS	9031.9000.00
F420-F000W03M-SWS	F420 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	692076	4549734564373			SB	SBC	MYS	9031.9000.00
F420-F000W12M-NNA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,869.00	EC003015	692087	4549734564502			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,893.00	EC003015	692086	4549734564496			SB	SBC	JPN	9031.9000.00
F420-F000W12M-NNV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,478.00	EC003015	692088	4549734564519			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SBA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	692090	4549734564533			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SBS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	692089	4549734564526			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SRV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,600.00	EC003015	692091	4549734564540			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWA	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,990.00	EC003015	692093	4549734564564			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWS	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	2,015.00	EC003015	692092	4549734564557			SB	SBC	JPN	9031.9000.00
F420-F000W12M-SWV	F420 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,296.00	EC003015	6965553	4549734564571			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,625.00	EC003015	692103	4549734564687			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,650.00	EC003015	692102	4549734564670			SB	SBC	JPN	9031.9000.00
F420-F000W50C-NNV	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Serial RS-232, USB, or Ethernet over USB, IP54	3,234.00	EC003015	692104	4549734564694			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SWA	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Serial RS-232, USB, or Ethernet over USB, IP54	2,747.00	EC003015	692106	4549734564717			SB	SBC	JPN	9031.9000.00
F420-F000W50C-SWS	F420 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Serial RS-232, USB, or Ethernet over USB, IP54	1,772.00	EC003015	692105	4549734564700			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,234.00	EC003015	697443	4549734568319			SB	SBC	JPN	9031.9000.00
F430-F000L12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC003015	697442	4549734568302			SB	SBC	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000L12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,845.00	EC003015	697444	4549734568326			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SBA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	697446	4549734568340			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SBS	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	697445	4549734568333			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697447	4549734568357			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692453	4549734568371			SB	SBC	JPN	9031.9000.00
F430-F000L12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Long range, Autofocus 75-1200 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,661.00	EC003015	696571	4549734568388			SB	SBC	JPN	9031.9000.00
F430-F000M03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC003015	697395	4549734567657			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,893.00	EC003015	697394	4549734567640			SB	SBC	MYS	9031.9000.00
F430-F000M03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,478.00	EC003015	697396	4549734567664			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SBA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697398	4549734567688			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SBS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC003015	697397	4549734567671			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SRV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC003015	697399	4549734567695			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	692332	4549734567718			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,709.00	EC003015	696560	4549734567701			SB	SBC	MYS	9031.9000.00
F430-F000M03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,296.00	EC003015	696561	4549734567725			SB	SBC	MYS	9031.9000.00
F430-F000M12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,234.00	EC003015	697406	4549734567831			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC003015	697405	4549734567824			SB	SBC	JPN	9031.9000.00
F430-F000M12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,845.00	EC003015	697407	4549734567848			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RBA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697449	4549734568401			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RBS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697448	4549734568395			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,576.00	EC003015	697450	4549734568418			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	692345	4549734568432			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697451	4549734568425			SB	SBC	JPN	9031.9000.00
F430-F000M12M-RWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,271.00	EC003015	696572	4549734568449			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SBA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692388	4549734567862			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SBS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	697408	4549734567855			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697409	4549734567879			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692331	4549734567893			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,075.00	EC003015	696564	4549734567886			SB	SBC	JPN	9031.9000.00
F430-F000M12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,661.00	EC003015	696565	4549734567909			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697414	4549734567985			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC003015	697413	4549734567978			SB	SBC	JPN	9031.9000.00
F430-F000M50C-NNV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC003015	697415	4549734567992			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWA	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,112.00	EC003015	692442	4549734568012			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWS	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC003015	696568	4549734568005			SB	SBC	JPN	9031.9000.00
F430-F000M50C-SWV	F430 Smart Camera, 5 MP color, Medium view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,723.00	EC003015	696569	4549734568029			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,234.00	EC003015	697435	4549734568227			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC003015	697434	4549734568210			SB	SBC	JPN	9031.9000.00
F430-F000N12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,845.00	EC003015	697436	4549734568234			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RBA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	692453	4549734568463			SB	SBC	JPN	9031.9000.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
F430-F000N12M-RRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697452	4549734568456			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,576.00	EC003015	697454	4549734568470			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	692231	4549734568494			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697455	4549734568487			SB	SBC	JPN	9031.9000.00
F430-F000N12M-RWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White ring light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	4,576.00	EC003015	697456	4549734568500			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	697438	4549734568258			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	697437	4549734568241			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SRV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697439	4549734568265			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692283	4549734568289			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	697440	4549734568272			SB	SBC	JPN	9031.9000.00
F430-F000N12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Narrow view, Autofocus 40-150 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697441	4549734568296			SB	SBC	JPN	9031.9000.00
F430-F000W03M-NNA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,869.00	EC003015	697388	4549734567565			SB	SBC	MYS	9031.9000.00
F430-F000W03M-NNS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,893.00	EC003015	697387	4549734567558			SB	SBC	MYS	9031.9000.00
F430-F000W03M-NNV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,478.00	EC003015	697389	4549734567572			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SBA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697391	4549734567596			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SBS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC003015	697390	4549734567589			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SBV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC003015	697392	4549734567602			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWA	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697393	4549734567626			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWS	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	1,709.00	EC003015	696558	4549734567619			SB	SBC	MYS	9031.9000.00
F430-F000W03M-SWV	F430 Smart Camera, 0.3 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,296.00	EC003015	696559	4549734567633			SB	SBC	MYS	9031.9000.00
F430-F000W12M-NNA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,234.00	EC003015	697401	4549734567749			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,259.00	EC003015	697400	4549734567732			SB	SBC	JPN	9031.9000.00
F430-F000W12M-NNV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,845.00	EC003015	697402	4549734567756			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SBA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692218	4549734567770			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SBS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,381.00	EC003015	697403	4549734567763			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SBV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, Red light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,967.00	EC003015	697404	4549734567787			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWA	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,356.00	EC003015	692160	4549734567800			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWS	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,075.00	EC003015	696562	4549734567794			SB	SBC	JPN	9031.9000.00
F430-F000W12M-SWV	F430 Smart Camera, 1.2 MP monochrome, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,661.00	EC003015	696563	4549734567817			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,990.00	EC003015	697411	4549734567923			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,015.00	EC003015	697410	4549734567916			SB	SBC	JPN	9031.9000.00
F430-F000W50C-NNV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, No outer light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,600.00	EC003015	697412	4549734567930			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWA	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,112.00	EC003015	692217	4549734567954			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWS	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION Sensor, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	2,137.00	EC003015	696566	4549734567947			SB	SBC	JPN	9031.9000.00
F430-F000W50C-SWV	F430 Smart Camera, 5 MP color, Wide view, Autofocus 50-300 mm, White light, AutoVISION+Visionscape, Ethernet TCP/IP, EtherNet/IP, PROFINET, IP65/IP67	3,723.00	EC003015	696567	4549734567961			SB	SBC	JPN	9031.9000.00
Lazer isaretleyci											
MX-Z2000H-V1	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 90x90 mm, Marking Resolution 2µm, Working distance 170±10 mm, 200 to 240 VAC, 50/60 Hz	50,050.00	EC000000	692759	4549734523868			SB	SBU	JPN	8456.1190.00
MX-Z2050H-V1	Laser Marker, Fiber laser Wavelength 1062 nm, 20 W Fiber laser transmitter output, Marking area 160x160 mm, Marking Resolution 4µm, Working distance 210±10 mm, 200 to 240 VAC, 50/60 Hz	50,050.00	EC000000	692758	4549734523875			SB	SBU	JPN	8456.1190.00
Kamera Aksesuarları											
98-9000181-01	Kit, Power supply for cradle / charger, HDS-3678, A/C Power Cord Required	50.00	EC003015	684545	4549734958202			SB	SBZ	CHN	9031.9000.00
V410-A50	Presentation stand, hands free operation, V410-H	72.05	EC003015	699311	4549734570961	#		SB	SBZ	MEX	9031.9000.00
V410-WR-2M	Cable, RS-232, DB9F, TXD-2, 2 m	51.25	EC001681	699315	4549734570985			SB	SBZ	CHN	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheet)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V410-WUB-2M	Cable, style 3 USB, Mod plug, 2 m	51.25	EC001681	699316	4549734570978	#		SB	SBZ	CHN	8544.4210.00
Kamera Aksesuarları											
61-9000043-01	Cable, DB15 to Bus Power USB, MicroHAWK-30	106.00	EC003015	682392	4549734217705			SB	SBZ	USA	8544.4210.00
98-9000051-01	Kit, Window, MicroHAWK-30/40	57.85	EC003015	682085	4549734238052			SB	SBZ	USA	9031.9000.00
V330-AF1	V/F 3x0-F Diffuser Kit, Peel and Stick Accessory, Exterior to unit	36.61	EC003015	697628	4549734583268			SB	SBZ	USA	9031.9000.00
V330-AF2	V/F 3x0-F Polarizer Kit, Peel and Stick Accessory, Exterior to unit	36.61	EC003015	697629	4549734583275			SB	SBZ	USA	9031.9000.00
V420-AC0	V/F 420-F Kit; RS-232 Breakout (DB-15) Cable plus Power Supply	140.60	EC003015	697909	4549734555708			SB	SBZ	USA	9031.9000.00
V420-AC1	V/F 420-F Kit; USB Breakout Cable plus Power Supply	140.60	EC003015	697910	4549734555715			SB	SBZ	USA	9031.9000.00
V420-AC2	V/F 420-F Kit; USB, IO, and Power Breakout Cable plus Power Supply	213.70	EC003015	697911	4549734555722			SB	SBZ	USA	9031.9000.00
V420-WRUX-1M	V/F 420-F Cable, RS-232, USB, IO, and Power Breakout, 1 m	213.70	EC003015	697908	4549734555692			SB	SBZ	USA	8544.4290.90
V420-WRX-1M	V/F 420-F Cable, RS-232 Breakout (DB-15) and External Power Input, 1 m	246.70	EC003015	697906	4549734555678			SB	SBZ	USA	8544.4290.90
V420-WU8X-1M	V/F 420-F Cable, USB, IO, and Power Breakout, 1 m	195.30	EC003015	697907	4549734555685			SB	SBZ	USA	8544.4290.90
V420-WUB-1M	V/F 420-F Cable, USB Breakout, 1 m	82.10	EC003015	697904	4549734555654			SB	SBZ	USA	8544.4290.90
V420-WUX-1M	V/F 420-F Cable, USB Breakout with External Power Input, 1 m	100.80	EC003015	697905	4549734555661			SB	SBZ	USA	8544.4290.90
V430-AF0R	V/F 430-F Ringlight Front Window Installation Kit	100.80	EC003015	698201	4549734555852	#		SB	SBZ	USA	9031.9000.00
V430-AF11	Diffuser Installation Kit for V/F4X0-FXXXXXX-XXX	67.15	EC003015	693830	4549734600996			SB	SBZ	USA	9031.9000.00
V430-AF12	Polarizer Installation Kit for V/F4X0-FXXXXXX-XXX	102.50	EC003015	693829	4549734601009			SB	SBZ	USA	9031.9000.00
V430-AF1R	V/F 4x0-F Ringlight Diffuser Installation Kit	222.20	EC003015	698202	4549734555869	#		SB	SBZ	USA	9031.9000.00
V430-AF2	V/F 4x0-F Standard Polarizer Installation Kit	100.80	EC003015	683098	4549734191968	#		SB	SBZ	USA	9031.9000.00
V430-AF2R	V/F 4x0-F Ringlight Polarizer Installation Kit	222.20	EC003015	698203	4549734555876			SB	SBZ	USA	9031.9000.00
V430-AF4	Kit, YAG Filter, F/V43XX	314.10	EC003015	702585	4549734555814			SB	SBZ	USA	9031.9000.00
V430-AF5	Kit, ESD Window, F/V4XX	102.50	EC003015	702586	4549734555821			SB	SBZ	USA	9031.9000.00
V430-AF6	V/F 4x0-F Standard Red power filter Installation Kit	100.80	EC003015	698199	4549734555838			SB	SBZ	USA	9031.9000.00
V430-AF7	V/F 4x0-F Standard Blue power filter Installation Kit	100.80	EC003015	698200	4549734555845			SB	SBZ	USA	9031.9000.00
V430-ALB	V/F 4x0-F Blue Standard Light Installation Kit	167.30	EC003015	698194	4549734555760			SB	SBZ	USA	9031.9000.00
V430-ALBR	V/F 430-F Blue Ring Light Installation Kit	247.90	EC003015	698198	4549734555807	#		SB	SBZ	USA	9031.9000.00
V430-ALI	V/F 4x0-F IR Standard Light Installation Kit	167.30	EC003015	698193	4549734555753			SB	SBZ	USA	9031.9000.00
V430-ALIR	V/F 430-F IR Ring Light Installation Kit	247.90	EC003015	698197	4549734555791	#		SB	SBZ	USA	9031.9000.00
V430-ALR	V/F 4x0-F Red Standard Light Installation Kit	167.30	EC003015	698191	4549734555739			SB	SBZ	USA	9031.9000.00
V430-ALRR	V/F 430-F Red Ring Light Installation Kit	247.90	EC003015	698195	4549734555777	#		SB	SBZ	USA	9031.9000.00
V430-ALW	V/F 4x0-F White Standard Light Installation Kit	167.30	EC003015	698192	4549734555746			SB	SBZ	USA	9031.9000.00
V430-ALLWR	V/F 430-F White Ring Light Installation Kit	247.90	EC003015	698196	4549734555784	#		SB	SBZ	USA	9031.9000.00
V430-AM0	V/F 4x0-F L Bracket Adjustable Angle Mounting Kit	54.95	EC003015	683100	4549734191982	#		SB	SBZ	USA	9031.9000.00
V430-AM1	V/F 4x0-F 1/4-20 Camera Mounting Block Kit	54.95	EC003015	683101	4549734191999			SB	SBZ	USA	9031.9000.00
V430-AM2	V/F 4x0-F 4" (102 mm) Ram Mount Stand	111.20	EC003015	698204	4549734555883			SB	SBZ	USA	9031.9000.00
V430-AM3	V/F 4x0-F APG Pan and Tilt Camera Mount	138.10	EC003015	698205	4549734555890			SB	SBZ	USA	9031.9000.00
V430-AM4	V/F 4x0-F Nylon Screw and Washer Electrical Isolation Mounting Kit	41.49	EC003015	696575	4549734555906			SB	SBZ	USA	9031.9000.00
V430-AM5	V/F 4x0-F MS-4 / MINI to V/F4XX-F Adapter Plate	127.10	EC003015	696576	4549734555913			SB	SBZ	USA	9031.9000.00
V430-AM6	V/F 4x0-F Smart Ring Light to V/F4XX-F Mounting Bracket	103.80	EC003015	696577	4549734555920			SB	SBZ	USA	9031.9000.00
V430-AM7	V/F 4x0-F QX / Vision HAWK to V/F4XX-F Adapter Plate	139.30	EC003015	696574	4549734555937			SB	SBZ	USA	9031.9000.00
V430-WB-10M-E	V/F 430-F M12 to Flying Leads Cable, 10 m	189.90	EC003015	707102	4549734833103			SB	SBZ	ITA	8544.4290.90
V430-WB-15M-E	V/F 430-F M12 to flying leads cable, 15 m	218.60	EC003015	707110	4549734833189			SB	SBZ	ITA	8544.4290.90
V430-WB-20M-E	V/F 430-F M12 to Flying Leads Cable, 20 m	235.90	EC003015	707103	4549734833110			SB	SBZ	ITA	8544.4290.90
V430-WB-3M	V/F 430-F M12 to Flying Leads Cable, 3 m	152.80	EC003015	683088	4549734191869	#		SB	SBZ	USA	8544.4210.00
V430-WB-5M	V/F 430-F M12 to Flying Leads Cable, 5 m	192.50	EC003015	683090	4549734191883	#		SB	SBZ	USA	8544.4210.00
V430-WBLD-10M-E	V/F 430-F M12 to flying leads cable, right angle down, 10 m	189.90	EC003015	707150	4549734833431			SB	SBZ	ITA	8544.4290.90
V430-WBLD-15M-E	V/F 430-F M12 to flying leads cable, right angle down, 15 m	218.60	EC003015	707149	4549734833424			SB	SBZ	ITA	8544.4290.90
V430-WBLD-20M-E	V/F 430-F M12 to flying leads cable, right angle down, 20 m	235.90	EC003015	707148	4549734833417			SB	SBZ	ITA	8544.4290.90
V430-WBLD-3M	V/F 430-F M12 to Flying Leads Cable, right angle down, 3 m	165.00	EC003015	683092	4549734191906			SB	SBZ	USA	8544.4210.00
V430-WBLD-5M-E	V/F 430-F M12 to flying leads cable, right angle down, 5 m	161.30	EC003015	707147	4549734833400			SB	SBZ	ITA	8544.4290.90
V430-WBLU-10M-E	V/F 430-F M12 to flying leads cable, right angle up, 10 m	189.90	EC003015	707154	4549734833479			SB	SBZ	ITA	8544.4290.90
V430-WBLU-15M-E	V/F 430-F M12 to flying leads cable, right angle up, 15 m	218.60	EC003015	707153	4549734833462			SB	SBZ	ITA	8544.4290.90
V430-WBLU-20M-E	V/F 430-F M12 to flying leads cable, right angle up, 20 m	235.90	EC003015	707152	4549734833455			SB	SBZ	ITA	8544.4290.90
V430-WBLU-3M	V/F 430-F M12 to Flying Leads Cable, right angle up, 3 m	165.00	EC003015	683093	4549734191913			SB	SBZ	USA	8544.4210.00
V430-WBLU-5M-E	V/F 430-F M12 to flying leads cable, right angle up, 5 m	161.30	EC003015	707151	4549734833448			SB	SBZ	ITA	8544.4290.90
V430-WE-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 10 m	189.90	EC002599	707100	4549734833080			SB	SBZ	ITA	8544.4210.00
V430-WE-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 15 m	218.60	EC002599	707101	4549734833097			SB	SBZ	ITA	8544.4210.00
V430-WE-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 20 m	235.90	EC002599	707099	4549734833073			SB	SBZ	ITA	8544.4210.00
V430-WE-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 3 m	153.80	EC002599	683087	4549734191852	#		SB	SBZ	USA	8544.4210.00
V430-WE-5M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, 5 m	192.50	EC002599	683091	4549734191890	#		SB	SBZ	USA	8544.4210.00
V430-WELD-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 10 m	189.90	EC002599	707132	4549734833257			SB	SBZ	ITA	8544.4210.00
V430-WELD-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 15 m	218.60	EC002599	707134	4549734833271			SB	SBZ	ITA	8544.4210.00
V430-WELD-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 1 m	112.40	EC002599	707144	4549734833370			SB	SBZ	ITA	8544.4210.00
V430-WELD-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 20 m	235.90	EC002599	707142	4549734833356			SB	SBZ	ITA	8544.4210.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
V430-WELD-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle down, 3 m	153.80	EC002599	683094	4549734191920			SB	SBZ	USA	8544.4210.00
V430-WELD-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle down, 5 m	161.30	EC002599	707146	4549734833394			SB	SBZ	ITA	8544.4210.00
V430-WELU-10M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 10 m	189.90	EC002599	707131	4549734833240			SB	SBZ	ITA	8544.4210.00
V430-WELU-15M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 15 m	218.60	EC002599	707133	4549734833264			SB	SBZ	ITA	8544.4210.00
V430-WELU-1M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 1 m	112.40	EC002599	707143	4549734833363			SB	SBZ	ITA	8544.4210.00
V430-WELU-20M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 20 m	235.90	EC002599	707129	4549734833233			SB	SBZ	ITA	8544.4210.00
V430-WELU-3M	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, Right angle up, 3 m	153.80	EC002599	683095	4549734191937			SB	SBZ	USA	8544.4210.00
V430-WELU-5M-E	V/F 430-F Ethernet cable M12 plug on camera to RJ45 connector, right angle up, 5 m	161.30	EC002599	707145	4549734833387			SB	SBZ	ITA	8544.4210.00
V430-WQ-1M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 1 m	121.90	EC003015	698186	4549734555593			SB	SBZ	USA	8544.4290.90
V430-WQ-3M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 3 m	152.80	EC003015	698187	4549734555609			SB	SBZ	USA	8544.4290.90
V430-WQ-5M	V/F 430-F Camera to QX-1 interconnect cable, M12 socket to M12 plug, 5 m	183.10	EC003015	698188	4549734555616			SB	SBZ	USA	8544.4290.90
V430-WQK-3M	V/F 430-F Camera to QX-1 interconnect cable with USB keyboard wedge breakout, 2,7 m	549.50	EC003015	698189	4549734555630			SB	SBZ	USA	8544.4290.90
V430-WQR-3M	V/F 430-F Camera to QX-1 interconnect cable with RS-232 breakout, 2,7 m	305.10	EC003015	692731	4549734555623			SB	SBZ	USA	8544.4210.00
V430-WR-1M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 1 m	121.90	EC003015	698184	4549734555579			SB	SBZ	USA	8544.4290.90
V430-WR-3M	V/F 430-F Cable, M12 socket to RS-232 DB9 socket, 3 m	127.10	EC003015	698185	4549734555586			SB	SBZ	USA	8544.4290.90
V440-AM1	R-70 Smart series ring light mounting kit	74.80	EC003015	703463	4549734702904			SB	SBZ	USA	9031.9000.00
V440-AM2	R-100 Smart series ring light mounting kit	86.30	EC003015	703462	4549734702911			SB	SBZ	USA	9031.9000.00
Görsel Denetim Sistemleri FH											
FHV-VDB 10M	FHV7 Power / IO Cable, straight 10 m, M12 connector	609.00	EC003015	685302	4549734282758	#		SC	SCA	CHN	8544.4290.90
FHV-VDB 20M	FHV7 Power / IO Cable, straight 20 m, M12 connector	1,009.00	EC003015	685227	4549734282765			SC	SCA	CHN	8544.4290.90
FHV-VDB 2M	FHV7 Power / IO Cable, straight 2 m, M12 connector	185.00	EC003015	685299	4549734282727			SC	SCA	CHN	8544.4290.90
FHV-VDB 3M	FHV7 Power / IO Cable, straight 3 m, M12 connector	237.50	EC003015	685300	4549734282734			SC	SCA	CHN	8544.4290.90
FHV-VDB 5M	FHV7 Power / IO Cable, straight 5 m, M12 connector	346.20	EC003015	685301	4549734282741	#		SC	SCA	CHN	8544.4290.90
FHV-VDLB 10M	FHV7 Power / IO Cable, right angle 10 m, M12 connector	609.00	EC003015	685306	4549734282802			SC	SCA	CHN	8544.4290.90
FHV-VDLB 2M	FHV7 Power / IO Cable, right angle 2 m, M12 connector	185.00	EC003015	685303	4549734282772			SC	SCA	CHN	8544.4290.90
FHV-VDLB 3M	FHV7 Power / IO Cable, right angle 3 m, M12 connector	237.50	EC003015	685304	4549734282789			SC	SCA	CHN	8544.4290.90
FHV-VDLB 5M	FHV7 Power / IO Cable, right angle 5 m, M12 connector	346.20	EC003015	685305	4549734282796	#		SC	SCA	CHN	8544.4290.90
FHV-VNB 10M	FHV7 Ethernet cable, straight 10 m, M12 connector	438.60	EC002599	685294	4549734282659	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 20M	FHV7 Ethernet cable, straight 20 m, M12 connector	840.50	EC002599	685380	4549734282666	#		SC	SCA	CHN	8544.4210.00
FHV-VNB 2M	FHV7 Ethernet cable, straight 2 m, M12 connector	175.90	EC002599	685291	4549734282628			SC	SCA	CHN	8544.4210.00
FHV-VNB 3M	FHV7 Ethernet cable, straight 3 m, M12 connector	217.50	EC002599	685292	4549734282635			SC	SCA	CHN	8544.4210.00
FHV-VNB 5M	FHV7 Ethernet cable, straight 5 m, M12 connector	281.00	EC002599	685293	4549734282642	#		SC	SCA	CHN	8544.4210.00
FHV-VNB-2M-E	FHV7 Ethernet cable, straight 2 m, M12 connector	175.90	EC002599	707586	4549734835787			SC	SCA	ITA	8544.4210.00
FHV-VNLB 10M	FHV7 Ethernet cable, right angle 10 m, M12 connector	438.60	EC002599	685298	4549734282703			SC	SCA	CHN	8544.4210.00
FHV-VNLB 5M	FHV7 Ethernet cable, right angle 5 m, M12 connector	281.00	EC002599	685297	4549734282697	#		SC	SCA	CHN	8544.4210.00
FHV-VUB 10M	Smart Camera data unit cable, bend resistant, 10 m	786.50	EC003015	688777	4549734496162			SC	SCA	CHN	8544.4290.90
FHV-VUB 5M	Smart Camera data unit cable, bend resistant, 5 m	412.20	EC003015	688776	4549734496155			SC	SCA	CHN	8544.4290.90
FHV-VULB 2M	Smart Camera data unit cable, bend resistant, right angle, 2 m	228.30	EC003015	688779	4549734496186			SC	SCA	CHN	8544.4290.90
FHV-VULB 3M	Smart Camera data unit cable, bend resistant, right angle, 3 m	291.80	EC003015	688780	4549734496193			SC	SCA	CHN	8544.4290.90
Görsel Denetim Sistemleri FH											
FHV7H-C004-C	FH Vision Smart Camera, high performance, color type, 0,4 Mpix resolution, 6,9 µm pixel size, 1/2,9" chip size, global shutter, C-mount, 24 VDC, IP40	4,438.00	EC003015	685333	4549734283885	#		SC	SCA	JPN	9031.8080.00
FHV7H-C004-H06-W	FH Vision Smart Camera, high performance, color type, 0,4 Mpix resolution, 6,9 µm pixel size, 1/2,9" chip size, global shutter, high speed liquid lens module, focal length 6mm, white illuminator 24 VDC, IP67, pre-assembled	7,335.00	EC003015	689046	4549734497008			SC	SCA	JPN	9031.8080.00
FHV7H-C016-C	FH Vision Smart Camera, high performance, color type, 1,6 Mpix resolution, 3,45 µm pixel size, 1/2,9" chip size, global shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	685334	4549734283892	#		SC	SCA	JPN	9031.8080.00
FHV7H-C016-S12-W	FH Vision Smart Camera, high performance, color type, 1,6 Mpix resolution, 3,45 µm pixel size, 1/2,9" chip size, global shutter, motorized lens module, focal length 12 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,260.00	EC003015	685365	4549734284318			SC	SCA	JPN	9031.8080.00
FHV7H-C016-S25-W	FH Vision Smart Camera, high performance, color type, 1,6 Mpix resolution, 3,45 µm pixel size, 1/2,9" chip size, global shutter, motorized lens module, focal length 25 mm, white illuminator, 24 VDC, IP67, pre-assembled	7,260.00	EC003015	685377	4549734284479			SC	SCA	JPN	9031.8080.00
FHV7H-C032-C	FH Vision Smart Camera, high performance, color type, 3,2 Mpix resolution, 3,45 µm pixel size, 1/1,8" chip size, global shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	685335	4549734283908	#		SC	SCA	JPN	9031.8080.00
FHV7H-C032-H06-W	FH Vision Smart Camera, high performance, color type, 3,2 Mpix resolution, 3,45 µm pixel size, 1/1,8" chip size, global shutter, high speed liquid lens module, focal length 6mm, white illuminator 24 VDC, IP67, pre-assembled	8,800.00	EC003015	689044	4549734497022			SC	SCA	JPN	9031.8080.00
FHV7H-C032-S09-MC	FH Vision Smart Camera, high performance, color type, 3,2 Mpix resolution, 3,45 µm pixel size, 1/1,8" chip size, global shutter, motorized lens module, focal length 9 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,140.00	EC003015	685363	4549734284288			SC	SCA	JPN	9031.8080.00
FHV7H-C032-S12-MC	FH Vision Smart Camera, high performance, color type, 3,2 Mpix resolution, 3,45 µm pixel size, 1/1,8" chip size, global shutter, motorized lens module, focal length 12 mm, multi color illuminator, 24 VDC, IP67, pre-assembled	9,140.00	EC003015	685369	4549734284363			SC	SCA	JPN	9031.8080.00
FHV7H-C050-C	FH Vision Smart Camera, high performance, color type, 5,0 Mpix resolution, 3,45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	6,830.00	EC003015	685336	4549734283915	#		SC	SCA	JPN	9031.8080.00
FHV7H-C063R-C	FH Vision Smart Camera, high performance, color type, 6,3 Mpix resolution, 2,4 µm pixel size, 1/1,8" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	687437	4549734283922	#		SC	SCA	JPN	9031.8080.00
FHV7H-C120R-C	FH Vision Smart Camera, high performance, color type, 12,0 Mpix resolution, 1,85 µm pixel size, 1/1,7" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	687438	4549734283939			SC	SCA	JPN	9031.8080.00
FHV7H-M004-C	FH Vision Smart Camera, high performance, monochrome type, 0,4 Mpix resolution, 6,9 µm pixel size, 1/2,9" chip size, global shutter, C-mount, 24 VDC, IP40	4,438.00	EC003015	685231	4549734282826			SC	SCA	JPN	9031.8080.00
FHV7H-M016-C	FH Vision Smart Camera, high performance, monochrome type, 1,6 Mpix resolution, 3,45 µm pixel size, 1/2,9" chip size, global shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	685232	4549734282833			SC	SCA	JPN	9031.8080.00
FHV7H-M032-C	FH Vision Smart Camera, high performance, monochrome type, 3,2 Mpix resolution, 3,45 µm pixel size, 1/1,8" chip size, global shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	685233	4549734282840			SC	SCA	JPN	9031.8080.00
FHV7H-M050-C	FH Vision Smart Camera, high performance, monochrome type, 5,0 Mpix resolution, 3,45 µm pixel size, 2/3" chip size, global shutter, C-mount, 24 VDC, IP40	6,830.00	EC003015	685234	4549734282857	#		SC	SCA	JPN	9031.8080.00
FHV7H-M063R-C	FH Vision Smart Camera, high performance, monochrome type, 6,3 Mpix resolution, 2,4 µm pixel size, 1/1,8" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,050.00	EC003015	687435	4549734282864			SC	SCA	JPN	9031.8080.00

Catalog Description (image)	Item Long Description (Web page)	2023 List Price (Jan 1st)	ETIM Class	S.I.N. (Dsheets)	GTIN	Stock	Lot Qty.	Gr.	Fam	COO	Tariff Code
FHV7H-M120R-C	FH Vision Smart Camera, high performance, monochrome type, 12.0 Mpix resolution, 1.85 µm pixel size, 1/1.7" chip size, rolling shutter, C-mount, 24 VDC, IP40	5,915.00	EC003015	687436	4549734282871			SC	SCA	JPN	9031.8080.00
Görsel Denetim Sistemleri FH											
FHV-LEM-H06	FHV7 Liquid lens module, 6 mm focal length	1,613.00	EC003015	688770	4549734282512	#		SC	SCA	JPN	9031.9000.00
FHV-LEM-H19	FHV7 Liquid lens module, 19 mm focal length	1,613.00	EC003015	688771	4549734282529	#		SC	SCA	JPN	9031.9000.00
FHV-LEM-S06	FHV7 lens module, 6 mm focal length	926.50	EC003015	685283	4549734282536	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S09	FHV7 lens module, 9 mm focal length	926.50	EC003015	685284	4549734282543	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S12	FHV7 lens module, 12 mm focal length	926.50	EC003015	685285	4549734282550	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S16	FHV7 lens module, 16 mm focal length	926.50	EC003015	685286	4549734282567	#		SC	SCA	CHN	9031.9000.00
FHV-LEM-S25	FHV7 lens module, 25 mm focal length	926.50	EC003015	685287	4549734282574	#		SC	SCA	CHN	9031.9000.00
FHV-LTM-MC	FHV7 illumination module, multi color Red Green Blue, IR, includes protection window	2,048.00	EC003015	685290	4549734282611	#		SC	SCA	JPN	9031.9000.00
FHV-LTM-W	FHV7 illumination module, white, includes protection window	1,025.00	EC003015	685289	4549734282598	#		SC	SCA	JPN	9031.9000.00
FHV-SDU10	FHV7 extended data unit, Parallel interface	609.00	EC003015	688772	4549734496117	#		SC	SCA	JPN	9031.9000.00
FHV-SDU30	FHV7 extended data unit, EtherCAT interface	750.00	EC003015	688773	4549734496124	#		SC	SCA	JPN	9031.9000.00
Görsel Denetim Sistemleri Aksesuarları FH											
FHV-XDF	FHV7 Diffusion filter	606.00	EC003015	685307	4549734451949	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-L	FHV7 Waterproof hood, long, for 3Z4S-LE SV-H series	213.00	EC003015	685311	4549734451994	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-LEM	FHV7 Waterproof hood, for motorized lens modules	244.70	EC003015	685312	4549734452007	#		SC	SCZ	JPN	9031.9000.00
FHV-XHD-S	FHV7 Waterproof hood, short, for 3Z4S-LE SV-V series	217.50	EC003015	685310	4549734451987	#		SC	SCZ	JPN	9031.9000.00
FHV-XMT-7	Fixture for FHV7	74.55	EC003015	685313	4549734452014	#		SC	SCZ	CHN	9031.9000.00
FHV-XPL	FHV7 Polarization filter, for visible light	255.20	EC003015	685308	4549734451956	#		SC	SCZ	JPN	9031.9000.00
FHV-XPL-IR	Polarized Light Filter, for visible and IR light	724.00	EC003015	686997	4549734451963	#		SC	SCZ	JPN	9031.9000.00
FHV-XWP-HD-SL	FHV7 waterproof packing for hood	12.69	EC003015	685317	4549734452052	#		SC	SCZ	JPN	9031.9000.00
Robot Yedek Parçaları											
13131-210F	License Donqle, EM2100 Legacy	183.90	EC000000	701881	4549734592789			YR	YRA	USA	8523.8090.00
Robot Yedek Parçaları											
ROBOT RE-PAINT	After Sales Robotic Services : Robot re-paint	667.50		683372				YR	YRA	NLD	

Fiyatlarımızda herhangi bir ihbara gerek duymaksızın deęişiklik yapma hakkımız mahfuzdur.

İçeride görülen resim ve teknik deęerler genel bilgi amaçlıdır. Cihaz ölçüleri, montaj ve işletme verileri için, cihazla birlikte verilen işletme talimatını esas alınız.

Ürünlerimiz, prospektüslerinde belirtilen şartlar altında kullanıldığında, imalat hatalarına karşı bir yıl garantilidir. Aksi halde garanti kapsamı dışındadır.

Fiyat listemizde yer alan fiyat, ürün gibi bilgilerde yazım hataları söz konusu olduğunda, Omron Electronics Ltd.Şti.'deki bilgi ve fiyatlar geçerli olacaktır.

Fiyat listemizde bulunmayan ürünlerimiz için lütfen yetkili bayilerimiz ya da genel merkezimiz ile iletişime geçiniz.

Daha fazlasını öğrenmek ister misiniz?

OMRON TÜRKİYE

+90 (216) 556 51 30

industrial.omron.com.tr

Satış & Destek Ofisleri

Almanya

Tel: +49 (0) 2173 680 00
industrial.omron.de

Finlandiya

Tel: +358 (0) 207 464 200
industrial.omron.fi

İspanya

Tel: +34 913 777 902
industrial.omron.es

Norveç

Tel: +47 22 65 75 00
industrial.omron.no

Avusturya

Tel: +43 (0) 2236 377 800
industrial.omron.at

Fransa

Tel: +33 (0) 1 56 63 70 00
industrial.omron.fr

İsveç

Tel: +46 (0) 8 632 35 00
industrial.omron.se

Polonya

Tel: +48 22 458 66 66
industrial.omron.pl

Belçika

Tel: +32 (0) 2 466 24 80
industrial.omron.be

Güney Afrika

Tel: +27 (0)11 579 2600
industrial.omron.co.za

İsviçre

Tel: +41 (0) 41 748 13 13
industrial.omron.ch

Portekiz

Tel: +351 21 942 94 00
industrial.omron.pt

Çek Cumhuriyeti

Tel: +420 234 602 602
industrial.omron.cz

Hollanda

Tel: +31 (0) 23 568 11 00
industrial.omron.nl

İtalya

Tel: +39 02 326 81
industrial.omron.it

Rusya

Tel: +7 495 648 94 50
industrial.omron.ru

Danimarka

Tel: +45 43 44 00 11
industrial.omron.dk

İngiltere

Tel: +44 (0) 1908 258 258
industrial.omron.co.uk

Macaristan

Tel: +36 1 399 30 50
industrial.omron.hu

Diğer Omron

Temsilcileri
industrial.omron.eu